Yong Gyu Park

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6568890/publications.pdf

Version: 2024-02-01

122 papers 2,328 citations

218592 26 h-index 265120 42 g-index

123 all docs

123 docs citations

123 times ranked 4067 citing authors

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 1 | Beh§et's Disease Is Associated with Multiple Sclerosis and Rheumatoid Arthritis: A Korean Population-Based Study. Dermatology, 2022, 238, 86-91. | 0.9 | 3 |
| 2 | Non-genetic risk factors for atrial fibrillation are equally important in both young and old age: A nationwide population-based study. European Journal of Preventive Cardiology, 2021, 28, 666-676. | 0.8 | 35 |
| 3 | Waist circumference, body mass index, and colorectal cancer risk according to diabetes status: A Korean nationwide populationâ€based cohort study. Journal of Gastroenterology and Hepatology (Australia), 2021, 36, 397-405. | 1.4 | 4 |
| 4 | High waist circumference rather than high body mass index may be a predictive risk factor for the longer disease duration of chronic spontaneous urticaria. Scientific Reports, 2021, 11, 1875. | 1.6 | 6 |
| 5 | Impact of waist circumference on the risk of vertebral fracture: A nationwide cohort study in South Korea. Bone, 2021, 145, 115870. | 1.4 | 3 |
| 6 | Association of Dynamic Changes in Metabolic Syndrome Status with the Risk of Parkinson's Disease: A Nationwide Cohort Study. Journal of Parkinson's Disease, 2021, 11, 1-9. | 1.5 | 3 |
| 7 | Effects of education, income, and occupation on prevalence and symptoms of knee osteoarthritis. Scientific Reports, 2021, 11, 13983. | 1.6 | 11 |
| 8 | Efficacy and Tolerability of Cyproheptadine in Poor Appetite: A Multicenter, Randomized, Double-blind, Placebo-controlled Study. Clinical Therapeutics, 2021, 43, 1757-1772. | 1.1 | 4 |
| 9 | Positive association between actinic keratosis and internal malignancies: a nationwide population-based cohort study. Scientific Reports, 2021, 11, 19769. | 1.6 | 2 |
| 10 | Increased Cardiovascular Risk and All-cause Death in Patients with Behçet Disease: A Korean Nationwide Population-based Dynamic Cohort Study. Journal of Rheumatology, 2020, 47, 903-908. | 1.0 | 11 |
| 11 | Eating Together and Health-Related Quality of Life Among Korean Adults. Journal of Nutrition Education and Behavior, 2020, 52, 758-765. | 0.3 | 14 |
| 12 | Association between the AUDIT score and IgE in Korean adults: Results from the Korea National Health and Nutrition Examination Survey. Allergology International, 2020, 69, 293-295. | 1.4 | 0 |
| 13 | The Population Prevalence, Associations of Congenital Heart Defect and Mortality Risk for Down's Syndrome in South Korea Based on National Health Insurance Service (NHIS) Data Population Prevalence, Associations of Congenital Heart Defect and Mortality Risk for Down's Syndrome in South Korea Based on National Health Insurance Service (NHIS) Data Population Prevalence, Associations of Congenital Heart Defect and Mortality Risk for Down's Syndrome in South Korea Based on National Health Insurance Service (NHIS) Data Population Prevalence, Associations of Congenital Heart Defect and Mortality Risk for Down's | 1.5 | 4 |
| 14 | Prognostic value of long-term gamma-glutamyl transferase variability in individuals with diabetes: a nationwide population-based study. Scientific Reports, 2020, 10, 15375. | 1.6 | 5 |
| 15 | Glucose variability and the risks of stroke, myocardial infarction, and all-cause mortality in individuals with diabetes: retrospective cohort study. Cardiovascular Diabetology, 2020, 19, 144. | 2.7 | 24 |
| 16 | Variability in body weight precedes diagnosis in dementia: A nationwide cohort study. Brain and Behavior, 2020, 10, e01811. | 1.0 | 7 |
| 17 | Gamma-glutamyl transferase variability can predict the development of end-stage of renal disease: a nationwide population-based study. Scientific Reports, 2020, 10, 11668. | 1.6 | 11 |
| 18 | Association between Parent's Metabolic Syndrome and 12- to18-Year-Old Offspring's Overweight: Results from the Korea National Health and Nutrition Examination Survey (K-NHANES) 2009–2016. International Journal of Endocrinology, 2020, 2020, 1-7. | 0.6 | 0 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Association between type of exercise and health-related quality of life in adults without activity limitations: a nationwide cross-sectional study. BMC Public Health, 2020, 20, 599. | 1.2 | 7 |
| 20 | Gammaâ€glutamyl transferase variability and risk of dementia: A nationwide study. International Journal of Geriatric Psychiatry, 2020, 35, 1105-1114. | 1.3 | 17 |
| 21 | Hospitalization for heart failure incidence according to the transition in metabolic health and obesity status: a nationwide population-based study. Cardiovascular Diabetology, 2020, 19, 77. | 2.7 | 29 |
| 22 | Reply to: Kidney Dysfunction and Risk of Parkinson's Disease: The Issue of Equations and Large Number― Movement Disorders, 2020, 35, 520-520. | 2.2 | 1 |
| 23 | Body Weight Variability and the Risk of Cardiovascular Outcomes and Mortality in Patients With Type 2 Diabetes: A Nationwide Cohort Study. Diabetes Care, 2020, 43, 2234-2241. | 4.3 | 49 |
| 24 | Gamma-Glutamyl Transferase Variability and Risk of Dementia in Diabetes Mellitus: A Nationwide Population-Based Study. Journal of Clinical Endocrinology and Metabolism, 2020, 105, e119-e129. | 1.8 | 10 |
| 25 | Association between vitiligo and smoking: A nationwide population-based study in Korea. Scientific Reports, 2020, 10, 6231. | 1.6 | 6 |
| 26 | Risk of typeÂ2 diabetes according to the cumulative exposure to metabolic syndrome or obesity: A nationwide populationâ€based study. Journal of Diabetes Investigation, 2020, 11, 1583-1593. | 1.1 | 9 |
| 27 | Variabilities in Weight and Waist Circumference and Risk of Myocardial Infarction, Stroke, and Mortality: A Nationwide Cohort Study. Endocrinology and Metabolism, 2020, 35, 933-942. | 1.3 | 16 |
| 28 | Incidence and Risk Factors for Dementia in Type 2 Diabetes Mellitus: A Nationwide Population-Based Study in Korea. Diabetes and Metabolism Journal, 2020, 44, 113. | 1.8 | 36 |
| 29 | Differential Effect of the Metabolic Syndrome on the Incidence of Retinal Vein Occlusion in the Korean Population: A Nationwide Cohort Study. Translational Vision Science and Technology, 2020, 9, 15. | 1.1 | 6 |
| 30 | The diagnostic value of serum gastrokine 1 (GKN1) protein in gastric cancer. Cancer Medicine, 2019, 8, 5507-5514. | 1.3 | 14 |
| 31 | Obesity, abdominal obesity and subsequent risk of kidney cancer: a cohort study of 23.3 million East Asians. British Journal of Cancer, 2019, 121, 271-277. | 2.9 | 23 |
| 32 | Cancer risk in patients with Parkinson's disease in South Korea: A nationwide, population-based cohort study. European Journal of Cancer, 2019, 117, 5-13. | 1.3 | 37 |
| 33 | Risk for Parkinson's Disease in Patients with Behçet's Disease: A Nationwide Population-Based Dynamic Cohort Study in Korea. Journal of Parkinson's Disease, 2019, 9, 583-589. | 1.5 | 2 |
| 34 | BMI, Weight Change, and Dementia Risk in Patients With New-Onset Type 2 Diabetes: A Nationwide Cohort Study. Diabetes Care, 2019, 42, 1217-1224. | 4.3 | 44 |
| 35 | Intra-individual variability in high density lipoprotein cholesterol and risk of end-stage renal disease: A nationwide population-based study. Atherosclerosis, 2019, 286, 135-141. | 0.4 | 10 |
| 36 | Associations between urine iodine and allergic diseases in the Korean National Health and Nutrition Examination Survey 2013–2015: A STROBE-compliant article. Phytomedicine, 2019, 62, 152937. | 2.3 | 1 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | The Risk of Myocardial Infarction and Ischemic Stroke According to Waist Circumference in 21,749,261 Korean Adults: A Nationwide Population-Based Study. Diabetes and Metabolism Journal, 2019, 43, 206. | 1.8 | 26 |
| 38 | Associations between Breastfeeding and Type 2 Diabetes Mellitus and Glycemic Control in Parous Women: A Nationwide, Population-Based Study. Diabetes and Metabolism Journal, 2019, 43, 236. | 1.8 | 3 |
| 39 | Chronic renal dysfunction, proteinuria, and risk of Parkinson's disease in the elderly. Movement Disorders, 2019, 34, 1184-1191. | 2,2 | 33 |
| 40 | Association between height and hypercholesterolemia in adults: a nationwide population-based study in Korea. Lipids in Health and Disease, 2019, 18, 198. | 1.2 | 8 |
| 41 | Colorectal Cancer Risks According to Sex Differences in Patients With Type II Diabetes Mellitus: A Korean Nationwide Population-Based Cohort Study. Clinical and Translational Gastroenterology, 2019, 10, e00090. | 1.3 | 8 |
| 42 | Effects of long-term glycemic variability on incident cardiovascular disease and mortality in subjects without diabetes. Medicine (United States), 2019, 98, e16317. | 0.4 | 34 |
| 43 | Gestational age-specific risk of stillbirth during term pregnancy according to maternal age. Archives of Gynecology and Obstetrics, 2019, 299, 681-688. | 0.8 | 7 |
| 44 | Impact of the Dynamic Change of Metabolic Health Status on the Incident Type 2 Diabetes: A Nationwide Population-Based Cohort Study. Endocrinology and Metabolism, 2019, 34, 406. | 1.3 | 21 |
| 45 | Relation between Baseline Height and New Diabetes Development: A Nationwide Population-Based Study. Diabetes and Metabolism Journal, 2019, 43, 794. | 1.8 | 10 |
| 46 | Obesity Fact Sheet in Korea, 2018: Data Focusing on Waist Circumference and Obesity-Related Comorbidities. Journal of Obesity and Metabolic Syndrome, 2019, 28, 236-245. | 1.5 | 29 |
| 47 | Implication of liver enzymes on incident cardiovascular diseases and mortality: A nationwide population-based cohort study. Scientific Reports, 2018, 8, 3764. | 1.6 | 59 |
| 48 | Association between allergic diseases and ophthalmologic diseases, including cataracts and glaucoma, using the Korean National Health and Nutrition Examination Survey 2010–2012: A <scp>STROBE</scp> â€compliant article. Journal of Dermatology, 2018, 45, 463-467. | 0.6 | 7 |
| 49 | Lower leg muscle mass relates to knee pain in patients with knee osteoarthritis. International Journal of Rheumatic Diseases, 2018, 21, 126-133. | 0.9 | 20 |
| 50 | Cancer risk in patients with Behçet disease: A nationwide population-based dynamic cohort study from Korea. Journal of the American Academy of Dermatology, 2018, 78, 464-470.e2. | 0.6 | 23 |
| 51 | Clinical Utility of Fecal Immunochemical Transferrin Test in Gastrointestinal Bleeding Detection. Annals of Clinical Microbiology, 2018, 21, 51. | 0.3 | 1 |
| 52 | Incidence and death rate of pemphigus vulgaris and pemphigus foliaceus in Korea: A nationwide, populationâ€based study (2006–2015). Journal of Dermatology, 2018, 45, 1396-1402. | 0.6 | 12 |
| 53 | Prevalence and Annual Incidence of Thyroid Disease in Korea from 2006 to 2015: A Nationwide Population-Based Cohort Study. Endocrinology and Metabolism, 2018, 33, 260. | 1.3 | 35 |
| 54 | Association between Height and Actinic Keratosis: A Nationwide Population-based Study in South Korea. Scientific Reports, 2018, 8, 10897. | 1.6 | 5 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Optimal Timing of Delivery Based on the Risk of Stillbirth and Infant Death Associated with Each Additional Week of Expectant Management in Multiple Pregnancies: a National Cohort Study of Koreans. Journal of Korean Medical Science, 2018, 33, e80. | 1.1 | 5 |
| 56 | Metabolic syndrome and risk of Parkinson disease: A nationwide cohort study. PLoS Medicine, 2018, 15, e1002640. | 3.9 | 106 |
| 57 | Associations of mental health and sleep duration with menstrual cycle irregularity: a population-based study. Archives of Women's Mental Health, 2018, 21, 619-626. | 1.2 | 24 |
| 58 | Relationship between duration of breast-feeding and obesity in korean women: The korea national health and nutrition examination survey (KNHANES) 2010–2012. Maturitas, 2017, 102, 41-45. | 1.0 | 6 |
| 59 | The efficacy of peripartum transthoracic echocardiography in women with preeclampsia. Pregnancy Hypertension, 2017, 10, 187-191. | 0.6 | 10 |
| 60 | Patch-test results using Korean standard series: a 5-year retrospective review. Journal of Dermatological Treatment, 2017, 28, 258-262. | 1.1 | 10 |
| 61 | A national cohort study evaluating infant and fetal mortality caused by birth defects in Korea. BMJ Open, 2017, 7, e017963. | 0.8 | 11 |
| 62 | Association between Body Weight Changes and Menstrual Irregularity: The Korea National Health and Nutrition Examination Survey 2010 to 2012. Endocrinology and Metabolism, 2017, 32, 248. | 1.3 | 16 |
| 63 | Prognostic factors after curative resection hepatocellular carcinoma and the surgeon's role. Annals of Surgical Treatment and Research, 2017, 93, 252. | 0.4 | 19 |
| 64 | Some Statistical Issues on the Research Methods of Big Data. Korean Journal of Family Practice, 2017, 7, 799-799. | 0.1 | 0 |
| 65 | The Relationship between Body Mass Index and Smoking Cessation Plans in Korean Adults. Journal of Obesity and Metabolic Syndrome, 2017, 26, 281-286. | 1.5 | 2 |
| 66 | Prevalence of Atopic Dermatitis in Korean Children Based on Data From the 2008-2011 Korean National Health and Nutrition Examination Survey. Allergy, Asthma and Immunology Research, 2016, 8, 79. | 1.1 | 45 |
| 67 | Association Between Obesity, Abdominal Obesity, and Adiposity and the Prevalence of Atopic Dermatitis in Young Korean Adults: the Korea National Health and Nutrition Examination Survey 2008-2010. Allergy, Asthma and Immunology Research, 2016, 8, 107. | 1.1 | 28 |
| 68 | Associations Between the Periodontal Disease in Women Before Menopause and Menstrual Cycle Irregularity. Medicine (United States), 2016, 95, e2791. | 0.4 | 15 |
| 69 | Association of Urinary Sodium Excretion With Insulin Resistance in Korean Adolescents. Medicine (United States), 2016, 95, e3447. | 0.4 | 11 |
| 70 | Associations between the number of natural teeth and renal dysfunction. Medicine (United States), 2016, 95, e4681. | 0.4 | 12 |
| 71 | Association between socioeconomic status and oral health behaviors: The 2008–2010 Korea national health and nutrition examination survey. Experimental and Therapeutic Medicine, 2016, 12, 2657-2664. | 0.8 | 53 |
| 72 | Association of IL-17A/F polymorphisms with the risk of gastritis and gastric cancer in the Korean population. Molecular and Cellular Toxicology, 2016, 12, 327-336. | 0.8 | 3 |

| # | Article | IF | CITATIONS |
|----|---|------------------|----------------------|
| 73 | Sonographic assessment of fetal occiput position during labor for the prediction of labor dystocia and perinatal outcomes. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 3988-3992. | 0.7 | 8 |
| 74 | Differences in the lipid profile and hormone replacement therapy use in Korean postmenopausal women: the Korea National Health and Nutrition Examination Survey (KNHANES) 2010–2012. Archives of Gynecology and Obstetrics, 2016, 294, 165-173. | 0.8 | 5 |
| 75 | Relationship Between Bariatric Surgery and Bone Mineral Density: a Meta-analysis. Obesity Surgery, 2016, 26, 1414-1421. | 1.1 | 59 |
| 76 | Comments on Statistical Issues in January 2016. Korean Journal of Family Medicine, 2016, 37, 75. | 0.4 | 2 |
| 77 | Prevalence of Atopic Dermatitis in Korean Children Based on Data From the 2008-2011 Korean National Health and Nutrition Examination Survey. Allergy, Asthma and Immunology Research, 2016, 8, 79. | 1.1 | 4 |
| 78 | Age- and Sex-Specific Relationships between Household Income, Education, and Diabetes Mellitus in Korean Adults: The Korea National Health and Nutrition Examination Survey, 2008-2010. PLoS ONE, 2015, 10, e0117034. | 1.1 | 29 |
| 79 | The Gender-Dependent Association between Obesity and Age-Related Cataracts in Middle-Aged Korean Adults. PLoS ONE, 2015, 10, e0124262. | 1.1 | 12 |
| 80 | Haloperidol dose combined with dexamethasone for PONV prophylaxis in high-risk patients undergoing gynecological laparoscopic surgery: a prospective, randomized, double-blind, dose-response and placebo-controlled study. BMC Anesthesiology, 2015, 15, 99. | 0.7 | 17 |
| 81 | Association of Periodontitis With Urinary Albumin Excretion in Korean Adults With Diabetes. Medicine (United States), 2015, 94, e1839. | 0.4 | 17 |
| 82 | Re: Inhibition of Peripheral FAAH Depresses Activities of Bladder Mechanosensitive Nerve Fibers of the Rat. Journal of Urology, 2015, 193, 738-739. | 0.2 | 1 |
| 83 | Distribution of Genotypes between CTX-M-Producing and Non-Extended-Spectrum-Î ² -Lactamase-Producing Klebsiella pneumoniae Isolates. Antimicrobial Agents and Chemotherapy, 2015, 59, 4362-4362. | 1.4 | 1 |
| 84 | Evaluation of 3 automated real-time PCR (Xpert C. difficile assay, BD MAX Cdiff, and IMDx C. difficile) Tj ETQq0 C in stool specimens. Diagnostic Microbiology and Infectious Disease, 2015, 83, 7-10. | 0 rgBT /C 0.8 | overlock 10 Tf 16 |
| 85 | Low muscle mass is associated with metabolic syndrome only in nonobese young adults: the Korea National Health and Nutrition Examination Survey 2008-2010. Nutrition Research, 2015, 35, 1070-1078. | 1.3 | 30 |
| 86 | Insulin Resistance Is Associated with Intraocular Pressure Elevation in a Non-Obese Korean Population. PLoS ONE, 2015, 10, e112929. | 1.1 | 12 |
| 87 | Comments on Statistical Issues in May 2015. Korean Journal of Family Medicine, 2015, 36, 154. | 0.4 | 0 |
| 88 | Performance of chromID <i>Clostridium difficile</i> Agar Compared with BBL <i>C. difficile</i> Selective Agar for Detection of <i>C. difficile</i> in Stool Specimens. Annals of Laboratory Medicine, 2014, 34, 376-379. | 1.2 | 14 |
| 89 | Abdominal Obesity Is Associated with Albuminuria in Women: The 2011 Korea National Health and Nutrition Examination Survey. Journal of Women's Health, 2014, 23, 267-274. | 1.5 | 6 |
| 90 | 25-Hydroxyvitamin D insufficiency is associated with cardiometabolic risk in Korean adolescents: the 2008–2009 Korea National Health and Nutrition Examination Survey (KNHANES). Public Health Nutrition, 2014, 17, 186-194. | 1.1 | 43 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 91 | Primary aldosteronism in hypertensive patients: clinical implications and target therapy. European Journal of Clinical Investigation, 2014, 44, 1142-1142. | 1.7 | 0 |
| 92 | A nomogram for predicting individual survival of patients with gastric cancer who underwent radical surgery with extended lymph node dissection. Gastric Cancer, 2014, 17, 287-293. | 2.7 | 65 |
| 93 | Association between insulin resistance and periodontitis in Korean adults. Journal of Clinical Periodontology, 2014, 41, 121-130. | 2.3 | 40 |
| 94 | Association of IL-17A and IL-17F single nucleotide polymorphisms with susceptibility to osteoarthritis in a Korean population. Gene, 2014, 533, 119-122. | 1.0 | 47 |
| 95 | The single nucleotide polymorphism (SNP) of the estrogen receptor- \hat{l}^2 gene, rs1256049, is associated with knee osteoarthritis in Korean population. Knee, 2014, 21, 242-246. | 0.8 | 8 |
| 96 | Sarcopenia as a Determinant of Blood Pressure in Older Koreans: Findings from the Korea National Health and Nutrition Examination Surveys (KNHANES) 2008–2010. PLoS ONE, 2014, 9, e86902. | 1.1 | 110 |
| 97 | The Ocular Benefits of Estrogen Replacement Therapy: A Population-Based Study in Postmenopausal Korean Women. PLoS ONE, 2014, 9, e106473. | 1.1 | 43 |
| 98 | Impact of antenatal depression on perinatal outcomes and postpartum depression in Korean women. Journal of Research in Medical Sciences, 2014, 19, 807-12. | 0.4 | 13 |
| 99 | No association of LCT-13910 single nucleotide polymorphism with gastroenteritis in Korean children. Molecular and Cellular Toxicology, 2013, 9, 23-28. | 0.8 | 1 |
| 100 | Comments on Statistical Issues in January 2013. Korean Journal of Family Medicine, 2013, 34, 64. | 0.4 | 1 |
| 101 | Comments on Statistical Issues in March 2013. Korean Journal of Family Medicine, 2013, 34, 156. | 0.4 | 1 |
| 102 | Comments on Statistical Issues in September 2013. Korean Journal of Family Medicine, 2013, 34, 369. | 0.4 | 3 |
| 103 | Comments on Statistical Issues in May 2013. Korean Journal of Family Medicine, 2013, 34, 224. | 0.4 | 0 |
| 104 | Comments on Statistical Issues in July 2013. Korean Journal of Family Medicine, 2013, 34, 293. | 0.4 | 1 |
| 105 | Comments on Statistical Issues in November 2013. Korean Journal of Family Medicine, 2013, 34, 434. | 0.4 | 0 |
| 106 | TNF-α and TNF-β Polymorphisms are Associated with Susceptibility to Osteoarthritis in a Korean Population. Korean Journal of Pathology, 2012, 46, 30. | 1.2 | 28 |
| 107 | Comments on Statistical Issues in September 2012. Korean Journal of Family Medicine, 2012, 33, 326. | 0.4 | 0 |
| 108 | Comments on Statistical Issues in November 2012. Korean Journal of Family Medicine, 2012, 33, 410. | 0.4 | 0 |

| # | Article | lF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Comments on Statistical Issues in July 2012. Korean Journal of Family Medicine, 2012, 33, 247. | 0.4 | O |
| 110 | Comments on Statistical Errors for May Issue 2012. Korean Journal of Family Medicine, 2012, 33, 186. | 0.4 | 0 |
| 111 | Modeling for Estimating Influenza Patients from ILI Surveillance Data in Korea. Osong Public Health and Research Perspectives, 2011, 2, 89-93. | 0.7 | 7 |
| 112 | Comments on Statistical Errors for October Issue 2010. Korean Journal of Family Medicine, 2010, 31, 798. | 0.4 | 0 |
| 113 | Clinical analysis of intra-operative frozen section proven borderline tumors of the ovary. Journal of Gynecologic Oncology, 2009, 20, 176. | 1.0 | 41 |
| 114 | Diffusionâ€weighted imaging of breast cancer: Correlation of the apparent diffusion coefficient value with prognostic factors. Journal of Magnetic Resonance Imaging, 2009, 30, 615-620. | 1.9 | 156 |
| 115 | Clustering Characteristics of Risk Variables of Metabolic Syndrome in Korean Rural Populations. The Journal of Korean Diabetes Association, 2006, 30, 177. | 0.1 | 4 |
| 116 | Methyl gallate and chemicals structurally related to methyl gallate protect human umbilical vein endothelial cells from oxidative stress. Experimental and Molecular Medicine, 2005, 37, 343-352. | 3.2 | 52 |
| 117 | Natural compounds, fraxin and chemicals structurally related to fraxin protect cells from oxidative stress. Experimental and Molecular Medicine, 2005, 37, 436-446. | 3.2 | 78 |
| 118 | Patient-Centered Attitudes and Communication Skills in Medical Students after Clerkship. Korean Journal of Medical Education, 2004, 16, 169-177. | 0.6 | 21 |
| 119 | Alterations of HLA class I and class II antigen expressions in borderline, invasive and metastatic ovarian cancers. Experimental and Molecular Medicine, 2002, 34, 18-26. | 3.2 | 23 |
| 120 | Nuclear localization of ?-catenin is an important prognostic factor in hepatoblastoma. Journal of Pathology, 2001, 193, 483-490. | 2.1 | 106 |
| 121 | Alterations of HLA class I and II antigen expression in preinvasive, invasive and metastatic cervical cancers. Experimental and Molecular Medicine, 2001, 33, 136-144. | 3.2 | 20 |
| 122 | Nuclear localization of \hat{l}^2 -catenin is an important prognostic factor in hepatoblastoma. , 2001, 193, 483. | | 2 |