

Paulo F Santos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6569859/publications.pdf>

Version: 2024-02-01

53
papers

992
citations

448610

19
h-index

536525

29
g-index

56
all docs

56
docs citations

56
times ranked

1190
citing authors

#	ARTICLE	IF	CITATIONS
1	Echinacea purpurea (L.) Moench: Chemical Characterization and Bioactivity of Its Extracts and Fractions. <i>Pharmaceuticals</i> , 2020, 13, 125.	1.7	28
2	Near-infrared reversible photoswitching of an isolated azobenzene-stilbene dye. <i>Chemical Physics Letters</i> , 2020, 741, 137065.	1.2	3
3	Bioactivity of the Geranium Genus: A Comprehensive Review. <i>Current Pharmaceutical Design</i> , 2020, 26, 1838-1865.	0.9	6
4	Isolation of secondary metabolites from <i>Geranium molle</i> L. with anticancer potential. <i>Industrial Crops and Products</i> , 2019, 142, 111859.	2.5	4
5	<i>Calluna vulgaris</i> (L.) Hull: chemical characterization, evaluation of its bioactive properties and effect on the vaginal microbiota. <i>Food and Function</i> , 2019, 10, 78-89.	2.1	36
6	Phenolic profile and effects of acetone fractions obtained from the inflorescences of <i>Calluna vulgaris</i> (L.) Hull on vaginal pathogenic and non-pathogenic bacteria. <i>Food and Function</i> , 2019, 10, 2399-2407.	2.1	6
7	Synthesis, Photochemical and In Vitro Cytotoxic Evaluation of New Iodinated Aminosquaraines as Potential Sensitizers for Photodynamic Therapy. <i>Molecules</i> , 2019, 24, 863.	1.7	21
8	Synthesis, photochemical and in vitro cytotoxic evaluation of benzoselenazole-based aminosquaraines. <i>Photochemical and Photobiological Sciences</i> , 2019, 18, 336-342.	1.6	13
9	Fractionation of the more active extracts of <i>Geranium molle</i> L.: a relationship between their phenolic profile and biological activity. <i>Food and Function</i> , 2018, 9, 2032-2042.	2.1	9
10	Bio-guided fractionation of extracts of <i>Geranium robertianum</i> L.: Relationship between phenolic profile and biological activity. <i>Industrial Crops and Products</i> , 2017, 108, 543-552.	2.5	9
11	Long-wavelength absorbing fluorescent polymethine dyes derived from the 6-(N,N)-Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 347 <i>Chemistry</i> , 2017, 347, 218-226.	2.0	1
12	Aminosquaraines as potential photodynamic agents: Synthesis and evaluation of in vitro cytotoxicity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 4467-4470.	1.0	19
13	Photochemical and photocatalytic evaluation of 1D titanate/TiO ₂ based nanomaterials. <i>Applied Surface Science</i> , 2017, 392, 418-429.	3.1	18
14	Chemical characterization and bioactive properties of <i>Geranium molle</i> L.: from the plant to the most active extract and its phytochemicals. <i>Food and Function</i> , 2016, 7, 2204-2212.	2.1	11
15	Phytochemical composition and biological activities of <i>Geranium robertianum</i> L.: A review. <i>Industrial Crops and Products</i> , 2016, 87, 363-378.	2.5	24
16	Chemical characterization and bioactive properties of aqueous and organic extracts of <i>Geranium robertianum</i> L. <i>Food and Function</i> , 2016, 7, 3807-3814.	2.1	15
17	Characterization of a Squaraine/Chitosan System for Photodynamic Therapy of Cancer. <i>Journal of Physical Chemistry B</i> , 2016, 120, 1212-1220.	1.2	27
18	Photochemical behaviour of a new 1,2,3,4-tetrahydroxanthylum fluorescent dye with a rhodamine-like structure in liquid media and adsorbed onto a TiO ₂ photo-responsive substrate. <i>Dyes and Pigments</i> , 2016, 128, 279-288.	2.0	7

#	ARTICLE	IF	CITATIONS
19	Photochemical studies of new benzothiazole- and benzoselenazole-derived aminosquarylium dyes. <i>Tetrahedron</i> , 2015, 71, 967-976.	1.0	16
20	3,3'-Diamino-N-methyldipropylamine as a versatile affinity ligand. <i>Journal of Separation Science</i> , 2015, 38, 732-740.	1.3	0
21	Fluorescent ρ -rhodamine-like-hemicyanines derived from the 6-(N,N-diethylamino)-1,2,3,4-tetrahydroxanthylum system. <i>Dyes and Pigments</i> , 2015, 112, 73-80.	2.0	14
22	Protein Purification by Aminosquarylium Cyanine Dye-Affinity Chromatography. <i>Methods in Molecular Biology</i> , 2015, 1286, 23-33.	0.4	1
23	Ethylenediamine-Derived Chromatographic Ligand to Separate BSA, Lysozyme, and RNase A. <i>Chromatographia</i> , 2014, 77, 1529-1537.	0.7	5
24	Fluorescent Detection of a Partially Unfolded Conformation of Beta-Lactoglobulin Using Squaraine Dyes. <i>Macromolecular Symposia</i> , 2014, 335, 43-50.	0.4	0
25	Protein purification by aminosquarylium cyanine dye-affinity chromatography. <i>Biomedical Chromatography</i> , 2013, 27, 1671-1679.	0.8	10
26	Photochemical properties of squarylium cyanine dyes. <i>Photochemical and Photobiological Sciences</i> , 2013, 12, 1948-1959.	1.6	32
27	Synthesis and dynamic study of new ortho-(alkylchalcogen)acetanilide atropisomers. A second look at the hydrolysis of quaternary 2-methylbenzazol-3-ium salts. <i>Tetrahedron Letters</i> , 2013, 54, 5441-5444.	0.7	7
28	New unsymmetrical squaraine dyes derived from imidazo[1,5-a]pyridine. <i>Dyes and Pigments</i> , 2013, 96, 554-562.	2.0	43
29	Surface Photochemistry: 3,3'-Dialkylthia and Selenocarbocyanine Dyes Adsorbed onto Microcrystalline Cellulose. <i>International Journal of Molecular Sciences</i> , 2012, 13, 596-611.	1.8	12
30	Crystal structures of a benzoselenazole-derived squarylium cyanine dye and three derivatives substituted at the central squaric ring. <i>CrystEngComm</i> , 2011, 13, 1333-1338.	1.3	21
31	Aza-substituted squaraines for the fluorescent detection of albumins. <i>Dyes and Pigments</i> , 2011, 90, 41-47.	2.0	33
32	Near-infrared absorbing delocalized cationic azo dyes. <i>Dyes and Pigments</i> , 2009, 82, 118-123.	2.0	30
33	The synthesis and characterization of novel, aza-substituted squarylium cyanine dyes. <i>Dyes and Pigments</i> , 2009, 81, 197-202.	2.0	31
34	Novel azobenzothiazole dyes from 2-nitrosobenzothiazoles. <i>Dyes and Pigments</i> , 2009, 83, 88-94.	2.0	17
35	Delocalized cationic azo dyes derived from 2-aminoselenazole-5-carbaldehyde. <i>Arkivoc</i> , 2009, 2008, 90-95.	0.3	0
36	Studies of Benzothiazole and Benzoselenazole Squaraines as Fluorescent Probes for Albumins Detection. <i>Journal of Fluorescence</i> , 2008, 18, 877-882.	1.3	24

#	ARTICLE	IF	CITATIONS
37	Synthesis and characterization of new mono- and dicarboxyalkylselenacarbocyanines. <i>Dyes and Pigments</i> , 2008, 76, 165-172.	2.0	7
38	The synthesis of chloroheptamethinecyanine dyes in the absence of water. <i>Dyes and Pigments</i> , 2008, 77, 48-52.	2.0	8
39	Delocalized cationic azo dyes containing a thiazole moiety. <i>Tetrahedron</i> , 2008, 64, 299-303.	1.0	17
40	2-Nitrosobenzothiazoles: useful synthons for new azobenzothiazole dyes. <i>Tetrahedron Letters</i> , 2008, 49, 6907-6909.	0.7	29
41	Dynamic exchange of heterocyclic subunits during halogen substitution in chloroheptamethinecyanine dyes by benzoazolium salts. <i>Tetrahedron Letters</i> , 2007, 48, 5137-5142.	0.7	3
42	Synthesis and characterization of novel mono- and dicarboxyalkylthiacarbocyanines and their ester derivatives. <i>Dyes and Pigments</i> , 2007, 73, 195-205.	2.0	20
43	Synthesis and characterization of mono- and dicarboxyalkyloxacarbocyanines. <i>Dyes and Pigments</i> , 2007, 75, 298-305.	2.0	13
44	A formal synthesis of ($\hat{A}\pm$)-physostigmine via 3,3-rearrangement of a bis-enamine. <i>Tetrahedron</i> , 2005, 61, 9147-9156.	1.0	18
45	Synthesis and Photochemical Evaluation of Iodinated Squarylium Cyanine Dyes. <i>Helvetica Chimica Acta</i> , 2005, 88, 1135-1143.	1.0	43
46	Efficiency of singlet oxygen generation of aminosquarylium cyanines. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2004, 163, 267-269.	2.0	58
47	Singlet oxygen generation ability of squarylium cyanine dyes. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2003, 160, 159-161.	2.0	65
48	New Synthetic Approach to Aminosquarylium Cyanine Dyes. <i>Synlett</i> , 2002, 2002, 1617-1620.	1.0	4
49	Synthesis and Spectroscopic Characterisation of N-Alkyl Quaternary Ammonium Salts Typical Precursors of Cyanines. <i>Molecules</i> , 2002, 7, 320-330.	1.7	81
50	Some new symmetric rigidified triheterocyclic heptamethinecyanine dyes absorbing in the near infrared. <i>Dyes and Pigments</i> , 2002, 53, 143-152.	2.0	30
51	A Formal Synthesis of ($\hat{A}\pm$)-Eseroline via an Azaoxy-Cope Rearrangement. <i>Heterocycles</i> , 2001, 55, 1029.	0.4	25
52	A Novel Approach to the Hexahydropyrrolo[2,3-b]indole Nucleus: A Synthesis of ($\hat{A}\pm$)-Desoxyeseroline. <i>Tetrahedron Letters</i> , 1995, 36, 8099-8100.	0.7	12
53	A Convenient Method for the Preparation of N-Aryl and N-Alkyl-O-Methyl Hydroxylamines. <i>Synthetic Communications</i> , 1995, 25, 3509-3518.	1.1	6