

Michael Glotzer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6569996/michael-glotzer-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68
papers

11,470
citations

45
h-index

107
g-index

108
ext. papers

12,570
ext. citations

11.8
avg, IF

6.52
L-index

#	Paper	IF	Citations
68	Small GTPases modulate intrinsic and extrinsic forces that control epithelial folding in embryos. <i>Small GTPases</i> , 2021 , 12, 416-428	2.7	
67	Competition between kinesin-1 and myosin-V defines posterior determination. <i>ELife</i> , 2020 , 9,	8.9	17
66	Rho1 activation recapitulates early gastrulation events in the ventral, but not dorsal, epithelium of embryos. <i>ELife</i> , 2020 , 9,	8.9	8
65	PLK1 plays dual roles in centralspindlin regulation during cytokinesis. <i>Journal of Cell Biology</i> , 2019 , 218, 1250-1264	7.3	19
64	Spatiotemporal Regulation of RhoA during Cytokinesis. <i>Current Biology</i> , 2018 , 28, R570-R580	6.3	58
63	Cytokinesis in Metazoa and Fungi. <i>Cold Spring Harbor Perspectives in Biology</i> , 2017 , 9,	10.2	44
62	Optogenetic control of RhoA reveals zyxin-mediated elasticity of stress fibres. <i>Nature Communications</i> , 2017 , 8, 15817	17.4	71
61	A GAP that Divides. <i>F1000Research</i> , 2017 , 6, 1788	3.6	7
60	Cell cycle entry triggers a switch between two modes of Cdc42 activation during yeast polarization. <i>ELife</i> , 2017 , 6,	8.9	46
59	Local RhoA activation induces cytokinetic furrows independent of spindle position and cell cycle stage. <i>Journal of Cell Biology</i> , 2016 , 213, 641-9	7.3	98
58	Optical Control of Peroxisomal Trafficking. <i>ACS Synthetic Biology</i> , 2016 , 5, 554-60	5.7	27
57	Aurora B kinase promotes cytokinesis by inducing centralspindlin oligomers that associate with the plasma membrane. <i>Developmental Cell</i> , 2015 , 33, 204-15	10.2	67
56	Cytokinesis: Placing the Furrow in Context. <i>Current Biology</i> , 2015 , 25, R1183-5	6.3	2
55	The RhoGAP activity of CYK-4/MgcRacGAP functions non-canonically by promoting RhoA activation during cytokinesis. <i>ELife</i> , 2015 , 4,	8.9	50
54	Cytokinesis: centralspindlin moonlights as a membrane anchor. <i>Current Biology</i> , 2013 , 23, R145-7	6.3	8
53	Binding of the CYK-4 subunit of the centralspindlin complex induces a large scale conformational change in the kinesin subunit. <i>Journal of Biological Chemistry</i> , 2013 , 288, 19785-95	5.4	11
52	The RhoGAP domain of CYK-4 has an essential role in RhoA activation. <i>Current Biology</i> , 2012 , 22, 213-9	6.3	65

51	Centralspindlin: at the heart of cytokinesis. <i>Cytoskeleton</i> , 2012 , 69, 882-92	2.4	102
50	TULIPs: tunable, light-controlled interacting protein tags for cell biology. <i>Nature Methods</i> , 2012 , 9, 379-84	1.6	348
49	RhoA activation during polarization and cytokinesis of the early <i>Caenorhabditis elegans</i> embryo is differentially dependent on NOP-1 and CYK-4. <i>Molecular Biology of the Cell</i> , 2012 , 23, 4020-31	3.5	93
48	Anillin promotes astral microtubule-directed cortical myosin polarization. <i>Molecular Biology of the Cell</i> , 2011 , 22, 3165-75	3.5	36
47	Regulation of cortical contractility and spindle positioning by the protein phosphatase 6 PPH-6 in one-cell stage <i>C. elegans</i> embryos. <i>Development (Cambridge)</i> , 2010 , 137, 237-47	6.6	45
46	Controlling cytokinesis through promiscuous phosphorylation outside BARs. <i>Molecular Cell</i> , 2010 , 39, 3-5	17.6	1
45	Polo-like kinase 1 directs assembly of the HsCyk-4 RhoGAP/Ect2 RhoGEF complex to initiate cleavage furrow formation. <i>PLoS Biology</i> , 2009 , 7, e1000110	9.7	161
44	Single cells (put a ring on it). <i>Genes and Development</i> , 2009 , 23, 896-901	12.6	7
43	Cytokinesis: GAP gap. <i>Current Biology</i> , 2009 , 19, R162-5	6.3	13
42	Clustering of centralspindlin is essential for its accumulation to the central spindle and the midbody. <i>Current Biology</i> , 2009 , 19, 2043-9	6.3	77
41	The 3Ms of central spindle assembly: microtubules, motors and MAPs. <i>Nature Reviews Molecular Cell Biology</i> , 2009 , 10, 9-20	48.7	267
40	Sequential Cyk-4 binding to ECT2 and FIP3 regulates cleavage furrow ingression and abscission during cytokinesis. <i>EMBO Journal</i> , 2008 , 27, 1791-803	13	74
39	Anillin is a scaffold protein that links RhoA, actin, and myosin during cytokinesis. <i>Current Biology</i> , 2008 , 18, 30-6	6.3	285
38	Developmental regulation of central spindle assembly and cytokinesis during vertebrate embryogenesis. <i>Current Biology</i> , 2008 , 18, 116-23	6.3	35
37	Control of cortical contractility during cytokinesis. <i>Biochemical Society Transactions</i> , 2008 , 36, 371-7	5.1	40
36	Astral signals spatially bias cortical myosin recruitment to break symmetry and promote cytokinesis. <i>Current Biology</i> , 2007 , 17, 1286-97	6.3	122
35	Cooperative assembly of CYK-4/MgcRacGAP and ZEN-4/MKLP1 to form the centralspindlin complex. <i>Molecular Biology of the Cell</i> , 2007 , 18, 4992-5003	3.5	86
34	Polo-like kinase 1 triggers the initiation of cytokinesis in human cells by promoting recruitment of the RhoGEF Ect2 to the central spindle. <i>Developmental Cell</i> , 2007 , 12, 713-25	10.2	229

33	Structural analysis of the ZEN-4/CeMKLP1 motor domain and its interaction with microtubules. <i>Journal of Structural Biology</i> , 2006 , 153, 73-84	3.4	19
32	The molecular requirements for cytokinesis. <i>Science</i> , 2005 , 307, 1735-9	33.3	574
31	Phosphorylation of ZEN-4/MKLP1 by aurora B regulates completion of cytokinesis. <i>Current Biology</i> , 2005 , 15, 778-86	6.3	172
30	Cytokinesis: welcome to the Rho zone. <i>Trends in Cell Biology</i> , 2005 , 15, 651-8	18.3	287
29	An ECT2-centralspindlin complex regulates the localization and function of RhoA. <i>Journal of Cell Biology</i> , 2005 , 170, 571-82	7.3	357
28	Cleavage furrow positioning. <i>Journal of Cell Biology</i> , 2004 , 164, 347-51	7.3	91
27	Cell cycle regulation of central spindle assembly. <i>Nature</i> , 2004 , 430, 908-13	50.4	216
26	Comparative analysis of cytokinesis in budding yeast, fission yeast and animal cells. <i>Current Biology</i> , 2004 , 14, R806-18	6.3	259
25	Cytokinesis 2004 , 556-561		
24	Cytokinesis: a logical GAP. <i>Current Biology</i> , 2003 , 13, R589-91	6.3	28
23	Cytokinesis: progress on all fronts. <i>Current Opinion in Cell Biology</i> , 2003 , 15, 684-90	9	40
22	Kleisins: a superfamily of bacterial and eukaryotic SMC protein partners. <i>Molecular Cell</i> , 2003 , 11, 571-5	17.6	186
21	Centrosome separation and central spindle assembly act in redundant pathways that regulate microtubule density and trigger cleavage furrow formation. <i>Developmental Cell</i> , 2003 , 4, 333-44	10.2	151
20	CSC-1: a subunit of the Aurora B kinase complex that binds to the survivin-like protein BIR-1 and the incenp-like protein ICP-1. <i>Journal of Cell Biology</i> , 2003 , 161, 229-36	7.3	80
19	The aurora B kinase AIR-2 regulates kinetochores during mitosis and is required for separation of homologous Chromosomes during meiosis. <i>Current Biology</i> , 2002 , 12, 798-812	6.3	199
18	Cytokinesis: regulated by destruction. <i>Current Biology</i> , 2002 , 12, R344-6	6.3	1
17	GTP binding induces filament assembly of a recombinant septin. <i>Current Biology</i> , 2002 , 12, 1858-63	6.3	78
16	The CeCDC-14 phosphatase is required for cytokinesis in the <i>Caenorhabditis elegans</i> embryo. <i>Journal of Cell Biology</i> , 2002 , 158, 901-14	7.3	82

15	Central spindle assembly and cytokinesis require a kinesin-like protein/RhoGAP complex with microtubule bundling activity. <i>Developmental Cell</i> , 2002 , 2, 41-54	10.2	402
14	Animal cell cytokinesis. <i>Annual Review of Cell and Developmental Biology</i> , 2001 , 17, 351-86	12.6	275
13	Incenp and an aurora-like kinase form a complex essential for chromosome segregation and efficient completion of cytokinesis. <i>Current Biology</i> , 2000 , 10, 1172-81	6.3	264
12	CYK-4: A Rho family gtpase activating protein (GAP) required for central spindle formation and cytokinesis. <i>Journal of Cell Biology</i> , 2000 , 149, 1391-404	7.3	309
11	Depletion of syntaxins in the early <i>Caenorhabditis elegans</i> embryo reveals a role for membrane fusion events in cytokinesis. <i>Current Biology</i> , 1999 , 9, 738-45	6.3	139
10	CDK1 inactivation regulates anaphase spindle dynamics and cytokinesis in vivo. <i>Journal of Cell Biology</i> , 1997 , 138, 385-93	7.3	160
9	The mechanism and control of cytokinesis. <i>Current Opinion in Cell Biology</i> , 1997 , 9, 815-23	9	118
8	A requirement for Rho and Cdc42 during cytokinesis in <i>Xenopus</i> embryos. <i>Current Biology</i> , 1997 , 7, 12-23	6.3	213
7	Cytokinesis. <i>Current Biology</i> , 1997 , 7, R274-6	6.3	9
6	Cytoplasmic flows localize injected oskar RNA in <i>Drosophila</i> oocytes. <i>Current Biology</i> , 1997 , 7, 326-37	6.3	145
5	Anaphase is initiated by proteolysis rather than by the inactivation of maturation-promoting factor. <i>Cell</i> , 1993 , 73, 1393-402	56.2	536
4	Cyclin is degraded by the ubiquitin pathway. <i>Nature</i> , 1991 , 349, 132-8	50.4	2102
3	Cyclin is a component of maturation-promoting factor from <i>Xenopus</i> . <i>Cell</i> , 1990 , 60, 487-94	56.2	624
2	Cyclin activation of p34cdc2. <i>Cell</i> , 1990 , 63, 1013-24	56.2	678
1	Efficient site-specific editing of the <i>C. elegans</i> genome		4