
Feng Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6570292/publications.pdf Version: 2024-02-01



FENC CHEN

#	Article	IF	CITATIONS
1	Differences in limb, age and sex of Chinese deep vein thrombosis patients. Phlebology, 2015, 30, 242-248.	1.2	24
2	Sustained delivery of vascular endothelial growth factor using a dextran/poly(lactic-co-glycolic) Tj ETQq0 0 0 rgB 167-176.	[/Overlocl 1.2	10 Tf 50 70 16
3	Compression of left common iliac vein is independently associated with left-sided deep vein thrombosis. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2013, 1, 364-369.	1.6	13
4	Coâ€Đelivery of <scp>G</scp> â€ <scp>CSF</scp> and <scp>EPO</scp> Released From Fibrin Gel for Therapeutic Neovascularization in Rat Hindlimb Ischemia Model. Microcirculation, 2013, 20, 416-424.	1.8	8
5	Compression of the right iliac vein in asymptomatic subjects and patients with iliofemoral deep vein thrombosis. Phlebology, 2016, 31, 471-480.	1.2	8
6	Neovascularization by Sustained Delivery of G-CSF, EPO and VEGF Using Dextran/PLGA Microspheres. Annals of Vascular Surgery, 2020, 64, 328-338.	0.9	7
7	LncRNA SNHG12 downregulates RAGE to attenuate hypoxia-reoxygenation-induced apoptosis in H9c2 cells. Bioscience, Biotechnology and Biochemistry, 2021, 85, 866-873.	1.3	6
8	Inhibition of development of experimental abdominal aortic aneurysm by c-jun N-terminal protein kinase inhibitor combined with lysyl oxidase gene modified smooth muscle progenitor cells. European Journal of Pharmacology, 2015, 766, 114-121.	3.5	4
9	Severe compression of left iliac vein is a protective factor for the risk of inferior vena cava thrombosis. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2022, 10, 1107-1112.	1.6	4
10	Left iliac vein compression is not associated with infrainguinal deep venous thrombosis but is associated with iliac vein involvement. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2018, 6, 689-695.	1.6	3
11	Establishment of childhood hepatoblastoma xenografts and evaluation of the anti-tumour effects of anlotinib, oxaliplatin and sorafenib. Pediatric Surgery International, 2022, 38, 465-472.	1.4	2
12	Increase of wall shear stress caused by arteriovenous fistula reduces neointimal hyperplasia after stent implantation in healthy arteries. Vascular, 2020, 28, 396-404.	0.9	1
13	High shear stress attenuated arterial neointimal hyperplasia accompanied by changes in yes-associated protein/jun N-terminal kinase/vascular cell adhesion protein 1 expression. Vascular, 2022, , 170853812110583.	0.9	0