

Sidsel Boie

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6570742/publications.pdf>

Version: 2024-02-01

8
papers

155
citations

1478505

6
h-index

1588992

8
g-index

8
all docs

8
docs citations

8
times ranked

245
citing authors

#	ARTICLE	IF	CITATIONS
1	Can low-intensity extracorporeal shockwave therapy improve erectile dysfunction? A prospective, randomized, double-blind, placebo-controlled study. <i>Scandinavian Journal of Urology</i> , 2015, 49, 329-333.	1.0	88
2	Discontinuation of intravenous oxytocin in the active phase of induced labour. <i>The Cochrane Library</i> , 2018, 2018, CD012274.	2.8	20
3	The Childbirth Experience Questionnaire (CEQ)â€™Validation of its use in a Danish-speaking population of new mothers stimulated with oxytocin during labour. <i>PLoS ONE</i> , 2020, 15, e0233122.	2.5	17
4	Continued versus discontinued oxytocin stimulation in the active phase of labour (CONDISOX): double blind randomised controlled trial. <i>BMJ, The</i> , 2021, 373, n716.	6.0	10
5	Discontinuation of intravenous oxytocin in the active phase of induced labour. <i>The Cochrane Library</i> , 2016, , .	2.8	8
6	Risk of recurrent acute fatty liver of pregnancy; survey from a social media group. <i>American Journal of Obstetrics & Gynecology MFM</i> , 2020, 2, 100085.	2.6	7
7	Lifeâ€™threatening necrotizing myometritis, due to Group A streptococcus â€™ still a lifeâ€™threatening condition. <i>Clinical Case Reports (discontinued)</i> , 2015, 3, 291-293.	0.5	4
8	CONDISOX- continued versus discontinued oxytocin stimulation of induced labour in a double-blind randomised controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2019, 19, 320.	2.4	1