

Ernest Vinyoles BargallÃ³

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6571095/publications.pdf>

Version: 2024-02-01

46
papers

2,468
citations

394421

19
h-index

243625

44
g-index

52
all docs

52
docs citations

52
times ranked

4227
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of ambulatory blood pressure on prediction of cardiovascular disease. A cohort study. Journal of Human Hypertension, 2023, 37, 279-285.	2.2	3
2	Short-term mortality in end-stage heart failure patients. Atencion Primaria, 2020, 52, 477-487.	1.4	5
3	HipertensiÃ³n de bata blanca. Criterios de abordaje y pronÃ³stico. FMC Formacion Medica Continuada En Atencion Primaria, 2020, 27, 515-519.	0.0	2
4	ÃCÃ³mo se hace? CÃ³mo realizar y registrar la automedida de la presiÃ³n arterial. FMC Formacion Medica Continuada En Atencion Primaria, 2018, 25, 467-470.	0.0	0
5	Magnitude of Hypotension Based on Office and Ambulatory Blood Pressure Monitoring: Results From a Cohort of 5066 Treated Hypertensive Patients Aged 80 Years and Older. Journal of the American Medical Directors Association, 2017, 18, 452.e1-452.e6.	2.5	33
6	24-h pulse pressure cutoff point definition by office pulse pressure in a population of Spanish older hypertensive patients. Journal of Hypertension, 2017, 35, 1011-1018.	0.5	5
7	Clinic Versus Daytime Ambulatory Blood Pressure Difference in Hypertensive Patients. Hypertension, 2017, 69, 211-219.	2.7	30
8	Prevalence and Clinical Characteristics of Refractory Hypertension. Journal of the American Heart Association, 2017, 6, .	3.7	54
9	Heart failure labelled patients with missing ejection fraction in primary care: prognosis and determinants. BMC Family Practice, 2017, 18, 38.	2.9	10
10	The Effect of a Mediterranean Diet on the Incidence of Cataract Surgery. Nutrients, 2017, 9, 453.	4.1	20
11	Ambulatory blood pressure in hypertensive patients with inclusion criteria for the SPRINT trial. Journal of the American Society of Hypertension, 2016, 10, 947-953.e5.	2.3	22
12	High daytime and nighttime ambulatory pulse pressure predict poor cognitive function and mild cognitive impairment in hypertensive individuals. Journal of Cerebral Blood Flow and Metabolism, 2016, 36, 253-263.	4.3	14
13	Evaluation of the relationship between effervescent paracetamol and blood pressure: clinical trial. BMC Cardiovascular Disorders, 2015, 15, 167.	1.7	4
14	Prevalence of masked uncontrolled hypertension according to the number of office blood pressure measurements. Revista Clinica Espanola, 2015, 215, 425-430.	0.6	7
15	Short-Term Blood Pressure Variability Relates to the Presence of Subclinical Brain Small Vessel Disease in Primary Hypertension. Hypertension, 2015, 66, 634-640.	2.7	72
16	Prognostic value of non-specific ST-T changes and left ventricular hypertrophy electrocardiographic criteria in hypertensive patients: 16-year follow-up results from the MINACOR cohort. BMC Cardiovascular Disorders, 2015, 15, 24.	1.7	13
17	Night-time heart rate cut-off point definition by resting office tachycardia in untreated hypertensive patients. Journal of Hypertension, 2014, 32, 1016-1024.	0.5	5
18	To wait or not to wait 1â€%min between office blood pressure readings. Blood Pressure Monitoring, 2014, 19, 203-207.	0.8	2

#	ARTICLE	IF	CITATIONS
19	Novel association of the obesity risk-allele near Fas Apoptotic Inhibitory Molecule 2 (FAIM2) gene with heart rate and study of its effects on myocardial infarction in diabetic participants of the PREDIMED trial. Cardiovascular Diabetology, 2014, 13, 5.	6.8	10
20	Características diferenciales del abordaje de la hipertensión en el anciano. FMC Formacion Medica Continuada En Atencion Primaria, 2014, 21, 38-45.	0.0	0
21	Contribution of the ABP-International study to the definition of night-time tachycardia. Journal of Hypertension, 2014, 32, 2101.	0.5	1
22	Frequency of nut consumption and mortality risk in the PREDIMED nutrition intervention trial. BMC Medicine, 2013, 11, 164.	5.5	135
23	Protocol for assessing the hypotensive effect of evening administration of acetylsalicylic acid: study protocol for a randomized, cross-over controlled trial. Trials, 2013, 14, 236.	1.6	4
24	La detección de la hipotensión ortostática. Hipertension Y Riesgo Vascular, 2013, 30, 1-3.	0.6	4
25	Prevalence of masked hypertension and associated factors in normotensive healthcare workers. Blood Pressure Monitoring, 2013, 18, 326-331.	0.8	19
26	Cross-Sectional Assessment of Nut Consumption and Obesity, Metabolic Syndrome and Other Cardiometabolic Risk Factors: The PREDIMED Study. PLoS ONE, 2013, 8, e57367.	2.5	102
27	Lifestyles and Risk Factors Associated with Adherence to the Mediterranean Diet: A Baseline Assessment of the PREDIMED Trial. PLoS ONE, 2013, 8, e60166.	2.5	77
28	Validez de los esfigmomanómetros automáticos. FMC Formacion Medica Continuada En Atencion Primaria, 2012, 19, 489-491.	0.0	1
29	Variability and concordance of Cornell and Sokolow-Lyon electrocardiographic criteria in hypertensive patients. Blood Pressure, 2012, 21, 352-359.	1.5	6
30	Frecuencia cardíaca y riesgo cardiovascular. Hipertension Y Riesgo Vascular, 2011, 28, 9-15.	0.6	0
31	¿Cómo se hace una monitorización ambulatoria de presión arterial?. FMC Formacion Medica Continuada En Atencion Primaria, 2011, 18, 131-133.	0.0	0
32	¿Cómo se interpreta una monitorización ambulatoria de presión arterial?. FMC Formacion Medica Continuada En Atencion Primaria, 2011, 18, 263-265.	0.0	0
33	A Short Screener Is Valid for Assessing Mediterranean Diet Adherence among Older Spanish Men and Women. Journal of Nutrition, 2011, 141, 1140-1145.	2.9	973
34	Abnormalities in ambulatory blood pressure monitoring in hypertensive patients with diabetes. Hypertension Research, 2011, 34, 1185-1189.	2.7	45
35	Pronóstico y recomendaciones para el manejo de la hipertensión clínica aislada. Hipertension Y Riesgo Vascular, 2010, 27, 13-18.	0.6	0
36	Isolated clinic hypertension: diagnostic criteria based on 24-h blood pressure definition. Journal of Hypertension, 2010, 28, 2407-2413.	0.5	9

#	ARTICLE	IF	CITATIONS
37	Prevalence and Factors Associated With Circadian Blood Pressure Patterns in Hypertensive Patients. <i>Hypertension</i> , 2009, 53, 466-472.	2.7	312
38	Polymorphisms Cyclooxygenase-2 -765G>C and Interleukin-6 -174G>C Are Associated with Serum Inflammation Markers in a High Cardiovascular Risk Population and Do Not Modify the Response to a Mediterranean Diet Supplemented with Virgin Olive Oil or Nuts. <i>Journal of Nutrition</i> , 2009, 139, 128-134.	2.9	36
39	La reducci3n de los valores de homociste3na mediante suplementos de vitamina B no disminuye el declive cognitivo en pacientes con enfermedad de Alzheimer leve-moderada. <i>FMC Formacion Medica Continuada En Atencion Primaria</i> , 2009, 16, 325.	0.0	0
40	Hypertensive Status and Lipoprotein Oxidation in an Elderly Population at High Cardiovascular Risk. <i>American Journal of Hypertension</i> , 2009, 22, 68-73.	2.0	18
41	Low-fat dairy products and blood pressure: follow-up of 2290 older persons at high cardiovascular risk participating in the PREDIMED study. <i>British Journal of Nutrition</i> , 2009, 101, 59-67.	2.3	85
42	Gender Differences in Office and Ambulatory Control of Hypertension. <i>American Journal of Medicine</i> , 2008, 121, 1078-1084.	1.5	31
43	Cognitive function and blood pressure control in hypertensive patients over 60 years of age: COGNIPRES study. <i>Current Medical Research and Opinion</i> , 2008, 24, 3331-3340.	1.9	44
44	Clinical characteristics of isolated clinic hypertension. <i>Journal of Hypertension</i> , 2008, 26, 438-445.	0.5	47
45	Ambulatory blood pressure monitoring in hypertensive patients with high cardiovascular risk: a cross-sectional analysis of a 20 000-patient database in Spain. <i>Journal of Hypertension</i> , 2007, 25, 977-984.	0.5	102
46	Reproducibility of the circadian blood pressure pattern in 24-h versus 48-h recordings: the Spanish Ambulatory Blood Pressure Monitoring Registry. <i>Journal of Hypertension</i> , 2007, 25, 2406-2412.	0.5	56