

# Hussein A Mohammed

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6573193/hussein-a-mohammed-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

159  
papers

7,015  
citations

45  
h-index

79  
g-index

171  
ext. papers

8,120  
ext. citations

4.8  
avg, IF

6.46  
L-index

#	Paper	IF	Citations
159	Thermally conductive polymer nanocomposites for filament-based additive manufacturing. <i>Journal of Materials Science</i> , <b>2022</b> , 57, 3993-4019	4.3	3
158	Heat Transfer Characteristics of Conventional Fluids and Nanofluids in Micro-Channels with Vortex Generators: A Review. <i>Energies</i> , <b>2022</b> , 15, 1245	3.1	0
157	Hydrothermal and energy analysis of flat plate solar collector using copper oxide nanomaterials with different morphologies: Economic performance. <i>Sustainable Energy Technologies and Assessments</i> , <b>2022</b> , 49, 101772	4.7	1
156	Thermohydraulic and thermodynamics performance of hybrid nanofluids based parabolic trough solar collector equipped with wavy promoters. <i>Renewable Energy</i> , <b>2022</b> , 182, 401-426	8.1	7
155	Nanofluids for flat plate solar collectors: Fundamentals and applications. <i>Journal of Cleaner Production</i> , <b>2021</b> , 291, 125725	10.3	20
154	Experimental and Theoretical Analysis of Energy Efficiency in a Flat Plate Solar Collector Using Monolayer Graphene Nanofluids. <i>Sustainability</i> , <b>2021</b> , 13, 5416	3.6	8
153	3D Numerical Study of Conical and Fusiform Turbulators for Heat Transfer Improvement in a Double-Pipe Heat Exchanger. <i>International Journal of Heat and Mass Transfer</i> , <b>2021</b> , 170, 120995	4.9	8
152	Analysis of efficiency enhancement of flat plate solar collector using crystal nano-cellulose (CNC) nanofluids. <i>Sustainable Energy Technologies and Assessments</i> , <b>2021</b> , 45, 101049	4.7	15
151	Graphene Nanoplatelets Suspended in Different Basefluids Based Solar Collector: An Experimental and Analytical Study. <i>Processes</i> , <b>2021</b> , 9, 302	2.9	2
150	Effects of binary hybrid nanofluid on heat transfer and fluid flow in a triangular-corrugated channel: An experimental and numerical study. <i>Powder Technology</i> , <b>2021</b> ,	5.2	5
149	Performance improvement of solar chimneys using phase change materials: A review. <i>Solar Energy</i> , <b>2021</b> , 228, 68-88	6.8	6
148	Inclusion of nanoparticles in PCM for heat release unit. <i>Journal of Molecular Liquids</i> , <b>2020</b> , 313, 113544	6	15
147	Thermal Performance of Hybrid-Inspired Coolant for Radiator Application. <i>Nanomaterials</i> , <b>2020</b> , 10,	5.4	11
146	3D Magneto-Buoyancy-Thermocapillary Convection of CNT-Water Nanofluid in the Presence of a Magnetic Field. <i>Processes</i> , <b>2020</b> , 8, 258	2.9	9
145	Hybrid Nanocellulose-Copper (II) Oxide as Engine Oil Additives for Tribological Behavior Improvement. <i>Molecules</i> , <b>2020</b> , 25,	4.8	3
144	ThermalHydraulic Performance in a Microchannel Heat Sink Equipped with Longitudinal Vortex Generators (LVGs) and Nanofluid. <i>Processes</i> , <b>2020</b> , 8, 231	2.9	1
143	Boosting CO adsorption and selectivity in metal-organic frameworks of MIL-96(Al) second metal Ca coordination.. <i>RSC Advances</i> , <b>2020</b> , 10, 8130-8139	3.7	19

142	Energy efficiency of a flat-plate solar collector using thermally treated graphene-based nanofluids: Experimental study. <i>Nanomaterials and Nanotechnology</i> , <b>2020</b> , 10, 184798042096461	2.9	11
141	Improving solar cooker performance using phase change materials: A comprehensive review. <i>Solar Energy</i> , <b>2020</b> , 207, 539-563	6.8	27
140	Transient electrohydrodynamic convective flow and heat transfer of MWCNT - Dielectric nanofluid in a heated enclosure. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , <b>2020</b> , 384, 1267363	2.3	11
139	MHD Heat Transfer in W-Shaped Inclined Cavity Containing a Porous Medium Saturated with Ag/Al <sub>2</sub> O <sub>3</sub> Hybrid Nanofluid in the Presence of Uniform Heat Generation/Absorption. <i>Energies</i> , <b>2020</b> , 13, 3457	3.1	8
138	Phase change materials (PCMs) for improving solar still productivity: a review. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2020</b> , 139, 1585-1617	4.1	38
137	Parametric design exploration of fin-and-oval tube compact heat exchangers performance with a new type of corrugated fin patterns. <i>International Journal of Thermal Sciences</i> , <b>2019</b> , 144, 173-190	4.1	23
136	CFD based investigations on the effects of blockage shapes on transient mixed convective nanofluid flow over a backward facing step. <i>Powder Technology</i> , <b>2019</b> , 346, 441-451	5.2	7
135	Numerical study of the thermal and hydraulic performances of heat sink made of wavy fins. <i>Mechanics and Mechanical Engineering</i> , <b>2019</b> , 23, 150-161	0.9	1
134	Numerical Study of Periodic Magnetic Field Effect on 3D Natural Convection of MWCNT-Water/Nanofluid with Consideration of Aggregation. <i>Processes</i> , <b>2019</b> , 7, 957	2.9	14
133	Thermal and hydraulic characteristics of trapezoidal winglet across fin-and-tube heat exchanger (FTHE). <i>Applied Thermal Engineering</i> , <b>2019</b> , 149, 1379-1393	5.8	12
132	Two-phase forced convection of nanofluids flow in circular tubes using convergent and divergent conical rings inserts. <i>International Communications in Heat and Mass Transfer</i> , <b>2019</b> , 101, 10-20	5.8	28
131	Heat transfer and flow analysis of Al <sub>2</sub> O <sub>3</sub> -Water nanofluids in interrupted microchannel heat sink with ellipse and diamond ribs in the transverse microchambers. <i>Heat Transfer Engineering</i> , <b>2018</b> , 39, 1461-1469	1.7	27
130	Numerical investigation of heat transfer enhancement using various nanofluids in hexagonal microchannel heat sink. <i>Thermal Science and Engineering Progress</i> , <b>2018</b> , 5, 252-262	3.6	40
129	Numerical investigation of fluid flow and heat transfer of nanofluids in microchannel with longitudinal fins. <i>Ain Shams Engineering Journal</i> , <b>2018</b> , 9, 3411-3418	4.4	24
128	Heat transfer augmentation in concentric elliptic annular by ethylene glycol based nanofluids. <i>International Communications in Heat and Mass Transfer</i> , <b>2017</b> , 82, 29-39	5.8	17
127	Numerical study of assisting and opposing mixed convective nanofluid flows in an inclined circular pipe. <i>International Communications in Heat and Mass Transfer</i> , <b>2017</b> , 85, 81-91	5.8	13
126	Turbulent forced convection flow of nanofluids over triple forward facing step. <i>World Journal of Engineering</i> , <b>2017</b> , 14, 263-278	1.8	2
125	A review of photovoltaic cells cooling techniques. <i>E3S Web of Conferences</i> , <b>2017</b> , 22, 00205	0.5	15

124	Fluid flow and heat transfer of nanofluids in microchannel heat sink with V-type inlet/outlet arrangement. <i>AEJ - Alexandria Engineering Journal</i> , <b>2017</b> , 56, 161-170	6.1	34
123	Thermal-hydraulic performance of fin-and-oval tube compact heat exchangers with innovative design of corrugated fin patterns. <i>International Journal of Heat and Mass Transfer</i> , <b>2017</b> , 106, 573-592	4.9	57
122	Influence of nanofluids on the efficiency of Flat-Plate Solar Collectors (FPSC). <i>E3S Web of Conferences</i> , <b>2017</b> , 22, 00123	0.5	1
121	Heat Transfer Enhancements Using Traditional Fluids and Nanofluids in Pipes with Different Orientations: A Review. <i>Journal of Nanofluids</i> , <b>2017</b> , 6, 987-1007	2.2	7
120	Numerical Study of Three Different Approaches to Simulate Nanofluids Flow and Heat Transfer in a Microtube. <i>Heat Transfer - Asian Research</i> , <b>2016</b> , 45, 46-58	2.8	10
119	Numerical investigation of mixed convection heat transfer of nanofluids in a lid-driven trapezoidal cavity. <i>International Communications in Heat and Mass Transfer</i> , <b>2016</b> , 77, 195-205	5.8	31
118	Heat transfer and fluid flow over microscale backward and forward facing step: A review. <i>International Communications in Heat and Mass Transfer</i> , <b>2016</b> , 76, 237-244	5.8	40
117	Numerical study of convective heat transfer of nanofluids: A review. <i>Renewable and Sustainable Energy Reviews</i> , <b>2016</b> , 54, 1212-1239	16.2	179
116	The Effect of Base Fluid Type in Nanofluids for Heat Transfer Enhancement in Microtubes. <i>Applied Mechanics and Materials</i> , <b>2016</b> , 818, 12-22	0.3	2
115	Heat Transfer Enhancement in a Microchannel Heat Sink with Trapezoidal Cavities on the Side Walls. <i>Applied Mechanics and Materials</i> , <b>2016</b> , 819, 127-131	0.3	1
114	Heat transfer and nanofluid flow characteristics through a circular tube fitted with helical tape inserts. <i>International Communications in Heat and Mass Transfer</i> , <b>2016</b> , 71, 234-244	5.8	32
113	Mixed convection nanofluid flow over microscale forward-facing step [Effect of inclination and step heights. <i>International Communications in Heat and Mass Transfer</i> , <b>2016</b> , 78, 145-154	5.8	42
112	Numerical study of nanofluid forced convection flow in channels using different shaped transverse ribs. <i>International Communications in Heat and Mass Transfer</i> , <b>2015</b> , 67, 176-188	5.8	34
111	Heat transfer enhancement of turbulent nanofluid flow over various types of internally corrugated channels. <i>Powder Technology</i> , <b>2015</b> , 286, 332-341	5.2	41
110	Experimental and Numerical Investigation of Combined Convection Heat Transfer and Fluid Flow around Circular Cylinder through Rectangular and Trapezoidal Open-Cell Aluminum Foams. <i>Chemical Engineering Communications</i> , <b>2015</b> , 202, 674-693	2.2	3
109	Enhance heat transfer in the channel with V-shaped wavy lower plate using liquid nanofluids. <i>Case Studies in Thermal Engineering</i> , <b>2015</b> , 5, 13-23	5.6	25
108	Mixed convective nanofluid flow in a channel having backward-facing step with a baffle. <i>Powder Technology</i> , <b>2015</b> , 275, 329-343	5.2	41
107	Three-Dimensional Numerical Investigation of Nanofluids Flow in Microtube with Different Values of Heat Flux. <i>Heat Transfer - Asian Research</i> , <b>2015</b> , 44, 599-619	2.8	12

106	Design characteristics of corrugated trapezoidal plate heat exchangers using nanofluids. <i>Chemical Engineering and Processing: Process Intensification</i> , <b>2015</b> , 87, 88-103	3.7	55
105	Review of convection heat transfer and fluid flow in porous media with nanofluid. <i>Renewable and Sustainable Energy Reviews</i> , <b>2015</b> , 41, 715-734	16.2	164
104	Numerical investigation on heat transfer and friction factor characteristics of laminar and turbulent flow in an elliptic annulus utilizing nanofluid. <i>International Communications in Heat and Mass Transfer</i> , <b>2015</b> , 66, 148-157	5.8	18
103	Experimental study of nanofluid flow and heat transfer over microscale backward- and forward-facing steps. <i>Experimental Thermal and Fluid Science</i> , <b>2015</b> , 65, 13-21	3	55
102	Effect of Base Fluid on Mixed Convection Nanofluid Flow Over Microscale Backward-Facing Step. <i>Journal of Computational and Theoretical Nanoscience</i> , <b>2015</b> , 12, 3076-3089	0.3	2
101	Enhancement heat transfer characteristics in the channel with Trapezoidal rib groove using nanofluids. <i>Case Studies in Thermal Engineering</i> , <b>2015</b> , 5, 48-58	5.6	48
100	Forced, natural and mixed-convection heat transfer and fluid flow in annulus: A review. <i>International Communications in Heat and Mass Transfer</i> , <b>2015</b> , 62, 45-57	5.8	76
99	Influence of geometrical parameters of hexagonal, circular, and rhombus microchannel heat sinks on the thermohydraulic characteristics. <i>International Communications in Heat and Mass Transfer</i> , <b>2014</b> , 52, 121-131	5.8	68
98	Effect of nanoparticle shapes on the heat transfer enhancement in a wavy channel with different phase shifts. <i>Journal of Molecular Liquids</i> , <b>2014</b> , 196, 32-42	6	98
97	A review on preparation methods and challenges of nanofluids. <i>International Communications in Heat and Mass Transfer</i> , <b>2014</b> , 54, 115-125	5.8	182
96	Boundary layer flow and heat transfer due to permeable stretching tube in the presence of heat source/sink utilizing nanofluids. <i>Applied Mathematics and Computation</i> , <b>2014</b> , 238, 149-162	2.7	53
95	Viscous dissipation and radiation effects on MHD natural convection in a square enclosure filled with a porous medium. <i>Nuclear Engineering and Design</i> , <b>2014</b> , 266, 34-42	1.8	45
94	Experimental and numerical study of nanofluid flow and heat transfer over microscale backward-facing step. <i>International Journal of Heat and Mass Transfer</i> , <b>2014</b> , 79, 858-867	4.9	24
93	Numerical and experimental investigation of heat transfer enhancement in a microtube using nanofluids. <i>International Communications in Heat and Mass Transfer</i> , <b>2014</b> , 59, 88-100	5.8	49
92	Experimental and numerical study of nanofluid flow and heat transfer over microscale forward-facing step. <i>International Communications in Heat and Mass Transfer</i> , <b>2014</b> , 57, 319-329	5.8	12
91	Heat transfer augmentation using nanofluids in an elliptic annulus with constant heat flux boundary condition. <i>Case Studies in Thermal Engineering</i> , <b>2014</b> , 4, 32-41	5.6	26
90	Numerical study of thermal enhancement in micro channel heat sink with secondary flow. <i>International Journal of Heat and Mass Transfer</i> , <b>2014</b> , 78, 216-223	4.9	67
89	Computational Analysis of Three-Dimensional Unsteady Natural Convection and Entropy Generation in a Cubical Enclosure Filled with Water-Al <sub>2</sub> O <sub>3</sub> Nanofluid. <i>Arabian Journal for Science and Engineering</i> , <b>2014</b> , 39, 7483-7493		43

88	Thermal and hydraulic characteristics of nanofluid in a triangular grooved microchannel heat sink (TGMCHS). <i>Applied Mathematics and Computation</i> , <b>2014</b> , 246, 168-183	2.7	46
87	Combined convection nanofluid flow and heat transfer over microscale forward-facing step. <i>International Journal of Nanoparticles</i> , <b>2014</b> , 7, 1	0.4	8
86	Fluid flow and heat transfer characteristics of nanofluids in heat pipes: A review. <i>International Communications in Heat and Mass Transfer</i> , <b>2014</b> , 56, 50-62	5.8	65
85	Heat Transfer Enhancement Using Nanofluids in a Circular Tube Fitted with Inserts. <i>Journal of Computational and Theoretical Nanoscience</i> , <b>2014</b> , 11, 655-666	0.3	2
84	Heat Transfer and Fluid Flow Characteristics in Helically Coiled Tube Heat Exchanger (HCTHE) Using Nanofluids: A Review. <i>Journal of Computational and Theoretical Nanoscience</i> , <b>2014</b> , 11, 911-927	0.3	9
83	Mixed convection heat transfer of nanofluids over backward facing step having a slotted baffle. <i>Applied Mathematics and Computation</i> , <b>2014</b> , 240, 368-386	2.7	30
82	The effect of step height of microscale backward-facing step on mixed convection nanofluid flow and heat transfer characteristics. <i>International Journal of Heat and Mass Transfer</i> , <b>2014</b> , 68, 554-566	4.9	50
81	Mixed Convection Over a Backward-Facing Step in a Vertical Duct Using Nanofluids Buoyancy Opposing Case. <i>Journal of Computational and Theoretical Nanoscience</i> , <b>2014</b> , 11, 860-872	0.3	26
80	Heat Transfer Enhancement by Using Different Types of Inserts. <i>Advances in Mechanical Engineering</i> , <b>2014</b> , 6, 250354	1.2	11
79	Laminar Nanofluid Flow Over Periodic Two Dimensional Rectangular Baffled Channels. <i>Journal of Computational and Theoretical Nanoscience</i> , <b>2014</b> , 11, 1018-1030	0.3	4
78	Influence of Various Geometrical Shapes on Mixed Convection Through an Open-Cell Aluminium Foam Filled with Nanofluid. <i>Journal of Computational and Theoretical Nanoscience</i> , <b>2014</b> , 11, 1275-1289	0.3	7
77	Assisting and Opposing Combined Convective Heat Transfer and Nanofluids Flows Over a Vertical Forward Facing Step. <i>Journal of Nanotechnology in Engineering and Medicine</i> , <b>2014</b> , 5,		2
76	Flameless combustion role in the mitigation of NOX emission: a review. <i>International Journal of Energy Research</i> , <b>2014</b> , 38, 827-846	4.5	20
75	A comprehensive review of fundamentals, preparation and applications of nanorefrigerants. <i>International Communications in Heat and Mass Transfer</i> , <b>2014</b> , 54, 81-95	5.8	41
74	Heat transfer enhancement and pressure drop for fin-and-tube compact heat exchangers with wavy rectangular winglet-type vortex generators. <i>International Communications in Heat and Mass Transfer</i> , <b>2014</b> , 54, 132-140	5.8	81
73	Influence of nanofluid on turbulent forced convective flow in a channel with detached rib-arrays. <i>International Communications in Heat and Mass Transfer</i> , <b>2013</b> , 46, 97-105	5.8	31
72	Numerical investigation of trapezoidal grooved microchannel heat sink using nanofluids. <i>Thermochimica Acta</i> , <b>2013</b> , 573, 39-56	2.9	53
71	Characteristics of heat transfer and fluid flow in microtube and microchannel using conventional fluids and nanofluids: A review. <i>Renewable and Sustainable Energy Reviews</i> , <b>2013</b> , 28, 848-880	16.2	130

70	Heat transfer enhancement of nanofluids in a double pipe heat exchanger with louvered strip inserts. <i>International Communications in Heat and Mass Transfer</i> , <b>2013</b> , 40, 36-46	5.8	121
69	Generality of Brownian motion velocity of two phase approach in interrupted microchannel heat sink. <i>International Communications in Heat and Mass Transfer</i> , <b>2013</b> , 49, 128-135	5.8	12
68	Influence of nanofluids and rotation on helically coiled tube heat exchanger performance. <i>Thermochimica Acta</i> , <b>2013</b> , 564, 13-23	2.9	55
67	Influence of geometrical parameters and forced convective heat transfer in transversely corrugated circular tubes. <i>International Communications in Heat and Mass Transfer</i> , <b>2013</b> , 44, 116-126	5.8	70
66	The effects of geometrical parameters of a corrugated channel with in out-of-phase arrangement. <i>International Communications in Heat and Mass Transfer</i> , <b>2013</b> , 40, 47-57	5.8	44
65	Mixed Convection of Water-Based Nanofluids in a Rectangular Inclined Lid-Driven Cavity Partially Heated from Its Left Side Wall. <i>Journal of Computational and Theoretical Nanoscience</i> , <b>2013</b> , 10, 2222-2233	0.3	13
64	Turbulent Nanofluid Flow Over Periodic Rib-Grooved Channels. <i>Engineering Applications of Computational Fluid Mechanics</i> , <b>2013</b> , 7, 369-381	4.5	20
63	Pulse Detonation Engine Research Development at High Speed Reacting Flow Laboratory - HiREF, Universiti Teknologi Malaysia. <i>Applied Mechanics and Materials</i> , <b>2013</b> , 388, 285-291	0.3	
62	Combined Convection Heat Transfer of Nanofluids Flow over Forward Facing Step in a Channel Having a Blockage. <i>Applied Mechanics and Materials</i> , <b>2013</b> , 388, 185-191	0.3	14
61	Effect of Vertical Baffle Installation on Forced Convective Heat Transfer in Channel Having a Backward Facing Step. <i>Applied Mechanics and Materials</i> , <b>2013</b> , 388, 169-175	0.3	8
60	Effect of Inclination Angle on Three-Dimensional Combined Convective Heat Transfer of Nanofluids in Rectangular Channels. <i>Applied Mechanics and Materials</i> , <b>2013</b> , 388, 176-184	0.3	0
59	Numerical Study of Fluid Flow and Heat Transfer Enhancement of Nanofluids over Tube Bank. <i>Applied Mechanics and Materials</i> , <b>2013</b> , 388, 149-155	0.3	6
58	A review on exergy analysis of biomass based fuels. <i>Renewable and Sustainable Energy Reviews</i> , <b>2012</b> , 16, 1217-1222	16.2	98
57	Applications of variable speed drive (VSD) in electrical motors energy savings. <i>Renewable and Sustainable Energy Reviews</i> , <b>2012</b> , 16, 543-550	16.2	113
56	Turbulent heat transfer enhancement in a triangular duct using delta-winglet vortex generators. <i>Heat Transfer - Asian Research</i> , <b>2012</b> , 41, 43-62	2.8	15
55	Heat transfer enhancement of nanofluids flow in microtube with constant heat flux. <i>International Communications in Heat and Mass Transfer</i> , <b>2012</b> , 39, 1195-1204	5.8	52
54	Thermal performance of optimized interrupted microchannel heat sink (IMCHS) using nanofluids. <i>International Communications in Heat and Mass Transfer</i> , <b>2012</b> , 39, 1595-1604	5.8	46
53	Heat transfer enhancement of laminar nanofluids flow in a triangular duct using vortex generator. <i>Superlattices and Microstructures</i> , <b>2012</b> , 52, 398-415	2.8	49

52	The effect of nanofluids flow on mixed convection heat transfer over microscale backward-facing step. <i>International Journal of Heat and Mass Transfer</i> , <b>2012</b> , 55, 5870-5881	4.9	56
51	Thermal and hydraulic characteristics of nanofluid flow in a helically coiled tube heat exchanger. <i>International Communications in Heat and Mass Transfer</i> , <b>2012</b> , 39, 1375-1383	5.8	75
50	Thermal and hydraulic characteristics of turbulent nanofluids flow in a ribgroove channel. <i>International Communications in Heat and Mass Transfer</i> , <b>2012</b> , 39, 1584-1594	5.8	72
49	An overview on heat transfer augmentation using vortex generators and nanofluids: Approaches and applications. <i>Renewable and Sustainable Energy Reviews</i> , <b>2012</b> , 16, 5951-5993	16.2	121
48	Thermal and hydrodynamic performance analysis of circular microchannel heat exchanger utilizing nanofluids. <i>International Journal of Numerical Methods for Heat and Fluid Flow</i> , <b>2012</b> , 22, 907-927	4.5	9
47	Effects of diameter ratio of adiabatic circular cylinder and tilt angle on natural convection from a square open tilted cavity. <i>Heat Transfer - Asian Research</i> , <b>2012</b> , 41, 388-401	2.8	8
46	MHD natural convection inside an inclined trapezoidal porous enclosure with internal heat generation or absorption subjected to isoflux heating. <i>Heat Transfer - Asian Research</i> , <b>2012</b> , 41, 498-515	2.8	3
45	Numerical Investigation of Heat Transfer from a Two-Dimensional Sudden Expansion Flow Using Nanofluids. <i>Numerical Heat Transfer; Part A: Applications</i> , <b>2012</b> , 61, 527-546	2.3	10
44	Buoyancy-assisted mixed convective flow over backward-facing step in a vertical duct using nanofluids. <i>Thermophysics and Aeromechanics</i> , <b>2012</b> , 19, 33-52	0.9	17
43	Numerical Investigation on Laminar Flow Due to Sudden Expansion Using Nanofluid. <i>Journal of Computational and Theoretical Nanoscience</i> , <b>2012</b> , 9, 2217-2227	0.3	7
42	An overview of different distillation methods for small scale applications. <i>Renewable and Sustainable Energy Reviews</i> , <b>2011</b> , 15, 4756-4764	16.2	39
41	Chillers energy consumption, energy savings and emission analysis in an institutional buildings. <i>Energy</i> , <b>2011</b> , 36, 5233-5238	7.9	57
40	Determination of correlation functions of the oxide scale growth and the temperature increase. <i>Engineering Failure Analysis</i> , <b>2011</b> , 18, 2260-2271	3.2	6
39	The effect of scratch technique on the thermal-product value of temperature sensors. <i>Thermophysics and Aeromechanics</i> , <b>2011</b> , 18, 51-64	0.9	12
38	Thermal product estimation method for aerodynamics experiments. <i>Journal of Engineering Physics and Thermophysics</i> , <b>2011</b> , 84, 849-859	0.6	4
37	Influence of nanofluids on parallel flow square microchannel heat exchanger performance. <i>International Communications in Heat and Mass Transfer</i> , <b>2011</b> , 38, 1-9	5.8	73
36	Numerical simulation of heat transfer enhancement in wavy microchannel heat sink. <i>International Communications in Heat and Mass Transfer</i> , <b>2011</b> , 38, 63-68	5.8	189
35	Influence of nanofluids on mixed convective heat transfer over a horizontal backward-facing step. <i>Heat Transfer - Asian Research</i> , <b>2011</b> , 40, 287-307	2.8	33



34	Heat transfer enhancement for combined convection flow of nanofluids in a vertical rectangular duct considering radiation effects. <i>Heat Transfer - Asian Research</i> , <b>2011</b> , 40, 448-463	2.8	2
33	Influence of various base nanofluids and substrate materials on heat transfer in trapezoidal microchannel heat sinks. <i>International Communications in Heat and Mass Transfer</i> , <b>2011</b> , 38, 194-201	5.8	60
32	Influence of channel shape on the thermal and hydraulic performance of microchannel heat sink. <i>International Communications in Heat and Mass Transfer</i> , <b>2011</b> , 38, 474-480	5.8	113
31	The impact of various nanofluid types on triangular microchannels heat sink cooling performance. <i>International Communications in Heat and Mass Transfer</i> , <b>2011</b> , 38, 767-773	5.8	72
30	A review on the performance of nanoparticles suspended with refrigerants and lubricating oils in refrigeration systems. <i>Renewable and Sustainable Energy Reviews</i> , <b>2011</b> , 15, 310-323	16.2	183
29	Heat transfer and fluid flow characteristics in microchannels heat exchanger using nanofluids: A review. <i>Renewable and Sustainable Energy Reviews</i> , <b>2011</b> , 15, 1502-1512	16.2	200
28	A review on applications and challenges of nanofluids. <i>Renewable and Sustainable Energy Reviews</i> , <b>2011</b> , 15, 1646-1668	16.2	1234
27	A review on kiln system modeling. <i>Renewable and Sustainable Energy Reviews</i> , <b>2011</b> , 15, 2487-2500	16.2	31
26	Convective heat transfer and fluid flow study over a step using nanofluids: A review. <i>Renewable and Sustainable Energy Reviews</i> , <b>2011</b> , 15, 2921-2939	16.2	133
25	Numerical study of heat transfer enhancement of counter nanofluids flow in rectangular microchannel heat exchanger. <i>Superlattices and Microstructures</i> , <b>2011</b> , 50, 215-233	2.8	33
24	Dynamic Calibration and Performance of Reliable and Fast-Response Coaxial Temperature Probes in a Shock Tube Facility. <i>Experimental Heat Transfer</i> , <b>2011</b> , 24, 109-132	2.4	13
23	Fast response surface temperature sensor for hypersonic vehicles <sup>1</sup> . <i>Instruments and Experimental Techniques</i> , <b>2010</b> , 53, 153-159	0.5	10
22	Heat transfer in rectangular microchannels heat sink using nanofluids. <i>International Communications in Heat and Mass Transfer</i> , <b>2010</b> , 37, 1496-1503	5.8	97
21	Thermal product of type-E fast response temperature sensors. <i>Journal of Thermal Science</i> , <b>2010</b> , 19, 364-371	3.9	11
20	Determination of the Effusivity of Different Scratched Coaxial Temperature Sensors Under Hypersonic Flow. <i>International Journal of Thermophysics</i> , <b>2010</b> , 31, 2305-2322	2.1	4
19	Experimental study of forced and free convective heat transfer in the thermal entry region of horizontal concentric annuli. <i>International Communications in Heat and Mass Transfer</i> , <b>2010</b> , 37, 739-747	5.8	30
18	Laminar forced convection flow over a backward facing step using nanofluids. <i>International Communications in Heat and Mass Transfer</i> , <b>2010</b> , 37, 950-957	5.8	81
17	The effect of geometrical parameters on heat transfer characteristics of microchannels heat sink with different shapes. <i>International Communications in Heat and Mass Transfer</i> , <b>2010</b> , 37, 1078-1086	5.8	167

16	An end-use energy analysis in a Malaysian public hospital. <i>Energy</i> , <b>2010</b> , 35, 4780-4785	7.9	71
15	The effect of different inlet geometries on laminar flow combined convection heat transfer inside a horizontal circular pipe. <i>Applied Thermal Engineering</i> , <b>2009</b> , 29, 581-590	5.8	4
14	Laminar mixed convection heat transfer in a vertical circular tube under buoyancy-assisted and opposed flows. <i>Energy Conversion and Management</i> , <b>2008</b> , 49, 2006-2015	10.6	22
13	HEAT TRANSFER MEASUREMENTS OF MIXED CONVECTION FOR UPWARD AND DOWNWARD LAMINAR FLOWS INSIDE A VERTICAL CIRCULAR CYLINDER. <i>Experimental Heat Transfer</i> , <b>2008</b> , 21, 1-23	2.4	5
12	Design and fabrication of coaxial surface junction thermocouples for transient heat transfer measurements. <i>International Communications in Heat and Mass Transfer</i> , <b>2008</b> , 35, 853-859	5.8	43
11	Numerical study of combined convection heat transfer for thermally developing upward flow in a vertical cylinder. <i>Thermal Science</i> , <b>2008</b> , 12, 89-102	1.2	3
10	Experimental investigation of mixed convection heat transfer for thermally developing flow in a horizontal circular cylinder. <i>Applied Thermal Engineering</i> , <b>2007</b> , 27, 1522-1533	5.8	34
9	Combined convection heat transfer for thermally developing aiding flow in an inclined circular cylinder with constant heat flux. <i>Applied Thermal Engineering</i> , <b>2007</b> , 27, 1236-1247	5.8	14
8	Combined natural and forced convection heat transfer for assisting thermally developing flow in a uniformly heated vertical circular cylinder. <i>International Communications in Heat and Mass Transfer</i> , <b>2007</b> , 34, 474-491	5.8	13
7	The effects of different entrance sections lengths and heating on free and forced convective heat transfer inside a horizontal circular tube. <i>International Communications in Heat and Mass Transfer</i> , <b>2007</b> , 34, 769-784	5.8	11
6	Free and forced convection heat transfer in the thermal entry region for laminar flow inside a circular cylinder horizontally oriented. <i>Energy Conversion and Management</i> , <b>2007</b> , 48, 2185-2195	10.6	10
5	Free convective heat transfer from a constant heat flux vertical circular tube with different entrance restrictions length. <i>Energy Conversion and Management</i> , <b>2007</b> , 48, 2233-2243	10.6	4
4	Laminar air flow free convective heat transfer inside a vertical circular pipe with different inlet configurations. <i>Thermal Science</i> , <b>2007</b> , 11, 43-63	1.2	11
3	Heat transfer by natural convection from a uniformly heated vertical circular pipe with different entry restriction configurations. <i>Energy Conversion and Management</i> , <b>2007</b> , 48, 2244-2253	10.6	7
2	The transient response for different types of erodable surface thermocouples using finite element analysis. <i>Thermal Science</i> , <b>2007</b> , 11, 49-64	1.2	13
1	MXene Based Palm Oil Methyl Ester as an Effective Heat Transfer Fluid. <i>Journal of Nano Research</i> , <b>2007</b> , 1, 17-34	1	3