## Luigi Sanita di Toppi

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6573760/luigi-sanita-di-toppi-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63
papers

4,219
citations

h-index

64
g-index

68
ext. papers

4,657
ext. citations

4.9
avg, IF

5.33
L-index

#	Paper	IF	Citations
63	Tools for In Vitro Propagation/Synchronization of the Liverwort Marchantia polymorpha and Application of a Validated HPLC-ESI-MS-MS Method for Glutathione and Phytochelatin Analysis. <i>Stresses</i> , <b>2022</b> , 2, 136-145		1
62	Biological responses to heavy metal stress in the moss Leptodictyum riparium (Hedw.) Warnst <i>Ecotoxicology and Environmental Safety</i> , <b>2021</b> , 229, 113078	7	2
61	Responses to Cadmium in Early-Diverging Streptophytes (Charophytes and Bryophytes): Current Views and Potential Applications. <i>Plants</i> , <b>2021</b> , 10,	4.5	7
60	The Moss Counteracts Severe Cadmium Stress by Activation of Glutathione Transferase and Phytochelatin Synthase, but Slightly by Phytochelatins. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	15
59	Does air pollution influence the success of species translocation? Trace elements, ultrastructure and photosynthetic performances in transplants of a threatened forest macrolichen. <i>Ecological Indicators</i> , <b>2020</b> , 117, 106666	5.8	5
58	Eukaryotic and Prokaryotic Phytochelatin Synthases Differ Less in Functional Terms Than Previously Thought: A Comparative Analysis of and sp. PCC 7407. <i>Plants</i> , <b>2020</b> , 9,	4.5	11
57	Ancestral function of the phytochelatin synthase C-terminal domain in inhibition of heavy metal-mediated enzyme overactivation. <i>Journal of Experimental Botany</i> , <b>2020</b> , 71, 6655-6669	7	8
56	Characterization and quantification of thiol-peptides in Arabidopsis thaliana using combined dilution and high sensitivity HPLC-ESI-MS-MS. <i>Phytochemistry</i> , <b>2019</b> , 164, 215-222	4	13
55	Evolution and functional differentiation of recently diverged phytochelatin synthase genes from Arundo donax L. <i>Journal of Experimental Botany</i> , <b>2019</b> , 70, 5391-5405	7	9
54	Retaining unlogged patches in Mediterranean oak forests may preserve threatened forest macrolichens. <i>IForest</i> , <b>2019</b> , 12, 187-192	1.3	6
53	An integrated approach to highlight biological responses of Pisum sativum root to nano-TiO exposure in a biosolid-amended agricultural soil. <i>Science of the Total Environment</i> , <b>2019</b> , 650, 2705-2716	10.2	22
52	AQUA1 is a mercury sensitive poplar aquaporin regulated at transcriptional and post-translational levels by Zn stress. <i>Plant Physiology and Biochemistry</i> , <b>2019</b> , 135, 588-600	5.4	18
51	Phosphorus and metal removal combined with lipid production by the green microalga Desmodesmus sp.: An integrated approach. <i>Plant Physiology and Biochemistry</i> , <b>2018</b> , 125, 45-51	5.4	34
50	The phytochelatin synthase from Nitella mucronata (Charophyta) plays a role in the homeostatic control of iron(II)/(III). <i>Plant Physiology and Biochemistry</i> , <b>2018</b> , 127, 88-96	5.4	16
49	The Knockout Mutant for () Is Defective in Callose Deposition, Bacterial Pathogen Defense and Auxin Content, But Shows an Increased Stem Lignification. <i>Frontiers in Plant Science</i> , <b>2018</b> , 9, 19	6.2	23
48	Aluminum effects on embryo suspensor polytene chromosomes of Phaseolus coccineus L. <i>Plant Biosystems</i> , <b>2018</b> , 152, 880-888	1.6	1
47	The morphogenic responses and phytochelatin complexes induced by arsenic in Pteris vittata change in the presence of cadmium. <i>Environmental and Experimental Botany</i> , <b>2017</b> , 133, 176-187	5.9	29

## (2009-2016)

46	Overexpression of AtPCS1 in tobacco increases arsenic and arsenic plus cadmium accumulation and detoxification. <i>Planta</i> , <b>2016</b> , 243, 605-22	4.7	62
45	The symbiosis between Nicotiana tabacum and the endomycorrhizal fungus Funneliformis mosseae increases the plant glutathione level and decreases leaf cadmium and root arsenic contents. <i>Plant Physiology and Biochemistry</i> , <b>2015</b> , 92, 11-8	5.4	34
44	Phytoplasma infection in tomato is associated with re-organization of plasma membrane, ER stacks, and actin filaments in sieve elements. <i>Frontiers in Plant Science</i> , <b>2015</b> , 6, 650	6.2	23
43	The capability to synthesize phytochelatins and the presence of constitutive and functional phytochelatin synthases are ancestral (plesiomorphic) characters for basal land plants. <i>Journal of Experimental Botany</i> , <b>2014</b> , 65, 1153-63	7	37
42	A Cd/Fe/Zn-responsive phytochelatin synthase is constitutively present in the ancient liverwort Lunularia cruciata (L.) dumort. <i>Plant and Cell Physiology</i> , <b>2014</b> , 55, 1884-91	4.9	42
41	Correlation between hormonal homeostasis and morphogenic responses in Arabidopsis thaliana seedlings growing in a Cd/Cu/Zn multi-pollution context. <i>Physiologia Plantarum</i> , <b>2013</b> , 149, 487-98	4.6	63
40	Cadmium tolerance in Brassica juncea roots and shoots is affected by antioxidant status and phytochelatin biosynthesis. <i>Plant Physiology and Biochemistry</i> , <b>2012</b> , 57, 15-22	5.4	152
39	Water availability modifies tolerance to photo-oxidative pollutants in transplants of the lichen Flavoparmelia caperata. <i>Oecologia</i> , <b>2012</b> , 168, 589-99	2.9	17
38	A bifasic response to cadmium stress in carrot: Early acclimatory mechanisms give way to root collapse further to prolonged metal exposure. <i>Plant Physiology and Biochemistry</i> , <b>2012</b> , 58, 269-79	5.4	23
37	Response of barley plants to Fe deficiency and Cd contamination as affected by S starvation. Journal of Experimental Botany, <b>2012</b> , 63, 1241-50	7	87
36	Genome-wide inventory of metal homeostasis-related gene products including a functional phytochelatin synthase in the hypogeous mycorrhizal fungus Tuber melanosporum. <i>Fungal Genetics and Biology</i> , <b>2011</b> , 48, 573-84	3.9	45
35	Phytochelatins govern zinc/copper homeostasis and cadmium detoxification in Cuscuta campestris parasitizing Daucus carota. <i>Environmental and Experimental Botany</i> , <b>2011</b> , 72, 26-33	5.9	20
34	Proteomic analysis as a tool for investigating arsenic stress in Pteris vittata roots colonized or not by arbuscular mycorrhizal symbiosis. <i>Journal of Proteomics</i> , <b>2011</b> , 74, 1338-50	3.9	55
33	Cadmium tolerance and phytochelatin content of Arabidopsis seedlings over-expressing the phytochelatin synthase gene AtPCS1. <i>Journal of Experimental Botany</i> , <b>2011</b> , 62, 5509-19	7	111
32	Arsenic accumulation and thiol status in lichens exposed to As(V) in controlled conditions. <i>BioMetals</i> , <b>2010</b> , 23, 207-19	3.4	9
31	Identification of in vivo nitrosylated phytochelatins in Arabidopsis thaliana cells by liquid chromatography-direct electrospray-linear ion trap-mass spectrometry. <i>Journal of Chromatography A</i> , <b>2010</b> , 1217, 4120-6	4.5	33
30	Elevated atmospheric CO2 decreases oxidative stress and increases essential oil yield in leaves of Thymus vulgaris grown in a mini-FACE system. <i>Environmental and Experimental Botany</i> , <b>2009</b> , 65, 99-106	5.9	41
29	Occurrence of different inter-varietal and inter-organ defence strategies towards supra-optimal zinc concentrations in two cultivars of Triticum aestivum L <i>Environmental and Experimental Botany</i> , <b>2009</b> , 66, 220-229	5.9	19

28	Nitric oxide is involved in cadmium-induced programmed cell death in Arabidopsis suspension cultures. <i>Plant Physiology</i> , <b>2009</b> , 150, 217-28	6.6	216
27	First and second line mechanisms of cadmium detoxification in the lichen photobiont Trebouxia impressa (Chlorophyta). <i>Environmental Pollution</i> , <b>2008</b> , 151, 280-6	9.3	22
26	Proteomic analysis in the lichen Physcia adscendens exposed to cadmium stress. <i>Environmental Pollution</i> , <b>2008</b> , 156, 1121-7	9.3	14
25	Increase in ascorbate-glutathione metabolism as local and precocious systemic responses induced by cadmium in durum wheat plants. <i>Plant and Cell Physiology</i> , <b>2008</b> , 49, 362-74	4.9	171
24	Antifungal activity of diketopiperazines extracted from Alternaria alternata against Plasmopara viticola: an ultrastructural study. <i>Micron</i> , <b>2007</b> , 38, 643-50	2.3	52
23	On the role of HO in the recovery of grapevine (Vitis vinifera cv. Prosecco) from Flavescence dor disease. Functional Plant Biology, 2007, 34, 750-758	2.7	63
22	Different compensatory mechanisms in two metal-accumulating aquatic macrophytes exposed to acute cadmium stress in outdoor artificial lakes. <i>Chemosphere</i> , <b>2007</b> , 68, 769-80	8.4	41
21	Response to copper stress in aposymbiotically grown lichen mycobiont Cladonia cristatella: uptake, viability, ergosterol and production of non-protein thiols. <i>Mycological Research</i> , <b>2006</b> , 110, 994-9		28
20	Differential responses to Cr(VI)-induced oxidative stress between Cr-tolerant and wild-type strains of Scenedesmus acutus (Chlorophyceae). <i>Aquatic Toxicology</i> , <b>2006</b> , 79, 132-9	5.1	29
19	Inhibition of Sporulation and Ultrastructural Alterations of Grapevine Downy Mildew by the Endophytic Fungus Alternaria alternata. <i>Phytopathology</i> , <b>2006</b> , 96, 689-98	3.8	45
18	Iron deficiency induces sulfate uptake and modulates redistribution of reduced sulfur pool in barley plants. <i>Functional Plant Biology</i> , <b>2006</b> , 33, 1055-1061	2.7	24
17	Overexpression of Arabidopsis phytochelatin synthase in tobacco plants enhances Cd(2+) tolerance and accumulation but not translocation to the shoot. <i>Planta</i> , <b>2006</b> , 223, 180-90	4.7	158
16	Cell wall immobilisation and antioxidant status of Xanthoria parietina thalli exposed to cadmium. <i>Functional Plant Biology</i> , <b>2005</b> , 32, 611-618	2.7	31
15	Cadmium distribution and effects on ultrastructureand chlorophyll status in photobionts and mycobionts of Xanthoria parietina. <i>Microscopy Research and Technique</i> , <b>2005</b> , 66, 229-38	2.8	30
14	Oxidative stress and phytochelatin characterisation in bread wheat exposed to cadmium excess. <i>Plant Physiology and Biochemistry</i> , <b>2005</b> , 43, 45-54	5.4	100
13	Hydrogen peroxide localization and antioxidant status in the recovery of apricot plants from European Stone Fruit Yellows. <i>European Journal of Plant Pathology</i> , <b>2005</b> , 112, 53-61	2.1	53
12	Cadmium tolerance, cysteine and thiol peptide levels in wild type and chromium-tolerant strains of Scenedesmus acutus (Chlorophyceae). <i>Aquatic Toxicology</i> , <b>2004</b> , 68, 315-23	5.1	36
11	Recovery in apple trees infected with the apple proliferation phytoplasma: an ultrastructural and biochemical study. <i>Phytopathology</i> , <b>2004</b> , 94, 203-8	3.8	73

## LIST OF PUBLICATIONS

10	Responses of Xanthoria parietina thalli to environmentally relevant concentrations of hexavalent chromium. <i>Functional Plant Biology</i> , <b>2004</b> , 31, 329-338	2.7	32
9	Elevated CO2 Reduces Vessel Diameter and Lignin Deposition in Some Legume Plants Grown in Mini-FACE Rings. <i>Biologia Plantarum</i> , <b>2003</b> , 46, 243-249	2.1	2
8	Lichens respond to heavy metals by phytochelatin synthesis. New Phytologist, 2002, 156, 95-102	9.8	60
7	EFFECTS OF HEXAVALENT CHROMIUM ON MAIZE, TOMATO, AND CAULIFLOWER PLANTS. <i>Journal of Plant Nutrition</i> , <b>2002</b> , 25, 701-717	2.3	37
6	Antioxidant status in herbaceous plants growing under elevated CO2 in mini-FACE rings. <i>Journal of Plant Physiology</i> , <b>2002</b> , 159, 1005-1013	3.6	20
5	Response to cadmium in higher plants. Environmental and Experimental Botany, 1999, 41, 105-130	5.9	1633
4	Effects of Cadmium Stress on Hairy Roots of Daucus carota. Journal of Plant Physiology, <b>1999</b> , 154, 385-	-396	27
3	Response to cadmium in carrot in vitro plants and cell suspension cultures. <i>Plant Science</i> , <b>1998</b> , 137, 119	9- <u>4.</u> 39	75
2	Cucurbita pepo L. can be transformed by Agrobacterium rhizogenes. <i>Plant Cell, Tissue and Organ Culture</i> , <b>1997</b> , 51, 89-93	2.7	9
1	Production of ribosome-inactivating protein from hairy root cultures of Luffa cylindrica (L.) Roem. <i>Plant Cell Reports</i> , <b>1996</b> , 15, 910-3	5.1	10