

Juan Luis Ramos MartÃ- n

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6573869/publications.pdf>

Version: 2024-02-01

293
papers

17,028
citations

13332

70
h-index

24511

114
g-index

298
all docs

298
docs citations

298
times ranked

14928
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Microbial Biotechnology</i> 2022 and onwards. <i>Microbial Biotechnology</i> , 2022, 15, 5-5.	2.0	0
2	Addressing the energy crisis: using microbes to make biofuels. <i>Microbial Biotechnology</i> , 2022, 15, 1026-1030.	2.0	21
3	Microbial biotechnology to assure national security of supplies of essential resources: energy, food and water, medical reagents, waste disposal and a circular economy. <i>Microbial Biotechnology</i> , 2022, 15, 1021-1025.	2.0	6
4	Providing octane degradation capability to <i>Pseudomonas putida</i> <scp>KT2440</scp> through the horizontal acquisition of <i>oct</i> genes located on an integrative and conjugative element. <i>Environmental Microbiology Reports</i> , 2022, 14, 934-946.	1.0	6
5	The soil crisis: the need to treat as a global health problem and the pivotal role of microbes in prophylaxis and therapy. <i>Microbial Biotechnology</i> , 2021, 14, 769-797.	2.0	53
6	Synthesis of aromatic amino acids from 2G lignocellulosic substrates. <i>Microbial Biotechnology</i> , 2021, 14, 1931-1943.	2.0	5
7	United Nations sustainability development goals approached from the side of the biological production of fuels. <i>Microbial Biotechnology</i> , 2021, 14, 1871-1877.	2.0	8
8	Extremophile enzymes for food additives and fertilizers. <i>Microbial Biotechnology</i> , 2021, 15, 81.	2.0	0
9	High-quality genome-scale metabolic modelling of <i>Pseudomonas putida</i> highlights its broad metabolic capabilities. <i>Environmental Microbiology</i> , 2020, 22, 255-269.	1.8	127
10	The versatility of <i>Pseudomonas putida</i> in the rhizosphere environment. <i>Advances in Applied Microbiology</i> , 2020, 110, 149-180.	1.3	14
11	The contribution of microbiology toward attainment of sustainable development goals: the need to conserve soil health while maximizing its productivity. <i>Environmental Microbiology Reports</i> , 2020, 13, 425-427.	1.0	7
12	Plant growth-stimulating rhizobacteria capable of producing L-amino acids. <i>Environmental Microbiology Reports</i> , 2020, 12, 667-671.	1.0	1
13	Caring soils for sustainable land uses. <i>Microbial Biotechnology</i> , 2020, 13, 1309-1310.	2.0	3
14	Developing robust protein analysis profiles to identify bacterial acid phosphatases in genomes and metagenomic libraries. <i>Environmental Microbiology</i> , 2020, 22, 3561-3571.	1.8	9
15	Full Transcriptomic Response of <i>Pseudomonas aeruginosa</i> to an Inulin-Derived Fructooligosaccharide. <i>Frontiers in Microbiology</i> , 2020, 11, 202.	1.5	14
16	A research and technology valuation model for decision analysis in the environmental and renewable energy sectors. <i>Renewable and Sustainable Energy Reviews</i> , 2020, 122, 109726.	8.2	4
17	The urgent need for microbiology literacy in society. <i>Environmental Microbiology</i> , 2019, 21, 1513-1528.	1.8	99
18	Twenty-first-century chemical odyssey: fuels versus commodities and cell factories versus chemical plants. <i>Microbial Biotechnology</i> , 2019, 12, 200-209.	2.0	16

#	ARTICLE	IF	CITATIONS
19	Ruminal metagenomic libraries as a source of relevant hemicellulolytic enzymes for biofuel production. <i>Microbial Biotechnology</i> , 2018, 11, 781-787.	2.0	16
20	Regulation of carbohydrate degradation pathways in <i>Pseudomonas</i> involves a versatile set of transcriptional regulators. <i>Microbial Biotechnology</i> , 2018, 11, 442-454.	2.0	44
21	Responses of bulk and rhizosphere soil microbial communities to thermoclimatic changes in a Mediterranean ecosystem. <i>Soil Biology and Biochemistry</i> , 2018, 118, 130-144.	4.2	23
22	José Miguel Barea 1942–2018: the man that always smiles. <i>Environmental Microbiology</i> , 2018, 20, 2319-2321.	1.8	0
23	Interspecies cross-talk between co-cultured <i>Pseudomonas putida</i> and <i>Escherichia coli</i> . <i>Environmental Microbiology Reports</i> , 2017, 9, 441-448.	1.0	8
24	The pangenome of the genus <i>Clostridium</i> . <i>Environmental Microbiology</i> , 2017, 19, 2588-2603.	1.8	43
25	Global transcriptional response of solvent-sensitive and solvent-tolerant <i>Pseudomonas putida</i> strains exposed to toluene. <i>Environmental Microbiology</i> , 2017, 19, 645-658.	1.8	36
26	The contribution of microbial biotechnology to sustainable development goals. <i>Microbial Biotechnology</i> , 2017, 10, 984-987.	2.0	73
27	The contribution of microbial biotechnology to economic growth and employment creation. <i>Microbial Biotechnology</i> , 2017, 10, 1137-1144.	2.0	30
28	Green biofuels and bioproducts: bases for sustainability analysis. <i>Microbial Biotechnology</i> , 2017, 10, 1111-1113.	2.0	13
29	Identification and elucidation of <i>in vivo</i> function of two alanine racemases from <i>Pseudomonas putida</i> KT2440. <i>Environmental Microbiology Reports</i> , 2017, 9, 581-588.	1.0	8
30	Enhancing ethanol yields through d-xylose and l-arabinose co-fermentation after construction of a novel high efficient l-arabinose-fermenting <i>Saccharomyces cerevisiae</i> strain. <i>Microbiology (United Kingdom)</i> , 2017, 152, 107-110.	1.7	10
31	Back to the Future of Soil Metagenomics. <i>Frontiers in Microbiology</i> , 2016, 7, 73.	1.5	120
32	Iron Uptake Analysis in a Set of Clinical Isolates of <i>Pseudomonas putida</i> . <i>Frontiers in Microbiology</i> , 2016, 7, 2100.	1.5	6
33	Assessing Bacterial Diversity in the Rhizosphere of <i>Thymus zygis</i> Growing in the Sierra Nevada National Park (Spain) through Culture-Dependent and Independent Approaches. <i>PLoS ONE</i> , 2016, 11, e0146558.	1.1	47
34	Genetic and functional characterization of a novel meta-pathway for degradation of naringenin in <i>Herbaspirillum seropedicae</i> SmR1. <i>Environmental Microbiology</i> , 2016, 18, 4653-4661.	1.8	13
35	Analysis of the core genome and pangenome of <i>Pseudomonas putida</i> . <i>Environmental Microbiology</i> , 2016, 18, 3268-3283.	1.8	65
36	Paralogous Regulators ArsR1 and ArsR2 of <i>Pseudomonas putida</i> KT2440 as a Basis for Arsenic Biosensor Development. <i>Applied and Environmental Microbiology</i> , 2016, 82, 4133-4144.	1.4	32

#	ARTICLE	IF	CITATIONS
37	Understanding butanol tolerance and assimilation in <i>Pseudomonas putida</i> ... <i>BIRD</i> : an integrated omics approach. <i>Microbial Biotechnology</i> , 2016, 9, 100-115.	2.0	38
38	First and second generation biochemicals from sugars: biosynthesis of itaconic acid. <i>Microbial Biotechnology</i> , 2016, 9, 8-10.	2.0	12
39	New family of biosensors for monitoring BTX in aquatic and edaphic environments. <i>Microbial Biotechnology</i> , 2016, 9, 858-867.	2.0	28
40	Microbial Biotechnology 2020. <i>Microbial Biotechnology</i> , 2016, 9, 529-529.	2.0	2
41	Biofuels 2020: Biorefineries based on lignocellulosic materials. <i>Microbial Biotechnology</i> , 2016, 9, 585-594.	2.0	189
42	Benefits and perspectives on the use of biofuels. <i>Microbial Biotechnology</i> , 2016, 9, 436-440.	2.0	59
43	A <i>Pseudomonas putida</i> double mutant deficient in butanol assimilation: a promising step for engineering a biological biofuel production platform. <i>FEMS Microbiology Letters</i> , 2016, 363, fnw018.	0.7	16
44	<i>Pseudomonas putida</i> as a platform for the synthesis of aromatic compounds. <i>Microbiology (United Kingdom)</i> , 2016, 156, 1-10.	0.7	41
45	Specific Gene Loci of Clinical <i>Pseudomonas putida</i> Isolates. <i>PLoS ONE</i> , 2016, 11, e0147478.	1.1	28
46	Efflux pump deficient mutants as a platform to search for microbes that produce antibiotics. <i>Microbial Biotechnology</i> , 2015, 8, 716-725.	2.0	9
47	Farewell Wilfred. <i>Microbial Biotechnology</i> , 2015, 8, 899-899.	2.0	0
48	Analysis of the pathogenic potential of nosocomial <i>Pseudomonas putida</i> strains. <i>Frontiers in Microbiology</i> , 2015, 6, 871.	1.5	78
49	Mechanisms of solvent resistance mediated by interplay of cellular factors in <i>Pseudomonas putida</i> . <i>FEMS Microbiology Reviews</i> , 2015, 39, 555-566.	3.9	143
50	Differential transcriptional response to antibiotics by <i>Pseudomonas putida</i> ... <i>DOT</i> ... <i>T1E</i> . <i>Environmental Microbiology</i> , 2015, 17, 3251-3262.	1.8	32
51	Draft whole genome sequence of the antibiotic-producing soil isolate <i>Pseudomonas</i> sp. strain 250. <i>Environmental Microbiology Reports</i> , 2015, 7, 288-292.	1.0	15
52	Engineering Biological Approaches for Detection of Toxic Compounds: A New Microbial Biosensor Based on the <i>Pseudomonas putida</i> TtgR Repressor. <i>Molecular Biotechnology</i> , 2015, 57, 558-564.	1.3	29
53	Restoration of a Mediterranean forest after a fire: bioremediation and rhizoremediation field-scale trial. <i>Microbial Biotechnology</i> , 2015, 8, 77-92.	2.0	28
54	Draft Genome Sequence of <i>Pseudomonas putida</i> JLR11, a Facultative Anaerobic 2,4,6-Trinitrotoluene Biotransforming Bacterium. <i>Genome Announcements</i> , 2015, 3, .	0.8	7

#	ARTICLE	IF	CITATIONS
55	Multiple signals modulate the activity of the complex sensor kinase <i>TodS</i> . <i>Microbial Biotechnology</i> , 2015, 8, 103-115.	2.0	12
56	Events in Root Colonization by <i>Pseudomonas putida</i> . , 2015, , 251-286.		7
57	Diversity of small RNAs expressed in <i>Pseudomonas</i> species. <i>Environmental Microbiology Reports</i> , 2015, 7, 227-236.	1.0	27
58	Field trial on removal of petroleum hydrocarbon pollutants using a microbial consortium for bioremediation and rhizoremediation. <i>Environmental Microbiology Reports</i> , 2015, 7, 85-94.	1.0	32
59	Molecular Binding Mechanism of TtgR Repressor to Antibiotics and Antimicrobials. <i>PLoS ONE</i> , 2015, 10, e0138469.	1.1	16
60	GtrS and GltR form a two-component system: the central role of 2-ketogluconate in the expression of exotoxin A and glucose catabolic enzymes in <i>Pseudomonas aeruginosa</i> . <i>Nucleic Acids Research</i> , 2014, 42, 7654-7665.	6.5	41
61	Microbial stratification in low pH oxic and suboxic macroscopic growths along an acid mine drainage. <i>ISME Journal</i> , 2014, 8, 1259-1274.	4.4	105
62	Pipelines for New Chemicals: a strategy to create new value chains and stimulate innovation-based economic revival in Southern European countries. <i>Environmental Microbiology</i> , 2014, 16, 9-18.	1.8	16
63	Synergic role of the two <i>ars</i> operons in arsenic tolerance in <i>Pseudomonas putida</i> ... <i>KT</i> 2440. <i>Environmental Microbiology Reports</i> , 2014, 6, 483-489.	1.0	32
64	Bactericidal and bacteriostatic antibiotics and the <i>Fenton</i> reaction. <i>Microbial Biotechnology</i> , 2014, 7, 194-195.	2.0	5
65	The Prc and <i>RseP</i> proteases control bacterial cell surface signalling activity. <i>Environmental Microbiology</i> , 2014, 16, 2433-2443.	1.8	32
66	Identification of New Residues Involved in Intramolecular Signal Transmission in a Prokaryotic Transcriptional Repressor. <i>Journal of Bacteriology</i> , 2014, 196, 588-594.	1.0	6
67	Exploring the rhizospheric and endophytic bacterial communities of <i>Acer pseudoplatanus</i> growing on a TNT-contaminated soil: towards the development of a rhizocompetent TNT-detoxifying plant growth promoting consortium. <i>Plant and Soil</i> , 2014, 385, 15-36.	1.8	54
68	Interspecies signalling: <i>Pseudomonas putida</i> efflux pump <i>TtgGHI</i> is activated by indole to increase antibiotic resistance. <i>Environmental Microbiology</i> , 2014, 16, 1267-1281.	1.8	77
69	Novel BRAFI599Ins Mutation Identified in a Follicular Variant of Papillary Thyroid Carcinoma: A Molecular Modeling Approach. <i>Endocrine Practice</i> , 2014, 20, e75-e79.	1.1	4
70	Characterization of Molecular Interactions Using Isothermal Titration Calorimetry. <i>Methods in Molecular Biology</i> , 2014, 1149, 193-203.	0.4	11
71	Antibiotic Resistance Determinants in a <i>Pseudomonas putida</i> Strain Isolated from a Hospital. <i>PLoS ONE</i> , 2014, 9, e81604.	1.1	86
72	Identification of reciprocal adhesion genes in pathogenic and non-pathogenic <i>Pseudomonas</i> . <i>Environmental Microbiology</i> , 2013, 15, 36-48.	1.8	48

#	ARTICLE	IF	CITATIONS
73	Chemical and Microbiological Characterization of Atmospheric Particulate Matter during an Intense African Dust Event in Southern Spain. <i>Environmental Science & Technology</i> , 2013, 47, 3630-3638.	4.6	43
74	Analysis of the plant growth-promoting properties encoded by the genome of the rhizobacterium <i>Pseudomonas putida</i> ... <i>BIRD</i> . <i>Environmental Microbiology</i> , 2013, 15, 780-794.	1.8	89
75	Environmental biotechnology. <i>Current Opinion in Biotechnology</i> , 2013, 24, 421-422.	3.3	0
76	Plant-bacteria interactions in the removal of pollutants. <i>Current Opinion in Biotechnology</i> , 2013, 24, 467-473.	3.3	118
77	Microbial Biotechnology: evolution of your premier journal. <i>Microbial Biotechnology</i> , 2013, 6, 1-2.	2.0	0
78	From the test tube to the environment and back. <i>Environmental Microbiology</i> , 2013, 15, 6-11.	1.8	14
79	Bacterial diversity in the rhizosphere of maize and the surrounding carbonate-rich bulk soil. <i>Microbial Biotechnology</i> , 2013, 6, 36-44.	2.0	120
80	In vivo gene expression of <i>Pseudomonas putida</i> ... KT2440 in the rhizosphere of different plants. <i>Microbial Biotechnology</i> , 2013, 6, 307-313.	2.0	20
81	Complete Genome Sequence of a <i>Pseudomonas putida</i> Clinical Isolate, Strain H8234. <i>Genome Announcements</i> , 2013, 1, .	0.8	18
82	Transcriptional control by two interacting regulatory proteins: identification of the PtxS binding site at PtxR. <i>Nucleic Acids Research</i> , 2013, 41, 10150-10156.	6.5	7
83	Paralogous chemoreceptors mediate chemotaxis towards protein amino acids and the non-protein amino acid gamma-aminobutyrate (<i>GABA</i>). <i>Molecular Microbiology</i> , 2013, 88, 1230-1243.	1.2	87
84	Metabolic potential of the organic-solvent tolerant <i>Pseudomonas putida</i> ... DOT1E deduced from its annotated genome. <i>Microbial Biotechnology</i> , 2013, 6, 598-611.	2.0	37
85	High Specificity in CheR Methyltransferase Function. <i>Journal of Biological Chemistry</i> , 2013, 288, 18987-18999.	1.6	33
86	Mechanisms of Resistance to Chloramphenicol in <i>Pseudomonas putida</i> KT2440. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 1001-1009.	1.4	89
87	Involvement of the Global Crp Regulator in Cyclic AMP-Dependent Utilization of Aromatic Amino Acids by <i>Pseudomonas putida</i> . <i>Journal of Bacteriology</i> , 2012, 194, 406-412.	1.0	17
88	Evidence for chemoreceptors with bimodular ligand-binding regions harboring two signal-binding sites. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 18926-18931.	3.3	68
89	Enhanced Tolerance to Naphthalene and Enhanced Rhizoremediation Performance for <i>Pseudomonas putida</i> KT2440 via the NAH7 Catabolic Plasmid. <i>Applied and Environmental Microbiology</i> , 2012, 78, 5104-5110.	1.4	61
90	Analysis of solvent tolerance in <i>Pseudomonas putida</i> DOT1E based on its genome sequence and a collection of mutants. <i>FEBS Letters</i> , 2012, 586, 2932-2938.	1.3	40

#	ARTICLE	IF	CITATIONS
91	Responses of <i>Pseudomonas putida</i> to toxic aromatic carbon sources. <i>Journal of Biotechnology</i> , 2012, 160, 25-32.	1.9	47
92	Solvent tolerance in Gram-negative bacteria. <i>Current Opinion in Biotechnology</i> , 2012, 23, 415-421.	3.3	169
93	Genes for Carbon Metabolism and the ToxA Virulence Factor in <i>Pseudomonas aeruginosa</i> Are Regulated through Molecular Interactions of PtxR and PtxS. <i>PLoS ONE</i> , 2012, 7, e39390.	1.1	33
94	Construction of a prototype two-component system from the phosphorelay system TodS/TodT. <i>Protein Engineering, Design and Selection</i> , 2012, 25, 159-169.	1.0	7
95	Explorative probes and biomarkers, chronic <i>Salmonella</i> infections and future vaccines. <i>Microbial Biotechnology</i> , 2012, 5, 1-4.	2.0	4
96	Study of the TmoS/TmoT two-component system: towards the functional characterization of the family of TodS/TodT like systems. <i>Microbial Biotechnology</i> , 2012, 5, 489-500.	2.0	28
97	Evolution of antibiotic resistance, catabolic pathways and niche colonization. <i>Microbial Biotechnology</i> , 2012, 5, 452-454.	2.0	0
98	Transcriptional control of the main aromatic hydrocarbon efflux pump in <i>Pseudomonas</i> . <i>Environmental Microbiology Reports</i> , 2012, 4, 158-167.	1.0	21
99	Fatty acid-mediated signalling between two <i>Pseudomonas</i> species. <i>Environmental Microbiology Reports</i> , 2012, 4, 417-423.	1.0	20
100	Synergistic antitumoral effect of combination E gene therapy and Doxorubicin in MCF-7 breast cancer cells. <i>Biomedicine and Pharmacotherapy</i> , 2011, 65, 260-270.	2.5	12
101	The <i>Pseudomonas aeruginosa</i> quinolone quorum sensing signal alters the multicellular behaviour of <i>Pseudomonas putida</i> KT2440. <i>Research in Microbiology</i> , 2011, 162, 773-781.	1.0	37
102	PpoR, an orphan LuxR-family protein of <i>Pseudomonas putida</i> KT2440, modulates competitive fitness and surface motility independently of N-acylhomoserine lactones. <i>Environmental Microbiology Reports</i> , 2011, 3, 79-85.	1.0	15
103	Diversity at its best: bacterial taxis. <i>Environmental Microbiology</i> , 2011, 13, 1115-1124.	1.8	123
104	The pGRT1 plasmid of <i>Pseudomonas putida</i> DOT1E encodes functions relevant for survival under harsh conditions in the environment. <i>Environmental Microbiology</i> , 2011, 13, 2315-2327.	1.8	43
105	Bacterial chemotaxis towards aromatic hydrocarbons in <i>Pseudomonas</i> . <i>Environmental Microbiology</i> , 2011, 13, 1733-1744.	1.8	78
106	Cyclic diguanylate turnover mediated by the sole GGDEF/EAL response regulator in <i>Pseudomonas putida</i> : its role in the rhizosphere and an analysis of its target processes. <i>Environmental Microbiology</i> , 2011, 13, 1745-1766.	1.8	81
107	Regulation of the cyclopropane synthase <i>cfaB</i> gene in <i>Pseudomonas putida</i> KT2440. <i>FEMS Microbiology Letters</i> , 2011, 321, 107-114.	0.7	13
108	Directed evolution, natural products for cancer chemotherapy, and microbiosensing robots. <i>Microbial Biotechnology</i> , 2011, 4, 314-317.	2.0	0

#	ARTICLE	IF	CITATIONS
109	Cold is cool, the human microbiota and taking multiple SIPs. <i>Microbial Biotechnology</i> , 2011, 4, 554-557.	2.0	0
110	Laboratory research aimed at closing the gaps in microbial bioremediation. <i>Trends in Biotechnology</i> , 2011, 29, 641-647.	4.9	74
111	Taxonomic and Functional Metagenomic Profiling of the Microbial Community in the Anoxic Sediment of a Sub-saline Shallow Lake (Laguna de Carrizo, Central Spain). <i>Microbial Ecology</i> , 2011, 62, 824-837.	1.4	51
112	Physiologically relevant divalent cations modulate citrate recognition by the McpS chemoreceptor. <i>Journal of Molecular Recognition</i> , 2011, 24, 378-385.	1.1	31
113	Intramolecular signal transmission in a tetrameric repressor of the IclR family. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 15372-15377.	3.3	17
114	Complete Genome of the Plant Growth-Promoting Rhizobacterium <i>Pseudomonas putida</i> BIRD-1. <i>Journal of Bacteriology</i> , 2011, 193, 1290-1290.	1.0	52
115	Physiological and transcriptomic characterization of a <i>fliA</i> mutant of <i>Pseudomonas putida</i> KT2440. <i>Environmental Microbiology Reports</i> , 2010, 2, 373-380.	1.0	28
116	<i>Pseudomonas putida</i> KT2440 causes induced systemic resistance and changes in Arabidopsis root exudation. <i>Environmental Microbiology Reports</i> , 2010, 2, 381-388.	1.0	101
117	Functional analysis of new transporters involved in stress tolerance in <i>Pseudomonas putida</i> DOT4E. <i>Environmental Microbiology Reports</i> , 2010, 2, 389-395.	1.0	24
118	Gef gene therapy enhances the therapeutic efficacy of doxorubicin to combat growth of MCF-7 breast cancer cells. <i>Cancer Chemotherapy and Pharmacology</i> , 2010, 66, 69-78.	1.1	22
119	Metabolic engineering, new antibiotics and biofilm viscoelasticity. <i>Microbial Biotechnology</i> , 2010, 3, 10-14.	2.0	2
120	Sugar (ribose), spice (peroxidase) and all things nice (laccase hair dyes). <i>Microbial Biotechnology</i> , 2010, 3, 131-133.	2.0	4
121	<i>Microbial Biotechnology</i> : biofuels, genotoxicity reporters and robust agroecosystems. <i>Microbial Biotechnology</i> , 2010, 3, 239-241.	2.0	2
122	Characterization of the RND family of multidrug efflux pumps: <i>in silico</i> to <i>in vivo</i> confirmation of four functionally distinct subgroups. <i>Microbial Biotechnology</i> , 2010, 3, 691-700.	2.0	37
123	Struggling to get a universal meningococcal vaccine and novel uses for bacterial toxins in cancer treatment. <i>Microbial Biotechnology</i> , 2010, 3, 359-361.	2.0	0
124	New molecular techniques for pathogen analysis, <i>in silico</i> determination of RND efflux pump substrate specificity, shotgun proteomic monitoring of bioremediation and yeast bioapplications. <i>Microbial Biotechnology</i> , 2010, 3, 624-627.	2.0	1
125	Variations on transcriptional and post-transcriptional processes in bacteria. <i>FEMS Microbiology Reviews</i> , 2010, 34, 607-610.	3.9	2
126	Regression of established subcutaneous B16F10 murine melanoma tumors after <i>gef</i> gene therapy associated with the mitochondrial apoptotic pathway. <i>Experimental Dermatology</i> , 2010, 19, 363-371.	1.4	13

#	ARTICLE	IF	CITATIONS
127	Identification and characterization of the PhhR regulon in <i>Pseudomonas putida</i> . Environmental Microbiology, 2010, 12, 1427-1438.	1.8	36
128	Identification of conditionally essential genes for growth of <i>Pseudomonas putida</i> KT2440 on minimal medium through the screening of a genome-wide mutant library. Environmental Microbiology, 2010, 12, 1468-1485.	1.8	63
129	Sensing of environmental signals: classification of chemoreceptors according to the size of their ligand binding regions. Environmental Microbiology, 2010, 12, 2873-2884.	1.8	151
130	Domain Cross-talk during Effector Binding to the Multidrug Binding TTGR Regulator. Journal of Biological Chemistry, 2010, 285, 21372-21381.	1.6	26
131	Sequential XylS-CTD Binding to the Pm Promoter Induces DNA Bending Prior to Activation. Journal of Bacteriology, 2010, 192, 2682-2690.	1.0	16
132	Catabolite Repression of the TodS/TodT Two-Component System and Effector-Dependent Transphosphorylation of TodT as the Basis for Toluene Dioxygenase Catabolic Pathway Control. Journal of Bacteriology, 2010, 192, 4246-4250.	1.0	23
133	Global Regulation of Food Supply by <i>Pseudomonas putida</i> DOT-T1E. Journal of Bacteriology, 2010, 192, 2169-2181.	1.0	47
134	Compartmentalized Glucose Metabolism in <i>Pseudomonas putida</i> Is Controlled by the PtxS Repressor. Journal of Bacteriology, 2010, 192, 4357-4366.	1.0	38
135	Identification of a Chemoreceptor for Tricarboxylic Acid Cycle Intermediates. Journal of Biological Chemistry, 2010, 285, 23126-23136.	1.6	87
136	Bacterial Sensor Kinases: Diversity in the Recognition of Environmental Signals. Annual Review of Microbiology, 2010, 64, 539-559.	2.9	310
137	Urinary levels of arsenic and heavy metals in children and adolescents living in the industrialised area of Ria of Huelva (SW Spain). Environment International, 2010, 36, 563-569.	4.8	64
138	The Sensor Kinase TodS Operates by a Multiple Step Phosphorelay Mechanism Involving Two Autokinase Domains. Journal of Biological Chemistry, 2009, 284, 10353-10360.	1.6	34
139	Regulation of Glucose Metabolism in <i>Pseudomonas</i> . Journal of Biological Chemistry, 2009, 284, 21360-21368.	1.6	77
140	TtgV Represses Two Different Promoters by Recognizing Different Sequences. Journal of Bacteriology, 2009, 191, 1901-1909.	1.0	19
141	Redundancy of Enzymes for Formaldehyde Detoxification in <i>Pseudomonas putida</i> . Journal of Bacteriology, 2009, 191, 3367-3374.	1.0	20
142	Functional analysis of aromatic biosynthetic pathways in <i>Pseudomonas putida</i> KT2440. Microbial Biotechnology, 2009, 2, 91-100.	2.0	19
143	A broad range of themes in <i>Microbial Biotechnology</i> . Microbial Biotechnology, 2009, 2, 3-5.	2.0	0
144	Cyclopropane fatty acids are involved in organic solvent tolerance but not in acid stress resistance in <i>Pseudomonas putida</i> DOT-T1E. Microbial Biotechnology, 2009, 2, 253-261.	2.0	52

#	ARTICLE	IF	CITATIONS
145	Microbial responses to xenobiotic compounds. Identification of genes that allow <i>Pseudomonas putida</i> KT2440 to cope with 2,4,6-trinitrotoluene. <i>Microbial Biotechnology</i> , 2009, 2, 287-294.	2.0	54
146	Removal of organic toxic chemicals in the rhizosphere and phyllosphere of plants. <i>Microbial Biotechnology</i> , 2009, 2, 144-146.	2.0	14
147	<i>Microbial Biotechnology</i> from medicine to bacterial population dynamics. <i>Microbial Biotechnology</i> , 2009, 2, 304-307.	2.0	2
148	Bacterial responses and interactions with plants during rhizoremediation. <i>Microbial Biotechnology</i> , 2009, 2, 452-464.	2.0	100
149	Twenty one important things you should know. <i>Microbial Biotechnology</i> , 2009, 2, 397-400.	2.0	0
150	New molecular tools for enhancing methane production, explaining thermodynamically limited lifestyles and other important biotechnological issues. <i>Microbial Biotechnology</i> , 2009, 2, 533-536.	2.0	17
151	The heat, drugs and knockout systems of <i>Microbial Biotechnology</i> . <i>Microbial Biotechnology</i> , 2009, 2, 598-600.	2.0	1
152	The cytotoxic activity of the phage E protein suppress the growth of murine B16 melanomas in vitro and in vivo. <i>Journal of Molecular Medicine</i> , 2009, 87, 899-911.	1.7	9
153	Microorganisms and Explosives: Mechanisms of Nitrogen Release from TNT for Use as an N-Source for Growth. <i>Environmental Science & Technology</i> , 2009, 43, 2773-2776.	4.6	38
154	PhhR Binds to Target Sequences at Different Distances with Respect to RNA Polymerase in Order to Activate Transcription. <i>Journal of Molecular Biology</i> , 2009, 394, 576-586.	2.0	16
155	Responses of <i>Pseudomonas</i> to small toxic molecules by a mosaic of domains. <i>Current Opinion in Microbiology</i> , 2009, 12, 215-220.	2.3	39
156	The enigma of cytosolic two-component systems: a hypothesis. <i>Environmental Microbiology Reports</i> , 2009, 1, 171-176.	1.0	12
157	<i>In vivo</i> role of FdhD and FdmE in formate metabolism in <i>Pseudomonas putida</i> : Redundancy and expression in the stationary phase. <i>Environmental Microbiology Reports</i> , 2009, 1, 208-213.	1.0	5
158	Short and direct science: <i>Environmental Microbiology Reports</i> . <i>Environmental Microbiology Reports</i> , 2009, 1, 217-219.	1.0	1
159	<i>In vivo</i> role of FdhD and FdmE in formate metabolism in <i>Pseudomonas putida</i> : redundancy and expression in the stationary phase. <i>Environmental Microbiology Reports</i> , 2009, 1, 468-468.	1.0	0
160	A general profile for the MerR family of transcriptional regulators constructed using the semi-automated Provalidator tool. <i>Environmental Microbiology Reports</i> , 2009, 1, 518-523.	1.0	6
161	Exploiting environmental niches and the potential of environmental microbes. <i>Environmental Microbiology Reports</i> , 2009, 1, 275-278.	1.0	1
162	Continuous cultures of <i>Pseudomonas putida</i> mt-2 overcome catabolic function loss under real case operating conditions. <i>Applied Microbiology and Biotechnology</i> , 2009, 83, 189-198.	1.7	13

#	ARTICLE	IF	CITATIONS
163	<i>Pseudomonas aeruginosa</i> strain RW41 mineralizes 4-chlorobenzenesulfonate, the major polar by-product from DDT manufacturing. <i>Environmental Microbiology</i> , 2008, 10, 1591-1600.	1.8	4
164	Rhizoremediation of lindane by root-colonizing <i>Sphingomonas</i> . <i>Microbial Biotechnology</i> , 2008, 1, 87-93.	2.0	50
165	Physiological responses of <i>Pseudomonas putida</i> to formaldehyde during detoxification. <i>Microbial Biotechnology</i> , 2008, 1, 158-169.	2.0	61
166	Limits in energy generation and biotechnology of primary and secondary products. <i>Microbial Biotechnology</i> , 2008, 1, 343-344.	2.0	0
167	<i>Environmental Microbiology</i> meets <i>Microbial Biotechnology</i> . <i>Microbial Biotechnology</i> , 2008, 1, 443-445.	2.0	1
168	Biomonitoring of urinary metals in a population living in the vicinity of industrial sources: A comparison with the general population of Andalusia, Spain. <i>Science of the Total Environment</i> , 2008, 407, 669-678.	3.9	41
169	XylS-Pm Promoter Interactions through Two Helix-Turn-Helix Motifs: Identifying XylS Residues Important for DNA Binding and Activation. <i>Journal of Molecular Biology</i> , 2008, 375, 59-69.	2.0	21
170	Hierarchical Binding of the TodT Response Regulator to Its Multiple Recognition Sites at the tod Pathway Operon Promoter. <i>Journal of Molecular Biology</i> , 2008, 376, 325-337.	2.0	29
171	Two Levels of Cooperativeness in the Binding of TodT to the tod Operon Promoter. <i>Journal of Molecular Biology</i> , 2008, 384, 1037-1047.	2.0	22
172	Microbial goods from single cells and metagenomes. <i>Current Opinion in Microbiology</i> , 2008, 11, 195-197.	2.3	4
173	Bioremediation of 2,4,6-Trinitrotoluene by Bacterial Nitroreductase Expressing Transgenic Aspen. <i>Environmental Science & Technology</i> , 2008, 42, 7405-7410.	4.6	148
174	OYE Flavoprotein Reductases Initiate the Condensation of TNT-Derived Intermediates to Secondary Diarylamines and Nitrite. <i>Environmental Science & Technology</i> , 2008, 42, 734-739.	4.6	48
175	A Two-Component Regulatory System Integrates Redox State and Population Density Sensing in <i>Pseudomonas putida</i> . <i>Journal of Bacteriology</i> , 2008, 190, 7666-7674.	1.0	31
176	Roles of Effectors in XylS-Dependent Transcription Activation: Intramolecular Domain Derepression and DNA Binding. <i>Journal of Bacteriology</i> , 2008, 190, 3118-3128.	1.0	37
177	Type II Hydride Transferases from Different Microorganisms Yield Nitrite and Diarylamines from Polynitroaromatic Compounds. <i>Applied and Environmental Microbiology</i> , 2008, 74, 6820-6823.	1.4	42
178	Subfunctionality of Hydride Transferases of the Old Yellow Enzyme Family of Flavoproteins of <i>Pseudomonas putida</i> . <i>Applied and Environmental Microbiology</i> , 2008, 74, 6703-6708.	1.4	41
179	A Set of Activators and Repressors Control Peripheral Glucose Pathways in <i>Pseudomonas putida</i> To Yield a Common Central Intermediate. <i>Journal of Bacteriology</i> , 2008, 190, 2331-2339.	1.0	76
180	Identification of the Initial Steps in d-Lysine Catabolism in <i>Pseudomonas putida</i> . <i>Journal of Bacteriology</i> , 2007, 189, 2787-2792.	1.0	55

#	ARTICLE	IF	CITATIONS
181	Different Modes of Binding of Mono- and Biaromatic Effectors to the Transcriptional Regulator TTCV. <i>Journal of Biological Chemistry</i> , 2007, 282, 16308-16316.	1.6	27
182	Bacterial sensor kinase TodS interacts with agonistic and antagonistic signals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 13774-13779.	3.3	88
183	Simultaneous Catabolite Repression between Glucose and Toluene Metabolism in <i>Pseudomonas putida</i> Is Channeled through Different Signaling Pathways. <i>Journal of Bacteriology</i> , 2007, 189, 6602-6610.	1.0	92
184	Convergent Peripheral Pathways Catalyze Initial Glucose Catabolism in <i>Pseudomonas putida</i> : Genomic and Flux Analysis. <i>Journal of Bacteriology</i> , 2007, 189, 5142-5152.	1.0	231
185	The RpoT Regulon of <i>Pseudomonas putida</i> DOT-T1E and Its Role in Stress Endurance against Solvents. <i>Journal of Bacteriology</i> , 2007, 189, 207-219.	1.0	44
186	Catabolism of Phenylalanine by <i>Pseudomonas putida</i> : The NtrC-family PhhR Regulator Binds to Two Sites Upstream from the phhA Gene and Stimulates Transcription with λ f70. <i>Journal of Molecular Biology</i> , 2007, 366, 1374-1386.	2.0	31
187	Crystal Structures of Multidrug Binding Protein TtgR in Complex with Antibiotics and Plant Antimicrobials. <i>Journal of Molecular Biology</i> , 2007, 369, 829-840.	2.0	116
188	The Transcriptional Repressor TtgV Recognizes a Complex Operator as a Tetramer and Induces Convex DNA Bending. <i>Journal of Molecular Biology</i> , 2007, 369, 927-939.	2.0	28
189	Optimization of the Palindromic Order of the TtgR Operator Enhances Binding Cooperativity. <i>Journal of Molecular Biology</i> , 2007, 369, 1188-1199.	2.0	39
190	Bioremediation of 2,4,6-Trinitrotoluene under Field Conditions. <i>Environmental Science & Technology</i> , 2007, 41, 1378-1383.	4.6	104
191	Genomic analysis reveals the major driving forces of bacterial life in the rhizosphere. <i>Genome Biology</i> , 2007, 8, R179.	13.9	183
192	Towards a Genome-Wide Mutant Library of <i>Pseudomonas putida</i> Strain KT2440. , 2007, , 227-251.		44
193	A <i>Pseudomonas putida</i> cardiolipin synthesis mutant exhibits increased sensitivity to drugs related to transport functionality. <i>Environmental Microbiology</i> , 2007, 9, 1135-1145.	1.8	93
194	<i>Escherichia coli</i> has multiple enzymes that attack TNT and release nitrogen for growth. <i>Environmental Microbiology</i> , 2007, 9, 1535-1540.	1.8	57
195	The ttgGHI solvent efflux pump operon of <i>Pseudomonas putida</i> DOT-T1E is located on a large self-transmissible plasmid. <i>Environmental Microbiology</i> , 2007, 9, 1550-1561.	1.8	65
196	Compensatory role of the cis-trans-isomerase and cardiolipin synthase in the membrane fluidity of <i>Pseudomonas putida</i> DOT-T1E. <i>Environmental Microbiology</i> , 2007, 9, 1658-1664.	1.8	74
197	Temperature and pyoverdine-mediated iron acquisition control surface motility of <i>Pseudomonas putida</i> . <i>Environmental Microbiology</i> , 2007, 9, 1842-1850.	1.8	62
198	Complexity in efflux pump control: cross-regulation by the paralogues TtgV and TtgT. <i>Molecular Microbiology</i> , 2007, 66, 1416-1428.	1.2	31

#	ARTICLE	IF	CITATIONS
199	The TodS-TodT two-component regulatory system recognizes a wide range of effectors and works with DNA-bending proteins. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 8191-8196.	3.3	70
200	Involvement of Cyclopropane Fatty Acids in the Response of <i>Pseudomonas putida</i> KT2440 to Freeze-Drying. Applied and Environmental Microbiology, 2006, 72, 472-477.	1.4	84
201	Growth phase-dependent expression of the <i>Pseudomonas putida</i> KT2440 transcriptional machinery analysed with a genome-wide DNA microarray. Environmental Microbiology, 2006, 8, 165-177.	1.8	123
202	A two-partner secretion system is involved in seed and root colonization and iron uptake by <i>Pseudomonas putida</i> KT2440. Environmental Microbiology, 2006, 8, 639-647.	1.8	62
203	A double mutant of <i>Pseudomonas putida</i> JLR11 deficient in the synthesis of the nitroreductase PnrA and assimilatory nitrite reductase NasB is impaired for growth on 2,4,6-trinitrotoluene (TNT). Environmental Microbiology, 2006, 8, 1306-1310.	1.8	21
204	Members of the IclR family of bacterial transcriptional regulators function as activators and/or repressors. FEMS Microbiology Reviews, 2006, 30, 157-186.	3.9	206
205	The IclR family of transcriptional activators and repressors can be defined by a single profile. Protein Science, 2006, 15, 1207-1213.	3.1	45
206	Controlling bacterial physiology for optimal expression of gene reporter constructs. Current Opinion in Biotechnology, 2006, 17, 50-56.	3.3	36
207	Transcriptional Tradeoff between Metabolic and Stress-response Programs in <i>Pseudomonas putida</i> KT2440 Cells Exposed to Toluene. Journal of Biological Chemistry, 2006, 281, 11981-11991.	1.6	207
208	Characterization of the <i>Pseudomonas putida</i> Mobile Genetic Element IS _{Ppu 10} : an Occupant of Repetitive Extragenic Palindromic Sequences. Journal of Bacteriology, 2006, 188, 37-44.	1.0	21
209	Effector-Repressor Interactions, Binding of a Single Effector Molecule to the Operator-bound TtgR Homodimer Mediates Derepression. Journal of Biological Chemistry, 2006, 281, 7102-7109.	1.6	79
210	Role of the ptsN Gene Product in Catabolite Repression of the <i>Pseudomonas putida</i> TOL Toluene Degradation Pathway in Chemostat Cultures. Applied and Environmental Microbiology, 2006, 72, 7418-7421.	1.4	41
211	Bioremediation of polynitrated aromatic compounds: plants and microbes put up a fight. Current Opinion in Biotechnology, 2005, 16, 275-281.	3.3	94
212	REP code: defining bacterial identity in extragenic space. Environmental Microbiology, 2005, 7, 225-228.	1.8	50
213	Evidence for in situ crude oil biodegradation after the Prestige oil spill. Environmental Microbiology, 2005, 7, 773-779.	1.8	102
214	PnrA, a new nitroreductase-family enzyme in the TNT-degrading strain <i>Pseudomonas putida</i> JLR11. Environmental Microbiology, 2005, 7, 1211-1219.	1.8	101
215	16S rDNA phylogeny and distribution of lin genes in novel hexachlorocyclohexane-degrading <i>Sphingomonas</i> strains. Environmental Microbiology, 2005, 7, 1329-1338.	1.8	106
216	Multiple and Interconnected Pathways for L-Lysine Catabolism in <i>Pseudomonas putida</i> KT2440. Journal of Bacteriology, 2005, 187, 7500-7510.	1.0	122

#	ARTICLE	IF	CITATIONS
217	Integration of Signals through Crc and PtsN in Catabolite Repression of <i>Pseudomonas putida</i> TOL Plasmid pWW0. <i>Applied and Environmental Microbiology</i> , 2005, 71, 4191-4198.	1.4	81
218	RNA Polymerase Holoenzymes Can Share a Single Transcription Start Site for the Pm Promoter. <i>Journal of Biological Chemistry</i> , 2005, 280, 41315-41323.	1.6	33
219	Analysis of <i>Pseudomonas putida</i> KT2440 Gene Expression in the Maize Rhizosphere: In Vitro Expression Technology Capture and Identification of Root-Activated Promoters. <i>Journal of Bacteriology</i> , 2005, 187, 4033-4041.	1.0	120
220	The Multidrug Efflux Regulator TtgV Recognizes a Wide Range of Structurally Different Effectors in Solution and Complexed with Target DNA. <i>Journal of Biological Chemistry</i> , 2005, 280, 20887-20893.	1.6	68
221	Assimilation of Nitrogen from Nitrite and Trinitrotoluene in <i>Pseudomonas putida</i> JLR11. <i>Journal of Bacteriology</i> , 2005, 187, 396-399.	1.0	59
222	Proteomic Analysis Reveals the Participation of Energy- and Stress-Related Proteins in the Response of <i>Pseudomonas putida</i> DOT-T1E to Toluene. <i>Journal of Bacteriology</i> , 2005, 187, 5937-5945.	1.0	154
223	The TetR Family of Transcriptional Repressors. <i>Microbiology and Molecular Biology Reviews</i> , 2005, 69, 326-356.	2.9	989
224	Cell Density-Dependent Gene Contributes to Efficient Seed Colonization by <i>Pseudomonas putida</i> KT2440. <i>Applied and Environmental Microbiology</i> , 2004, 70, 5190-5198.	1.4	65
225	Biotransformation in Double-Phase Systems: Physiological Responses of <i>Pseudomonas putida</i> DOT-T1E to a Double Phase Made of Aliphatic Alcohols and Biosynthesis of Substituted Catechols. <i>Applied and Environmental Microbiology</i> , 2004, 70, 3637-3643.	1.4	62
226	Cellular XylS Levels Are a Function of Transcription of xylS from Two Independent Promoters and the Differential Efficiency of Translation of the Two mRNAs. <i>Journal of Bacteriology</i> , 2004, 186, 1898-1901.	1.0	22
227	TtgV Bound to a Complex Operator Site Represses Transcription of the Promoter for the Multidrug and Solvent Extrusion TtgGHI Pump. <i>Journal of Bacteriology</i> , 2004, 186, 2921-2927.	1.0	46
228	The davDT Operon of <i>Pseudomonas putida</i> , Involved in Lysine Catabolism, Is Induced in Response to the Pathway Intermediate γ -Aminovaleric Acid. <i>Journal of Bacteriology</i> , 2004, 186, 3439-3446.	1.0	40
229	Transcriptional Phase Variation at the flhB Gene of <i>Pseudomonas putida</i> DOT-T1E Is Involved in Response to Environmental Changes and Suggests the Participation of the Flagellar Export System in Solvent Tolerance. <i>Journal of Bacteriology</i> , 2004, 186, 1905-1909.	1.0	22
230	BacTregulators: a database of transcriptional regulators in bacteria and archaea. <i>Bioinformatics</i> , 2004, 20, 2787-2791.	1.8	29
231	Fatty acid biosynthesis is involved in solvent tolerance in <i>Pseudomonas putida</i> DOT-T1E. <i>Environmental Microbiology</i> , 2004, 6, 416-423.	1.8	24
232	<i>Pseudomonas putida</i> mutants in the exbBexbDtonB gene cluster are hypersensitive to environmental and chemical stressors. <i>Environmental Microbiology</i> , 2004, 6, 605-610.	1.8	14
233	Plasmolysis induced by toluene in a cyoB mutant of <i>Pseudomonas putida</i> . <i>Environmental Microbiology</i> , 2004, 6, 1021-1031.	1.8	18
234	Plant-dependent active biological containment system for recombinant rhizobacteria. <i>Environmental Microbiology</i> , 2004, 6, 88-92.	1.8	7

#	ARTICLE	IF	CITATIONS
235	Comparative genomic analysis of solvent extrusion pumps in <i>Pseudomonas</i> strains exhibiting different degrees of solvent tolerance. <i>Extremophiles</i> , 2003, 7, 371-376.	0.9	42
236	Transition from reversible to irreversible attachment during biofilm formation by <i>Pseudomonas fluorescens</i> WCS365 requires an ABC transporter and a large secreted protein. <i>Molecular Microbiology</i> , 2003, 49, 905-918.	1.2	438
237	Role of <i>Pseudomonas putida</i> tol-oprL Gene Products in Uptake of Solutes through the Cytoplasmic Membrane. <i>Journal of Bacteriology</i> , 2003, 185, 4707-4716.	1.0	63
238	Genetic Engineering of a Highly Solvent-Tolerant <i>Pseudomonas putida</i> Strain for Biotransformation of Toluene to p-Hydroxybenzoate. <i>Applied and Environmental Microbiology</i> , 2003, 69, 5120-5127.	1.4	49
239	Leucines 193 and 194 at the N-Terminal Domain of the XylS Protein, the Positive Transcriptional Regulator of the TOL meta-Cleavage Pathway, Are Involved in Dimerization. <i>Journal of Bacteriology</i> , 2003, 185, 3036-3041.	1.0	41
240	Transcriptional Organization of the <i>Pseudomonas putida</i> tol-oprL Genes. <i>Journal of Bacteriology</i> , 2003, 185, 184-195.	1.0	30
241	Antibiotic-Dependent Induction of <i>Pseudomonas putida</i> DOT-T1E TtgABC Efflux Pump Is Mediated by the Drug Binding Repressor TtgR. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 3067-3072.	1.4	134
242	Lessons from the Genome of a Lithoautotroph: Making Biomass from Almost Nothing. <i>Journal of Bacteriology</i> , 2003, 185, 2690-2691.	1.0	8
243	In Vivo and In Vitro Evidence that TtgV Is the Specific Regulator of the TtgGHI Multidrug and Solvent Efflux Pump of <i>Pseudomonas putida</i> . <i>Journal of Bacteriology</i> , 2003, 185, 4755-4763.	1.0	88
244	Cross-Regulation between a Novel Two-Component Signal Transduction System for Catabolism of Toluene in <i>Pseudomonas mendocina</i> and the TodST System from <i>Pseudomonas putida</i> . <i>Journal of Bacteriology</i> , 2002, 184, 7062-7067.	1.0	46
245	Residues 137 and 153 at the N Terminus of the XylS Protein Influence the Effector Profile of This Transcriptional Regulator and the \bar{I} Factor Used by RNA Polymerase to Stimulate Transcription from Its Cognate Promoter. <i>Journal of Biological Chemistry</i> , 2002, 277, 7282-7286.	1.6	22
246	Mechanisms of Solvent Tolerance in Gram-Negative Bacteria. <i>Annual Review of Microbiology</i> , 2002, 56, 743-768.	2.9	705
247	XylS activator and RNA polymerase binding sites at the Pm promoter overlap. <i>FEBS Letters</i> , 2002, 519, 117-122.	1.3	26
248	Detection of multiple extracytoplasmic function (ECF) sigma factors in the genome of <i>Pseudomonas putida</i> KT2440 and their counterparts in <i>Pseudomonas aeruginosa</i> PA01. <i>Environmental Microbiology</i> , 2002, 4, 842-855.	1.8	91
249	Residues 137 and 153 of XylS Influence Contacts with the C-Terminal Domain of the RNA Polymerase $\hat{\sigma}$ Subunit. <i>Biochemical and Biophysical Research Communications</i> , 2001, 287, 519-521.	1.0	11
250	Biological Degradation of 2,4,6-Trinitrotoluene. <i>Microbiology and Molecular Biology Reviews</i> , 2001, 65, 335-352.	2.9	391
251	Responses of Gram-negative bacteria to certain environmental stressors. <i>Current Opinion in Microbiology</i> , 2001, 4, 166-171.	2.3	192
252	Interactions of the XylS regulators with the C-terminal domain of the RNA polymerase $\hat{\sigma}$ subunit influence the expression level from the cognate Pm promoter. <i>FEBS Letters</i> , 2001, 491, 207-211.	1.3	19

#	ARTICLE	IF	CITATIONS
253	The methionine biosynthetic pathway from homoserine in <i>Pseudomonas putida</i> involves the metW, metX, metZ, methH and metE gene products. <i>Archives of Microbiology</i> , 2001, 176, 151-154.	1.0	31
254	A WbpL mutant of <i>Pseudomonas putida</i> DOT-T1E strain, which lacks the O-antigenic side chain of lipopolysaccharides, is tolerant to organic solvent shocks. <i>Extremophiles</i> , 2001, 5, 93-99.	0.9	11
255	Global and cognate regulators control the expression of the organic solvent efflux pumps TtgABC and TtgDEF of <i>Pseudomonas putida</i> . <i>Molecular Microbiology</i> , 2001, 39, 1100-1106.	1.2	109
256	Physiological Characterization of <i>Pseudomonas putida</i> DOT-T1E Tolerance to p-Hydroxybenzoate. <i>Applied and Environmental Microbiology</i> , 2001, 67, 4338-4341.	1.4	32
257	Mutations in Genes Involved in the Flagellar Export Apparatus of the Solvent-Tolerant <i>Pseudomonas putida</i> DOT-T1E Strain Impair Motility and Lead to Hypersensitivity to Toluene Shocks. <i>Journal of Bacteriology</i> , 2001, 183, 4127-4133.	1.0	39
258	Involvement of the TonB System in Tolerance to Solvents and Drugs in <i>Pseudomonas putida</i> DOT-T1E. <i>Journal of Bacteriology</i> , 2001, 183, 5285-5292.	1.0	36
259	Dual System To Reinforce Biological Containment of Recombinant Bacteria Designed for Rhizoremediation. <i>Applied and Environmental Microbiology</i> , 2001, 67, 2649-2656.	1.4	124
260	Three Efflux Pumps Are Required To Provide Efficient Tolerance to Toluene in <i>Pseudomonas putida</i> DOT-T1E. <i>Journal of Bacteriology</i> , 2001, 183, 3967-3973.	1.0	240
261	Retrotransfer of DNA in the rhizosphere. <i>Environmental Microbiology</i> , 2000, 2, 319-323.	1.8	37
262	Degradation of o-methoxybenzoate by a two-member consortium made up of a gram-positive <i>Arthrobacter</i> strain and a gram-negative <i>Pantotea</i> strain. <i>Biodegradation</i> , 2000, 11, 49-53.	1.5	10
263	Respiration of 2,4,6-Trinitrotoluene by <i>Pseudomonas</i> sp. Strain JLR11. <i>Journal of Bacteriology</i> , 2000, 182, 1352-1355.	1.0	73
264	Control of Expression of Divergent <i>Pseudomonas putida</i> put Promoters for Proline Catabolism. <i>Applied and Environmental Microbiology</i> , 2000, 66, 5221-5225.	1.4	50
265	Transcription Activation by a Variety of AraC/XylS Family Activators Does Not Depend on the Class II-Specific Activation Determinant in the N-Terminal Domain of the RNA Polymerase Alpha Subunit. <i>Journal of Bacteriology</i> , 2000, 182, 7075-7077.	1.0	20
266	Mutations in Each of the tol Genes of <i>Pseudomonas putida</i> Reveal that They Are Critical for Maintenance of Outer Membrane Stability. <i>Journal of Bacteriology</i> , 2000, 182, 4764-4772.	1.0	98
267	A Set of Genes Encoding a Second Toluene Efflux System in <i>Pseudomonas putida</i> DOT-T1E Is Linked to the tod Genes for Toluene Metabolism. <i>Journal of Bacteriology</i> , 2000, 182, 937-943.	1.0	113
268	Genetic Analysis of Functions Involved in Adhesion of <i>Pseudomonas putida</i> to Seeds. <i>Journal of Bacteriology</i> , 2000, 182, 2363-2369.	1.0	322
269	Survival of <i>Pseudomonas putida</i> KT2440 in soil and in the rhizosphere of plants under greenhouse and environmental conditions. <i>Soil Biology and Biochemistry</i> , 2000, 32, 315-321.	4.2	181
270	Mutational analysis of the highly conserved C-terminal residues of the XylS protein, a member of the AraC family of transcriptional regulators. <i>FEBS Letters</i> , 2000, 476, 312-317.	1.3	21

#	ARTICLE	IF	CITATIONS
271	Tolerance to Sudden Organic Solvent Shocks by Soil Bacteria and Characterization of <i>Pseudomonas putida</i> Strains Isolated from Toluene Polluted Sites. <i>Environmental Science & Technology</i> , 2000, 34, 3395-3400.	4.6	37
272	Critical Nucleotides in the Upstream Region of the XylS-dependent TOL meta-Cleavage Pathway Operon Promoter as Deduced from Analysis of Mutants. <i>Journal of Biological Chemistry</i> , 1999, 274, 2286-2290.	1.6	55
273	Cell envelope mutants of <i>Pseudomonas putida</i> : physiological characterization and analysis of their ability to survive in soil. <i>Environmental Microbiology</i> , 1999, 1, 479-488.	1.8	21
274	The XylS-dependent Pm promoter is transcribed in vivo by RNA polymerase with sigma32 or sigma38 depending on the growth phase. <i>Molecular Microbiology</i> , 1999, 31, 1105-1113.	1.2	77
275	Toluene metabolism by the solvent-tolerant <i>Pseudomonas putida</i> DOT-T1 strain, and its role in solvent impermeabilization. <i>Gene</i> , 1999, 232, 69-76.	1.0	123
276	Involvement of the <i>cis/trans</i> Isomerase Cti in Solvent Resistance of <i>Pseudomonas putida</i> DOT-T1E. <i>Journal of Bacteriology</i> , 1999, 181, 5693-5700.	1.0	141
277	Removal of nitrate from industrial wastewaters in a pilot plant by nitrate-tolerant <i>Klebsiella oxytoca</i> CECT 4460 and <i>Arthrobacter globiformis</i> CECT 4500. , 1998, 58, 510-514.		5
278	Two glutaric acid derivatives from olives. <i>Phytochemistry</i> , 1998, 49, 1311-1315.	1.4	16
279	Metabolism of 2,4,6-Trinitrotoluene by <i>Pseudomonas</i> sp. JLR11. <i>Environmental Science & Technology</i> , 1998, 32, 3802-3808.	4.6	90
280	Mechanisms for Solvent Tolerance in Bacteria. <i>Journal of Biological Chemistry</i> , 1997, 272, 3887-3890.	1.6	251
281	TRANSCRIPTIONAL CONTROL OF THE PSEUDOMONAS TOL PLASMID CATABOLIC OPERONS IS ACHIEVED THROUGH AN INTERPLAY OF HOST FACTORS AND PLASMID-ENCODED REGULATORS. <i>Annual Review of Microbiology</i> , 1997, 51, 341-373.	2.9	315
282	Identification of Products Resulting from the Biological Reduction of 2,4,6-Trinitrotoluene, 2,4-Dinitrotoluene, and 2,6-Dinitrotoluene by <i>Pseudomonas</i> sp.. <i>Environmental Science & Technology</i> , 1996, 30, 2365-2370.	4.6	123
283	Single Amino Acids Changes in the Signal Receptor Domain of XylR Resulted in Mutants That Stimulate Transcription in the Absence of Effectors. <i>Journal of Biological Chemistry</i> , 1995, 270, 5144-5150.	1.6	30
284	Analysis of the mRNA structure of the <i>Pseudomonas putida</i> TOL meta fission pathway operon around the transcription initiation point, the xylTE and the xylFJ regions. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1993, 1216, 227-236.	2.4	69
285	XylS domain interactions can be deduced from intraallelic dominance in double mutants of <i>Pseudomonas putida</i> . <i>Molecular Genetics and Genomics</i> , 1992, 235, 406-412.	2.4	24
286	Signal-regulator interactions, genetic analysis of the effector binding site of xyls, the benzoate-activated positive regulator of <i>Pseudomonas</i> TOL plasmid meta-cleavage pathway operon. <i>Journal of Molecular Biology</i> , 1990, 211, 373-382.	2.0	92
287	Broad-host range expression vectors containing manipulated meta-cleavage pathway regulatory elements of the TOL plasmid. <i>FEBS Letters</i> , 1988, 226, 241-246.	1.3	31
288	The xylS gene positive regulator of TOL plasmid pWVO: Identification, sequence analysis and overproduction leading to constitutive expression of meta cleavage operon. <i>Molecular Genetics and Genomics</i> , 1987, 207, 349-354.	2.4	70

#	ARTICLE	IF	CITATIONS
289	Regulation of nitrogenase levels in <i>Anabaena</i> sp. ATCC 33047 and other filamentous cyanobacteria. <i>Archives of Microbiology</i> , 1985, 141, 105-111.	1.0	40
290	Involvement of ammonium metabolism in the nitrate inhibition of nitrogen fixation in <i>Anabaena</i> sp. strain ATCC 33047. <i>Archives of Microbiology</i> , 1983, 136, 81-83.	1.0	26
291	Photoproduction of ammonia from nitrate by <i>Anacystis nidulans</i> cells. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 1982, 679, 323-330.	0.5	22
292	Photosynthetic production of ammonia. <i>Experientia</i> , 1982, 38, 53-58.	1.2	24
293	Plasmid-Mediated Tolerance Toward Environmental Pollutants. , 0, , 505-531.		0