

Zhoumeng Lin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6573909/zhoumeng-lin-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

1,748
citations

25
h-index

39
g-index

95
ext. papers

2,245
ext. citations

4.4
avg, IF

5.24
L-index

#	Paper	IF	Citations
87	Mechanisms of toxicity and residue considerations of rodenticide exposure in food Animals-a FARAD perspective.. <i>Journal of the American Veterinary Medical Association</i> , 2022 , 1-10	1	0
86	Update on withdrawal intervals following extralabel use of procaine penicillin G in cattle and swine. <i>Journal of the American Veterinary Medical Association</i> , 2022 , 1-6	1	0
85	Predicting Nanoparticle Delivery to Tumors Using Machine Learning and Artificial Intelligence Approaches.. <i>International Journal of Nanomedicine</i> , 2022 , 17, 1365-1379	7.3	2
84	Pharmacokinetic Parameters and Estimating Extra-Label Tissue Withdrawal Intervals Using Three Approaches and Various Matrices for Domestic Laying Chickens Following Meloxicam Administration.. <i>Frontiers in Veterinary Science</i> , 2022 , 9, 826367	3.1	1
83	Short term feeding of industrial hemp with a high cannabidiolic acid (CBDA) content increases lying behavior and reduces biomarkers of stress and inflammation in Holstein steers.. <i>Scientific Reports</i> , 2022 , 12, 3683	4.9	1
82	Residue depletion profiles and withdrawal interval estimations of meloxicam in eggs and ovarian follicles following intravenous (Meloxicam solution for injection) and oral (Meloxidyl [®]) administration in domestic chickens (<i>Gallus domesticus</i>).. <i>Regulatory Toxicology and Pharmacology</i> , 2022 , 105170	3.4	0
81	Development of a physiologically based pharmacokinetic model to predict irinotecan disposition during inflammation.. <i>Chemico-Biological Interactions</i> , 2022 , 360, 109946	5	0
80	Physiological parameter values for physiologically based pharmacokinetic models in food-producing animals. Part III: Sheep and goat. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2021 , 44, 456-477	1.4	6
79	Comparative Pharmacokinetics and Tissue Concentrations of Flunixin Meglumine and Meloxicam in Tilapia (<i>Oreochromis</i> spp.). <i>Fishes</i> , 2021 , 6, 68	2.5	2
78	Honey bee medicine for veterinarians and guidance for avoiding violative chemical residues in honey. <i>Journal of the American Veterinary Medical Association</i> , 2021 , 259, 860-873	1	2
77	Withdrawal Interval Estimation of Doxycycline in Yellow Catfish (<i>Ictalurus punctatus</i>) Using an LC-MS/MS Method Based upon QuEChERS Sampling Preparation. <i>Foods</i> , 2021 , 10,	4.9	1
76	Development of a Gestational and Lactational Physiologically Based Pharmacokinetic (PBPK) Model for Perfluorooctane Sulfonate (PFOS) in Rats and Humans and Its Implications in the Derivation of Health-Based Toxicity Values. <i>Environmental Health Perspectives</i> , 2021 , 129, 37004	8.4	3
75	Analgesic Comparison of Flunixin Meglumine or Meloxicam for Soft-Tissue Surgery in Sheep: A Pilot Study. <i>Animals</i> , 2021 , 11,	3.1	2
74	Determination of Pharmacokinetic and Pharmacokinetic-Pharmacodynamic Parameters of Doxycycline against in Yellow Catfish (<i>Ictalurus punctatus</i>). <i>Antibiotics</i> , 2021 , 10,	4.9	5
73	Development and Application of an Interactive Physiologically Based Pharmacokinetic (iPBPK) Model to Predict Oxytetracycline Tissue Distribution and Withdrawal Intervals in Market-Age Sheep and Goats. <i>Toxicological Sciences</i> , 2021 , 183, 253-268	4.4	3
72	Zn-based physiometacomposite nanoparticles: distribution, tolerance, imaging, and antiviral and anticancer activity. <i>Nanomedicine</i> , 2021 , 16, 1857-1872	5.6	1
71	In vitro-in silico-based probabilistic risk assessment of combined exposure to bisphenol A and its analogues by integrating ToxCast high-throughput in vitro assays with in vitro to in vivo extrapolation (IVIVE) via physiologically based pharmacokinetic (PBPK) modeling. <i>Journal of Hazardous Materials</i> , 2020 , 399, 122054	12.8	6

70	A history and recent efforts of selected physiologically based pharmacokinetic modeling topics 2020 , 1-26		3
69	Introduction to classical pharmacokinetics 2020 , 27-56		
68	Fundamentals of physiologically based pharmacokinetic modeling 2020 , 57-80		1
67	Metabolism and physiologically based pharmacokinetic models 2020 , 161-173		
66	Physiologically based pharmacokinetic model calibration, evaluation, and performance assessment 2020 , 243-279		2
65	Pharmacokinetic Parameters and Estimated Milk Withdrawal Intervals for Domestic Goats () After Administration of Single and Multiple Intravenous and Subcutaneous Doses of Flunixin Meglumine. <i>Frontiers in Veterinary Science</i> , 2020 , 7, 213	3.1	3
64	A study to assess the correlation between plasma, oral fluid and urine concentrations of flunixin meglumine with the tissue residue depletion profile in finishing-age swine. <i>BMC Veterinary Research</i> , 2020 , 16, 211	2.7	1
63	Meta-Analysis of Nanoparticle Delivery to Tumors Using a Physiologically Based Pharmacokinetic Modeling and Simulation Approach. <i>ACS Nano</i> , 2020 , 14, 3075-3095	16.7	68
62	Probabilistic human health risk assessment of perfluorooctane sulfonate (PFOS) by integrating in vitro, in vivo toxicity, and human epidemiological studies using a Bayesian-based dose-response assessment coupled with physiologically based pharmacokinetic (PBPK) modeling approach. <i>Environment International</i> , 2020 , 137, 105581	12.9	15
61	A physiologically based pharmacokinetic model of doxycycline for predicting tissue residues and withdrawal intervals in grass carp (<i>Ctenopharyngodon idella</i>). <i>Food and Chemical Toxicology</i> , 2020 , 137, 111127	4.7	13
60	Physiological parameter values for physiologically based pharmacokinetic models in food-producing animals. Part I: Cattle and swine. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2020 , 43, 385-420	1.4	11
59	Incorporating Exogenous and Endogenous Exposures into Dietary Risk Assessment of Nitrates and Nitrites in Vegetables: A Probabilistic Integrated Toxicokinetic Modeling Approach. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 1079-1090	5.7	5
58	Clinical pharmacokinetics and outcomes of oral fluconazole therapy in dogs and cats with naturally occurring fungal disease. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2020 , 43, 547-556	1.4	0
57	Plasma concentrations of eleven cannabinoids in cattle following oral administration of industrial hemp (<i>Cannabis sativa</i>). <i>Scientific Reports</i> , 2020 , 10, 12753	4.9	9
56	Physiological parameter values for physiologically based pharmacokinetic models in food-producing animals. Part II: Chicken and turkey. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2020 , 44, 423	1.4	5
55	Tissue residue depletion kinetics and withdrawal time estimation of doxycycline in grass carp, <i>Ctenopharyngodon idella</i> , following multiple oral administrations. <i>Food and Chemical Toxicology</i> , 2019 , 131, 110592	4.7	13
54	Bayesian evaluation of a physiologically based pharmacokinetic (PBPK) model for perfluorooctane sulfonate (PFOS) to characterize the interspecies uncertainty between mice, rats, monkeys, and humans: Development and performance verification. <i>Environment International</i> , 2019 , 129, 408-422	12.9	25
53	Translating Nanomedicine to Comparative Oncology-the Case for Combining Zinc Oxide Nanomaterials with Nucleic Acid Therapeutic and Protein Delivery for Treating Metastatic Cancer. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019 , 370, 671-681	4.7	4

52	Integration of Food Animal Residue Avoidance Databank (FARAD) empirical methods for drug withdrawal interval determination with a mechanistic population-based interactive physiologically based pharmacokinetic (iPBPK) modeling platform: example for flunixin meglumine administration. <i>Archives of Toxicology</i> , 2019 , 93, 1865-1880	5.8	13
51	An integrated experimental and physiologically based pharmacokinetic modeling study of penicillin G in heavy sows. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2019 , 42, 461-475	1.4	8
50	Methamphetamine produces cardiac damage and apoptosis by decreasing melusin. <i>Toxicology and Applied Pharmacology</i> , 2019 , 378, 114543	4.6	6
49	Development and application of a population physiologically based pharmacokinetic model for florfenicol and its metabolite florfenicol amine in cattle. <i>Food and Chemical Toxicology</i> , 2019 , 126, 285-294	4.7	11
48	Extralabel drug use in wildlife and game animals. <i>Journal of the American Veterinary Medical Association</i> , 2019 , 255, 555-568	1	1
47	Tissue residue depletion and estimation of extralabel meat withdrawal intervals for tulathromycin in calves after pneumatic dart administration. <i>Journal of Animal Science</i> , 2019 , 97, 3714-3726	0.7	3
46	Effect of temperature on plasma and tissue kinetics of doxycycline in grass carp (<i>Ctenopharyngodon idella</i>) after oral administration. <i>Aquaculture</i> , 2019 , 511, 734204	4.4	16
45	Relative Oral Bioavailability of Two Amoxicillin-Clavulanic Acid Formulations in Healthy Dogs: A Pilot Study. <i>Journal of the American Animal Hospital Association</i> , 2019 , 55, 14-22	1.3	4
44	Assessing Global Human Exposure to T-2 Toxin via Poultry Meat Consumption Using a Lifetime Physiologically Based Pharmacokinetic Model. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 15631-1571	5.7	17
43	Probabilistic risk assessment of gold nanoparticles after intravenous administration by integrating in vitro and in vivo toxicity with physiologically based pharmacokinetic modeling. <i>Nanotoxicology</i> , 2018 , 12, 453-469	5.3	16
42	CDK5-mediated tau accumulation triggers methamphetamine-induced neuronal apoptosis via endoplasmic reticulum-associated degradation pathway. <i>Toxicology Letters</i> , 2018 , 292, 97-107	4.4	20
41	Probabilistic Physiologically Based Pharmacokinetic Model for Penicillin G in Milk From Dairy Cows Following Intramammary or Intramuscular Administrations. <i>Toxicological Sciences</i> , 2018 , 164, 85-100	4.4	19
40	The construction and application of a population physiologically based pharmacokinetic model for methadone in Beagles and Greyhounds. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2018 , 41, 670-683	1.4	5
39	Consequences of fipronil exposure in egg-laying hens. <i>Journal of the American Veterinary Medical Association</i> , 2018 , 253, 57-60	1	19
38	Methamphetamine exposure triggers apoptosis and autophagy in neuronal cells by activating the C/EBP β -related signaling pathway. <i>FASEB Journal</i> , 2018 , 32, fj201701460RRR	0.9	24
37	Pharmacokinetics and Pharmacodynamics of Tildipirosin Against in a Murine Lung Infection Model. <i>Frontiers in Microbiology</i> , 2018 , 9, 1038	5.7	16
36	Experimental challenges regarding the in vitro investigation of the nanoparticle-biocorona in disease states. <i>Toxicology in Vitro</i> , 2018 , 51, 40-49	3.6	6
35	Extralabel drug use in small ruminants. <i>Journal of the American Veterinary Medical Association</i> , 2018 , 253, 1001-1009	1	7

34	Bioavailability of suppository acetaminophen in healthy and hospitalized ill dogs. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2018 , 41, 652-658	1.4	5
33	Effects of DDIT4 in Methamphetamine-Induced Autophagy and Apoptosis in Dopaminergic Neurons. <i>Molecular Neurobiology</i> , 2017 , 54, 1642-1660	6.2	53
32	Performance Assessment and Translation of Physiologically Based Pharmacokinetic Models From acsX to Berkeley Madonna, MATLAB, and R Language: Oxytetracycline and Gold Nanoparticles As Case Examples. <i>Toxicological Sciences</i> , 2017 , 158, 23-35	4.4	40
31	Development and application of a population physiologically based pharmacokinetic model for penicillin G in swine and cattle for food safety assessment. <i>Food and Chemical Toxicology</i> , 2017 , 107, 74-87	4.7	36
30	Pharmacokinetics of Mequindox and Its Marker Residue 1,4-Bisdesoxymequindox in Swine Following Multiple Oral Gavage and Intramuscular Administration: An Experimental Study Coupled with Population Physiologically Based Pharmacokinetic Modeling. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 5768-5777	5.7	11
29	Advance in physiologically based pharmacokinetic modelling: from the organ level to suborgan level based on experimental data. <i>Journal of Physiology</i> , 2017 , 595, 7265-7266	3.9	
28	Bacterial endotoxin (lipopolysaccharide) binds to the surface of gold nanoparticles, interferes with biocorona formation and induces human monocyte inflammatory activation. <i>Nanotoxicology</i> , 2017 , 11, 1157-1175	5.3	55
27	Nupr1 Modulates Methamphetamine-Induced Dopaminergic Neuronal Apoptosis and Autophagy through CHOP-Trib3-Mediated Endoplasmic Reticulum Stress Signaling Pathway. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 203	6.1	48
26	Toll-Like Receptor 4 Mediates Methamphetamine-Induced Neuroinflammation through Caspase-11 Signaling Pathway in Astrocytes. <i>Frontiers in Molecular Neuroscience</i> , 2017 , 10, 409	6.1	44
25	A physiologically based pharmacokinetic model for polyethylene glycol-coated gold nanoparticles of different sizes in adult mice. <i>Nanotoxicology</i> , 2016 , 10, 162-72	5.3	44
24	Human Food Safety Implications of Variation in Food Animal Drug Metabolism. <i>Scientific Reports</i> , 2016 , 6, 27907	4.9	22
23	Estimation of tulathromycin depletion in plasma and milk after subcutaneous injection in lactating goats using a nonlinear mixed-effects pharmacokinetic modeling approach. <i>BMC Veterinary Research</i> , 2016 , 12, 258	2.7	10
22	Mathematical modeling and simulation in animal health - Part II: principles, methods, applications, and value of physiologically based pharmacokinetic modeling in veterinary medicine and food safety assessment. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2016 , 39, 421-38	1.4	57
21	Time-dependent behavioral, neurochemical, and metabolic dysregulation in female C57BL/6 mice caused by chronic high-fat diet intake. <i>Physiology and Behavior</i> , 2016 , 157, 196-208	3.5	45
20	DNA damage-inducible transcript 4 (DDIT4) mediates methamphetamine-induced autophagy and apoptosis through mTOR signaling pathway in cardiomyocytes. <i>Toxicology and Applied Pharmacology</i> , 2016 , 295, 1-11	4.6	36
19	A computational framework for interspecies pharmacokinetics, exposure and toxicity assessment of gold nanoparticles. <i>Nanomedicine</i> , 2016 , 11, 107-19	5.6	73
18	Role of PUMA in methamphetamine-induced neuronal apoptosis. <i>Toxicology Letters</i> , 2016 , 240, 149-60	4.4	35
17	Nupr1/Chop signal axis is involved in mitochondrion-related endothelial cell apoptosis induced by methamphetamine. <i>Cell Death and Disease</i> , 2016 , 7, e2161	9.8	34

16	Neurochemical and electrophysiological deficits in the ventral hippocampus and selective behavioral alterations caused by high-fat diet in female C57BL/6 mice. <i>Neuroscience</i> , 2015 , 297, 170-81	3.9	60
15	Estimation of residue depletion of cyadox and its marker residue in edible tissues of pigs using physiologically based pharmacokinetic modelling. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2015 , 32, 2002-17	3.2	6
14	Development and application of a multiroute physiologically based pharmacokinetic model for oxytetracycline in dogs and humans. <i>Journal of Pharmaceutical Sciences</i> , 2015 , 104, 233-43	3.9	40
13	Pharmacokinetics of metallic nanoparticles. <i>Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology</i> , 2015 , 7, 189-217	9.2	135
12	Comparative In Vitro Cytotoxicity of 20 Potential Food Ingredients in Canine Liver, Kidney, Bone Marrow-Derived Mesenchymal Stem Cells, and Enterocyte-like Cells. <i>Applied in Vitro Toxicology</i> , 2015 , 1, 276-288	1.3	2
11	Serum Vitamin D Levels and Polycystic Ovary syndrome: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2015 , 7, 4555-77	6.7	109
10	Caspase-11 plays an essential role in methamphetamine-induced dopaminergic neuron apoptosis. <i>Toxicological Sciences</i> , 2015 , 145, 68-79	4.4	44
9	A framework for meta-analysis of veterinary drug pharmacokinetic data using mixed effect modeling. <i>Journal of Pharmaceutical Sciences</i> , 2015 , 104, 1230-9	3.9	21
8	Short-term oral atrazine exposure alters the plasma metabolome of male C57BL/6 mice and disrupts linolenate, tryptophan, tyrosine and other major metabolic pathways. <i>Toxicology</i> , 2014 , 326, 130-41	4.4	26
7	Insulin-like growth factor binding protein 5 (IGFBP5) mediates methamphetamine-induced dopaminergic neuron apoptosis. <i>Toxicology Letters</i> , 2014 , 230, 444-53	4.4	37
6	Gestational and lactational exposure to atrazine via the drinking water causes specific behavioral deficits and selectively alters monoaminergic systems in C57BL/6 mouse dams, juvenile and adult offspring. <i>Toxicological Sciences</i> , 2014 , 141, 90-102	4.4	37
5	Early sex differences in hepatic metabolic signaling in offspring of obese female mice (1033.11). <i>FASEB Journal</i> , 2014 , 28, 1033.11	0.9	1
4	Differentiation state-dependent effects of in vitro exposure to atrazine or its metabolite diaminochlorotriazine in a dopaminergic cell line. <i>Life Sciences</i> , 2013 , 92, 81-90	6.8	17
3	Short-term atrazine exposure causes behavioral deficits and disrupts monoaminergic systems in male C57BL/6 mice. <i>Neurotoxicology and Teratology</i> , 2013 , 39, 26-35	3.9	59
2	Estimation of placental and lactational transfer and tissue distribution of atrazine and its main metabolites in rodent dams, fetuses, and neonates with physiologically based pharmacokinetic modeling. <i>Toxicology and Applied Pharmacology</i> , 2013 , 273, 140-58	4.6	48
1	A physiologically based pharmacokinetic model for atrazine and its main metabolites in the adult male C57BL/6 mouse. <i>Toxicology and Applied Pharmacology</i> , 2011 , 251, 16-31	4.6	31