

# Vesna Zupunski

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6574251/publications.pdf>

Version: 2024-02-01

19  
papers

99  
citations

1684188

5  
h-index

1474206

9  
g-index

19  
all docs

19  
docs citations

19  
times ranked

84  
citing authors

#	ARTICLE	IF	CITATIONS
1	The relationship between Fusarium head blight traits, thousand-kernel weight, and yield in winter wheat. <i>Scientia Agricola</i> , 2022, 79, .	1.2	5
2	Virulence Structure of the Wheat Powdery Mildew Population in Serbia. <i>Agronomy</i> , 2022, 12, 45.	3.0	4
3	Co-Occurrence Patterns of <i>Ustilago nuda</i> and <i>Pyrenophora graminea</i> and Fungicide Contribution to Yield Gain in Barley under Fluctuating Climatic Conditions in Serbia. <i>Journal of Fungi (Basel)</i> , 2022, 8, 1071. doi:10.3390/jof8111071	1.0784314	10
4	Effectiveness of Species- and Trichothecene-Specific Primers in Monitoring Fusarium graminearum Species Complex in Small Grainâ€“Pea Intercropping Systems. <i>Agriculture (Switzerland)</i> , 2022, 12, 834.	3.1	0
5	The effect of heat stress on some main spike traits in 12 wheat cultivars at anthesis and mid-grain filling stage. <i>Plant, Soil and Environment</i> , 2021, 67, 71-76.	2.2	10
6	The Applicability of Species- and Trichothecene-Specific Primers in Monitoring the Fusarium graminearum Species Complex and Its Impact on the Surveillance of Fusarium Head Blight in Winter Wheat in Serbia. <i>Agronomy</i> , 2021, 11, 778.	3.0	4
7	Effect of cultivation practices on diversity in susceptibility reactions of winter wheat genotypes to Fusarium head blight. <i>European Journal of Agronomy</i> , 2021, 125, 126250.	4.1	5
8	Phenotypic and molecular diversity of wheat species ( <i>Triticum</i> spp.) in relation to plant height and heading time. <i>Genetika</i> , 2021, 53, 181-194.	0.4	3
9	Diversity in susceptibility reactions of winter wheat genotypes to obligate pathogens under fluctuating climatic conditions. <i>Scientific Reports</i> , 2020, 10, 19608.	3.3	10
10	Diversity of trichothecene genotypes of Fusarium graminearum sensu stricto from winter wheat in Serbia. <i>European Journal of Plant Pathology</i> , 2019, 155, 461-473.	1.7	5
11	Variability of Stem-Base Infestation and Coexistence of Fusarium spp. Causing Crown Rot of Winter Wheat in Serbia. <i>Plant Pathology Journal</i> , 2019, 35, 553-563.	1.7	7
12	Uncertainty of Trypsin Inhibitor Activity Measurement of Legume Crops Using Microtiter Plate Method. <i>Food Analytical Methods</i> , 2018, 11, 1034-1040.	2.6	2
13	The combined effects of multiple diseases and climatic conditions on thousand kernel weight losses in winter wheat. <i>European Journal of Plant Pathology</i> , 2018, 152, 469-477.	1.7	4
14	Predicting potential winter wheat yield losses caused by multiple disease systems and climatic conditions. <i>Crop Protection</i> , 2017, 99, 17-25.	2.1	21
15	Sampling Error in Relation to Cyst Nematode Population Density Estimation in Small Field Plots. <i>Journal of Nematology</i> , 2017, 49, 150-155.	0.9	1
16	Uncertainty analysis of the microtiter plate method for determining trypsin inhibitor activity. <i>Accreditation and Quality Assurance</i> , 2016, 21, 151-160.	0.8	4
17	Endonuclease com incompatibilidade heteroduplex para detectar mutaÃ§Ã£o e variaÃ§Ãµes genÃ©ticas de inibidores da tripsina em soja. <i>Pesquisa Agropecuaria Brasileira</i> , 2014, 49, 102-108.	0.9	1
18	Identification of Tilletia species using rep-PCR fingerprinting technique. <i>Genetika</i> , 2011, 43, 183-195.	0.4	13

#	ARTICLE	IF	CITATIONS
19	ESTIMATION OF UNCERTAINTY OF TRYPSIN INHIBITOR ACTIVITY MEASUREMENT IN LEGUME CROPS. , 0, , .		0