

Henrik LÃ¸vendahl JÃ¸rgensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/657750/publications.pdf>

Version: 2024-02-01

75
papers

2,620
citations

172457

29
h-index

206112

48
g-index

81
all docs

81
docs citations

81
times ranked

3727
citing authors

#	ARTICLE	IF	CITATIONS
1	A Comprehensive Hip Fracture Program Reduces Complication Rates and Mortality. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 1831-1838.	2.6	159
2	A Reverse J-Shaped Association Between Serum 25-Hydroxyvitamin D and Cardiovascular Disease Mortality: The CopD Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 2339-2346.	3.6	143
3	Diurnal variation of hematology parameters in healthy young males: The Bispebjerg study of diurnal variations. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011, 71, 532-541.	1.2	124
4	Is mortality after hip fracture associated with surgical delay or admission during weekends and public holidays?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012, 83, 609-613.	3.3	113
5	Over- and Under-Treatment of Hypothyroidism Is Associated with Excess Mortality: A Register-Based Cohort Study. <i>Thyroid</i> , 2018, 28, 566-574.	4.5	98
6	Low Serum Thyrotropin Level and Duration of Suppression as a Predictor of Major Osteoporotic Fractures—The OPENTHYRO Register Cohort. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 2040-2050.	2.8	96
7	Serum osteoprotegerin (OPG) and the A163G polymorphism in the OPG promoter region are related to peripheral measures of bone mass and fracture odds ratios. <i>Journal of Bone and Mineral Metabolism</i> , 2004, 22, 132-138.	2.7	83
8	Excess Mortality in Treated and Untreated Hyperthyroidism Is Related to Cumulative Periods of Low Serum TSH. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2301-2309.	3.6	78
9	Duration of Hyperthyroidism and Lack of Sufficient Treatment Are Associated with Increased Cardiovascular Risk. <i>Thyroid</i> , 2019, 29, 332-340.	4.5	74
10	The Excess Risk of Major Osteoporotic Fractures in Hypothyroidism Is Driven by Cumulative Hyperthyroid as Opposed to Hypothyroid Time: An Observational Register-Based Time-Resolved Cohort Analysis. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 898-905.	2.8	71
11	Chromium and cobalt ion concentrations in blood and serum following various types of metal-on-metal hip arthroplasties. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013, 84, 229-236.	3.3	69
12	FindZebra: A search engine for rare diseases. <i>International Journal of Medical Informatics</i> , 2013, 82, 528-538.	3.3	67
13	Sunbed Radiation Provokes Cutaneous Vitamin D Synthesis in Humans—A Randomized Controlled Trial. <i>Photochemistry and Photobiology</i> , 2008, 84, 1487-1492.	2.5	62
14	Routine blood tests as predictors of mortality in hip fracture patients. <i>Injury</i> , 2012, 43, 1014-1020.	1.7	62
15	Association of a Common Allelic Polymorphism (C677T) in the Methylene Tetrahydrofolate Reductase Gene with a Reduced Risk of Osteoporotic Fractures. A Case Control Study in Danish Postmenopausal Women. <i>Calcified Tissue International</i> , 2002, 71, 386-392.	3.1	60
16	Rare disease diagnosis: A review of web search, social media and large-scale data-mining approaches. <i>Rare Diseases (Austin, Tex)</i> , 2015, 3, e1083145.	1.8	60
17	Duration of Thyroid Dysfunction Correlates with All-Cause Mortality. The OPENTHYRO Register Cohort. <i>PLoS ONE</i> , 2014, 9, e110437.	2.5	57
18	Duration of over- and under-treatment of hypothyroidism is associated with increased cardiovascular risk. <i>European Journal of Endocrinology</i> , 2019, 180, 407-416.	3.7	52

#	ARTICLE	IF	CITATIONS
19	Diurnal Variations of Human Circulating Cell-Free Micro-RNA. PLoS ONE, 2016, 11, e0160577.	2.5	46
20	Value of routine blood tests for prediction of mortality risk in hip fracture patients. Monthly Notices of the Royal Astronomical Society: Letters, 2012, 83, 31-35.	3.3	45
21	Rhythmic 24-hour variations of frequently used clinical biochemical parameters in healthy young males – The Bispebjerg study of diurnal variations. Scandinavian Journal of Clinical and Laboratory Investigation, 2012, 72, 287-295.	1.2	44
22	Orthogeriatric Service Reduces Mortality in Patients With Hip Fracture. Geriatric Orthopaedic Surgery and Rehabilitation, 2016, 7, 67-73.	1.4	42
23	Temporal trends in hip fracture incidence, mortality, and morbidity in Denmark from 1999 to 2012. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 170-176.	3.3	42
24	Amyloid-related biomarkers and axonal damage proteins in parkinsonian syndromes. Parkinsonism and Related Disorders, 2012, 18, 69-72.	2.2	39
25	A Systematic Review on Effect of Single-Dose Preoperative Antibiotics at Surgical Osteotomy Extraction of Lower Third Molars. Journal of Oral and Maxillofacial Surgery, 2016, 74, 693-703.	1.2	38
26	MTHFR c.677C>T polymorphism as an independent predictor of peak bone mass in Danish men – results from the Odense Androgen Study. Bone, 2006, 38, 215-219.	2.9	37
27	The role of capnography in endoscopy patients undergoing nurse-administered propofol sedation: a randomized study. Scandinavian Journal of Gastroenterology, 2013, 48, 1222-1230.	1.5	36
28	Preoperative endoscopic stent placement before pancreaticoduodenectomy: A meta-analysis of the effect on morbidity and mortality. Gastrointestinal Endoscopy, 2002, 56, 529-534.	1.0	32
29	The Association of Low Vitamin K Status with Mortality in a Cohort of 138 Hospitalized Patients with COVID-19. Nutrients, 2021, 13, 1985.	4.1	30
30	Metaanalysis of risk factors for mortality in patients with hip fracture. Danish Medical Journal, 2013, 60, A4675.	0.5	30
31	Contribution of thermolabile methylenetetrahydrofolate reductase variant to total plasma homocysteine levels in healthy men and women. Inter99 (2). Genetic Epidemiology, 2003, 24, 322-330.	1.3	26
32	Diurnal Plasma Concentrations of Natriuretic Propeptides in Healthy Young Males. Clinical Chemistry, 2012, 58, 789-792.	3.2	26
33	Secondary hyperparathyroidism and mortality in hip fracture patients compared to a control group from general practice. Injury, 2012, 43, 1052-1057.	1.7	25
34	Vitamin D levels and cancer incidence in 217,244 individuals from primary health care in Denmark. International Journal of Cancer, 2019, 145, 338-346.	5.1	25
35	Preoperative factors associated with red blood cell transfusion in hip fracture patients. Archives of Orthopaedic and Trauma Surgery, 2014, 134, 375-382.	2.4	24
36	Altered Rhythm of Adrenal Clock Genes, StAR and Serum Corticosterone in VIP Receptor 2-Deficient Mice. Journal of Molecular Neuroscience, 2012, 48, 584-596.	2.3	23

#	ARTICLE	IF	CITATIONS
37	Effect of Head Rotation on Cerebral Blood Velocity in the Prone Position. <i>Anesthesiology Research and Practice</i> , 2012, 2012, 1-6.	0.7	23
38	Diurnal changes of biochemical metabolic markers in healthy young males – the Bispebjerg study of diurnal variations. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2015, 75, 686-692.	1.2	23
39	Low Levels of Hemoglobin at Admission Are Associated With Increased 30-Day Mortality in Patients With Hip Fracture. <i>Geriatric Orthopaedic Surgery and Rehabilitation</i> , 2016, 7, 115-120.	1.4	23
40	Atomic force microscopy on human trabecular bone from an old woman with osteoporotic fractures. <i>Micron</i> , 2005, 36, 681-687.	2.2	22
41	Chamber-dependent circadian expression of cardiac natriuretic peptides. <i>Regulatory Peptides</i> , 2010, 160, 140-145.	1.9	21
42	Expression of the clock genes <i>Per1</i> and <i>Bmal1</i> during follicle development in the rat ovary. Effects of gonadotropin stimulation and hypophysectomy. <i>Cell and Tissue Research</i> , 2012, 350, 539-548.	2.9	21
43	Biochemical markers of inflammation are associated with increased mortality in hip fracture patients: the Bispebjerg Hip Fracture Biobank. <i>Aging Clinical and Experimental Research</i> , 2019, 31, 1727-1734.	2.9	21
44	Prognostic value of screening for irregular antibodies late in pregnancy in rhesus positive women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2002, 81, 407-411.	2.8	20
45	Diurnal Variation of Markers for Cholesterol Synthesis, Cholesterol Absorption, and Bile Acid Synthesis: A Systematic Review and the Bispebjerg Study of Diurnal Variations. <i>Nutrients</i> , 2019, 11, 1439.	4.1	19
46	Comorbidity and mortality after hip fracture in nineteen thousand six hundred and eighty two patients aged eighteen to sixty five years in Denmark from 1996 to 2012. <i>International Orthopaedics</i> , 2019, 43, 2621-2627.	1.9	19
47	Diurnal variation of von Willebrand factor in plasma: the Bispebjerg study of diurnal variations. <i>European Journal of Haematology</i> , 2014, 93, 48-53.	2.2	18
48	Meta-analysis of routine blood tests as predictors of mortality in COPD. <i>European Clinical Respiratory Journal</i> , 2014, 1, 24110.	1.5	18
49	Hyperkalemia is Associated with Increased 30-Day Mortality in Hip Fracture Patients. <i>Calcified Tissue International</i> , 2017, 101, 9-16.	3.1	18
50	Mapping the imprint of bone remodeling by atomic force microscopy. <i>The Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology</i> , 2006, 288A, 1087-1094.	2.0	17
51	Mice Lacking <i>EGR1</i> Have Impaired Clock Gene (<i>BMAL1</i>) Oscillation, Locomotor Activity, and Body Temperature. <i>Journal of Molecular Neuroscience</i> , 2018, 64, 9-19.	2.3	15
52	Maternal short-term complications after planned cesarean delivery without medical indication: A registry-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 905-912.	2.8	15
53	Specialized tools are needed when searching the web for rare disease diagnoses. <i>Rare Diseases (Austin, Tx)</i> 2019, 13, 10784314. doi:10.1186/s13023-019-10784-3	1.8	13
54	Excess mortality following hip fracture in patients with diabetes according to age: a nationwide population-based cohort study of 154,047 hip fracture patients. <i>Age and Ageing</i> , 2019, 48, 559-563.	1.6	12

#	ARTICLE	IF	CITATIONS
55	Early Detection of COPD in Primary Care: The Copenhagen COPD Screening Project. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2013, 10, 208-215.	1.6	11
56	Opioid Usage During Admission in Hip Fracture Patientsâ€”The Effect of the Continuous Femoral Nerve Block. Geriatric Orthopaedic Surgery and Rehabilitation, 2016, 7, 197-201.	1.4	10
57	Pre-fracture medication use as a predictor of 30-day mortality in hip fracture patients: an analysis of 141,201 patients. HIP International, 2020, 30, 101-106.	1.7	10
58	Preoperative risk factors including serum levels of potassium, sodium, and creatinine for early mortality after open abdominal surgery: a retrospective cohort study. BMC Surgery, 2021, 21, 62.	1.3	10
59	FindZebra - the search engine for difficult medical cases. Orphanet Journal of Rare Diseases, 2014, 9, O5.	2.7	9
60	Revision Rates for Metal-on-Metal Hip Resurfacing and Metal-on-Metal Total Hip Arthroplasty â€” A Systematic Review. HIP International, 2016, 26, 515-521.	1.7	9
61	Centenarian hip fracture patients: a nationwide population-based cohort study of 507 patients. Monthly Notices of the Royal Astronomical Society: Letters, 2019, 90, 342-347.	3.3	9
62	A compulsory pop-up form reduces the number of vitamin D requests from general practitioners by 25 percent. Scandinavian Journal of Primary Health Care, 2020, 38, 308-314.	1.5	9
63	Circadian variations in plasma concentrations of cholecystokinin and gastrin in man. Scandinavian Journal of Clinical and Laboratory Investigation, 2020, 80, 546-551.	1.2	9
64	Causes of death among 93.637 hip fracture patientsâ€” data based on the Danish National Registry of causes of death. European Journal of Trauma and Emergency Surgery, 2022, 48, 1861-1870.	1.7	9
65	Synchrotron radiation Î¼CT and histology evaluation of bone-to-implant contact. Journal of Cranio-Maxillo-Facial Surgery, 2017, 45, 1448-1457.	1.7	8
66	Mortality among hip fracture patients infected with COVID-19 perioperatively. European Journal of Trauma and Emergency Surgery, 2021, 47, 659-664.	1.7	6
67	Role of light and the circadian clock in the rhythmic oscillation of intraocular pressure: Studies in VPAC2 receptor and PACAP deficient mice. Experimental Eye Research, 2018, 169, 134-140.	2.6	5
68	Change in HbA1c concentration as decision parameter for frequency of HbA1c measurement. Scandinavian Journal of Clinical and Laboratory Investigation, 2019, 79, 320-324.	1.2	5
69	Thyroid-stimulating hormone (TSH) is associated with 30-day mortality in hip fracture patients. European Journal of Trauma and Emergency Surgery, 2021, 47, 1081-1087.	1.7	5
70	Low levels of vitamin D are associated with increased mortality in patients attending a university hospital in Denmark. Scandinavian Journal of Clinical and Laboratory Investigation, 2013, 73, 24-28.	1.2	4
71	Diurnal gene expression of lipolytic natriuretic peptide receptors in white adipose tissue. Endocrine Connections, 2015, 4, 206-214.	1.9	4
72	The 10 most frequently requested blood tests in the Capital Region of Denmark, 2010â€”2019 and simulated effect of minimal retesting intervals. Clinical Biochemistry, 2022, 100, 55-59.	1.9	4

#	ARTICLE	IF	CITATIONS
73	The Circadian Clock Is Sustained in the Thyroid Gland of VIP Receptor 2 Deficient Mice. <i>Frontiers in Endocrinology</i> , 2021, 12, 737581.	3.5	2
74	Glucometabolic changes influence hospitalization and outcome in patients with COVID-19: An observational cohort study. <i>Diabetes Research and Clinical Practice</i> , 2022, 187, 109880.	2.8	2
75	Hospital-acquired anemia among patients in a university hospital and the affiliated general practices in the capital region of Denmark, 2019. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2022, 82, 277-282.	1.2	1