Henrik LÃ, vendahl JÃ, rgensen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/657750/publications.pdf

Version: 2024-02-01

75 papers 2,620 citations

172457 29 h-index 206112 48 g-index

81 all docs

81 docs citations

81 times ranked

3727 citing authors

#	Article	IF	CITATIONS
1	Causes of death among 93.637 hip fracture patients– data based on the Danish National Registry of causes of death. European Journal of Trauma and Emergency Surgery, 2022, 48, 1861-1870.	1.7	9
2	The 10 most frequently requested blood tests in the Capital Region of Denmark, 2010–2019 and simulated effect of minimal retesting intervals. Clinical Biochemistry, 2022, 100, 55-59.	1.9	4
3	Glucometabolic changes influence hospitalization and outcome in patients with COVID-19: An observational cohort study. Diabetes Research and Clinical Practice, 2022, 187, 109880.	2.8	2
4	Hospital-acquired anemia among patients in a university hospital and the affiliated general practices in the capital region of Denmark, 2019. Scandinavian Journal of Clinical and Laboratory Investigation, 2022, 82, 277-282.	1.2	1
5	Thyroid-stimulating hormone (TSH) is associated with 30-day mortality in hip fracture patients. European Journal of Trauma and Emergency Surgery, 2021, 47, 1081-1087.	1.7	5
6	Mortality among hip fracture patients infected with COVID-19 perioperatively. European Journal of Trauma and Emergency Surgery, 2021, 47, 659-664.	1.7	6
7	The Association of Low Vitamin K Status with Mortality in a Cohort of 138 Hospitalized Patients with COVID-19. Nutrients, 2021, 13, 1985.	4.1	30
8	The Circadian Clock Is Sustained in the Thyroid Gland of VIP Receptor 2 Deficient Mice. Frontiers in Endocrinology, 2021, 12, 737581.	3.5	2
9	Preoperative risk factors including serum levels of potassium, sodium, and creatinine for early mortality after open abdominal surgery: a retrospective cohort study. BMC Surgery, 2021, 21, 62.	1.3	10
10	Pre-fracture medication use as a predictor of 30-day mortality in hip fracture patients: an analysis of 141,201 patients. HIP International, 2020, 30, 101-106.	1.7	10
11	A compulsory pop-up form reduces the number of vitamin D requests from general practitioners by 25 percent. Scandinavian Journal of Primary Health Care, 2020, 38, 308-314.	1.5	9
12	Circadian variations in plasma concentrations of cholecystokinin and gastrin in man. Scandinavian Journal of Clinical and Laboratory Investigation, 2020, 80, 546-551.	1.2	9
13	Diurnal Variation of Markers for Cholesterol Synthesis, Cholesterol Absorption, and Bile Acid Synthesis: A Systematic Review and the Bispebjerg Study of Diurnal Variations. Nutrients, 2019, 11, 1439.	4.1	19
14	Maternal shortâ€term complications after planned cesarean delivery without medical indication: A registryâ€based study. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 905-912.	2.8	15
15	Biochemical markers of inflammation are associated with increased mortality in hip fracture patients: the Bispebjerg Hip Fracture Biobank. Aging Clinical and Experimental Research, 2019, 31, 1727-1734.	2.9	21
16	Change in HbA1c concentration as decision parameter for frequency of HbA1c measurement. Scandinavian Journal of Clinical and Laboratory Investigation, 2019, 79, 320-324.	1.2	5
17	Excess mortality following hip fracture in patients with diabetes according to age: a nationwide population-based cohort study of 154,047 hip fracture patients. Age and Ageing, 2019, 48, 559-563.	1.6	12
18	Centenarian hip fracture patients: a nationwide population-based cohort study of 507 patients. Monthly Notices of the Royal Astronomical Society: Letters, 2019, 90, 342-347.	3.3	9

#	Article	IF	Citations
19	Comorbidity and mortality after hip fracture in nineteen thousand six hundred and eighty two patients aged eighteen to sixty fiveÂyears in Denmark from 1996 to 2012. International Orthopaedics, 2019, 43, 2621-2627.	1.9	19
20	Duration of Hyperthyroidism and Lack of Sufficient Treatment Are Associated with Increased Cardiovascular Risk. Thyroid, 2019, 29, 332-340.	4.5	74
21	Vitamin D levels and cancer incidence in 217,244 individuals from primary health care in Denmark. International Journal of Cancer, 2019, 145, 338-346.	5.1	25
22	Duration of over- and under-treatment of hypothyroidism is associated with increased cardiovascular risk. European Journal of Endocrinology, 2019, 180, 407-416.	3.7	52
23	Over- and Under-Treatment of Hypothyroidism Is Associated with Excess Mortality: A Register-Based Cohort Study. Thyroid, 2018, 28, 566-574.	4.5	98
24	Role of light and the circadian clock in the rhythmic oscillation of intraocular pressure: Studies in VPAC2 receptor and PACAP deficient mice. Experimental Eye Research, 2018, 169, 134-140.	2.6	5
25	Temporal trends in hip fracture incidence, mortality, and morbidity in Denmark from 1999 to 2012. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 170-176.	3.3	42
26	Mice Lacking EGR1 Have Impaired Clock Gene (BMAL1) Oscillation, Locomotor Activity, and Body Temperature. Journal of Molecular Neuroscience, 2018, 64, 9-19.	2.3	15
27	Hyperkalemia is Associated with Increased 30-Day Mortality in Hip Fracture Patients. Calcified Tissue International, 2017, 101, 9-16.	3.1	18
28	Synchrotron radiation \hat{l} /4CT and histology evaluation of bone-to-implant contact. Journal of Cranio-Maxillo-Facial Surgery, 2017, 45, 1448-1457.	1.7	8
29	Excess Mortality in Treated and Untreated Hyperthyroidism Is Related to Cumulative Periods of Low Serum TSH. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 2301-2309.	3.6	78
30	Revision Rates for Metal-on-Metal Hip Resurfacing and Metal-on-Metal Total Hip Arthroplasty – A Systematic Review. HIP International, 2016, 26, 515-521.	1.7	9
31	Diurnal Variations of Human Circulating Cell-Free Micro-RNA. PLoS ONE, 2016, 11, e0160577.	2.5	46
32	Opioid Usage During Admission in Hip Fracture Patientsâ€"The Effect of the Continuous Femoral Nerve Block. Geriatric Orthopaedic Surgery and Rehabilitation, 2016, 7, 197-201.	1.4	10
33	Orthogeriatric Service Reduces Mortality in Patients With Hip Fracture. Geriatric Orthopaedic Surgery and Rehabilitation, 2016, 7, 67-73.	1.4	42
34	Low Levels of Hemoglobin at Admission Are Associated With Increased 30-Day Mortality in Patients With Hip Fracture. Geriatric Orthopaedic Surgery and Rehabilitation, 2016, 7, 115-120.	1.4	23
35	A Systematic Review on Effect of Single-Dose Preoperative Antibiotics at Surgical Osteotomy Extraction of Lower Third Molars. Journal of Oral and Maxillofacial Surgery, 2016, 74, 693-703.	1.2	38
36	A Reverse J-Shaped Association Between Serum 25-Hydroxyvitamin D and Cardiovascular Disease Mortality: The CopD Study. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 2339-2346.	3.6	143

#	Article	IF	Citations
37	Diurnal changes of biochemical metabolic markers in healthy young males – the Bispebjerg study of diurnal variations. Scandinavian Journal of Clinical and Laboratory Investigation, 2015, 75, 686-692.	1.2	23
38	Diurnal gene expression of lipolytic natriuretic peptide receptors in white adipose tissue. Endocrine Connections, 2015, 4, 206-214.	1.9	4
39	Rare disease diagnosis: A review of web search, social media and large-scale data-mining approaches. Rare Diseases (Austin, Tex), 2015, 3, e1083145.	1.8	60
40	The Excess Risk of Major Osteoporotic Fractures in Hypothyroidism Is Driven by Cumulative Hyperthyroid as Opposed to Hypothyroid Time: An Observational Register-Based Time-Resolved Cohort Analysis. Journal of Bone and Mineral Research, 2015, 30, 898-905.	2.8	71
41	Duration of Thyroid Dysfunction Correlates with All-Cause Mortality. The OPENTHYRO Register Cohort. PLoS ONE, 2014, 9, e110437.	2.5	57
42	Low Serum Thyrotropin Level and Duration of Suppression as a Predictor of Major Osteoporotic Fractures—The OPENTHYRO Register Cohort. Journal of Bone and Mineral Research, 2014, 29, 2040-2050.	2.8	96
43	Diurnal variation of von <scp>W</scp> illebrand factor in plasma: the <scp>B</scp> ispebjerg study of diurnal variations. European Journal of Haematology, 2014, 93, 48-53.	2.2	18
44	FindZebra - the search engine for difficult medical cases. Orphanet Journal of Rare Diseases, 2014, 9, O5.	2.7	9
45	Preoperative factors associated with red blood cell transfusion in hip fracture patients. Archives of Orthopaedic and Trauma Surgery, 2014, 134, 375-382.	2.4	24
46	Meta-analysis of routine blood tests as predictors of mortality in COPD. European Clinical Respiratory Journal, 2014, 1, 24110.	1.5	18
47	The role of capnography in endoscopy patients undergoing nurse-administered propofol sedation: a randomized study. Scandinavian Journal of Gastroenterology, 2013, 48, 1222-1230.	1.5	36
48	Early Detection of COPD in Primary Care: The Copenhagen COPD Screening Project. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2013, 10, 208-215.	1.6	11
49	Chromium and cobalt ion concentrations in blood and serum following various types of metal-on-metal hip arthroplasties. Monthly Notices of the Royal Astronomical Society: Letters, 2013, 84, 229-236.	3.3	69
50	FindZebra: A search engine for rare diseases. International Journal of Medical Informatics, 2013, 82, 528-538.	3.3	67
51	Specialized tools are needed when searching the web for rare disease diagnoses. Rare Diseases (Austin,) Tj ETQq1	1,0.78431 1.8	.4.rgBT /C <mark></mark> v
52	Low levels of vitamin D are associated with increased mortality in patients attending a university hospital in Denmark. Scandinavian Journal of Clinical and Laboratory Investigation, 2013, 73, 24-28.	1.2	4
53	Metaanalysis of risk factors for mortality in patients with hip fracture. Danish Medical Journal, 2013, 60, A4675.	0.5	30
54	Value of routine blood tests for prediction of mortality risk in hip fracture patients. Monthly Notices of the Royal Astronomical Society: Letters, 2012, 83, 31-35.	3.3	45

#	Article	IF	Citations
55	Rhythmic 24-hour variations of frequently used clinical biochemical parameters in healthy young males $\hat{a} \in \text{``Ihom}$ The Bispebjerg study of diurnal variations. Scandinavian Journal of Clinical and Laboratory Investigation, 2012, 72, 287-295.	1.2	44
56	Diurnal Plasma Concentrations of Natriuretic Propeptides in Healthy Young Males. Clinical Chemistry, 2012, 58, 789-792.	3.2	26
57	Expression of the clock genes Per1 and Bmal1 during follicle development in the rat ovary. Effects of gonadotropin stimulation and hypophysectomy. Cell and Tissue Research, 2012, 350, 539-548.	2.9	21
58	Is mortality after hip fracture associated with surgical delay or admission during weekends and public holidays?. Monthly Notices of the Royal Astronomical Society: Letters, 2012, 83, 609-613.	3.3	113
59	Amyloid-related biomarkers and axonal damage proteins in parkinsonian syndromes. Parkinsonism and Related Disorders, 2012, 18, 69-72.	2.2	39
60	Altered Rhythm of Adrenal Clock Genes, StAR and Serum Corticosterone in VIP Receptor 2-Deficient Mice. Journal of Molecular Neuroscience, 2012, 48, 584-596.	2.3	23
61	Effect of Head Rotation on Cerebral Blood Velocity in the Prone Position. Anesthesiology Research and Practice, 2012, 2012, 1-6.	0.7	23
62	Routine blood tests as predictors of mortality in hip fracture patients. Injury, 2012, 43, 1014-1020.	1.7	62
63	Secondary hyperparathyroidism and mortality in hip fracture patients compared to a control group from general practice. Injury, 2012, 43, 1052-1057.	1.7	25
64	Diurnal variation of hematology parameters in healthy young males: The Bispebjerg study of diurnal variations. Scandinavian Journal of Clinical and Laboratory Investigation, 2011, 71, 532-541.	1.2	124
65	Chamber-dependent circadian expression of cardiac natriuretic peptides. Regulatory Peptides, 2010, 160, 140-145.	1.9	21
66	Sunbed Radiation Provokes Cutaneous Vitamin D Synthesis in Humans—A Randomized Controlled Trial. Photochemistry and Photobiology, 2008, 84, 1487-1492.	2.5	62
67	A Comprehensive Hip Fracture Program Reduces Complication Rates and Mortality. Journal of the American Geriatrics Society, 2008, 56, 1831-1838.	2.6	159
68	MTHFR c.677C>T polymorphism as an independent predictor of peak bone mass in Danish men—results from the Odense Androgen Study. Bone, 2006, 38, 215-219.	2.9	37
69	Mapping the imprint of bone remodeling by atomic force microscopy. The Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology, 2006, 288A, 1087-1094.	2.0	17
70	Atomic force microscopy on human trabecular bone from an old woman with osteoporotic fractures. Micron, 2005, 36, 681-687.	2.2	22
71	Serum osteoprotegerin (OPG) and the A163G polymorphism in the OPG promoter region are related to peripheral measures of bone mass and fracture odds ratios. Journal of Bone and Mineral Metabolism, 2004, 22, 132-138.	2.7	83
72	Contribution of thermolabile methylenetetrahydrofolate reductase variant to total plasma homocysteine levels in healthy men and women. Inter99 (2). Genetic Epidemiology, 2003, 24, 322-330.	1.3	26

#	Article	IF	CITATIONS
73	Association of a Common Allelic Polymorphism (C677T) in the Methylene Tetrahydrofolate Reductase Gene with a Reduced Risk of Osteoporotic Fractures. A Case Control Study in Danish Postmenopausal Women. Calcified Tissue International, 2002, 71, 386-392.	3.1	60
74	Prognostic value of screening for irregular antibodies late in pregnancy in rhesus positive women. Acta Obstetricia Et Gynecologica Scandinavica, 2002, 81, 407-411.	2.8	20
75	Preoperative endoscopic stent placement before pancreaticoduodenectomy: A meta-analysis of the effect on morbidity and mortality. Gastrointestinal Endoscopy, 2002, 56, 529-534.	1.0	32