

Christian Rck

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6578754/christian-ruck-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138
papers

5,148
citations

42
h-index

67
g-index

154
ext. papers

6,145
ext. citations

5.8
avg, IF

5.38
L-index

#	Paper	IF	Citations
138	Internet-based cognitive behavior therapy vs. cognitive behavioral group therapy for social anxiety disorder: a randomized controlled non-inferiority trial. <i>PLoS ONE</i> , 2011 , 6, e18001	3.7	186
137	D-Cycloserine Augmentation of Exposure-Based Cognitive Behavior Therapy for Anxiety, Obsessive-Compulsive, and Posttraumatic Stress Disorders: A Systematic Review and Meta-analysis of Individual Participant Data. <i>JAMA Psychiatry</i> , 2017 , 74, 501-510	14.5	175
136	Internet-delivered exposure and mindfulness based therapy for irritable bowel syndrome--a randomized controlled trial. <i>Behaviour Research and Therapy</i> , 2010 , 48, 531-9	5.2	169
135	Internet administration of self-report measures commonly used in research on social anxiety disorder: A psychometric evaluation. <i>Computers in Human Behavior</i> , 2010 , 26, 736-740	7.7	166
134	Internet-based cognitive behaviour therapy for obsessive-compulsive disorder: a randomized controlled trial. <i>Psychological Medicine</i> , 2012 , 42, 2193-203	6.9	155
133	Capsulotomy for obsessive-compulsive disorder: long-term follow-up of 25 patients. <i>Archives of General Psychiatry</i> , 2008 , 65, 914-21		152
132	Effectiveness of Internet-based cognitive behaviour therapy for depression in routine psychiatric care. <i>Journal of Affective Disorders</i> , 2014 , 155, 49-58	6.6	140
131	Internet-delivered exposure-based treatment vs. stress management for irritable bowel syndrome: a randomized trial. <i>American Journal of Gastroenterology</i> , 2011 , 106, 1481-91	0.7	140
130	A stepped care strategy using buprenorphine and methadone versus conventional methadone maintenance in heroin dependence: a randomized controlled trial. <i>American Journal of Psychiatry</i> , 2007 , 164, 797-803	11.9	135
129	Internet-based cognitive-behavioural therapy for severe health anxiety: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2011 , 198, 230-6	5.4	132
128	Internet-versus group-administered cognitive behaviour therapy for panic disorder in a psychiatric setting: a randomised trial. <i>BMC Psychiatry</i> , 2010 , 10, 54	4.2	120
127	Cost-effectiveness of Internet-based cognitive behavior therapy vs. cognitive behavioral group therapy for social anxiety disorder: results from a randomized controlled trial. <i>Behaviour Research and Therapy</i> , 2011 , 49, 729-36	5.2	119
126	Population-based, multigenerational family clustering study of obsessive-compulsive disorder. <i>JAMA Psychiatry</i> , 2013 , 70, 709-17	14.5	115
125	Effectiveness of internet-based cognitive behaviour therapy for panic disorder in routine psychiatric care. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 457-67	6.5	100
124	Familial Risks of Tourette Syndrome and Chronic Tic Disorders. A Population-Based Cohort Study. <i>JAMA Psychiatry</i> , 2015 , 72, 787-93	14.5	90
123	Acceptability, effectiveness, and cost-effectiveness of internet-based exposure treatment for irritable bowel syndrome in a clinical sample: a randomized controlled trial. <i>BMC Gastroenterology</i> , 2011 , 11, 110	3	84
122	A 5-Year follow-up of internet-based cognitive behavior therapy for social anxiety disorder. <i>Journal of Medical Internet Research</i> , 2011 , 13, e39	7.6	79

121	Clinical and genetic outcome determinants of Internet- and group-based cognitive behavior therapy for social anxiety disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 126, 126-36	6.5	77
120	Etiological overlap between obsessive-compulsive disorder and anorexia nervosa: a longitudinal cohort, multigenerational family and twin study. <i>World Psychiatry</i> , 2015 , 14, 333-8	14.4	76
119	Long-term follow-up of internet-delivered exposure and mindfulness based treatment for irritable bowel syndrome. <i>Behaviour Research and Therapy</i> , 2011 , 49, 58-61	5.2	74
118	Guided internet cognitive behavioral therapy for insomnia compared to a control treatment - A randomized trial. <i>Behaviour Research and Therapy</i> , 2015 , 71, 90-100	5.2	72
117	D-Cycloserine vs Placebo as Adjunct to Cognitive Behavioral Therapy for Obsessive-Compulsive Disorder and Interaction With Antidepressants: A Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2015 , 72, 659-67	14.5	71
116	Capsulotomy for refractory anxiety disorders: long-term follow-up of 26 patients. <i>American Journal of Psychiatry</i> , 2003 , 160, 513-21	11.9	71
115	Cost-effectiveness and long-term effectiveness of internet-based cognitive behaviour therapy for severe health anxiety. <i>Psychological Medicine</i> , 2013 , 43, 363-74	6.9	70
114	The COMTval158met polymorphism is associated with symptom relief during exposure-based cognitive-behavioral treatment in panic disorder. <i>BMC Psychiatry</i> , 2010 , 10, 99	4.2	69
113	Validity and reliability of chronic tic disorder and obsessive-compulsive disorder diagnoses in the Swedish National Patient Register. <i>BMJ Open</i> , 2015 , 5, e007520	3	67
112	Therapist-Guided, Internet-Delivered Cognitive-Behavioral Therapy for Adolescents With Obsessive-Compulsive Disorder: A Randomized Controlled Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017 , 56, 10-19.e2	7.2	66
111	Internet-delivered cognitive behavior therapy for adolescents with obsessive-compulsive disorder: an open trial. <i>PLoS ONE</i> , 2014 , 9, e100773	3.7	63
110	Effectiveness of Internet-based cognitive-behavior therapy for social anxiety disorder in clinical psychiatry. <i>Journal of Consulting and Clinical Psychology</i> , 2015 , 83, 902-14	6.5	61
109	Internet-based cognitive behavior therapy for obsessive compulsive disorder: a pilot study. <i>BMC Psychiatry</i> , 2011 , 11, 125	4.2	61
108	Obsessive-Compulsive Disorder, Psychosis, and Bipolarity: A Longitudinal Cohort and Multigenerational Family Study. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1076-83	1.3	56
107	Therapist guided internet based cognitive behavioural therapy for body dysmorphic disorder: single blind randomised controlled trial. <i>BMJ, The</i> , 2016 , 352, i241	5.9	55
106	Association of Perinatal Risk Factors With Obsessive-Compulsive Disorder: A Population-Based Birth Cohort, Sibling Control Study. <i>JAMA Psychiatry</i> , 2016 , 73, 1135-1144	14.5	53
105	Prevalence, comorbidity and heritability of hoarding symptoms in adolescence: a population based twin study in 15-year olds. <i>PLoS ONE</i> , 2013 , 8, e69140	3.7	52
104	Cost-effectiveness of internet-based cognitive behavior therapy for irritable bowel syndrome: results from a randomized controlled trial. <i>BMC Public Health</i> , 2011 , 11, 215	4.1	52

103	Exposure and mindfulness based therapy for irritable bowel syndrome--an open pilot study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010 , 41, 185-90	2.6	52
102	Mechanisms of change in an exposure-based treatment for irritable bowel syndrome. <i>Journal of Consulting and Clinical Psychology</i> , 2013 , 81, 1113-26	6.5	52
101	Clinical effectiveness and cost-effectiveness of Internet- vs. group-based cognitive behavior therapy for social anxiety disorder: 4-year follow-up of a randomized trial. <i>Behaviour Research and Therapy</i> , 2014 , 59, 20-9	5.2	49
100	Predictors of Symptomatic Change and Adherence in Internet-Based Cognitive Behaviour Therapy for Social Anxiety Disorder in Routine Psychiatric Care. <i>PLoS ONE</i> , 2015 , 10, e0124258	3.7	48
99	Reduced 5-HT(1B) receptor binding in the dorsal brain stem after cognitive behavioural therapy of major depressive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 223, 164-70	2.9	47
98	Association of Obsessive-Compulsive Disorder With Objective Indicators of Educational Attainment: A Nationwide Register-Based Sibling Control Study. <i>JAMA Psychiatry</i> , 2018 , 75, 47-55	14.5	47
97	Three-Year Follow-Up Comparing Cognitive Behavioral Therapy for Depression to Cognitive Behavioral Therapy for Insomnia, for Patients With Both Diagnoses. <i>Sleep</i> , 2017 , 40,	1.1	46
96	An open study of the effectiveness of Internet treatment for panic disorder delivered in a psychiatric setting. <i>Nordic Journal of Psychiatry</i> , 2009 , 63, 44-50	2.3	42
95	Integrating evolutionary and regulatory information with a multispecies approach implicates genes and pathways in obsessive-compulsive disorder. <i>Nature Communications</i> , 2017 , 8, 774	17.4	41
94	Effectiveness and cost offset analysis of group CBT for hypochondriasis delivered in a psychiatric setting: an open trial. <i>Cognitive Behaviour Therapy</i> , 2010 , 39, 239-50	4.4	41
93	Changes in dopamine D2-receptor binding are associated to symptom reduction after psychotherapy in social anxiety disorder. <i>Translational Psychiatry</i> , 2012 , 2, e120	8.6	41
92	Optimal cut-off points on the health anxiety inventory, illness attitude scales and whiteley index to identify severe health anxiety. <i>PLoS ONE</i> , 2015 , 10, e0123412	3.7	41
91	Telephone versus internet administration of self-report measures of social anxiety, depressive symptoms, and insomnia: psychometric evaluation of a method to reduce the impact of missing data. <i>Journal of Medical Internet Research</i> , 2013 , 15, e229	7.6	40
90	Three-Year Follow-Up of Insomnia and Hypnotics after Controlled Internet Treatment for Insomnia. <i>Sleep</i> , 2016 , 39, 1267-74	1.1	39
89	Understanding the covariation of tics, attention-deficit/hyperactivity, and obsessive-compulsive symptoms: A population-based adult twin study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2016 , 171, 938-47	3.5	38
88	Metabolic and Cardiovascular Complications in Obsessive-Compulsive Disorder: A Total Population, Sibling Comparison Study With Long-Term Follow-up. <i>Biological Psychiatry</i> , 2018 , 84, 324-331	7.9	37
87	Suicide in Tourette's and Chronic Tic Disorders. <i>Biological Psychiatry</i> , 2017 , 82, 111-118	7.9	37
86	Cost-effectiveness of therapist-guided internet-delivered cognitive behaviour therapy for paediatric obsessive-compulsive disorder: results from a randomised controlled trial. <i>BMJ Open</i> , 2017 , 7, e015246	3	34

85	The symptomatic profile of panic disorder is shaped by the 5-HTTLPR polymorphism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009 , 33, 1479-83	5.5	34
84	Acceptability, Feasibility, and Effectiveness of Internet-Based Cognitive-Behavioral Therapy for Obsessive-Compulsive Disorder in New York. <i>Behavior Therapy</i> , 2018 , 49, 631-641	4.8	32
83	Association of Resting Heart Rate and Blood Pressure in Late Adolescence With Subsequent Mental Disorders: A Longitudinal Population Study of More Than 1 Million Men in Sweden. <i>JAMA Psychiatry</i> , 2016 , 73, 1268-1275	14.5	32
82	Prediction of outcome in internet-delivered cognitive behaviour therapy for paediatric obsessive-compulsive disorder: A machine learning approach. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27,	4.3	31
81	Predictors of outcome in Internet-based cognitive behavior therapy for severe health anxiety. <i>Behaviour Research and Therapy</i> , 2013 , 51, 711-7	5.2	31
80	Risk-taking in disorders of natural and drug rewards: neural correlates and effects of probability, valence, and magnitude. <i>Neuropsychopharmacology</i> , 2015 , 40, 804-12	8.7	29
79	Using early change to predict outcome in cognitive behaviour therapy: exploring timeframe, calculation method, and differences of disorder-specific versus general measures. <i>PLoS ONE</i> , 2014 , 9, e100614	3.7	28
78	Personality change following internet-based cognitive behavior therapy for severe health anxiety. <i>PLoS ONE</i> , 2014 , 9, e113871	3.7	28
77	Genetic polymorphisms in monoamine systems and outcome of cognitive behavior therapy for social anxiety disorder. <i>PLoS ONE</i> , 2013 , 8, e79015	3.7	27
76	Mediators in internet-based cognitive behavior therapy for severe health anxiety. <i>PLoS ONE</i> , 2013 , 8, e77752	3.7	27
75	Sudden gains in internet-based cognitive behaviour therapy for severe health anxiety. <i>Behaviour Research and Therapy</i> , 2014 , 54, 22-9	5.2	25
74	A genome-wide association meta-analysis of prognostic outcomes following cognitive behavioural therapy in individuals with anxiety and depressive disorders. <i>Translational Psychiatry</i> , 2019 , 9, 150	8.6	24
73	Psychometric properties of Internet-administered measures of health anxiety: an investigation of the Health Anxiety Inventory, the Illness Attitude Scales, and the Whiteley Index. <i>Journal of Anxiety Disorders</i> , 2015 , 31, 32-7	10.9	24
72	Predictors and moderators of Internet-based cognitive behavior therapy for obsessive-compulsive disorder: Results from a randomized trial. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2015 , 4, 1-7	1.7	23
71	Predictors of medium and long-term outcome following capsulotomy for obsessive-compulsive disorder: one site may not fit all. <i>European Neuropsychopharmacology</i> , 2012 , 22, 406-14	1.2	23
70	Hoarding symptoms and prediction of poor response to limbic system surgery for treatment-refractory obsessive-compulsive disorder. <i>Journal of Neurosurgery</i> , 2014 , 121, 123-30	3.2	22
69	Therapist-guided, Internet-based cognitive-behavioural therapy for body dysmorphic disorder (BDD-NET): a feasibility study. <i>BMJ Open</i> , 2014 , 4, e005923	3	22
68	Predictors and moderators of internet- and group-based cognitive behaviour therapy for panic disorder. <i>PLoS ONE</i> , 2013 , 8, e79024	3.7	22

67	Changes in Dosing and Dose Timing of D-Cycloserine Explain Its Apparent Declining Efficacy for Augmenting Exposure Therapy for Anxiety-related Disorders: An Individual Participant-data Meta-analysis. <i>Journal of Anxiety Disorders</i> , 2019 , 68, 102149	10.9	20
66	Acceptance-Based Exposure Therapy for Body Dysmorphic Disorder: A Pilot Study. <i>Behavior Therapy</i> , 2015 , 46, 423-31	4.8	20
65	Heritability of hoarding symptoms across adolescence and young adulthood: A longitudinal twin study. <i>PLoS ONE</i> , 2017 , 12, e0179541	3.7	20
64	Low serotonin1B receptor binding potential in the anterior cingulate cortex in drug-free patients with recurrent major depressive disorder. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 253, 36-42	2.9	19
63	Extrastriatal dopamine D2-receptor availability in social anxiety disorder. <i>European Neuropsychopharmacology</i> , 2017 , 27, 462-469	1.2	18
62	Prevalence and heritability of body dysmorphic symptoms in adolescents and young adults: a population-based nationwide twin study. <i>Psychological Medicine</i> , 2018 , 48, 2740-2747	6.9	17
61	Enhancing group cognitive-behavioral therapy for hoarding disorder with between-session Internet-based clinician support: A feasibility study. <i>Journal of Clinical Psychology</i> , 2018 , 74, 1092-1105	2.8	17
60	Internet administration of the Dimensional Obsessive-Compulsive Scale: a psychometric evaluation. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2012 , 1, 325-330	1.7	15
59	Long-term outcome of therapist-guided internet-based cognitive behavioural therapy for body dysmorphic disorder (BDD-NET): a naturalistic 2-year follow-up after a randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e024307	3	14
58	Cost-effectiveness of internet-based cognitive behavior therapy for obsessive-compulsive disorder: results from a randomized controlled trial. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2015 , 4, 47-53	1.7	14
57	Pharmacoepidemiology of obsessive-compulsive disorder: A Swedish nationwide cohort study. <i>European Neuropsychopharmacology</i> , 2016 , 26, 693-704	1.2	13
56	Comorbidity of substance misuse with anxiety-related and depressive disorders: a genetically informative population study of 3 million individuals in Sweden. <i>Psychological Medicine</i> , 2020 , 50, 1706-1715	6.9	12
55	Familial risk and heritability of diagnosed borderline personality disorder: a register study of the Swedish population. <i>Molecular Psychiatry</i> , 2021 , 26, 999-1008	15.1	12
54	Standards of care for obsessive-compulsive disorder centres. <i>International Journal of Psychiatry in Clinical Practice</i> , 2016 , 20, 204-8	2.4	11
53	Exposure-Based Therapy for Symptom Preoccupation in Atrial Fibrillation: An Uncontrolled Pilot Study. <i>Behavior Therapy</i> , 2017 , 48, 808-819	4.8	11
52	Adapted cognitive behavior therapy for obsessive-compulsive disorder with co-occurring autism spectrum disorder: A clinical effectiveness study. <i>Autism</i> , 2020 , 24, 190-199	6.6	11
51	Internet-based, therapist-guided, cognitive-behavioural therapy for body dysmorphic disorder with global eligibility for inclusion: an uncontrolled pilot study. <i>BMJ Open</i> , 2019 , 9, e024693	3	10
50	Effects of baseline problematic alcohol and drug use on internet-based cognitive behavioral therapy outcomes for depression, panic disorder and social anxiety disorder. <i>PLoS ONE</i> , 2014 , 9, e104613	3.7	10

49	Long-term changes in self-reported personality following capsulotomy in anxiety patients. <i>Nordic Journal of Psychiatry</i> , 2006 , 60, 486-91	2.3	10
48	Do borderline personality disorder and attention-deficit/hyperactivity disorder co-aggregate in families? A population-based study of 2 million Swedes. <i>Molecular Psychiatry</i> , 2021 , 26, 341-349	15.1	10
47	A population-based family clustering study of tic-related obsessive-compulsive disorder. <i>Molecular Psychiatry</i> , 2021 , 26, 1224-1233	15.1	10
46	Empirically defining treatment response and remission in body dysmorphic disorder. <i>Psychological Medicine</i> , 2021 , 51, 83-89	6.9	10
45	Lesion topography in capsulotomy for refractory anxiety--is the right side the right side?. <i>Stereotactic and Functional Neurosurgery</i> , 2005 , 83, 172-9	1.6	9
44	Genetic and environmental sources of familial coaggregation of obsessive-compulsive disorder and suicidal behavior: a population-based birth cohort and family study. <i>Molecular Psychiatry</i> , 2021 , 26, 974-985	15.1	9
43	Predictors of remission from body dysmorphic disorder after internet-delivered cognitive behavior therapy: a machine learning approach. <i>BMC Psychiatry</i> , 2020 , 20, 247	4.2	8
42	Genome-wide association study of panic disorder reveals genetic overlap with neuroticism and depression. <i>Molecular Psychiatry</i> , 2021 , 26, 4179-4190	15.1	8
41	A register-based 13-year to 43-year follow-up of 70 patients with obsessive-compulsive disorder treated with capsulotomy. <i>BMJ Open</i> , 2017 , 7, e013133	3	8
40	Health anxiety in obsessive compulsive disorder and obsessive compulsive symptoms in severe health anxiety: An investigation of symptom profiles. <i>Journal of Anxiety Disorders</i> , 2017 , 45, 80-86	10.9	8
39	Genome-wide association study of patients with a severe major depressive episode treated with electroconvulsive therapy. <i>Molecular Psychiatry</i> , 2021 , 26, 2429-2439	15.1	8
38	Selective serotonin reuptake inhibitors and the risk of acute pancreatitis: a Swedish population-based case-control study. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 336-40	1.7	7
37	When Improving Symptoms Is Not Enough-Is It Time for Next-Generation Interventions for Obsessive-Compulsive Disorder?. <i>JAMA Psychiatry</i> , 2020 , 77, 9-10	14.5	7
36	Testing the Mediating Effects of Obsessive Beliefs in Internet-Based Cognitive Behaviour Therapy for Obsessive-Compulsive Disorder: Results from a Randomized Controlled Trial. <i>Clinical Psychology and Psychotherapy</i> , 2015 , 22, 722-32	2.9	6
35	Validity and reliability of social anxiety disorder diagnoses in the Swedish National Patient Register. <i>BMC Psychiatry</i> , 2020 , 20, 242	4.2	6
34	Is the Y-BOCS discriminatory against gays and lesbians?. <i>American Journal of Psychiatry</i> , 2006 , 163, 1449	11.9	6
33	Sudden gains in internet-based cognitive behavior therapy for obsessive-compulsive disorder. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2019 , 21, 75-81	1.7	6
32	Study protocol for a single-blind, randomised controlled, non-inferiority trial of internet-based versus face-to-face cognitive behaviour therapy for obsessive-compulsive disorder. <i>BMJ Open</i> , 2018 , 8, e022254	3	6

31	Cost-effectiveness of an internet-based booster program for patients with obsessive-compulsive disorder: Results from a randomized controlled trial. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2015 , 4, 14-19	1.7	5
30	Nordic OCD & Related Disorders Consortium: Rationale, design, and methods. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020 , 183, 38-50	3.5	5
29	Will the COVID-19 pandemic lead to a tsunami of suicides? A Swedish nationwide analysis of historical and 2020 data		4
28	Risk of specific cardiovascular diseases in obsessive-compulsive disorder. <i>Journal of Psychiatric Research</i> , 2021 , 135, 189-196	5.2	4
27	Concurrent and prospective associations of obsessive-compulsive symptoms with suicidality in young adults: A genetically-informative study. <i>Journal of Affective Disorders</i> , 2021 , 281, 422-430	6.6	4
26	Self-rated versus family-rated personality in patients undergoing capsulotomy for obsessive-compulsive disorder. <i>Nordic Journal of Psychiatry</i> , 2010 , 64, 239-44	2.3	3
25	Long-term outcomes of therapist-guided Internet-delivered cognitive behavior therapy for pediatric obsessive-compulsive disorder. <i>Npj Digital Medicine</i> , 2020 , 3, 124	15.7	3
24	Predicting Treatment Outcomes From Internet-Based Cognitive Behavior Therapy for Obsessive-Compulsive Disorder. <i>Behavior Therapy</i> , 2021 , 52, 77-85	4.8	3
23	The developmental origins of hoarding disorder in adolescence: a longitudinal clinical interview study following an epidemiological survey. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 415-425	5.5	3
22	Association of chronic and acute inflammation of the mucosa-associated lymphoid tissue with psychiatric disorders and suicidal behavior. <i>Translational Psychiatry</i> , 2019 , 9, 227	8.6	2
21	The Genetic Architecture of Obsessive-Compulsive Disorder: Contribution of Liability to OCD From Alleles Across the Frequency Spectrum. <i>American Journal of Psychiatry</i> , 2021 , appiajp202121010101	11.9	2
20	The association between body dysmorphic symptoms and suicidality among adolescents and young adults: a genetically informative study. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	2
19	Therapygenetic effects of 5-HTTLPR on cognitive-behavioral therapy in anxiety disorders: A meta-analysis. <i>European Neuropsychopharmacology</i> , 2021 , 44, 105-120	1.2	2
18	Hit-and-run: a Swedish nationwide cohort study of serious transport accidents and convictions due to traffic offenses in obsessive-compulsive disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 1	4.5	1
17	Subjective mental health and need for care among psychiatric outpatients during the COVID-19 pandemic: results from an outreach initiative in Sweden		1
16	Swedish nationwide time series analysis of influenza and suicide deaths from 1910 to 1978. <i>BMJ Open</i> , 2021 , 11, e049302	3	1
15	The genetic architecture of obsessive-compulsive disorder: alleles across the frequency spectrum contribute liability to OCD		1
14	Effect of Internet-Based vs Face-to-Face Cognitive Behavioral Therapy for Adults With Obsessive-Compulsive Disorder: A Randomized Clinical Trial. <i>JAMA Network Open</i> , 2022 , 5, e221967	10.4	1

13	Morbidity and mortality in obsessive-compulsive disorder: A narrative review.. <i>Neuroscience and Biobehavioral Reviews</i> , 2022 , 104602	9	1
12	Initial evaluation of a therapist-supported online cognitive therapy self-help for patients with taboo obsessions.. <i>British Journal of Clinical Psychology</i> , 2022 ,	3.6	1
11	BDD-NET Ein internetbasiertes Programm bei Körperunzufriedenheit zur niedrigschwelligen Behandlung der Körperdysmorphen Störung für den deutschen Sprachraum. <i>Verhaltenstherapie</i> , 1-10	0.9	0
10	Sudden Gains in Internet-Based Cognitive Behavior Therapy for Body Dysmorphic Disorder. <i>Behavior Therapy</i> , 2020 , 51, 753-763	4.8	0
9	Internet-Delivered Exposure-Based Therapy for Symptom Preoccupation in Atrial Fibrillation: Uncontrolled Pilot Trial. <i>JMIR Cardio</i> , 2021 , 5, e24524	3.1	0
8	ACT-enhanced group behavior therapy for trichotillomania and skin-picking disorder: A feasibility study. <i>Journal of Clinical Psychology</i> , 2021 , 77, 1537-1555	2.8	0
7	Empirically Defining Treatment Response and Remission in Body Dysmorphic Disorder Using a Short Self-Report Instrument. <i>Behavior Therapy</i> , 2021 , 52, 821-829	4.8	0
6	Computer-Aided Interventions for Obsessive-Compulsive Spectrum Disorders 2017 , 663-680		
5	Psychosurgery. <i>Journal of Neurosurgery</i> , 2003 , 99, 1113-4; author reply 1114	3.2	
4	Internet-Delivered Cognitive Behavior Therapy (ICBT) for Obsessive-Compulsive Disorder 2016 , 101-119		
3	Subjective mental health and need for care among psychiatric outpatients during the COVID-19 pandemic: Results from an outreach initiative in Sweden. <i>Psychiatry Research</i> , 2021 , 304, 114124	9.9	
2	Maternal suicide attempts and deaths in the first year after cesarean delivery.. <i>Psychological Medicine</i> , 2021 , 1-9	6.9	
1	Validity and reliability of the diagnostic codes for hypochondriasis and dysmorphophobia in the Swedish National Patient Register: a retrospective chart review. <i>BMJ Open</i> , 2021 , 11, e051853	3	