Uwe Kordes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/657978/publications.pdf

Version: 2024-02-01

257450 197818 2,537 69 24 49 citations h-index g-index papers 71 71 71 3595 citing authors docs citations times ranked all docs

#	Article	IF	CITATIONS
1	Germline Nonsense Mutation and Somatic Inactivation of SMARCA4/BRG1 in a Family with Rhabdoid Tumor Predisposition Syndrome. American Journal of Human Genetics, 2010, 86, 279-284.	6.2	288
2	Molecular mechanisms of constitutive NF-κB/Rel activation in Hodgkin/Reed-Sternberg cells. Oncogene, 1999, 18, 943-953.	5.9	265
3	Transcription factor NF-κB is constitutively activated in acute lymphoblastic leukemia cells. Leukemia, 2000, 14, 399-402.	7.2	252
4	Childhood cancer predisposition syndromes—A concise review and recommendations by the Cancer Predisposition Working Group of the Society for Pediatric Oncology and Hematology. American Journal of Medical Genetics, Part A, 2017, 173, 1017-1037.	1.2	200
5	Infant High-Grade Gliomas Comprise Multiple Subgroups Characterized by Novel Targetable Gene Fusions and Favorable Outcomes. Cancer Discovery, 2020, 10, 942-963.	9.4	157
6	Highâ€resolution genomic analysis suggests the absence of recurrent genomic alterations other than ⟨i⟩SMARCB1⟨ i⟩ aberrations in atypical teratoid/rhabdoid tumors. Genes Chromosomes and Cancer, 2013, 52, 185-190.	2.8	138
7	Clinical and molecular features in patients with atypical teratoid rhabdoid tumor or malignant rhabdoid tumor. Genes Chromosomes and Cancer, 2010, 49, 176-181.	2.8	96
8	Cribriform Neuroepithelial Tumor (CRINET): A Nonrhabdoid Ventricular Tumor With INI1 Loss and Relatively Favorable Prognosis. Journal of Neuropathology and Experimental Neurology, 2009, 68, 1249-1255.	1.7	92
9	Age and DNA methylation subgroup as potential independent risk factors for treatment stratification in children with atypical teratoid/rhabdoid tumors. Neuro-Oncology, 2020, 22, 1006-1017.	1.2	72
10	Methylation profiling of choroid plexus tumors reveals 3 clinically distinct subgroups. Neuro-Oncology, 2016, 18, 790-796.	1.2	67
11	Non-linkage of familial rhabdoid tumors toSMARCB1 implies a second locus for the rhabdoid tumor predisposition syndrome. Pediatric Blood and Cancer, 2006, 47, 273-278.	1.5	65
12	High-dose chemotherapy (HDCT) with auto-SCT in children with atypical teratoid/rhabdoid tumors (AT/RT): a report from the European Rhabdoid Registry (EU-RHAB). Bone Marrow Transplantation, 2014, 49, 370-375.	2.4	58
13	Expression of SOX9 and SOX10 in Central Neuroepithelial Tumor. Journal of Neuro-Oncology, 2006, 80, 151-155.	2.9	48
14	Atypical teratoid/rhabdoid tumors (ATRTs) with SMARCA4 mutation are molecularly distinct from SMARCB1-deficient cases. Acta Neuropathologica, 2021, 141, 291-301.	7.7	47
15	Choroid plexus carcinomas are characterized by complex chromosomal alterations related to patient age and prognosis. Genes Chromosomes and Cancer, 2014, 53, 373-380.	2.8	43
16	Favorable outcome of patients affected by rhabdoid tumors due to rhabdoid tumor predisposition syndrome (RTPS). Pediatric Blood and Cancer, 2014, 61, 919-921.	1.5	41
17	Strategies to improve the quality of survival for childhood brain tumour survivors. European Journal of Paediatric Neurology, 2015, 19, 619-639.	1.6	36
18	Desmoplastic myxoid tumor, SMARCB1-mutant: clinical, histopathological and molecular characterization of a pineal region tumor encountered in adolescents and adults. Acta Neuropathologica, 2020, 139, 277-286.	7.7	36

#	Article	IF	CITATIONS
19	Pediatric atypical choroid plexus papilloma reconsidered: increased mitotic activity is prognostic only in older children. Acta Neuropathologica, 2015, 129, 925-927.	7.7	35
20	Sox group E gene expression distinguishes different types and maturational stages of glial cells in developing chick and mouse. Developmental Brain Research, 2005, 157, 209-213.	1.7	31
21	High-Resolution Genomic Analysis Does Not Qualify Atypical Plexus Papilloma as a Separate Entity Among Choroid Plexus Tumors. Journal of Neuropathology and Experimental Neurology, 2015, 74, 110-120.	1.7	31
22	Germline variants in SMARCB1 and other members of the BAF chromatin-remodeling complex across human disease entities: a meta-analysis. European Journal of Human Genetics, 2018, 26, 1083-1093.	2.8	30
23	Pediatric high grade glioma of the spinal cord: results of the HIT-GBM database. Journal of Neuro-Oncology, 2012, 107, 139-146.	2.9	29
24	Phase I/II intra-patient dose escalation study of vorinostat in children with relapsed solid tumor, lymphoma, or leukemia. Clinical Epigenetics, 2019, 11, 188.	4.1	27
25	The genetic landscape of choroid plexus tumors in children and adults. Neuro-Oncology, 2021, 23, 650-660.	1.2	26
26	Ectopic Craniopharyngioma. Klinische Padiatrie, 2011, 223, 176-177.	0.6	25
27	Radiation therapy for choroid plexus carcinoma patients with Li-Fraumeni syndrome: advantageous or detrimental?. Anticancer Research, 2015, 35, 3013-7.	1.1	21
28	A complex karyotype in an atypical teratoid/rhabdoid tumor: case report and review of the literature. Journal of Neuro-Oncology, 2011, 104, 375-380.	2.9	20
29	Current recommendations for clinical surveillance and genetic testing in rhabdoid tumor predisposition: a report from the SIOPE Host Genome Working Group. Familial Cancer, 2021, 20, 305-316.	1.9	20
30	Biological material collection to advance translational research and treatment of children with CNS tumours: position paper from the SIOPE Brain Tumour Group. Lancet Oncology, The, 2018, 19, e419-e428.	10.7	16
31	Clinical and genetic risk factors define two risk groups of extracranial malignant rhabdoid tumours (eMRT/RTK). European Journal of Cancer, 2021, 142, 112-122.	2.8	15
32	<scp>SMARCA4 /scp>â€deficient rhabdoid tumours show intermediate molecular features between SMARCB1 /scp>â€deficient rhabdoid tumours and small cell carcinomas of the ovary, hypercalcaemic type. Journal of Pathology, 2021, 255, 1-15.</scp>	4.5	14
33	Coâ€occurrence of schwannomatosis and rhabdoid tumor predisposition syndrome 1. Molecular Genetics & Company Genomic Medicine, 2018, 6, 627-637.	1.2	13
34	Genetic testing and surveillance in infantile myofibromatosis: a report from the SIOPE Host Genome Working Group. Familial Cancer, 2021, 20, 327-336.	1.9	13
35	ATRT–SHH comprises three molecular subgroups with characteristic clinical and histopathological features and prognostic significance. Acta Neuropathologica, 2022, 143, 697-711.	7.7	13
36	Supra- and infratentorial pediatric ependymomas differ significantly in NeuN, p75 and GFAP expression. Journal of Neuro-Oncology, 2013, 112, 191-197.	2.9	12

#	Article	lF	Citations
37	Loss of TP53 expression in immortalized choroid plexus epithelial cells results in increased resistance to anticancer agents. Journal of Neuro-Oncology, 2012, 109, 449-455.	2.9	11
38	Methylation of the hTERT promoter is frequent in choroid plexus tumors but not of independent prognostic value. Journal of Neuro-Oncology, 2014, 119, 215-216.	2.9	11
39	Final results of the Choroid Plexus Tumor study CPT-SIOP-2000. Journal of Neuro-Oncology, 2022, 156, 599-613.	2.9	11
40	Erythrocytapheresis: Do Not Forget a Useful Therapy!. Transfusion Medicine and Hemotherapy, 2008, 35, 24-30.	1.6	10
41	Epigenetics impacts upon prognosis and clinical management of choroid plexus tumors. Journal of Neuro-Oncology, 2020, 148, 39-45.	2.9	10
42	Neonatal cholestasis and glucoseâ€6â€Pâ€dehydrogenase deficiency. Pediatric Blood and Cancer, 2010, 54, 758-760.	1.5	9
43	Infants and Newborns with Atypical Teratoid Rhabdoid Tumors (ATRT) and Extracranial Malignant Rhabdoid Tumors (eMRT) in the EU-RHAB Registry: A Unique and Challenging Population. Cancers, 2022, 14, 2185.	3.7	9
44	Parvovirus B19 infection and autoimmune hepatitis in a child with sickle cell anemia. Pediatric Blood and Cancer, 2011, 56, 323-324.	1.5	7
45	Two molecularly distinct atypical teratoid/rhabdoid tumors (or tumor components) occurring in an infant with rhabdoid tumor predisposition syndrome 1. Acta Neuropathologica, 2019, 137, 847-850.	7.7	7
46	Spatial molecular profiling of a central nervous system lowâ€grade diffusely infiltrative tumour with INI1 deficiency featuring a highâ€grade atypical teratoid/rhabdoid tumour component. Neuropathology and Applied Neurobiology, 2022, 48, .	3.2	7
47	Differences in maxillomandibular morphology among patients with mucopolysaccharidoses I, II, III, IV and VI: a retrospective MRI study. Clinical Oral Investigations, 2018, 22, 1541-1549.	3.0	6
48	Inhibition of nuclear export restores nuclear localization and residual tumor suppressor function of truncated SMARCB1/INI1 protein in a molecular subset of atypical teratoid/rhabdoid tumors. Acta Neuropathologica, 2021, 142, 361-374.	7.7	6
49	Atypical Teratoid/Rhabdoid Tumor (AT/RT) With Molecular Features of Pleomorphic Xanthoastrocytoma. American Journal of Surgical Pathology, 2021, 45, 1228-1234.	3.7	5
50	Transposable element insertion as a mechanism of <scp><i>SMARCB1</i></scp> inactivation in atypical teratoid/rhabdoid tumor. Genes Chromosomes and Cancer, 2021, 60, 586-590.	2.8	5
51	Malignant gliomas with H3F3A G34R mutation or MYCN amplification in pediatric patients with Li Fraumeni syndrome. Acta Neuropathologica, 2021, 142, 591-593.	7.7	5
52	Lowâ€grade diffusely infiltrative tumour (LGDIT), SMARCB1â€mutant: A clinical and histopathological distinct entity showing epigenetic similarity with ATRTâ€MYC. Neuropathology and Applied Neurobiology, 2022, 48, .	3.2	5
53	Long-term treatment with deferiprone in a L1 veteran. European Journal of Haematology, 2005, 74, 523-525.	2.2	4
54	Manifestations and Treatment of Adult-onset Symptomatic Optic Pathway Glioma in Neurofibromatosis Type 1. Anticancer Research, 2019, 39, 827-831.	1.1	4

#	Article	IF	CITATIONS
55	PTCT-01INTERCONTINENTAL MULTIDISCIPLINARY DATA COLLECTION AND TREATMENT OPTIMIZATION STUDY FOR PATIENTS WITH CHOROID PLEXUS TUMORS. Neuro-Oncology, 2015, 17, v186.1-v186.	1.2	3
56	EMBR-08. CHOROID PLEXUS TUMORS IN 2018: THE CPT-SIOP EXPERIENCE AND LONG-TERM OUTCOME. Neuro-Oncology, 2018, 20, i70-i70.	1.2	3
57	SMARCB1-deficient and SMARCA4-deficient Malignant Brain Tumors With Complex Copy Number Alterations and TP53 Mutations May Represent the First Clinical Manifestation of Li-Fraumeni Syndrome. American Journal of Surgical Pathology, 2022, 46, 1277-1283.	3.7	3
58	Group 3 medulloblastoma in a patient with a GYS2 germline mutation and glycogen storage disease 0a. Child's Nervous System, 2018, 34, 581-584.	1.1	2
59	Gremlins of all brain tumors: germinomas and nongerminomatous germ cell tumors. Critical Reviews in Neurosurgery: CR, 1998, 8, 1-5.	0.2	1
60	MEDB-14. Clinical outcome of pediatric medulloblastoma patients with Li-Fraumeni syndrome. Neuro-Oncology, 2022, 24, i107-i107.	1.2	1
61	ATRT-06. CLINICAL AND MOLECULAR RISK FACTORS IN CHILDREN WITH ATYPICAL TERATOID/RHABDOID TUMOUR (AT/RT) - EVIDENCE FROM THE EU-RHAB REGISTRY. Neuro-Oncology, 2018, 20, i28-i28.	1.2	0
62	Evidence for a lowâ€penetrant extended phenotype of rhabdoid tumor predisposition syndrome type 1 from a kindred with gain of <i>SMARCB1</i> exon 6. Pediatric Blood and Cancer, 2021, 68, e29185.	1.5	0
63	Neuroonkologie. , 2009, , 215-239.		0
64	Neuroonkologie. , 2014, , 277-304.		0
65	Updated dataset of germline mutations within the SWI/SNF complex predicting age of tumor onset and type of disease. Klinische Padiatrie, 2017, 229, .	0.6	0
66	ALK inhibition as a salvage therapy for a relapsed unclassifiable sarcomatous CNS tumor with EML4/ALK fusion in an infant. Pediatric Blood and Cancer, 2022, 69, e29594.	1.5	0
67	ATRT-07. Low-grade diffusely infiltrative tumor, SMARCB1-mutant: a clinical and histopathological distinct entity showing epigenetic similarity with ATRT-MYC. Neuro-Oncology, 2022, 24, i3-i4.	1.2	0
68	DIPG-42. Diffuse midline gliomas, H3K27-altered as an interdisciplinary challenge. Neuro-Oncology, 2022, 24, i28-i28.	1.2	0
69	ATRT-08. SMARCB1- and SMARCA4-deficient malignant brain tumors with complex copy number alterations and <i>TP53</i> mutations may represent the first clinical manifestation of Li-Fraumeni syndrome. Neuro-Oncology, 2022, 24, i4-i4.	1.2	0