Eduardo Bruera

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6580202/publications.pdf

Version: 2024-02-01

767 papers 46,886 citations

103 h-index 184 g-index

780 all docs

780 docs citations

times ranked

780

25442 citing authors

#	Article	IF	CITATIONS
1	Definition and classification of cancer cachexia: an international consensus. Lancet Oncology, The, 2011, 12, 489-495.	5.1	4,015
2	The Edmonton Symptom Assessment System (ESAS): A Simple Method for the Assessment of Palliative Care Patients. Journal of Palliative Care, 1991, 7, 6-9.	0.4	2,102
3	The Edmonton Symptom Assessment System (ESAS): a simple method for the assessment of palliative care patients. Journal of Palliative Care, 1991, 7, 6-9.	0.4	826
4	Symptom distress in advanced cancer patients with anxiety and depression in the palliative care setting. Supportive Care in Cancer, 2009, 17, 573-579.	1.0	704
5	Equianalgesic Dose Ratios for Opioids. Journal of Pain and Symptom Management, 2001, 22, 672-687.	0.6	499
6	The Edmonton Symptom Assessment System 25ÂYears Later: Past, Present, and Future Developments. Journal of Pain and Symptom Management, 2017, 53, 630-643.	0.6	464
7	2016 MASCC and ESMO guideline update for the prevention of chemotherapy- and radiotherapy-induced nausea and vomiting and of nausea and vomiting in advanced cancer patients. Annals of Oncology, 2016, 27, v119-v133.	0.6	454
8	Integration of oncology and palliative care: a Lancet Oncology Commission. Lancet Oncology, The, 2018, 19, e588-e653.	5.1	452
9	Availability and Integration of Palliative Care at US Cancer Centers. JAMA - Journal of the American Medical Association, 2010, 303, 1054.	3.8	437
10	Redefining Palliative Care—A New Consensus-Based Definition. Journal of Pain and Symptom Management, 2020, 60, 754-764.	0.6	423
11	Management of Chronic Pain in Survivors of Adult Cancers: American Society of Clinical Oncology Clinical Practice Guideline. Journal of Clinical Oncology, 2016, 34, 3325-3345.	0.8	413
12	A Comparison of Burnout Frequency Among Oncology Physicians and Nurses Working on the Frontline and Usual Wards During the COVID-19 Epidemic in Wuhan, China. Journal of Pain and Symptom Management, 2020, 60, e60-e65.	0.6	411
13	Opioid rotation for toxicity reduction in terminal cancer patients. Journal of Pain and Symptom Management, 1995, 10, 378-384.	0.6	372
14	Palliative Cancer Care a Decade Later: Accomplishments, the Need, Next Steps—From the American Society of Clinical Oncology. Journal of Clinical Oncology, 2009, 27, 3052-3058.	0.8	348
15	Impact of timing and setting of palliative care referral on quality of endâ€ofâ€ife care in cancer patients. Cancer, 2014, 120, 1743-1749.	2.0	322
16	Supportive versus palliative care: What's in a name?. Cancer, 2009, 115, 2013-2021.	2.0	317
17	Reduction of Cancer-Related Fatigue With Dexamethasone: A Double-Blind, Randomized, Placebo-Controlled Trial in Patients With Advanced Cancer. Journal of Clinical Oncology, 2013, 31, 3076-3082.	0.8	294
18	Patient Preferences Versus Physician Perceptions of Treatment Decisions in Cancer Care. Journal of Clinical Oncology, 2001, 19, 2883-2885.	0.8	292

#	Article	IF	Citations
19	Management of Cancer Cachexia: ASCO Guideline. Journal of Clinical Oncology, 2020, 38, 2438-2453.	0.8	292
20	Effect of Fish Oil on Appetite and Other Symptoms in Patients With Advanced Cancer and Anorexia/Cachexia: A Double-Blind, Placebo-Controlled Study. Journal of Clinical Oncology, 2003, 21, 129-134.	0.8	280
21	Integrating palliative care into the trajectory of cancer care. Nature Reviews Clinical Oncology, 2016, 13, 159-171.	12.5	277
22	Opioid rotation in patients with cancer pain: A retrospective comparison of dose ratios between methadone, hydromorphone, and morphine., 1996, 78, 852-857.		275
23	Changes in plasma levels of inflammatory cytokines in response to paclitaxel chemotherapy. Cytokine, 2004, 25, 94-102.	1.4	271
24	Patient-Controlled Methylphenidate for Cancer Fatigue: A Double-Blind, Randomized, Placebo-Controlled Trial. Journal of Clinical Oncology, 2006, 24, 2073-2078.	0.8	268
25	Cognitive failure in patients with terminal cancer: A prospective study. Journal of Pain and Symptom Management, 1992, 7, 192-195.	0.6	267
26	Clinical Survival Predictors in Patients With Advanced Cancer. Archives of Internal Medicine, 2000, 160, 861.	4.3	259
27	The frequency and clinical course of cognitive impairment in patients with terminal cancer. Cancer, 1997, 79, 835-842.	2.0	253
28	The cognitive effects of the administration of narcotic analgesics in patients with cancer pain. Pain, 1989, 39, 13-16.	2.0	252
29	Concepts and definitions for "supportive care,―"best supportive care,―"palliative care,―and "be care―in the published literature, dictionaries, and textbooks. Supportive Care in Cancer, 2013, 21, 659-685.	ospice 1.0	249
30	A prospective multicenter assessment of the Edmonton staging system for cancer pain. Journal of Pain and Symptom Management, 1995, 10, 348-355.	0.6	245
31	Integrating Supportive and Palliative Care in the Trajectory of Cancer: Establishing Goals and Models of Care. Journal of Clinical Oncology, 2010, 28, 4013-4017.	0.8	245
32	Quality of endâ€ofâ€life care in patients with hematologic malignancies: A retrospective cohort study. Cancer, 2014, 120, 1572-1578.	2.0	244
33	A controlled trial of megestrol acetate on appetite, caloric intake, nutritional status, and other symptoms in patients with advanced cancer. Cancer, 1990, 66, 1279-1282.	2.0	238
34	Impact of delirium and recall on the level of distress in patients with advanced cancer and their family caregivers. Cancer, 2009, 115, 2004-2012.	2.0	237
35	Improving patient and caregiver outcomes in oncology: Teamâ€based, timely, and targeted palliative care. Ca-A Cancer Journal for Clinicians, 2018, 68, 356-376.	157.7	237
36	Action of oral methylprednisolone in terminal cancer patients: a prospective randomized double-blind study. Cancer Treatment Reports, 1985, 69, 751-4.	0.5	237

#	Article	IF	Citations
37	Association Between a Name Change from Palliative to Supportive Care and the Timing of Patient Referrals at a Comprehensive Cancer Center. Oncologist, 2011, 16, 105-111.	1.9	233
38	Concepts and Definitions for "Actively Dying,―"End of Life,―"Terminally Ill,―"Terminal Care,―a "Transition of Care― A Systematic Review. Journal of Pain and Symptom Management, 2014, 47, 77-89.	and 0.6	233
39	Treatment decisions for breast carcinoma. Cancer, 2002, 94, 2076-2080.	2.0	231
40	Opioid switching: A systematic and critical review. Cancer Treatment Reviews, 2006, 32, 304-315.	3.4	231
41	The Edmonton staging system for cancer pain: preliminary report. Pain, 1989, 37, 203-209.	2.0	228
42	Changing pattern of agitated impaired mental status in patients with advanced cancer: Association with cognitive monitoring, hydration, and opioid rotation. Journal of Pain and Symptom Management, 1995, 10, 287-291.	0.6	227
43	European Society for Medical Oncology (ESMO) position paper on supportive and palliative care. Annals of Oncology, 2018, 29, 36-43.	0.6	220
44	Parenteral Hydration in Patients With Advanced Cancer: A Multicenter, Double-Blind, Placebo-Controlled Randomized Trial. Journal of Clinical Oncology, 2013, 31, 111-118.	0.8	219
45	Spirituality, Religiosity, and Spiritual Pain in Advanced Cancer Patients. Journal of Pain and Symptom Management, 2011, 41, 986-994.	0.6	215
46	Palliative Care Inpatient Service in a Comprehensive Cancer Center: Clinical and Financial Outcomes. Journal of Clinical Oncology, 2004, 22, 2008-2014.	0.8	214
47	Effects of oxygen on dyspnoea in hypoxaemic terminal-cancer patients. Lancet, The, 1993, 342, 13-14.	6.3	209
48	A comparison of patient and proxy symptom assessments in advanced cancer patients. Palliative Medicine, 1999, 13, 311-323.	1.3	206
49	The Frequency and Correlates of Dyspnea in Patients with Advanced Cancer. Journal of Pain and Symptom Management, 2000, 19, 357-362.	0.6	204
50	Referral criteria for outpatient specialty palliative cancer care: an international consensus. Lancet Oncology, The, 2016, 17, e552-e559.	5.1	204
51	Symptomatic hypogonadism in male survivors of cancer with chronic exposure to opioids. Cancer, 2004, 100, 851-858.	2.0	203
52	Randomized, double-blind, cross-over trial comparing safety and efficacy of oral controlled-release oxycodone with controlled-release morphine in patients with cancer pain Journal of Clinical Oncology, 1998, 16, 3222-3229.	0.8	200
53	Patient-Controlled Methylphenidate for the Management of Fatigue in Patients With Advanced Cancer: A Preliminary Report. Journal of Clinical Oncology, 2003, 21, 4439-4443.	0.8	198
54	Methadone Versus Morphine As a First-Line Strong Opioid for Cancer Pain: A Randomized, Double-Blind Study. Journal of Clinical Oncology, 2004, 22, 185-192.	0.8	197

#	Article	IF	Citations
55	Subcutaneous Morphine for Dyspnea in Cancer Patients. Annals of Internal Medicine, 1993, 119, 906.	2.0	189
56	Methadone Use in Cancer Patients with Pain: A Review. Journal of Palliative Medicine, 2002, 5, 127-138.	0.6	188
57	Minimal clinically important differences in the Edmonton Symptom Assessment Scale in cancer patients: A prospective, multicenter study. Cancer, 2015, 121, 3027-3035.	2.0	183
58	MABp1, a first-in-class true human antibody targeting interleukin- $1\hat{l}_{\pm}$ in refractory cancers: an open-label, phase 1 dose-escalation and expansion study. Lancet Oncology, The, 2014, 15, 656-666.	5.1	178
59	Attrition rates, reasons, and predictive factors in supportive care and palliative oncology clinical trials. Cancer, 2013, 119, 1098-1105.	2.0	176
60	Delirium in advanced cancer patients. Palliative Medicine, 2004, 18, 184-194.	1.3	173
61	Access to Palliative Care Among Patients Treated at a Comprehensive Cancer Center. Oncologist, 2012, 17, 1574-1580.	1.9	173
62	An update on the clinical use of methadone for cancer pain. Pain, 1997, 70, 109-115.	2.0	170
63	Financial Distress and Its Associations With Physical and Emotional Symptoms and Quality of Life Among Advanced Cancer Patients. Oncologist, 2015, 20, 1092-1098.	1.9	168
64	Methadone in the management of cancer pain: a review. Pain, 1993, 52, 137-147.	2.0	167
65	Cancer Pain. JAMA - Journal of the American Medical Association, 2003, 290, 2476.	3.8	166
66	Use of the subcutaneous route for the administration of narcotics in patients with cancer pain. Cancer, 1988, 62, 407-411.	2.0	154
67	Interval between First Palliative Care Consult and Death in Patients Diagnosed with Advanced Cancer at a Comprehensive Cancer Center. Journal of Palliative Medicine, 2008, 11, 51-57.	0.6	151
68	Effect of Lorazepam With Haloperidol vs Haloperidol Alone on Agitated Delirium in Patients With Advanced Cancer Receiving Palliative Care. JAMA - Journal of the American Medical Association, 2017, 318, 1047.	3.8	151
69	Effects of Parenteral Hydration in Terminally Ill Cancer Patients: A Preliminary Study. Journal of Clinical Oncology, 2005, 23, 2366-2371.	0.8	148
70	Impact of a Palliative Care Consultation Team on Cancer-Related Symptoms in Advanced Cancer Patients Referred to an Outpatient Supportive Care Clinic. Journal of Pain and Symptom Management, 2011, 41, 49-56.	0.6	148
71	Attitudes and beliefs of palliative care physicians regarding communication with terminally ill cancer patients. Palliative Medicine, 2000, 14, 287-298.	1.3	145
72	Integration of Oncology and Palliative Care: A Systematic Review. Oncologist, 2015, 20, 77-83.	1.9	145

#	Article	lF	Citations
73	Interval between Palliative Care Referral and Death among Patients Treated at a Comprehensive Cancer Center. Journal of Palliative Medicine, 2005, 8, 1025-1032.	0.6	144
74	Neuropsychological effects of methylphenidate in patients receiving a continuous infusion of narcotics for cancer pain. Pain, 1992, 48, 163-166.	2.0	143
75	The frequency of alcoholism among patients with pain due to terminal cancer. Journal of Pain and Symptom Management, 1995, 10, 599-603.	0.6	141
76	Impact of a half-day multidisciplinary symptom control and palliative care outpatient clinic in a comprehensive cancer center on recommendations, symptom intensity, and patient satisfaction: A retrospective descriptive study. Journal of Pain and Symptom Management, 2004, 27, 481-491.	0.6	138
77	The use of methylphenidate in patients with incident cancer pain receiving regular opiates. A preliminary report. Pain, 1992, 50, 75-77.	2.0	137
78	The use of hypodermoclysis for rehydration in terminally ill cancer patients. Journal of Pain and Symptom Management, 1994, 9, 298-302.	0.6	134
79	Place of Death and Its Predictors for Local Patients Registered at a Comprehensive Cancer Center. Journal of Clinical Oncology, 2002, 20, 2127-2133.	0.8	133
80	Comparison of Symptom Burden among Patients Referred to Palliative Care with Hematologic Malignancies versus those with Solid Tumors. Journal of Palliative Medicine, 2008, 11, 422-427.	0.6	133
81	Use of methylphenidate as an adjuvant to narcotic analgesics in patients with advanced cancer. Journal of Pain and Symptom Management, 1989, 4, 3-6.	0.6	132
82	Dose ratio between morphine and hydromorphone in patients with cancer pain: a retrospective study. Pain, 1997, 72, 79-85.	2.0	129
83	The Lack of Standard Definitions in the Supportive and Palliative Oncology Literature. Journal of Pain and Symptom Management, 2012, 43, 582-592.	0.6	128
84	Drug Interactions in Palliative Care. Journal of Clinical Oncology, 2000, 18, 1780-1799.	0.8	126
85	Clinical Signs of Impending Death in Cancer Patients. Oncologist, 2014, 19, 681-687.	1.9	126
86	Characteristics and Correlates of Dyspnea in Patients with Advanced Cancer. Journal of Palliative Medicine, 2009, 12, 29-36.	0.6	124
87	Avoidable and Unavoidable Visits to the Emergency Department Among Patients With Advanced Cancer Receiving Outpatient Palliative Care. Journal of Pain and Symptom Management, 2015, 49, 497-504.	0.6	124
88	A Personalized Approach to Assessing and Managing Pain in Patients With Cancer. Journal of Clinical Oncology, 2014, 32, 1640-1646.	0.8	123
89	Models of Palliative Care Delivery for Patients With Cancer. Journal of Clinical Oncology, 2020, 38, 852-865.	0.8	123
90	Predictors of Home Death in Palliative Care Cancer Patients. Journal of Palliative Care, 2000, 16, 23-28.	0.4	122

#	Article	IF	CITATIONS
91	Referral Criteria for Outpatient Palliative Cancer Care: A Systematic Review. Oncologist, 2016, 21, 895-901.	1.9	122
92	Methylphenidate associated with narcotics for the treatment of cancer pain. Cancer Treatment Reports, 1987, 71, 67-70.	0.5	121
93	Guidelines on artificial nutrition versus hydration in terminal cancer patients. Nutrition, 1996, 12, 163-167.	1.1	120
94	The frequency of missed delirium in patients referred to palliative care in a comprehensive cancer center. Supportive Care in Cancer, 2015, 23, 2427-2433.	1.0	120
95	Conceptual Models for Integrating Palliative Care at Cancer Centers. Journal of Palliative Medicine, 2012, 15, 1261-1269.	0.6	118
96	The Edmonton Symptom Assessment System as a Screening Tool for Depression and Anxiety. Journal of Palliative Medicine, 2006, 9, 296-303.	0.6	116
97	Age, pain intensity, and opioid dose in patients with advanced cancer. Cancer, 1998, 83, 1244-1250.	2.0	115
98	Minimal Clinically Important Difference in the Physical, Emotional, and Total Symptom Distress Scores of the Edmonton Symptom Assessment System. Journal of Pain and Symptom Management, 2016, 51, 262-269.	0.6	115
99	Thalidomide in patients with cachexia due to terminal cancer: Preliminary report. Annals of Oncology, 1999, 10, 857-860.	0.6	113
100	Assessing the Reliability of Patient, Nurse, and Family Caregiver Symptom Ratings in Hospitalized Advanced Cancer Patients. Journal of Clinical Oncology, 1999, 17, 3621-3630.	0.8	111
101	Fatigue in patients with advanced cancer: A review. International Journal of Gynecological Cancer, 2002, 12, 424-428.	1.2	111
102	Placebo and nocebo effects in randomized doubleâ€blind clinical trials of agents for the therapy for fatigue in patients with advanced cancer. Cancer, 2010, 116, 766-774.	2.0	111
103	Prognostication in advanced cancer: update and directions for future research. Supportive Care in Cancer, 2019, 27, 1973-1984.	1.0	111
104	Symptom distress, interventions, and outcomes of intensive care unit cancer patients referred to a palliative care consult team. Cancer, 2009, 115, 437-445.	2.0	110
105	The Assessment and Management of Delirium in Cancer Patients. Oncologist, 2009, 14, 1039-1049.	1.9	109
106	An international multicentre validation study of a pain classification system for cancer patients. European Journal of Cancer, 2010, 46, 2896-2904.	1.3	108
107	Can This Patient Be Discharged Home? Factors Associated With At-Home Death Among Patients With Cancer. Journal of Clinical Oncology, 2011, 29, 1159-1167.	0.8	106
108	Indicators of integration of oncology and palliative care programs: an international consensus. Annals of Oncology, 2015, 26, 1953-1959.	0.6	106

#	Article	IF	Citations
109	The impact of hypogonadism and autonomic dysfunction on fatigue, emotional function, and sexual desire in male patients with advanced cancer. Cancer, 2006, 107, 2949-2957.	2.0	105
110	Symptom Expression in the Last Seven Days of Life Among Cancer Patients Admitted to Acute Palliative Care Units. Journal of Pain and Symptom Management, 2015, 50, 488-494.	0.6	105
111	Predictors of Access to Palliative Care Services among Patients Who Died at a Comprehensive Cancer Center. Journal of Palliative Medicine, 2007, 10, 1146-1152.	0.6	104
112	The Frequency and Correlates of Spiritual Distress Among Patients With Advanced Cancer Admitted to an Acute Palliative Care Unit. American Journal of Hospice and Palliative Medicine, 2011, 28, 264-270.	0.8	104
113	High-Flow Oxygen and Bilevel Positive Airway Pressure for Persistent Dyspnea in Patients With Advanced Cancer: A Phase II Randomized Trial. Journal of Pain and Symptom Management, 2013, 46, 463-473.	0.6	104
114	Differences in attitudes and beliefs toward end-of-life care between hematologic and solid tumor oncology specialists. Annals of Oncology, 2015, 26, 1440-1446.	0.6	104
115	Models of integration of oncology and palliative care. Annals of Palliative Medicine, 2015, 4, 89-98.	0.5	103
116	When to treat dehydration in a terminally ill patient?. Supportive Care in Cancer, 1997, 5, 205-211.	1.0	101
117	A randomized controlled trial of supplemental oxygen versus air in cancer patients with dyspnea. Palliative Medicine, 2003, 17, 659-663.	1.3	101
118	Donepezil for Cancer Fatigue: A Double-Blind, Randomized, Placebo-Controlled Trial. Journal of Clinical Oncology, 2007, 25, 3475-3481.	0.8	100
119	Methylphenidate and/or a Nursing Telephone Intervention for Fatigue in Patients With Advanced Cancer: A Randomized, Placebo-Controlled, Phase II Trial. Journal of Clinical Oncology, 2013, 31, 2421-2427.	0.8	100
120	A comprehensive study of psychometric properties of the Edmonton Symptom Assessment System (ESAS) in Spanish advanced cancer patients. European Journal of Cancer, 2011, 47, 1863-1872.	1.3	99
121	Risk Stratification of Opioid Misuse among Patients with Cancer Pain Using the SOAPP-SF. Pain Medicine, 2013, 14, 667-675.	0.9	99
122	Insulin resistance and body composition in cancer patients. Annals of Oncology, 2018, 29, ii18-ii26.	0.6	99
123	Acute confusional states in patients with advanced cancer. Journal of Pain and Symptom Management, 1992, 7, 94-98.	0.6	98
124	Alcoholism Screening in Patients with Advanced Cancer: Impact on Symptom Burden and Opioid Use. Journal of Palliative Medicine, 2008, 11, 964-968.	0.6	98
125	Undocumented alcoholism and its correlation with tobacco and illegal drug use in advanced cancer patients. Cancer, 2011, 117, 4551-4556.	2.0	98
126	Attitudes and Beliefs Toward Supportive and Palliative Care Referral Among Hematologic and Solid Tumor Oncology Specialists. Oncologist, 2015, 20, 1326-1332.	1.9	98

#	Article	IF	Citations
127	Equianalgesic dose/ratio between methadone and other opioid agonists in cancer pain: Comparison of two clinical experiences. Annals of Oncology, 1998, 9, 79-83.	0.6	96
128	Potential Novel Uses of Thalidomide. Drugs, 2000, 60, 273-292.	4.9	96
129	Integration of palliative care into COVID-19 pandemic planning. BMJ Supportive and Palliative Care, 2021, 11, 40-44.	0.8	95
130	The assessment of pain intensity in patients with cognitive failure: A preliminary report. Journal of Pain and Symptom Management, 1992, 7, 267-270.	0.6	94
131	Multidisciplinary symptom control clinic in a cancer center: a retrospective study. Supportive Care in Cancer, 2001, 9, 162-168.	1.0	93
132	Characteristics, Findings, and Outcomes of Palliative Care Inpatient Consultations at a Comprehensive Cancer Center. Journal of Palliative Medicine, 2007, 10, 948-955.	0.6	93
133	Phase angle for prognostication of survival in patients with advanced cancer: Preliminary findings. Cancer, 2014, 120, 2207-2214.	2.0	93
134	Symptomatic benefit of supplemental oxygen in hypoxemic patients with terminal cancer: The use of the N of 1 randomized controlled trial. Journal of Pain and Symptom Management, 1992, 7, 365-368.	0.6	92
135	Dexamethasone in addition to metoclopramide for chronic nausea in patients with advanced cancer: a randomized controlled trial. Journal of Pain and Symptom Management, 2004, 28, 381-388.	0.6	91
136	Bedside clinical signs associated with impending death in patients with advanced cancer: Preliminary findings of a prospective, longitudinal cohort study. Cancer, 2015, 121, 960-967.	2.0	91
137	Patient Perception of Physician Compassion After a More Optimistic vs a Less Optimistic Message. JAMA Oncology, 2015, 1, 176.	3.4	91
138	Custom-made capsules and suppositories of methadone for patients on high-dose opioids for cancer pain. Pain, 1995, 62, 141-146.	2.0	90
139	Place of death of Houston area residents with cancer over a two-year period. Journal of Pain and Symptom Management, 2003, 26, 637-643.	0.6	89
140	Switching from Methadone to a Different Opioid: What Is the Equianalgesic Dose Ratio?. Journal of Palliative Medicine, 2008, 11, 1103-1108.	0.6	89
141	Effects of Melatonin on Appetite and Other Symptoms in Patients With Advanced Cancer and Cachexia: A Double-Blind Placebo-Controlled Trial. Journal of Clinical Oncology, 2013, 31, 1271-1276.	0.8	89
142	Patterns of Storage, Use, and Disposal of Opioids Among Cancer Outpatients. Oncologist, 2014, 19, 780-785.	1.9	88
143	The Impact of an Educational Program on Patient Practices for Safe Use, Storage, and Disposal of Opioids at a Comprehensive Cancer Center. Oncologist, 2017, 22, 115-121.	1.9	88
144	Association Between Self-Reported Sleep Disturbance and Other Symptoms in Patients with Advanced Cancer. Journal of Pain and Symptom Management, 2011, 41, 819-827.	0.6	87

#	Article	IF	Citations
145	End-of-Life Delirium: Issues Regarding Recognition, Optimal Management, and the Role of Sedation in the Dying Phase. Journal of Pain and Symptom Management, 2014, 48, 215-230.	0.6	86
146	The last days of life. Current Opinion in Supportive and Palliative Care, 2015, 9, 346-354.	0.5	86
147	Cachexia and asthenia in cancer patients. Lancet Oncology, The, 2000, 1, 138-147.	5.1	85
148	Impact of Physician Sitting Versus Standing During Inpatient Oncology Consultations: Patients' Preference and Perception of Compassion and Duration. A Randomized Controlled Trial. Journal of Pain and Symptom Management, 2005, 29, 489-497.	0.6	85
149	Breast Cancer Patient Perception of the Helpfulness of a Prompt Sheet Versus a General Information Sheet During Outpatient Consultation. Journal of Pain and Symptom Management, 2003, 25, 412-419.	0.6	84
150	Consensus guideline on parenteral methadone use in pain and palliative care. Palliative and Supportive Care, 2008, 6, 165-176.	0.6	84
151	Cancer Pain Management: Safe and Effective Use of Opioids. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2015, , e593-e599.	1.8	84
152	Chronic nausea in advanced cancer patients: A retrospective assessment of a metoclopramide-based antiemetic regimen. Journal of Pain and Symptom Management, 1996, 11, 147-153.	0.6	83
153	Differences in the Ratios of Morphine to Methadone in Patients with Neuropathic Pain Versus Non-Neuropathic Pain. Journal of Pain and Symptom Management, 1999, 18, 120-125.	0.6	83
154	Discharge Outcomes and Survival of Patients with Advanced Cancer Admitted to an Acute Palliative Care Unit at a Comprehensive Cancer Center. Journal of Palliative Medicine, 2010, 13, 49-57.	0.6	83
155	A randomized, double-blind, double-dummy, crossover trial comparing the safety and efficacy of oral sustained-release hydromorphone with immediate-release hydromorphone in patients with cancer pain. Canadian Palliative Care Clinical Trials Group Journal of Clinical Oncology, 1996, 14, 1713-1717.	0.8	82
156	Dyspnea: Pathophysiology and assessment. Journal of Pain and Symptom Management, 1997, 13, 220-232.	0.6	82
157	A Review of the Drug Treatment of Cachexia Associated with Cancer. Drugs, 1998, 55, 675-688.	4.9	82
158	Palliative Care in Advanced Cancer Patients: How and When?. Oncologist, 2012, 17, 267-273.	1.9	82
159	Frequency, intensity, and correlates of spiritual pain in advanced cancer patients assessed in a supportive/palliative care clinic. Palliative and Supportive Care, 2016, 14, 341-348.	0.6	82
160	Hypodermoclysis for the administration of fluids and narcotic analgesics in patients with advanced cancer. Journal of Pain and Symptom Management, 1990, 5, 218-220.	0.6	81
161	Local toxicity with subcutaneous methadone. Experience of two centers. Pain, 1991, 45, 141-143.	2.0	81
162	Methadone initiation and rotation in the outpatient setting for patients with cancer pain. Cancer, 2010, 116, 520-528.	2.0	81

#	Article	IF	Citations
163	The Effect of Oral Methadone on the QTc Interval in Advanced Cancer Patients: A Prospective Pilot Study. Journal of Palliative Medicine, 2010, 13, 33-38.	0.6	79
164	Frequency, Predictors, and Medical Record Documentation of Chemical Coping Among Advanced Cancer Patients. Oncologist, 2015, 20, 692-697.	1.9	79
165	The addition of an audiocassette recording of a consultation to written recommendations for patients with advanced cancer. Cancer, 1999, 86, 2420-2425.	2.0	77
166	End-of-Life Care Matters: Palliative Cancer Care Results in Better Care and Lower Costs. Oncologist, 2017, 22, 361-368.	1.9	77
167	Demographic, Symptom, and Medication Profiles of Cancer Patients Seen by a Palliative Care Consult Team in a Tertiary Referral Hospital. Journal of Pain and Symptom Management, 2000, 19, 174-184.	0.6	76
168	Nebulized Versus Subcutaneous Morphine for Patients with Cancer Dyspnea: A Preliminary Study. Journal of Pain and Symptom Management, 2005, 29, 613-618.	0.6	76
169	Achievement of personalized pain goal in cancer patients referred to a supportive care clinic at a comprehensive cancer center. Cancer, 2012, 118, 3869-3877.	2.0	76
170	Individualized use of methadone and opioid rotation in the comprehensive management of cancer pain associated with poor prognostic indicators. Pain, 1996, 67, 115-119.	2.0	75
171	Frequency of Symptom Distress and Poor Prognostic Indicators in Palliative Cancer Patients Admitted to a Tertiary Palliative Care Unit, Hospices, and Acute Care Hospitals. Journal of Palliative Care, 2000, 16, 16-21.	0.4	7 5
172	The Accuracy of Probabilistic Versus Temporal Clinician Prediction of Survival for Patients with Advanced Cancer: A Preliminary Report. Oncologist, 2011, 16, 1642-1648.	1.9	74
173	Opioid switching in cancer pain: From the beginning to nowadays. Critical Reviews in Oncology/Hematology, 2016, 99, 241-248.	2.0	74
174	Role of rectal route in treating cancer pain: a randomized crossover clinical trial of oral versus rectal morphine administration in opioid-naive cancer patients with pain Journal of Clinical Oncology, 1995, 13, 1004-1008.	0.8	73
175	Volume of hydration in terminal cancer patients. Supportive Care in Cancer, 1996, 4, 147-150.	1.0	7 3
176	Palliative Management of Fatigue at the Close of Life. JAMA - Journal of the American Medical Association, 2007, 297, 295.	3.8	73
177	Predictors of Long-Term Opioid Treatment Among Patients Who Receive Chemoradiation for Head and Neck Cancer. Oncologist, 2013, 18, 768-774.	1.9	7 3
178	The association between in-patient death, utilization of hospital resources and availability of palliative home care for cancer patients. Palliative Medicine, 2013, 27, 68-75.	1.3	71
179	Opioid use in cancer pain. Is a more liberal approach enhancing toxicity?. Acta Anaesthesiologica Scandinavica, 1999, 43, 924-938.	0.7	69
180	Changes in Symptom Intensity Among Cancer Patients Receiving Outpatient Palliative Care. Journal of Pain and Symptom Management, 2013, 46, 652-660.	0.6	68

#	Article	IF	Citations
181	The Meaning of Parenteral Hydration to Family Caregivers and Patients With Advanced Cancer Receiving Hospice Care. Journal of Pain and Symptom Management, 2012, 43, 855-865.	0.6	66
182	Reduction in Constipation and Laxative Requirements Following Opioid Rotation to Methadone. Journal of Pain and Symptom Management, 1999, 18, 303-309.	0.6	65
183	Delirium in Advanced Cancer Leading to Distress in Patients and Family Caregivers. Journal of Palliative Care, 2009, 25, 164-171.	0.4	65
184	Frequency and Predictors of Patient Deviation From Prescribed Opioids and Barriers to Opioid Pain Management in Patients With Advanced Cancer. Journal of Pain and Symptom Management, 2013, 45, 506-516.	0.6	65
185	The Use of Very-Low-Dose Methadone for Palliative Pain Control and the Prevention of Opioid Hyperalgesia. Journal of Palliative Medicine, 2013, 16, 616-622.	0.6	65
186	Methods of Hydration in Palliative Care Patients. Journal of Palliative Care, 1998, 14, 6-13.	0.4	64
187	Quantity, Design, and Scope of the Palliative Oncology Literature. Oncologist, 2011, 16, 694-703.	1.9	64
188	The Impact of an Outpatient Palliative Care Consultation on Symptom Burden in Advanced Prostate Cancer Patients. Journal of Palliative Medicine, 2012, 15, 20-24.	0.6	64
189	Inter-rater reliability in performance status assessment among health care professionals: a systematic review. Annals of Palliative Medicine, 2016, 5, 83-92.	0.5	64
190	Death in the Digital Age: A Systematic Review of Information and Communication Technologies in End-of-Life Care. Journal of Palliative Medicine, 2016, 19, 408-420.	0.6	64
191	Placebo-blinded study of morphine sulfate sustained-release tablets and immediate-release morphine sulfate solution in outpatients with chronic pain due to advanced cancer Journal of Clinical Oncology, 1993, 11, 967-972.	0.8	63
192	A randomized, controlled trial of physician postures when breaking bad news to cancer patients. Palliative Medicine, 2007, 21, 501-505.	1.3	63
193	Treating an Established Episode of Delirium in Palliative Care: Expert Opinion and Review of the Current Evidence Base With Recommendations for Future Development. Journal of Pain and Symptom Management, 2014, 48, 231-248.	0.6	63
194	Severe opioid toxicity and somatizationof psychosocial distress in a cancer patient with a background of chemical dependence. Journal of Pain and Symptom Management, 1997, 13, 356-361.	0.6	62
195	Impact of a Palliative Care Service on In-Hospital Mortality in a Comprehensive Cancer Center. Journal of Palliative Medicine, 2006, 9, 894-902.	0.6	61
196	State of palliative care services at US cancer centers: An updated national survey. Cancer, 2020, 126, 2013-2023.	2.0	61
197	The Frequency, Characteristics, and Outcomes Among Cancer Patients With Delirium Admitted to an Acute Palliative Care Unit. Oncologist, 2015, 20, 1425-1431.	1.9	60
198	Association between fatigue and other cancer-related symptoms in patients with advanced cancer. Supportive Care in Cancer, 2008, 16, 1125-1130.	1.0	59

#	Article	IF	CITATIONS
199	Targeted Agent Use in Cancer Patients at the End of Life. Journal of Pain and Symptom Management, 2013, 46, 1-8.	0.6	59
200	Opioid Prescription Trends Among Patients With Cancer Referred to Outpatient Palliative Care Over a 6-Year Period. Journal of Oncology Practice, 2017, 13, e972-e981.	2.5	59
201	Symptom Control in Palliative Care—Part II: Cachexia/Anorexia and Fatigue. Journal of Palliative Medicine, 2006, 9, 409-421.	0.6	58
202	Palliative radiation therapy in the last 30 days of life: A systematic review. Radiotherapy and Oncology, 2017, 125, 193-199.	0.3	58
203	A Double-Blind, Randomized, Placebo-Controlled Trial of (i) Panax Ginseng (li) for Cancer-Related Fatigue in Patients With Advanced Cancer. Journal of the National Comprehensive Cancer Network: JNCCN, 2017, 15, 1111-1120.	2.3	58
204	Balancing opioid analgesia with the risk of nonmedical opioid use in patients with cancer. Nature Reviews Clinical Oncology, 2019, 16, 213-226.	12.5	58
205	Clinical Response to an Outpatient Palliative Care Consultation in Patients With Advanced Cancer and Cancer Pain. Journal of Pain and Symptom Management, 2012, 44, 340-350.	0.6	57
206	Clinician prediction of survival versus the Palliative Prognostic Score: Which approach is more accurate?. European Journal of Cancer, 2016, 64, 89-95.	1.3	57
207	Personalized symptom goals and response in patients with advanced cancer. Cancer, 2016, 122, 1774-1781.	2.0	57
208	A systematic review of randomized trials on the effectiveness of opioids for cancer pain. Pain Physician, 2012, 15, ES39-58.	0.3	57
209	Is there a role for parenteral nutrition or hydration at the end of life?. Current Opinion in Supportive and Palliative Care, 2012, 6, 365-370.	0.5	56
210	Symptom Control in Palliative Careâ€"Part III: Dyspnea and Delirium. Journal of Palliative Medicine, 2006, 9, 422-436.	0.6	55
211	Errors in Symptom Intensity Self-Assessment by Patients Receiving Outpatient Palliative Care. Journal of Palliative Medicine, 2006, 9, 1059-1065.	0.6	55
212	Predictors of inpatient mortality in an acute palliative care unit at a comprehensive cancer center. Supportive Care in Cancer, 2010, 18, 67-76.	1.0	55
213	Medical oncologists' perception of palliative care programs and the impact of name change to supportive care on communication with patients during the referral process. A qualitative study. Palliative and Supportive Care, 2013, 11, 397-404.	0.6	55
214	Effects of Prophylactic Subcutaneous Fentanyl on Exercise-Induced Breakthrough Dyspnea in Cancer Patients: A Preliminary Double-Blind, Randomized, Controlled Trial. Journal of Pain and Symptom Management, 2014, 47, 209-217.	0.6	55
215	Palliative Care Models: International Perspective. Journal of Palliative Medicine, 2002, 5, 319-327.	0.6	54
216	Variations in Vital Signs in the Last Days of Life in Patients With Advanced Cancer. Journal of Pain and Symptom Management, 2014, 48, 510-517.	0.6	54

#	Article	IF	Citations
217	Pain Management for Patients With Advanced Cancer in the Opioid Epidemic Era. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2019, 39, 24-35.	1.8	54
218	Symptom profiles in children with advanced cancer: Patient, family caregiver, and oncologist ratings. Cancer, 2015, 121, 4080-4087.	2.0	53
219	Dexamethasone for Dyspnea in Cancer Patients: A Pilot Double-Blind, Randomized, Controlled Trial. Journal of Pain and Symptom Management, 2016, 52, 8-16.e1.	0.6	53
220	Advanced cancer patients' reported wishes at the end of life: a randomized controlled trial. Supportive Care in Cancer, 2016, 24, 4273-4281.	1.0	52
221	Home-based exercise during preoperative therapy for pancreatic cancer. Langenbeck's Archives of Surgery, 2017, 402, 1175-1185.	0.8	52
222	Safe and Appropriate Use of Methadone in Hospice and Palliative Care: Expert Consensus White Paper. Journal of Pain and Symptom Management, 2019, 57, 635-645.e4.	0.6	52
223	Continuous Sc infusion of narcotics for the treatment of cancer pain: an update. Cancer Treatment Reports, 1987, 71, 953-8.	0.5	52
224	Patient-Controlled Subcutaneous Hydromorphone Verus Continuous Subcutaneous Infusion for the Treatment Cancer Pain. Journal of the National Cancer Institute, 1988, 80, 1152-1154.	3.0	51
225	Palliative care in a cancer center: Results in 1984 versus 1987. Journal of Pain and Symptom Management, 1990, 5, 1-5.	0.6	51
226	Clinical efficacy and safety of a novel controlled-release morphine suppository and subcutaneous morphine in cancer pain: a randomized evaluation Journal of Clinical Oncology, 1995, 13, 1520-1527.	0.8	51
227	Frequency, Outcome, and Predictors of Success Within 6 Weeks of an Opioid Rotation Among Outpatients with Cancer Receiving Strong Opioids. Oncologist, 2013, 18, 212-220.	1.9	51
228	Use of Palliative Care Services in a Tertiary Cancer Center. Oncologist, 2016, 21, 110-118.	1.9	51
229	Automatic referral to standardize palliative care access: an international Delphi survey. Supportive Care in Cancer, 2018, 26, 175-180.	1.0	51
230	Outcomes of a Specialized Interdisciplinary Approach for Patients with Cancer with Aberrant Opioid-Related Behavior. Oncologist, 2018, 23, 263-270.	1.9	51
231	Clinically Important Improvement in the Intensity of Fatigue in Patients with Advanced Cancer. Journal of Palliative Medicine, 2007, 10, 1068-1075.	0.6	50
232	Clinical Findings of a Palliative Care Consultation Team at a Comprehensive Cancer Center. Journal of Palliative Medicine, 2008, 11, 191-197.	0.6	50
233	Timing of palliative care referral and symptom burden in phase 1 cancer patients. Cancer, 2010, 116, 4402-4409.	2.0	50
234	Validation of the Edmonton Symptom Assessment System in Korean Patients With Cancer. Journal of Pain and Symptom Management, 2013, 46, 947-956.	0.6	50

#	Article	IF	CITATIONS
235	Timely Palliative Care: Personalizing the Process of Referral. Cancers, 2022, 14, 1047.	1.7	50
236	Assessment of palliative care cancer patients' most important concerns. Supportive Care in Cancer, 2011, 19, 475-481.	1.0	49
237	Frequency, predictors, and outcomes of urine drug testing among patients with advanced cancer on chronic opioid therapy at an outpatient supportive care clinic. Cancer, 2016, 122, 3732-3739.	2.0	49
238	Circadian distribution of extra doses of narcotic analgesics in patients with cancer pain: a preliminary report. Pain, 1992, 49, 311-314.	2.0	48
239	The Impact of a Regional Palliative Care Program on the Cost of Palliative Care Delivery. Journal of Palliative Medicine, 2000, 3, 181-186.	0.6	48
240	Palliative Pain Management: When Both Pain and Suffering Hurt. Journal of Palliative Care, 2005, 21, 69-79.	0.4	48
241	The Association between Anemia and Fatigue in Patients with Advanced Cancer Receiving Palliative Care. Journal of Palliative Medicine, 2005, 8, 1144-1149.	0.6	48
242	Impact of Oncologists' Attitudes Toward End-of-Life Care on Patients' Access to Palliative Care. Oncologist, 2016, 21, 1149-1155.	1.9	48
243	Cranial Electrotherapy Stimulation for the Management of Depression, Anxiety, Sleep Disturbance, and Pain in Patients With Advanced Cancer: A Preliminary Study. Journal of Pain and Symptom Management, 2018, 55, 198-206.	0.6	48
244	The effect of donepezil on sedation and other symptoms in patients receiving opioids for cancer pain: a pilot study. Journal of Pain and Symptom Management, 2003, 26, 1049-1054.	0.6	47
245	Evaluation of the memorial delirium assessment scale (MDAS) for the screening of delirium by means of simulated cases by palliative care health professionals. Supportive Care in Cancer, 2007, 15, 1271-1276.	1.0	47
246	Ensuring quality cancer care. Cancer, 2012, 118, 2571-2582.	2.0	47
247	Hypermetabolism and symptom burden in advanced cancer patients evaluated in a cachexia clinic. Journal of Cachexia, Sarcopenia and Muscle, 2015, 6, 95-98.	2.9	46
248	Association Between Tobacco Use, Symptom Expression, and Alcohol and Illicit Drug Use in Advanced Cancer Patients. Journal of Pain and Symptom Management, 2016, 51, 762-768.	0.6	46
249	Rectal, Buccal, and Sublingual Narcotics for the Management of Cancer Pain. Journal of Palliative Care, 1991, 7, 30-35.	0.4	45
250	Respiratory depression in a patient receiving oral methadone for cancer pain. Journal of Pain and Symptom Management, 1995, 10, 401-404.	0.6	45
251	Antineoplastic therapy use in patients with advanced cancer admitted to an acute palliative care unit at a comprehensive cancer center. Cancer, 2010, 116, 2036-2043.	2.0	45
252	Patient–physician communication about code status preferences. Cancer, 2013, 119, 2067-2073.	2.0	45

#	Article	IF	Citations
253	Financial distress in patients with advanced cancer. PLoS ONE, 2017, 12, e0176470.	1.1	45
254	Study of cardiovascular autonomic insufficiency in advanced cancer patients. Cancer Treatment Reports, 1986, 70, 1383-7.	0.5	45
255	The uses of psychotropics in symptom management in advanced cancer., 1998, 7, 346-358.		43
256	An International Survey of Undergraduate Medical Education in Palliative Medicine. Journal of Pain and Symptom Management, 2000, 20, 174-179.	0.6	43
257	Incidence of and Risk Factors for Transferring Cancer Patients from Rehabilitation to Acute Care Units. American Journal of Physical Medicine and Rehabilitation, 2008, 87, 647-653.	0.7	43
258	An Analytical Framework for Delirium Research in Palliative Care Settings: Integrated Epidemiologic, Clinician-Researcher, and Knowledge User Perspectives. Journal of Pain and Symptom Management, 2014, 48, 159-175.	0.6	43
259	Parenteral Opioid Shortage — Treating Pain during the Opioid-Overdose Epidemic. New England Journal of Medicine, 2018, 379, 601-603.	13.9	43
260	Muscle Electrophysiology in Patients With Advanced Breast Cancer. Journal of the National Cancer Institute, 1988, 80, 282-285.	3.0	42
261	Somatic Symptoms in Patients with Chronic Non-Cancer-Related and Cancer-Related Pain. Journal of Pain and Symptom Management, 2005, 29, 603-612.	0.6	41
262	Neuroleptic Dose in the Management ofÂDelirium in Patients with Advanced Cancer. Journal of Pain and Symptom Management, 2010, 39, 186-196.	0.6	41
263	Frequency of depression among oncology outpatients and association with other symptoms. Supportive Care in Cancer, 2012, 20, 2795-2802.	1.0	41
264	Review of Clinical Trials of Pharmacologic Interventions for Cancer-Related Fatigue. Cancer Journal (Sudbury, Mass), 2014, 20, 319-324.	1.0	41
265	Organic hallucinosis in patients receiving high doses of opiates for cancer pain. Pain, 1992, 48, 397-399.	2.0	40
266	Access to opioid analgesics and pain relief for patients with cancer. Nature Reviews Clinical Oncology, 2013, 10, 108-116.	12.5	40
267	Longitudinal Temporal and Probabilistic Prediction of Survival in a Cohort of Patients With Advanced Cancer. Journal of Pain and Symptom Management, 2014, 48, 875-882.	0.6	40
268	Which Treatment Is Better? Ascertaining Patient Preferences With Crossover Randomized Controlled Trials. Journal of Pain and Symptom Management, 2015, 49, 625-631.	0.6	40
269	A Comparison of the Accuracy of Clinician Prediction of Survival Versus the Palliative Prognostic Index. Journal of Pain and Symptom Management, 2018, 55, 792-797.	0.6	40
270	Decisional control preferences among patients with advanced cancer: An international multicenter cross-sectional survey. Palliative Medicine, 2018, 32, 870-880.	1.3	40

#	Article	IF	CITATIONS
271	Methadone as a First-Line Opioid in Cancer Pain Management: A Systematic Review. Journal of Pain and Symptom Management, 2018, 55, 998-1003.	0.6	40
272	Quality of the supportive and palliative oncology literature: a focused analysis on randomized controlled trials. Supportive Care in Cancer, 2012, 20, 1779-1785.	1.0	39
273	Association Between Body Image Dissatisfaction and Weight Loss Among Patients With Advanced Cancer and Their Caregivers: A Preliminary Report. Journal of Pain and Symptom Management, 2013, 45, 1039-1049.	0.6	39
274	Comprehensive approaches to managing delirium in patients with advanced cancer. Cancer Treatment Reviews, 2013, 39, 105-112.	3.4	39
275	Chemical coping versus pseudoaddiction in patients with cancer pain. Palliative and Supportive Care, 2014, 12, 413-417.	0.6	39
276	Retrospective review of symptoms and palliative care interventions in women with advanced cervical cancer. Gynecologic Oncology, 2015, 139, 553-558.	0.6	39
277	High-Dose Asian Ginseng (Panax Ginseng) for Cancer-Related Fatigue. Integrative Cancer Therapies, 2015, 14, 419-427.	0.8	39
278	Association between Daytime Activity, Fatigue, Sleep, Anxiety, Depression, and Symptom Burden in Advanced Cancer Patients: A Preliminary Report. Journal of Palliative Medicine, 2016, 19, 849-856.	0.6	39
279	Integrative Oncology Physician Consultations at a Comprehensive Cancer Center: Analysis of Demographic, Clinical and Patient Reported Outcomes. Journal of Cancer, 2017, 8, 395-402.	1.2	39
280	Perception of Curability Among Advanced Cancer Patients: An International Collaborative Study. Oncologist, 2018, 23, 501-506.	1.9	39
281	Neuroleptic strategies for terminal agitation in patients with cancer and delirium at an acute palliative care unit: a single-centre, double-blind, parallel-group, randomised trial. Lancet Oncology, The, 2020, 21, 989-998.	5.1	39
282	Frequency of and Factors Associated With Nonmedical Opioid Use Behavior Among Patients With Cancer Receiving Opioids for Cancer Pain. JAMA Oncology, 2021, 7, 404.	3.4	39
283	Capsules and suppositories of methadone for patients on high-dose opioids for cancer pain: clinical and economic considerations. Cancer Treatment Reviews, 1996, 22, 131-136.	3.4	38
284	Inpatient Cancer Rehabilitation. American Journal of Physical Medicine and Rehabilitation, 2011, 90, S63-S68.	0.7	38
285	Delirium, agitation, and symptom distress within the final seven days of life among cancer patients receiving hospice care. Palliative and Supportive Care, 2015, 13, 211-216.	0.6	38
286	Palliative Oncologists: Specialists in the Science and Art of Patient Care. Journal of Clinical Oncology, 2015, 33, 2314-2317.	0.8	38
287	Association Between Multi-frequency Phase Angle and Survival in Patients With Advanced Cancer. Journal of Pain and Symptom Management, 2017, 53, 571-577.	0.6	38
288	Development of Palliative Care in China: A Tale of Three Cities. Oncologist, 2017, 22, 1362-1367.	1.9	38

#	Article	IF	Citations
289	Predicting the risk for aberrant opioid use behavior in patients receiving outpatient supportive care consultation at a comprehensive cancer center. Cancer, 2018, 124, 3942-3949.	2.0	38
290	The impact of the palliative care mobile team on symptom assessment and medication profiles in patients admitted to a comprehensive cancer center. Supportive Care in Cancer, 2007, 15, 471-475.	1.0	37
291	The Brazilian Version of the Edmonton Symptom Assessment System (ESAS) Is a Feasible, Valid and Reliable Instrument for the Measurement of Symptoms in Advanced Cancer Patients. PLoS ONE, 2015, 10, e0132073.	1.1	37
292	The Conversion Ratio From Intravenous Hydromorphone to Oral Opioids in Cancer Patients. Journal of Pain and Symptom Management, 2017, 54, 280-288.	0.6	37
293	Inter-rater reliability in performance status assessment among healthcare professionals: an updated systematic review and meta-analysis. Supportive Care in Cancer, 2020, 28, 2071-2078.	1.0	37
294	New developments in the assessment of pain in cancer patients. Supportive Care in Cancer, 1994, 2, 312-318.	1.0	36
295	A prospective comparison study between a butterfly needle and a Teflon cannula for subcutaneous narcotic administration. Journal of Pain and Symptom Management, 1994, 9, 82-84.	0.6	36
296	Symptom Control in Palliative Careâ€"Part I: Oncology as a Paradigmatic Example. Journal of Palliative Medicine, 2006, 9, 391-408.	0.6	36
297	Expressive Writing in Patients Receiving Palliative Care: A Feasibility Study. Journal of Palliative Medicine, 2008, 11, 15-19.	0.6	36
298	Self-Reported Constipation in Patients With Advanced Cancer: A Preliminary Report. Journal of Pain and Symptom Management, 2013, 45, 23-32.	0.6	36
299	Clinical Characteristics of Cancer Patients Referred Early to Supportive and Palliative Care. Journal of Palliative Medicine, 2013, 16, 148-155.	0.6	36
300	Aberrant Opioid Use and Urine Drug Testing in Outpatient Palliative Care. Journal of Palliative Medicine, 2016, 19, 778-782.	0.6	36
301	Models of supportive care in oncology. Current Opinion in Oncology, 2021, 33, 259-266.	1.1	36
302	The frequency and clinical course of cognitive impairment in patients with terminal cancer. Cancer, 1997, 79, 835-42.	2.0	36
303	Hypodermoclysis (HDC) for Symptom Control Vs. the Edmonton Injector (EI). Journal of Palliative Care, 1991, 7, 5-8.	0.4	35
304	Is there a role for hydration at the end of life?. Current Opinion in Supportive and Palliative Care, 2009, 3, 72-78.	0.5	35
305	A systematic review of instruments assessing dimensions of distress among caregivers of adult and pediatric cancer patients. Palliative and Supportive Care, 2017, 15, 110-124.	0.6	35
306	A Mindfulness-Based Intervention as a Supportive Care Strategy for Patients with Metastatic Non-Small Cell Lung Cancer and Their Spouses: Results of a Three-Arm Pilot Randomized Controlled Trial. Oncologist, 2020, 25, e1794-e1802.	1.9	35

#	Article	IF	CITATIONS
307	A diagnostic model for impending death in cancer patients: Preliminary report. Cancer, 2015, 121, 3914-3921.	2.0	34
308	Delivering Pediatric Palliative Care: From Denial, Palliphobia, Pallilalia to Palliactive. Children, 2018, 5, 120.	0.6	34
309	A Survey on Physical and Mental Distress among Cancer Patients during the COVID-19 Epidemic in Wuhan, China. Journal of Palliative Medicine, 2020, 23, 888-889.	0.6	34
310	Decisional Control Preferences, Disclosure of Information Preferences, and Satisfaction Among Hispanic Patients With Advanced Cancer. Journal of Pain and Symptom Management, 2014, 47, 896-905.	0.6	33
311	Impact of Prophylactic Fentanyl Pectin Nasal Spray on Exercise-Induced Episodic Dyspnea in Cancer Patients: AÂDouble-Blind, Randomized Controlled Trial. Journal of Pain and Symptom Management, 2016, 52, 459-468.e1.	0.6	33
312	Implementation of the Edmonton Symptom Assessment System for Symptom Distress Screening at a Community Cancer Center: A Pilot Program. Oncologist, 2017, 22, 995-1001.	1.9	33
313	Rapid discontinuation of hypnotics in terminal cancer patients: A prospective study. Annals of Oncology, 1996, 7, 855-856.	0.6	32
314	Pharmacological treatment of cachexia: any progress?. Supportive Care in Cancer, 1998, 6, 109-113.	1.0	32
315	Characteristics and outcomes of patients with advanced cancer evaluated by a palliative care team at an emergency center. A retrospective study. Supportive Care in Cancer, 2016, 24, 2287-2295.	1.0	32
316	Effect of Prophylactic Fentanyl Buccal Tablet on Episodic Exertional Dyspnea: A Pilot Double-Blind Randomized Controlled Trial. Journal of Pain and Symptom Management, 2017, 54, 798-805.	0.6	32
317	Association between frailty syndrome and survival in patients with pancreatic adenocarcinoma. Cancer Medicine, 2019, 8, 2867-2876.	1.3	32
318	Dyspnoea in patients with advanced cancer: Incidence, causes and treatments. Cancer Treatment Reviews, 1998, 24, 69-80.	3.4	31
319	Pain and Terminal Delirium Research in the Elderly. Clinics in Geriatric Medicine, 2005, 21, 93-119.	1.0	31
320	Changes in Symptoms and Inpatient Mortality: A Study in Advanced Cancer Patients Admitted to an Acute Palliative Care Unit in a Comprehensive Cancer Center. Journal of Palliative Medicine, 2011, 14, 1034-1041.	0.6	31
321	Development and Cross-Validation of the In-Hospital Mortality Prediction in Advanced Cancer Patients Score: A Preliminary Study. Journal of Palliative Medicine, 2012, 15, 902-909.	0.6	31
322	Corticosteroid Rotation to Alleviate Dexamethasone-Induced Hiccup: A Case Series at a Single Institution. Journal of Pain and Symptom Management, 2012, 43, 625-630.	0.6	31
323	Consistency of symptom clusters among advanced cancer patients seen at an outpatient supportive care clinic in a tertiary cancer center. Palliative and Supportive Care, 2013, 11, 473-480.	0.6	31
324	A Pilot Study To Define Chemical Coping in Cancer Patients Using the Delphi Method. Journal of Palliative Medicine, 2015, 18, 703-706.	0.6	31

#	Article	IF	CITATIONS
325	Delirium frequency among advanced cancer patients presenting to an emergency department: A prospective, randomized, observational study. Cancer, 2016, 122, 2918-2924.	2.0	31
326	The effects of oncology massage on symptom self-report for cancer patients and their caregivers. Supportive Care in Cancer, 2017, 25, 3645-3650.	1.0	31
327	Online Couple-Based Meditation Intervention for Patients With Primary or Metastatic Brain Tumors and Their Partners: Results of a Pilot Randomized Controlled Trial. Journal of Pain and Symptom Management, 2020, 59, 1260-1267.	0.6	31
328	Clinically Significant Drug-Drug Interaction Between Methadone and Cannabidiol. Pediatrics, 2020, 145, e20193256.	1.0	31
329	Dehydration in cancer patients: to treat or not to treat. The Journal of Supportive Oncology, 2004, 2, 467-79, 483.	2.3	31
330	Decisional Control Preferences of Hispanic Patients With Advanced Cancer From the United States and Latin America. Journal of Pain and Symptom Management, 2013, 46, 376-385.	0.6	30
331	Role of corticosteroids for fatigue in advanced incurable cancer. Current Opinion in Supportive and Palliative Care, 2014, 8, 346-351.	0.5	30
332	Selective Approach for Patients with Advanced Malignancy and Gastrointestinal Obstruction. Journal of the American College of Surgeons, 2017, 225, 53-59.	0.2	30
333	Frequency of unsafe storage, use, and disposal practices of opioids among cancer patients presenting to the emergency department. Palliative and Supportive Care, 2017, 15, 638-643.	0.6	30
334	High-dose corticosteroids for the management of dyspnea in patients with tumor obstruction of the upper airway. Supportive Care in Cancer, 2007, 15, 1437-1439.	1.0	29
335	Neuroleptic Prescription Pattern for Delirium in Patients with Advanced Cancer. Journal of Palliative Care, 2011, 27, 141-147.	0.4	29
336	Characteristics and Outcomes of Patients Admitted to the Acute Palliative Care Unit From the Emergency Center. Journal of Pain and Symptom Management, 2014, 47, 1028-1034.	0.6	29
337	Acute symptomatic complications among patients with advanced cancer admitted to acute palliative care units: A prospective observational study. Palliative Medicine, 2015, 29, 826-833.	1.3	29
338	Pilot randomized, controlled trial of a dyadic yoga program for glioma patients undergoing radiotherapy and their family caregivers. Neuro-Oncology Practice, 2019, 6, 311-320.	1.0	29
339	Examination of referral criteria for outpatient palliative care among patients with advanced cancer. Supportive Care in Cancer, 2020, 28, 295-301.	1.0	29
340	Factors Associated with Response to Methylphenidate in Advanced Cancer Patients. Oncologist, 2011, 16, 246-253.	1.9	28
341	Association between Patient-Reported Symptoms and Nurses' Clinical Impressions in Cancer Patients Admitted to an Acute Palliative Care Unit. Journal of Palliative Medicine, 2012, 15, 301-307.	0.6	28
342	Treatment of Dexamethasone-Induced Hiccup in Chemotherapy Patients by Methylprednisolone Rotation. Oncologist, 2013, 18, 1229-1234.	1.9	28

#	Article	IF	CITATIONS
343	Predicting survival in patients with advanced cancer in the last weeks of life: How accurate are prognostic models compared to clinicians' estimates?. Palliative Medicine, 2020, 34, 126-133.	1.3	28
344	Early versus delayed palliative/supportive care in advanced cancer: an observational study. BMJ Supportive and Palliative Care, 2020, 10, e32-e32.	0.8	28
345	Home palliative care professionals perception of challenges during the Covid-19 outbreak: A qualitative study. Palliative Medicine, 2021, 35, 862-874.	1.3	28
346	Intractable pain in patients with advanced head and neck tumors: a possible role of local infection. Cancer Treatment Reports, 1986, 70, 691-2.	0.5	28
347	Non-cardiogenic pulmonary edema after narcotic treatment for cancer pain. Pain, 1989, 39, 297-300.	2.0	27
348	Palliative care in developing countries: what are the important issues? Palliative Medicine, 2007, 21, 173-175.	1.3	27
349	Pain and emotional distress in leukemia patients at diagnosis. Leukemia Research, 2010, 34, e67-e68.	0.4	27
350	Differences in Performance Status Assessment Among Palliative Care Specialists, Nurses, and Medical Oncologists. Journal of Pain and Symptom Management, 2015, 49, 1050-1058.e2.	0.6	27
351	Patient-reported sleep disturbance in advanced cancer: frequency, predictors and screening performance of the Edmonton Symptom Assessment System sleep item. BMJ Supportive and Palliative Care, 2015, 7, bmjspcare-2015-000847.	0.8	27
352	Neuroleptics in the management of delirium in patients with advanced cancer. Current Opinion in Supportive and Palliative Care, 2016, 10, 316-323.	0.5	27
353	A Prospective Study of Hypodermoclysis Performed by Caregivers in the Home Setting. Journal of Pain and Symptom Management, 2016, 52, 570-574.e9.	0.6	27
354	Bispectral Index monitoring in cancer patients undergoing palliative sedation: a preliminary report. Supportive Care in Cancer, 2017, 25, 3143-3149.	1.0	27
355	Meaning in life in patients with advanced cancer: a multinational study. Supportive Care in Cancer, 2020, 28, 3927-3934.	1.0	27
356	Regional Palliative Care Program in Extremadura: An Effective Public Health Care Model in a Sparsely Populated Region. Journal of Pain and Symptom Management, 2007, 33, 591-598.	0.6	26
357	Delirium with Severe Symptom Expression Related to Hypercalcemia in a Patient with Advanced Cancer: An Interdisciplinary Approach to Treatment. Journal of Pain and Symptom Management, 2008, 36, 442-449.	0.6	26
358	A Month in an Acute Palliative Care Unit. American Journal of Hospice and Palliative Medicine, 2011, 28, 550-555.	0.8	26
359	Growth of an Academic Palliative Medicine Program: Patient Encounters and Clinical Burden. Journal of Pain and Symptom Management, 2013, 45, 261-271.	0.6	26
360	Outcome Measures Other than Morbidity and Mortality for Patients with Incurable Cancer and Gastrointestinal Obstruction. Journal of Palliative Medicine, 2014, 17, 18-26.	0.6	26

#	Article	IF	CITATIONS
361	Pain in Patients With Cancer. Journal of Clinical Oncology, 2014, 32, 1637-1639.	0.8	26
362	Psychometric Validation of the Edmonton Symptom Assessment System in Chinese Patients. Journal of Pain and Symptom Management, 2015, 50, 712-717.e2.	0.6	26
363	ReCAP: Attitudes, Beliefs, and Awareness of Graduate Medical Education Trainees Regarding Palliative Care at a Comprehensive Cancer Center. Journal of Oncology Practice, 2016, 12, 149-150.	2.5	26
364	Off-Label Medication Use in the Inpatient Palliative Care Unit. Journal of Pain and Symptom Management, 2017, 54, 46-54.	0.6	26
365	Frequency, Outcomes, and Associated Factors for Opioid-Induced Neurotoxicity in Patients with Advanced Cancer Receiving Opioids in Inpatient Palliative Care. Journal of Palliative Medicine, 2018, 21, 1698-1704.	0.6	26
366	The effects of inpatient music therapy on self-reported symptoms at an academic cancer center: a preliminary report. Supportive Care in Cancer, 2019, 27, 4207-4212.	1.0	26
367	Phase Angle and the Diagnosis of Impending Death in Patients with Advanced Cancer: Preliminary Findings. Oncologist, 2019, 24, e365-e373.	1.9	26
368	Unrelieved Pain and Suffering in Patients With Advanced Cancer. American Journal of Hospice and Palliative Medicine, 2012, 29, 236-240.	0.8	25
369	Experience of Barriers to Pain Management in Patients Receiving Outpatient Palliative Care. Journal of Palliative Medicine, 2013, 16, 908-914.	0.6	25
370	Cancer patients' perceptions regarding the value of the physical examination: A survey study. Cancer, 2014, 120, 2215-2221.	2.0	25
371	The opioid rotation ratio of strong opioids to transdermal fentanyl in cancer patients. Cancer, 2016, 122, 149-156.	2.0	25
372	Gender Differences in Hiccup Patients: Analysis of Published Case Reports and Case-Control Studies. Journal of Pain and Symptom Management, 2016, 51, 278-283.	0.6	25
373	Fan Therapy for the Treatment of Dyspnea in Adults: AÂSystematic Review. Journal of Pain and Symptom Management, 2019, 58, 481-486.	0.6	25
374	Early Integration of Palliative and Supportive Care in the Cancer Continuum: Challenges and Opportunities. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2013, , 144-150.	1.8	25
375	Frequency of symptom distress and poor prognostic indicators in palliative cancer patients admitted to a tertiary palliative care unit, hospices, and acute care hospitals. Journal of Palliative Care, 2000, 16, 16-21.	0.4	25
376	Pain and Symptom Management in Palliative Care. Cancer Control, 1996, 3, 204-213.	0.7	24
377	Thalidomide for night sweats in patients with advanced cancer. Palliative Medicine, 2000, 14, 77-78.	1.3	24
378	Characteristics of patients who refuse doâ€notâ€resuscitate orders upon admission to an acute palliative care unit in a comprehensive cancer center. Cancer, 2010, 116, 3061-3070.	2.0	24

#	Article	IF	CITATIONS
379	Palliative care research: Lessons learned by our team over the last 25 years. Palliative Medicine, 2013, 27, 939-951.	1.3	24
380	Frequency and Factors Associated With Unexpected Death in an Acute Palliative Care Unit: Expect the Unexpected. Journal of Pain and Symptom Management, 2015, 49, 822-827.	0.6	24
381	The frequency of QTc prolongation among pediatric and young adult patients receiving methadone for cancer pain. Pediatric Blood and Cancer, 2017, 64, e26614.	0.8	24
382	Antiemetic Corticosteroid Rotation from Dexamethasone to Methylprednisolone to Prevent Dexamethasone-Induced Hiccup in Cancer Patients Treated with Chemotherapy: A Randomized, Single-Blind, Crossover Phase III Trial. Oncologist, 2017, 22, 1354-1361.	1.9	24
383	Prophylactic Fentanyl Sublingual Spray for Episodic Exertional Dyspnea in Cancer Patients: A Pilot Double-Blind Randomized Controlled Trial. Journal of Pain and Symptom Management, 2019, 58, 605-613.	0.6	24
384	The Edmonton injector: A simple device for patient-controlled subcutaneous analgesia. Pain, 1991, 44, 167-169.	2.0	23
385	Steadyâ€6tate Pharmacokinetic Evaluation of a Novel, Controlledâ€Release Morphine Suppository and Subcutaneous Morphine in Cancer Pain. Journal of Clinical Pharmacology, 1995, 35, 666-672.	1.0	23
386	Pain intensity assessment by bedside nurses and palliative care consultants: a retrospective study. Supportive Care in Cancer, 2005, 13, 228-231.	1.0	23
387	Factors associated with the severity and improvement of fatigue in patients with advanced cancer presenting to an outpatient palliative care clinic. BMC Palliative Care, 2012, 11, 16.	0.8	23
388	Practice Patterns and Perceptions About Parenteral Hydration in the Last Weeks of Life: A Survey of Palliative Care Physicians in Latin America. Journal of Pain and Symptom Management, 2012, 43, 47-58.	0.6	23
389	Methadone Rotation for Cancer Patients with Refractory Pain in a Palliative Care Unit: An Observational Study. Journal of Palliative Medicine, 2013, 16, 1382-1387.	0.6	23
390	Return to Primary Service Among Bone Marrow Transplant Rehabilitation Inpatients: An Index for Predicting Outcomes. Archives of Physical Medicine and Rehabilitation, 2013, 94, 356-361.	0.5	23
391	The Opioid Rotation Ratio of Hydrocodone to Strong Opioids in Cancer Patients. Oncologist, 2014, 19, 1186-1193.	1.9	23
392	Frequency and Reasons for Return to the Primary Acute Care Service Among Patients With Lymphoma Undergoing Inpatient Rehabilitation. PM and R, 2014, 6, 629-634.	0.9	23
393	Serious Illness Conversations: Paving the Road with Metaphors. Oncologist, 2018, 23, 730-733.	1.9	23
394	Factors Associated With Attrition in a Multicenter Longitudinal Observational Study of Patients With Advanced Cancer. Journal of Pain and Symptom Management, 2018, 55, 938-945.	0.6	23
395	Compliance with Opioid Therapy: Distinguishing Clinical Characteristics and Demographics Among Patients with Cancer Pain. Pain Medicine, 2018, 19, 1469-1477.	0.9	23
396	Attitudes and Beliefs About Medical Usefulness and Legalization of Marijuana among Cancer Patients in a Legalized and a Nonlegalized State. Journal of Palliative Medicine, 2019, 22, 1213-1220.	0.6	23

#	Article	IF	Citations
397	Perception of discomfort by relatives and nurses in unresponsive terminally ill patients with cancer: a prospective study. Journal of Pain and Symptom Management, 2003, 26, 818-826.	0.6	22
398	A multicenter survey of Hispanic caregiver preferences for patient decision control in the United States and Latin America. Palliative Medicine, 2013, 27, 692-698.	1.3	22
399	Pain Management in the Era of the Opioid Crisis. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2018, 38, 807-812.	1.8	22
400	Characteristics and Outcomes of Psychology Referrals in a Palliative Care Department. Journal of Pain and Symptom Management, 2018, 56, 344-351.	0.6	22
401	Recommendations for Palliative and Hospice Care in NCCN Guidelines for Treatment of Cancer. Oncologist, 2021, 26, 77-83.	1.9	22
402	The effects of curcumin (diferuloylmethane) on body composition of patients with advanced pancreatic cancer. Oncotarget, 2016, 7, 20293-20304.	0.8	22
403	Effectiveness of megestrol acetate in patients with advanced cancer: a randomized, double-blind, crossover study. Cancer Prevention and Control, 1998, 2, 74-8.	0.2	22
404	AAHPM Position Paper: Requirements for the Successful Development of Academic Palliative Care Programs. Journal of Pain and Symptom Management, 2010, 39, 743-755.	0.6	21
405	Predictors of high score patient-reported barriers to controlling cancer pain: a preliminary report. Supportive Care in Cancer, 2013, 21, 1175-1183.	1.0	21
406	Family Conferences in Palliative Care: A Survey of Health Care Providers in France. Journal of Pain and Symptom Management, 2014, 48, 1117-1124.	0.6	21
407	Self-reported sleep disturbance in patients with advanced cancer: Frequency, intensity, and factors associated with response to outpatient supportive care consultation $\hat{a} \in \mathcal{C}$ A preliminary report. Palliative and Supportive Care, 2015, 13, 135-143.	0.6	21
408	Effects of Dexamethasone and Placebo on Symptom Clusters in Advanced Cancer Patients: A Preliminary Report. Oncologist, 2016, 21, 384-390.	1.9	21
409	Return to the Primary Acute Care Service Among Patients With Multiple Myeloma on an Acute Inpatient Rehabilitation Unit. PM and R, 2017, 9, 571-578.	0.9	21
410	Perception of Helpfulness of a Question Prompt Sheet Among Cancer Patients Attending Outpatient Palliative Care. Journal of Pain and Symptom Management, 2017, 53, 124-130.e1.	0.6	21
411	Frequency of Burnout Among Palliative Care Physicians Participating in a Continuing Medical Education Course. Journal of Pain and Symptom Management, 2020, 60, 80-86.e2.	0.6	21
412	Rapid Transition to Virtual Care during the COVID-19 Epidemic: Experience of a Supportive Care Clinic at a Tertiary Care Cancer Center. Journal of Palliative Medicine, 2021, 24, 1467-1473.	0.6	21
413	Assessing Cancer Pain. Current Pain and Headache Reports, 2012, 16, 314-324.	1.3	20
414	A Successful Palliative Care Intervention for Cancer Pain Refractory to Intrathecal Analgesia. Journal of Pain and Symptom Management, 2012, 44, 124-130.	0.6	20

#	Article	IF	CITATIONS
415	Frequency and Reasons for Return to Acute Care in Patients with Leukemia Undergoing Inpatient Rehabilitation. American Journal of Physical Medicine and Rehabilitation, 2013, 92, 215-222.	0.7	20
416	The routine use of the Edmonton Classification System for Cancer Pain in an outpatient supportive care center. Palliative and Supportive Care, 2015, 13, 1185-1192.	0.6	20
417	Increased Symptom Expression among Patients with Delirium Admitted to an Acute Palliative Care Unit. Journal of Palliative Medicine, 2017, 20, 638-641.	0.6	20
418	Overall Survival among Cancer Patients Undergoing Opioid Rotation to Methadone Compared to Other Opioids. Journal of Palliative Medicine, 2017, 20, 656-661.	0.6	20
419	Bleeding frequency and characteristics among hematologic malignancy inpatient rehabilitation patients with severe thrombocytopenia. Supportive Care in Cancer, 2018, 26, 3135-3141.	1.0	20
420	Testing the feasibility of using the Edmonton Symptom Assessment System (ESAS) to assess caregiver symptom burden. Palliative and Supportive Care, 2018, 16, 14-22.	0.6	20
421	The opioid epidemic in the United States—Overview, origins, and potential solutions. Cancer, 2018, 124, 4279-4286.	2.0	20
422	Integration of a Mandatory Palliative Care Education Into Hematology-Oncology Fellowship Training in a Comprehensive Cancer Center: A Survey of Hematology Oncology Fellows. Journal of Oncology Practice, 2019, 15, e934-e941.	2.5	20
423	Place-of-death preferences among patients with cancer and family caregivers in inpatient and outpatient palliative care. BMJ Supportive and Palliative Care, 2022, 12, e501-e504.	0.8	20
424	Decreased local toxicity with subcutaneous diamorphine (heroin): a preliminary report. Pain, 1990, 43, 91-94.	2.0	19
425	State of Art of Managing Pain in Patients With Cancer. Cancer Journal (Sudbury, Mass), 2013, 19, 379-389.	1.0	19
426	Characteristics and outcomes of advanced cancer patients who miss outpatient supportive care consult appointments. Supportive Care in Cancer, 2014, 22, 2869-2874.	1.0	19
427	The Frequency and Factors Associated With the Use of a Dedicated Supportive Care Center Telephone Triaging Program in Patients With Advanced Cancer at a Comprehensive Cancer Center. Journal of Pain and Symptom Management, 2015, 49, 939-944.	0.6	19
428	Methadone as the Initial Long-Acting Opioid in Children with Advanced Cancer. Journal of Palliative Medicine, 2018, 21, 1317-1321.	0.6	19
429	Inequalities in Financial Distress, Symptoms, and Quality of Life Among Patients with Advanced Cancer in France and the U.S Oncologist, 2019, 24, 1121-1127.	1.9	19
430	Systematic Symptom Reporting by Pediatric Palliative Care Patients with Cancer: A Preliminary Report. Journal of Palliative Medicine, 2019, 22, 894-901.	0.6	19
431	Association between Spirituality, Religiosity, Spiritual Pain, Symptom Distress, and Quality of Life among Latin American Patients with Advanced Cancer: A Multicenter Study. Journal of Palliative Medicine, 2021, 24, 1606-1615.	0.6	19
432	Exercise Barriers and Adherence to Recommendations in Patients With Cancer. JCO Oncology Practice, 2021, 17, e972-e981.	1.4	19

#	Article	IF	CITATIONS
433	Respiratory Depression during Methadone Rotation in a Patient with Advanced Cancer. Journal of Palliative Care, 2000, 16, 50-54.	0.4	18
434	Potent Analgesics Are More Expensive for Patients in Developing Countries. Journal of Pain and Palliative Care Pharmacotherapy, 2004, 18, 59-70.	0.5	18
435	Process and Content of Decision Making by Advanced Cancer Patients. Journal of Clinical Oncology, 2006, 24, 1029-1030.	0.8	18
436	Palliative Care for Delirium in Patients in the Last weeks of Life: The Final Frontier. Journal of Palliative Care, 2014, 30, 259-264.	0.4	18
437	Decisional control preferences of patients with advanced cancer receiving palliative care. Palliative and Supportive Care, 2018, 16, 544-551.	0.6	18
438	Outpatient acupuncture effects on patient self-reported symptoms in oncology care: a retrospective analysis. Journal of Cancer, 2018, 9, 3613-3619.	1.2	18
439	Prescription Opioids Dispensed to Patients with Cancer with Bone Metastasis: 2011–2017. Oncologist, 2021, 26, e1890-e1892.	1.9	18
440	Emerging Neuropsychiatric Toxicities of Opioids. Journal of Pain and Palliative Care Pharmacotherapy, 1997, 5, 3-29.	0.2	17
441	Access to palliative medicine training for Canadian family medicine residents. Palliative Medicine, 1998, 12, 23-27.	1.3	17
442	Respective limits of palliative care and oncology in the supportive care of cancer patients. Supportive Care in Cancer, 1999, 7, 321-327.	1.0	17
443	Intermittent Subcutaneous Opioids for the Management of Cancer Pain. Journal of Palliative Medicine, 2008, 11, 1319-1324.	0.6	17
444	Predictors of Trust in the Medical Profession among Cancer Patients Receiving Palliative Care: A Preliminary Study. Journal of Palliative Medicine, 2016, 19, 991-994.	0.6	17
445	Qualitative Study on the Perceptions of Terminally Ill Cancer Patients and Their Family Members Regarding End-of-Life Experiences Focusing on Palliative Sedation. Journal of Pain and Symptom Management, 2017, 53, 1010-1016.	0.6	17
446	Frequency and Outcome of Neuroleptic Rotation in the Management of Delirium in Patients with Advanced Cancer. Cancer Research and Treatment, 2015, 47, 399-405.	1.3	17
447	Edmonton Regional Palliative Care Program: impact on patterns of terminal cancer care. Cmaj, 1999, 161, 290-3.	0.9	17
448	Palliative management of brain metastases. Supportive Care in Cancer, 1998, 6, 365-372.	1.0	16
449	Twice-daily versus once-daily morphine sulphate controlled-release suppositories for the treatment of cancer pain. Supportive Care in Cancer, 1999, 7, 280-283.	1.0	16
450	Routine symptom assessment: good for practice and good for business. Supportive Care in Cancer, 2008, 16, 537-538.	1.0	16

#	Article	IF	Citations
451	Can patient reported outcomes help identify the optimal outcome in palliative surgery?. Journal of Surgical Oncology, 2014, 109, 145-150.	0.8	16
452	The Use of Very-Low-Dose Methadone and Haloperidol for Pain Control in the Hospital Setting: A Preliminary Report. Journal of Palliative Medicine, 2015, 18, 114-119.	0.6	16
453	The Opioid Rotation Ratio From Transdermal Fentanyl to "Strong―Opioids in Patients With Cancer Pain. Journal of Pain and Symptom Management, 2016, 51, 1040-1045.	0.6	16
454	Could Objective Tests Be Used to Measure Fatigue in Patients With Advanced Cancer?. Journal of Pain and Symptom Management, 2017, 54, 237-244.	0.6	16
455	Assessing the prognostic features of a pain classification system in advanced cancer patients. Supportive Care in Cancer, 2017, 25, 2863-2869.	1.0	16
456	Personalized Pain Goal as an Outcome Measure in Routine Cancer Pain Assessment. Journal of Pain and Symptom Management, 2018, 56, 80-87.	0.6	16
457	Hypomagnesemia and Survival in Patients with Ovarian Cancer Who Received Chemotherapy with Carboplatin. Oncologist, 2019, 24, e312-e317.	1.9	16
458	Cancer Patients' Perceived Difficulties Filling Opioid Prescriptions After Receiving Outpatient Supportive Care. Journal of Pain and Symptom Management, 2020, 60, 915-922.	0.6	16
459	MASCC antiemetics in advanced cancer updated guideline. Supportive Care in Cancer, 2021, 29, 8097-8107.	1.0	16
460	To Hydrate or Not to Hydrate: How Should It Be?. Journal of Clinical Oncology, 2000, 18, 1156-1158.	0.8	15
461	Reporting of Funding Sources and Conflict of Interest in the Supportive and Palliative Oncology Literature. Journal of Pain and Symptom Management, 2012, 44, 421-430.	0.6	15
462	The Effect of Age on Opioid Switching to Methadone: A Systematic Review. Journal of Palliative Medicine, 2012, 15, 347-351.	0.6	15
463	Association between supportive care interventions and patient self-reported depression among advanced cancer outpatients. Supportive Care in Cancer, 2014, 22, 871-879.	1.0	15
464	Inpatient Rehabilitation Performance of Patients With Paraneoplastic Cerebellar Degeneration. Archives of Physical Medicine and Rehabilitation, 2014, 95, 2496-2499.	0.5	15
465	Development of a Question Prompt Sheet for Cancer Patients Receiving Outpatient Palliative Care. Journal of Palliative Medicine, 2016, 19, 883-887.	0.6	15
466	Physicians' Compassion, Communication Skills, and Professionalism With and Without Physicians' Use of an Examination Room Computer. JAMA Oncology, 2018, 4, 879.	3.4	15
467	High-Flow Nasal Cannula Therapy for Exertional Dyspnea in Patients with Cancer: A Pilot Randomized Clinical Trial. Oncologist, 2021, 26, e1470-e1479.	1.9	15
468	Yoga-Based Breathing Techniques for Health Care Workers During COVID-19 Pandemic: Interests, Feasibility, and Acceptance. Journal of Alternative and Complementary Medicine, 2021, 27, 706-709.	2.1	15

#	Article	IF	Citations
469	Patientâ€Reported Usefulness of Acute Cancer Rehabilitation. PM and R, 2017, 9, 1135-1143.	0.9	15
470	Delirium in Palliative Care. Cancers, 2021, 13, 5893.	1.7	15
471	Cancer Patients' Perception of the Quality of Communication Before and After the Implementation of a Communication Strategy in a Regional Cancer Center in India. Journal of Clinical Oncology, 2005, 23, 4771-4775.	0.8	14
472	The association between religiosity and resuscitation status preference among patients with advanced cancer. Palliative and Supportive Care, 2015, 13, 1435-1439.	0.6	14
473	Changes in medication profile among patients with advanced cancer admitted to an acute palliative care unit. Supportive Care in Cancer, 2015, 23, 427-432.	1.0	14
474	Advance Directives, Hospitalization, and Survival Among Advanced Cancer Patients with Delirium Presenting to the Emergency Department: A Prospective Study. Oncologist, 2017, 22, 1368-1373.	1.9	14
475	Pattern and Predictors of Outpatient Palliative Care Referral Among Thoracic Medical Oncologists. Oncologist, 2018, 23, 1230-1235.	1.9	14
476	Explicit prognostic disclosure to Asian women with breast cancer: A randomized, scripted videoâ€vignette study (Jâ€5UPPORT1601). Cancer, 2019, 125, 3320-3329.	2.0	14
477	Minimally Invasive Cordotomy for Refractory Cancer Pain: A Randomized Controlled Trial. Oncologist, 2019, 24, e590-e596.	1.9	14
478	Sleep disturbance in patients with cancer: a feasibility study of multimodal therapy. BMJ Supportive and Palliative Care, 2021, 11, 170-179.	0.8	14
479	Edmonton Symptom Assessment Scale Time Duration of Self-Completion Versus Assisted Completion in Patients with Advanced Cancer: A Randomized Comparison. Oncologist, 2021, 26, 165-171.	1.9	14
480	High-Flow Oxygen and High-Flow Air for Dyspnea in Hospitalized Patients with Cancer: A Pilot Crossover Randomized Clinical Trial. Oncologist, 2021, 26, e883-e892.	1.9	14
481	Palliative care education and research at US cancer centers: A national survey. Cancer, 2021, 127, 2139-2147.	2.0	14
482	Association of Edmonton Symptom Assessment System Global Distress Score With Overall Survival in Patients With Advanced Cancer. JAMA Network Open, 2021, 4, e2117295.	2.8	14
483	Medical management of malignant bowel obstruction in patients with advanced cancer: 2021 MASCC guideline update. Supportive Care in Cancer, 2021, 29, 8089-8096.	1.0	14
484	Caloric intake assessment in advanced cancer patients: comparison of three methods. Cancer Treatment Reports, 1986, 70, 981-3.	0.5	14
485	Neuroleptic prescription pattern for delirium in patients with advanced cancer. Journal of Palliative Care, 2011, 27, 141-7.	0.4	14
486	Hypodermoclysis for the Administration of Fluids and Narcotic Analgesics in Patients With Advanced Cancer. Journal of the National Cancer Institute, 1989, 81, 1108-1109.	3.0	13

#	Article	IF	CITATIONS
487	Characteristics of Advanced Cancer Patients With Cancer-Related Fatigue Enrolled in Clinical Trials and Patients Referred to Outpatient Palliative Care Clinics. Journal of Pain and Symptom Management, 2013, 45, 534-541.	0.6	13
488	Cordotomy for treatment of cancer-related pain: patient selection and intervention timing. Neurosurgical Focus, 2013, 35, E6.	1.0	13
489	Pilot Testing of a Brief Couple-Based Mind-Body Intervention for Patients With Metastatic Non-Small Cell Lung Cancer and Their Partners. Journal of Pain and Symptom Management, 2018, 55, 953-961.	0.6	13
490	Patterns of Opioid Prescription, Use, and Costs Among Patients With Advanced Cancer and Inpatient Palliative Care Between 2008 and 2014. Journal of Oncology Practice, 2019, 15, e74-e83.	2.5	13
491	Implications of the Parenteral Opioid Shortage for Prescription Patterns and Pain Control Among Hospitalized Patients With Cancer Referred to Palliative Care. JAMA Oncology, 2019, 5, 841.	3.4	13
492	Response to Oral Immediate-Release Opioids for Breakthrough Pain in Patients with Advanced Cancer with Adequately Controlled Background Pain. Oncologist, 2019, 24, 125-131.	1.9	13
493	Patterns of Storage, Use, and Disposal of Prescription Opioids by Parents of Children With Cancer. Journal of Pain and Symptom Management, 2020, 59, 320-326.	0.6	13
494	The role of empathic nursing telephone interventions with advanced cancer patients: A qualitative study. European Journal of Oncology Nursing, 2021, 50, 101863.	0.9	13
495	Changes in Cancer Patients' and Caregivers' Disease Perceptions While Receiving Early Palliative Care: A Qualitative and Quantitative Analysis. Oncologist, 2021, 26, e2274-e2287.	1.9	13
496	Early Palliative Care in Acute Myeloid Leukemia. Cancers, 2022, 14, 478.	1.7	13
497	Cancer-related fatigue: a multidimensional syndrome. The Journal of Supportive Oncology, 2010, 8, 175-6.	2.3	13
498	Recent Developments in Palliative Cancer Care. Acta Oncológica, 1998, 37, 749-757.	0.8	12
499	Attitudes and Perceptions of Patients, Caregivers, and Health Care Providers toward Background Music in Patient Care Areas: An Exploratory Study. Journal of Palliative Medicine, 2012, 15, 1130-1136.	0.6	12
500	How far along the disease trajectory? An examination of the time-related patient characteristics in the palliative oncology literature. Supportive Care in Cancer, 2016, 24, 3997-4004.	1.0	12
501	The minimal clinically important difference of the Richmond Agitationâ€6edation Scale in patients with cancer with agitated delirium. Cancer, 2018, 124, 2246-2252.	2.0	12
502	Outcomes of Embedded Palliative Care Outpatients Initial Consults on Timing of Palliative Care Access, Symptoms, and End-of-Life Quality Care Indicators among Advanced Nonsmall Cell Lung Cancer Patients. Journal of Palliative Medicine, 2018, 21, 1690-1697.	0.6	12
503	Association between tobacco use, pain expression, and coping strategies among patients with advanced cancer. Cancer, 2019, 125, 153-160.	2.0	12
504	Identifying Core Principles of Palliative Care Consultation in Surgical Patients and Potential Knowledge Gaps for Surgeons. Journal of the American College of Surgeons, 2020, 231, 179-185.	0.2	12

#	Article	IF	CITATIONS
505	Anamorelin combined with physical activity, and nutritional counseling for cancer-related fatigue: a preliminary study. Supportive Care in Cancer, 2022, 30, 497-509.	1.0	12
506	Early palliative/supportive care in acute myeloid leukaemia allows low aggression end-of-life interventions: observational outpatient study. BMJ Supportive and Palliative Care, 2021, , bmjspcare-2021-002898.	0.8	12
507	Palliative care for delirium in patients in the last weeks of life: the final frontier. Journal of Palliative Care, 2014, 30, 259-64.	0.4	12
508	Matching the clinical function and symptom status with the expectations of patients with advanced cancer, their families, and health care workers. Supportive Care in Cancer, 1997, 5, 252-256.	1.0	11
509	Clinical, sociodemographic, and local system factors associated with a hospital death among cancer patients. Supportive Care in Cancer, 2006, 14, 71-77.	1.0	11
510	Minimal Clinically Important Differences in the Edmonton Symptom Assessment System: The Anchor Is Key. Journal of Pain and Symptom Management, 2013, 45, e4-e5.	0.6	11
511	Factors Associated With Survival After Opioid Rotation in Cancer Patients Presenting to an Outpatient Supportive Care Center. Journal of Pain and Symptom Management, 2014, 48, 92-98.	0.6	11
512	The need for a multidisciplinary approach to pain management in advanced cancer: A clinical case. Palliative and Supportive Care, 2015, 13, 389-394.	0.6	11
513	Palliative Care in Patients with Leukemia: When and How?. Current Oncology Reports, 2018, 20, 95.	1.8	11
514	Extension for Community Healthcare Outcomes-Palliative Care in Africa Program: Improving Access to Quality Palliative Care. Journal of Global Oncology, 2019, 5, 1-8.	0.5	11
515	Random vs Targeted Urine Drug Testing Among Patients Undergoing Long-term Opioid Treatment for Cancer Pain. JAMA Oncology, 2020, 6, 580.	3.4	11
516	Random urine drug testing among patients receiving opioid therapy for cancer pain. Cancer, 2021, 127, 968-975.	2.0	11
517	Communication in Cancer Care: Recent Developments. Journal of Palliative Care, 2002, 18, 300-306.	0.4	10
518	Depression assessment by oncologists and palliative care physicians. Palliative and Supportive Care, 2012, 10, 255-263.	0.6	10
519	La médecine palliative dans les dix prochaines années. Medecine Palliative, 2012, 11, 233-245.	0.0	10
520	First Spanish Version of the Memorial Delirium Assessment Scale: Psychometric Properties, Responsiveness, and Factor Loadings. Journal of Pain and Symptom Management, 2014, 47, 189-197.	0.6	10
521	Symptom burden and functional gains in a cancer rehabilitation unit. International Journal of Therapy and Rehabilitation, 2015, 22, 517-523.	0.1	10
522	Patients' and Family Members' Decision-Making and Information Disclosure Preferences in a Single-Center Survey in China. American Journal of Hospice and Palliative Medicine, 2016, 33, 733-741.	0.8	10

#	Article	IF	CITATIONS
523	Snapshot of an Outpatient Supportive Care Center at a Comprehensive Cancer Center. Journal of Palliative Medicine, 2017, 20, 433-436.	0.6	10
524	Development and validation of a prognostic nomogram for ambulatory patients with advanced cancer. Cancer Medicine, 2018, 7, 3003-3010.	1.3	10
525	Association between Advanced Cancer Patients' Perception of Curability and Patients' Characteristics, Decisional Control Preferences, Symptoms, and End-of-Life Quality Care Outcomes. Journal of Palliative Medicine, 2018, 21, 1609-1616.	0.6	10
526	Somatotopy and Organization of Spinothalamic Tracts in the Human Cervical Spinal Cord. Neurosurgery, 2019, 84, E311-E317.	0.6	10
527	Physical Therapist–Led Exercise Assessment and Counseling in Integrative Cancer Care: Effects on Patient Self-reported Symptoms and Quality of Life. Integrative Cancer Therapies, 2019, 18, 153473541983236.	0.8	10
528	Exploratory Study of Low Resolution Electromagnetic Tomography (LORETA) Real-Time Z-Score Feedback in the Treatment of Pain in Patients with Head and Neck Cancer. Brain Topography, 2019, 32, 283-285.	0.8	10
529	Retrospective Analysis of Acute Rehabilitation Outcomes of Cancer Inpatients with Leptomeningeal Disease. PM and R, 2020, 12, 263-270.	0.9	10
530	Inter-rater reliability in performance status assessment between clinicians and patients: a systematic review and meta-analysis. BMJ Supportive and Palliative Care, 2020, 10, 129-135.	0.8	10
531	Postoperative opioid use after lobectomy for primary lung cancer: A propensity-matched analysis of Premier hospital data. Journal of Thoracic and Cardiovascular Surgery, 2021, 162, 259-268.e4.	0.4	10
532	Managing Nonmedical Opioid Use Among Patients With Cancer Pain During the COVID-19 Pandemic Using the CHAT Model and Telehealth. Journal of Pain and Symptom Management, 2021, 62, 192-196.	0.6	10
533	Perceptions of Hope Among Bereaved Caregivers of Cancer Patients Who Received Early Palliative Care: A Content and Lexicographic Analysis. Oncologist, 2022, 27, e168-e175.	1.9	10
534	Ethical issues in palliative care research. Journal of Palliative Care, 1994, 10, 7-9.	0.4	10
535	Opioid Availability in Latin America: The Declaration of Florian \tilde{A}^3 polis. Journal of Palliative Care, 1994, 10, 11-14.	0.4	9
536	Predictors of response to palliative care intervention for chronic nausea in advanced cancer outpatients. Supportive Care in Cancer, 2013, 21, 2427-2435.	1.0	9
537	"Whatever My Mother Wants― Barriers to Adequate Pain Management. Journal of Palliative Medicine, 2013, 16, 709-712.	0.6	9
538	Insurance company denial of payment and enforced changes in the type and dose of opioid analgesics for patients with cancer pain. Palliative and Supportive Care, 2014, 12, 515-518.	0.6	9
539	Adolescent-young adults (AYA) with cancer seeking integrative oncology consultations: demographics, characteristics, and self-reported outcomes. Supportive Care in Cancer, 2018, 26, 1161-1167.	1.0	9
540	Outcome measurement and complex physical, psychosocial and spiritual experiences of death and dying. Annals of Palliative Medicine, 2018, 7, S231-S243.	0.5	9

#	Article	IF	CITATIONS
541	A research protocol for a pilot randomized controlled trial designed to examine the feasibility of a couple-based mind-body intervention for patients with metastatic lung cancer and their partners. Pilot and Feasibility Studies, 2018, 4, 37.	0.5	9
542	Corrected QT Interval Prolongation in Pediatric and Young Adult Patients on Methadone for Cancer-Related Pain. Journal of Pain and Symptom Management, 2019, 58, 678-684.	0.6	9
543	Frequency and characteristics of drowsiness, somnolence, or daytime sleepiness in patients with advanced cancer. Palliative and Supportive Care, 2019, 17, 459-463.	0.6	9
544	Palliative care referral and associated outcomes among patients with cancer in the last 2â€weeks of life. BMJ Supportive and Palliative Care, 2019, 9, e16-e16.	0.8	9
545	Hospital Deaths a Poor Quality Metric for Patients With Cancer. JAMA Oncology, 2020, 6, 1861.	3.4	9
546	State of Integration of Palliative Care at National Cancer Institute–Designated and Nondesignated Cancer Centers. JAMA Oncology, 2020, 6, 1292.	3.4	9
547	Cannabidiol (CBD) Oil, Cancer, and Symptom Management: A Google Trends Analysis of Public Interest. Journal of Alternative and Complementary Medicine, 2020, 26, 346-348.	2.1	9
548	The Impact of International Research Collaborations on the Citation Metrics and the Scientific Potential of South American Palliative Care Research: Bibliometric Analysis. Annals of Global Health, 2021, 87, 32.	0.8	9
549	Aggressiveness of care at end of life in patients with highâ€grade glioma. Cancer Medicine, 2021, 10, 8387-8394.	1.3	9
550	Methylene Blue for the Treatment of Intractable Pain From Oral Mucositis Related to Cancer Treatment: An Uncontrolled Cohort. Journal of the National Comprehensive Cancer Network: JNCCN, 2021, 19, 521-527.	2.3	9
551	The development of a palliative care culture. Journal of Palliative Care, 2004, 20, 316-9.	0.4	9
552	Poor correlation between physician and patient assessment of quality of life in palliative care. Nature Clinical Practice Oncology, 2006, 3, 592-593.	4.3	8
553	On Third Base but not Home Yet. Journal of Palliative Medicine, 2008, 11, 565-569.	0.6	8
554	Supportive and palliative care: A poorly understood science for the perioperative clinician. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2013, 27, 563-573.	1.7	8
555	Patient Home Visits: Measuring Outcomes of a Community Model for Palliative Care Education. Journal of Palliative Medicine, 2016, 19, 271-278.	0.6	8
556	Characteristics and Outcomes of Advanced Cancer Patients Who Received Palliative Care at a Public Hospital Compared with Those at a Comprehensive Cancer Center. Journal of Palliative Medicine, 2018, 21, 678-685.	0.6	8
557	Craving Behavior from Opioid Addiction Controlled with Olanzapine in an Advanced Cancer Patient: A Case Report. Journal of Palliative Medicine, 2018, 21, 1367-1370.	0.6	8
558	Concurrent use of opioids with benzodiazepines or nonbenzodiazepine sedatives among patients with cancer referred to an outpatient palliative care clinic. Cancer, 2019, 125, 4525-4531.	2.0	8

#	Article	IF	CITATIONS
559	Relieving Physical and Psychosocial Pain in Patients With Cancerâ€"The Search for Enlightened Academic Medical Leaders. JAMA Oncology, 2019, 5, 1401.	3.4	8
560	Attitudes, Beliefs, and Practices of Pediatric Palliative Care Physicians Regarding the Use of Methadone in Children With Advanced Cancer. Journal of Pain and Symptom Management, 2019, 57, 260-265.	0.6	8
561	The Association Between Common Clinical Characteristics and Postoperative Morbidity and Overall Survival in Patients with Glioblastoma. Oncologist, 2019, 24, 529-536.	1.9	8
562	Factors Associated with Improvement in Uncontrolled Cancer Pain without Increasing the Opioid Daily Dose among Patients Seen by an Inpatient Palliative Care Team. Journal of Palliative Medicine, 2020, 23, 483-488.	0.6	8
563	In Search of the Optimal Outcome Measure for Patients with Advanced Cancer and Gastrointestinal Obstruction: A Qualitative Research Study. Annals of Surgical Oncology, 2020, 27, 2646-2652.	0.7	8
564	Chronic Non-Malignant Pain in Patients with Cancer Seen at a Timely Outpatient Palliative Care Clinic. Cancers, 2020, 12, 214.	1.7	8
565	Health Care Provider Attitudes, Beliefs, and Perceived Confidence in Managing Patients With Cancer Pain and Nonmedical Opioid Use. Journal of Pain and Symptom Management, 2021, 61, 128-135.e6.	0.6	8
566	Immunotherapy-related skeletal muscle weakness in cancer patients: a case series. Annals of Palliative Medicine, 2021, 10, 2359-2365.	0.5	8
567	Medical Complications and Prognostic Factors for Medically Unstable Conditions During Acute Inpatient Cancer Rehabilitation. JCO Oncology Practice, 2021, 17, e1502-e1511.	1.4	8
568	Thirtyâ€day hospital readmission rate, reasons, and risk factors after acute inpatient cancer rehabilitation. Cancer Medicine, 2021, 10, 6199-6206.	1.3	8
569	Cancer-related fatigueâ€"pharmacological interventions: systematic review and network meta-analysis. BMJ Supportive and Palliative Care, 2023, 13, 274-280.	0.8	8
570	Management of specific symptom complexes in patients receiving palliative care. Cmaj, 1998, 158, 1717-26.	0.9	8
571	Reduction of Missed Palliative Care Appointments After the Implementation of Telemedicine. Journal of Pain and Symptom Management, 2022, 63, e777-e779.	0.6	8
572	Social and demographic characteristics of patients admitted to a palliative care unit. Journal of Palliative Care, 1990, 6, 16-20.	0.4	8
573	Frequency and Prediction of Burnout Among Physicians Who Completed Palliative Care Fellowship Training - A 10 Year Survey. Journal of Pain and Symptom Management, 2022, 64, e15-e21.	0.6	8
574	The epidemiology of long- and short-term cancer survivors. A population-based cohort study exploring denominators for rehabilitation and palliative care programs. Acta Oncológica, 2014, 53, 493-501.	0.8	7
575	Postoperative MRI Evaluation of a Radiofrequency Cordotomy Lesion for Intractable Cancer Pain. American Journal of Neuroradiology, 2017, 38, 835-839.	1.2	7
576	Integrative Oncology Outpatient Consultations: Long-Term Effects on Patient-Reported Symptoms and Quality of Life. Journal of Cancer, 2017, 8, 1640-1646.	1.2	7

#	Article	IF	CITATIONS
577	A Pragmatic Evaluation of Symptom Distress After Group Meditation for Cancer Patients and Caregivers: A Preliminary Report. Journal of Pain and Symptom Management, 2018, 55, 1321-1326.e1.	0.6	7
578	Timing of Referral and Characteristics of Uninsured, Medicaid, and Insured Patients Referred to the Outpatient Supportive Care Center at a Comprehensive Cancer Center. Journal of Pain and Symptom Management, 2018, 55, 973-978.	0.6	7
579	Palliative Care Needs in an Acute Internal Medicine Ward in Mexico. Journal of Palliative Medicine, 2018, 21, 163-168.	0.6	7
580	Practices, Attitudes, and Beliefs of Palliative Care Physicians Regarding the Use of Methadone and Other Long-Acting Opioids in Children with Advanced Cancer. Journal of Palliative Medicine, 2018, 21, 1408-1413.	0.6	7
581	Palliative Care for Patients With Opioid Misuse. JAMA - Journal of the American Medical Association, 2019, 321, 511.	3.8	7
582	Measuring Total Suffering and Will to Live in an Advanced Cancer Patient Using a Patient-Centered Outcome Measure: A Follow-Up Case Study. Journal of Palliative Medicine, 2020, 23, 733-737.	0.6	7
583	"Truly holistic?―Differences in documenting physical and psychosocial needs and hope in Portuguese palliative patients. Palliative and Supportive Care, 2021, 19, 69-74.	0.6	7
584	Switching Ratio from Parenteral to Oral Methadone 1:1.2 Is Safer Compared with Ratio 1:2 in Patients with Controlled Cancer Pain: A Multicenter Randomized-Controlled Trial (RATIOMTD-010810). Journal of Palliative Medicine, 2021, 24, 382-390.	0.6	7
585	The development of a nomogram to determine the frequency of elevated risk for non-medical opioid use in cancer patients. Palliative and Supportive Care, 2021, 19, 3-10.	0.6	7
586	Sleep disturbance in cancer patients referred to an ambulatory integrative oncology consultation. Supportive Care in Cancer, 2022, 30, 2417-2425.	1.0	7
587	Prognostication of the Last Days of Life. Cancer Research and Treatment, 2022, 54, 631-643.	1.3	7
588	Regional pain syndromes in cancer patients. Current Review of Pain, 2000, 4, 179-186.	0.8	6
589	Spinal analgesia: where is the evidence?. Supportive Care in Cancer, 2010, 18, 1237-1237.	1.0	6
590	Standards for Palliative Care Programs, Interventions, and Outcomes: Not Quite There Yet. The Journal of Supportive Oncology, 2011, 9, 95-96.	2.3	6
591	The challenges of prognosis in cancer pain. Pain, 2012, 153, 513-514.	2.0	6
592	Intimate Partner Violence in an Outpatient Palliative Care Setting. Journal of Pain and Symptom Management, 2014, 47, 806-813.	0.6	6
593	Frequency and factors associated with falls in patients with advanced cancer presenting to an outpatient supportive care clinic. Palliative and Supportive Care, 2015, 13, 223-227.	0.6	6
594	A palliative care intervention for pain refractory to a percutaneous cordotomy. Palliative and Supportive Care, 2015, 13, 395-398.	0.6	6

#	Article	IF	CITATIONS
595	Characteristics of Unscheduled and Scheduled Outpatient Palliative Care Clinic Patients at a Comprehensive Cancer Center. Journal of Pain and Symptom Management, 2018, 55, 1327-1334.	0.6	6
596	Levorphanol for Treatment of Intractable Neuropathic Pain in Cancer Patients. Journal of Palliative Medicine, 2018, 21, 399-402.	0.6	6
597	Factors associated with patient-reported subjective well-being among advanced lung or non-colonic gastrointestinal cancer patients. Palliative and Supportive Care, 2018, 16, 23-31.	0.6	6
598	The Effect of Message Content and Clinical Outcome on Patients' Perception of Physician Compassion: A Randomized Controlled Trial. Oncologist, 2018, 23, 375-382.	1.9	6
599	A Survey Regarding the Knowledge, Attitudes, and Beliefs of Graduates of Cancer Rehabilitation Fellowship Program. Journal of Cancer Education, 2019, 34, 402-405.	0.6	6
600	Practices and perceptions regarding intravenous opioid infusion and cancer pain management. Cancer, 2019, 125, 3882-3889.	2.0	6
601	Patients' Perspective of Timeliness and Usefulness of an Outpatient Supportive Care Referral at a Comprehensive Cancer Center. Journal of Pain and Symptom Management, 2019, 58, 275-281.	0.6	6
602	Early Palliative Care: A Necessary Intervention for Patients Ineligibile to Approved Potentially Life-saving CAR T-cell Therapy. Clinical Lymphoma, Myeloma and Leukemia, 2020, 20, 201-202.	0.2	6
603	Assessment of the Decision-Making Capacity for Clinical Research Participation in Patients With Advanced Cancer in the Last Weeks of Life. Journal of Pain and Symptom Management, 2020, 60, 400-406.	0.6	6
604	Empowering the Health and Well-Being of the Palliative Care Workforce: Evaluation of a Weekly Self-Care Checklist. Journal of Pain and Symptom Management, 2021, 61, 817-823.	0.6	6
605	Palliative care referral criteria and outcomes in cancer and heart failure: a systematic review of literature. Cardio-Oncology, 2021, 7, 32.	0.8	6
606	Financial distress and its associated burden in couples coping with an advanced cancer. Supportive Care in Cancer, 2022, 30, 4485-4495.	1.0	6
607	Narcotics plus methylphenidate (Ritalin) for advanced cancer pain. American Journal of Nursing, 1988, 88, 1555-6.	0.2	6
608	Mechanism of Cancer Cachexia: Progress on Disentangling a Complex Problem. Progress in Palliative Care, 2002, 10, 161-167.	0.7	5
609	Recent Developments in Cancer Pain Assessment and Management. Supportive Cancer Therapy, 2004, 1, 97-110.	0.3	5
610	Intractable Pain: Intoxication or Undermedication?. Journal of Palliative Medicine, 2007, 10, 811-814.	0.6	5
611	Till Death Do Us Part: Getting Married at the End of Life. Journal of Pain and Symptom Management, 2012, 44, 466-470.	0.6	5
612	Corticosteroid Injections for Knee Pain at the End of Life. Journal of Palliative Medicine, 2015, 18, 570-571.	0.6	5

#	Article	IF	Citations
613	The impact of a simplified documentation method for the Edmonton classification system for cancer pain (ECS-CP) on clinician utilization. Supportive Care in Cancer, 2017, 25, 575-580.	1.0	5
614	Compensación quÃmica y adicción a opioides: evidencia, valoración de riesgo y manejo en pacientes con cuidados paliativos. Medicina Paliativa, 2018, 25, 281-290.	0.1	5
615	The association between weight stability and parenteral nutrition characteristics and survival in patients with colorectal cancer. Gastroenterology Report, 2019, 7, 419-425.	0.6	5
616	Collapse of Fluid Balance and Association with Survival in Patients with Advanced Cancer Admitted to a Palliative Care Unit: Preliminary Findings. Journal of Palliative Medicine, 2020, 23, 459-465.	0.6	5
617	Challenging the Status Quo of Physician Attire in the Palliative Care Setting. Oncologist, 2020, 25, 627-637.	1.9	5
618	Percutaneous Cordotomy for Pain Palliation in Advanced Cancer: A Randomized Clinical Trial Study Protocol. Neurosurgery, 2020, 87, 394-402.	0.6	5
619	Frequency and Characteristics of First-Time Palliative Care Referrals During the Last Day of Life. Journal of Pain and Symptom Management, 2021, 61, 358-363.	0.6	5
620	Cancer Rehabilitation Providers and Oncology Patient Expectations for Functional Outcomes after Inpatient Rehabilitation. PM and R, 2021, 13, 729-736.	0.9	5
621	Different semantic and affective meaning of the words associated to physical and social pain in cancer patients on early palliative/supportive care and in healthy, pain-free individuals. PLoS ONE, 2021, 16, e0248755.	1.1	5
622	First-line methadone for cancer pain: titration time analysis. Supportive Care in Cancer, 2021, 29, 6335-6341.	1.0	5
623	Acupuncture for Cancer-Related Anorexia: a Review of the Current Evidence. Current Oncology Reports, 2021, 23, 82.	1.8	5
624	Recommendations for supportive care and best supportive care in NCCN clinical practice guidelines for treatment of cancer: Differences between solid tumor and hematologic malignancy guidelines. Supportive Care in Cancer, 2021, 29, 7385-7392.	1.0	5
625	Oncology patients' perception of physicians who use an integrated electronic health record (EHR) during clinic visits: PRIMEâ€EHR doubleâ€blind, randomized controlled trial. Cancer, 2021, 127, 3967-3974.	2.0	5
626	Dying Alone during a Pandemic. Journal of Palliative Medicine, 2021, 24, 1905-1908.	0.6	5
627	Genetic Factors Associated With Pain Severity, Daily Opioid Dose Requirement, and Pain Response Among Advanced Cancer Patients Receiving Supportive Care. Journal of Pain and Symptom Management, 2021, 62, 785-795.	0.6	5
628	The research palliative care unit. Cancer Treatment and Research, 1999, 100, 161-183.	0.2	5
629	Duration of palliative care involvement and cancer care aggressiveness near the end of life. BMJ Supportive and Palliative Care, 2020, , bmjspcare-2020-002641.	0.8	5
630	Bereaved Parent Perspectives on End-of-Life Conversations in Pediatric Oncology. Children, 2022, 9, 274.	0.6	5

#	Article	IF	Citations
631	Bus rounds for medical congresses on palliative care. Supportive Care in Cancer, 1998, 6, 529-532.	1.0	4
632	Personalizing Treatment Decisions for Cancer Patients at the End of Life: Reply to Soh and Wong. Journal of Pain and Symptom Management, 2013, 45, e4-e5.	0.6	4
633	"Early Palliative Care: How?―From a Conference Report to a Consensus Document, Bentivoglio, May 14, 2012. Journal of Palliative Medicine, 2013, 16, 466-470.	0.6	4
634	Discussing Goals of Care for a Delirious Advanced Cancer Patient in the Hospice Setting. Journal of Palliative Medicine, 2013, 16, 1313-1316.	0.6	4
635	Inpatient Rehabilitation of Cerebellopontine Angle Epidermoid Cysts. Neurosurgery Quarterly, 2014, 24, 197-202.	0.1	4
636	Reply to R.J. Chan. Journal of Clinical Oncology, 2014, 32, 854-854.	0.8	4
637	What Is Your Gut Feeling About Opioid Rotation?. Journal of Clinical Oncology, 2015, 33, e11-e12.	0.8	4
638	An Analysis of Inpatient Rehabilitation Approval Among Private Insurance Carriers at a Cancer Center. PM and R, 2016, 8, 635-639.	0.9	4
639	Characteristics of patients with advanced lung cancer referred to a rapid-access supportive care clinic. Palliative and Supportive Care, 2017, 15, 197-204.	0.6	4
640	Neuroleptics for Delirium: More Research Is Needed. JAMA Internal Medicine, 2017, 177, 1052.	2.6	4
641	Couples' symptom burden in oncology care: perception of self and the other. Supportive Care in Cancer, 2019, 27, 139-145.	1.0	4
642	Challenges to Opioid Prescription Access among Patients with Advanced Cancer. Journal of Palliative Medicine, 2019, 22, 121-122.	0.6	4
643	Frequency and Characteristics of Recommendations from Interdisciplinary Outpatient Cancer Rehabilitation Monthly Team Meetings. PM and R, 2019, 11, 252-257.	0.9	4
644	End-of-life and goals of care discussions with cancer patients in the coronavirus pandemic. Palliative and Supportive Care, 2021, 19, 384-385.	0.6	4
645	Deficiencies with the Use of Prescription Drug Monitoring Program in Cancer Pain Management: A Report of Two Cases. Journal of Palliative Medicine, 2021, 24, 751-754.	0.6	4
646	Association among rescue neuroleptic use, agitation, and perceived comfort: secondary analysis of a randomized clinical trial on agitated delirium. Supportive Care in Cancer, 2021, 29, 7887-7894.	1.0	4
647	Personalized sedation goal for agitated delirium in patients with cancer: Balancing comfort and communication. Cancer, 2021, 127, 4694-4701.	2.0	4
648	Respiratory depression during methadone rotation in a patient with advanced cancer. Journal of Palliative Care, 2000, 16, 50-4.	0.4	4

#	Article	IF	Citations
649	Duration of palliative care involvement and immunotherapy treatment near the end of life among patients with cancer who died in-hospital. Supportive Care in Cancer, 2022, 30, 4997-5006.	1.0	4
650	Effect of Fish Oil on Appetite and Other Symptoms in Patients with Advanced Cancer and Anorexia/Cachexia: A Doubleâ€Blind, Placeboâ€Controlled Study. Nutrition in Clinical Practice, 2003, 18, 524-524.	1.1	3
651	Snapshot of an acute palliative care unit in a tertiary cancer hospital. Palliative and Supportive Care, 2014, 12, 331-337.	0.6	3
652	The Essential Role of Feasibility Studies in Supportive Care: Reply to Sanz Rubiales and del Valle. Journal of Pain and Symptom Management, 2014, 48, e5-e6.	0.6	3
653	Hiccups during Chemotherapy: What Should We Do?. Journal of Palliative Medicine, 2015, 18, 572-572.	0.6	3
654	The Role of Methylphenidate in Cancer-Related Fatigue. Commentary on Mitchell etÂal Journal of Pain and Symptom Management, 2015, 50, 287.	0.6	3
655	¿Es posible generar efecto placebo como parte de las intervenciones paliativas?. Medicina Paliativa, 2016, 23, 21-31.	0.1	3
656	Frequency of venous thromboembolism events during acute inpatient rehabilitation in a comprehensive cancer centre. Journal of Rehabilitation Medicine, 2017, 49, 758-764.	0.8	3
657	Improvement of Refractory Peripheral Edema With Multilayered Compression Bandaging: A Case Report. Physical Therapy, 2018, 98, 763-766.	1.1	3
658	Introducing psychology services to advanced cancer patients: A randomized doubleâ€blind trial. Psycho-Oncology, 2019, 28, 1978-1986.	1.0	3
659	Multicomponent Compression Bandaging for Refractory Bilateral Lower Extremity Edema of Multifactorial Origin in Cancer Patients: A Retrospective Case Series. Journal of Pain and Symptom Management, 2019, 58, e5-e8.	0.6	3
660	Association Between Plasma Brain Natriuretic Peptide and Overall Survival in Patients With Advanced Cancer: Preliminary Findings. Journal of Pain and Symptom Management, 2019, 58, 465-471.	0.6	3
661	The challenges of providing rehabilitation for patients undergoing sacrectomy: two case reports. European Journal of Physical and Rehabilitation Medicine, 2019, 55, 526-529.	1.1	3
662	Independent Research on Cancer Pain Management in the Setting of Early Palliative Care: A Flywheel to Counteract General Opioid Misuse and Abuse. International Journal of Environmental Research and Public Health, 2020, 17, 7097.	1.2	3
663	Do Neuroleptics Still Have a Role in Patients With Delirium?. Annals of Internal Medicine, 2020, 172, 295.	2.0	3
664	Posttraumatic growth and death anxiety in caregivers of cancer patients: PHOENIX study. Turkish Journal of Medical Sciences, 2020, 50, 1364-1370.	0.4	3
665	Analysis of Adherence to Acute Inpatient Rehabilitation in Patients with Cancer. Journal of Cancer, 2021, 12, 5987-5990.	1.2	3
666	A Comparison of Caregiver Burden of Patients with Advanced Cancer in Different Palliative Cancer Care Settings. Journal of Palliative Medicine, 2021, 24, 1766-1775.	0.6	3

#	Article	IF	CITATIONS
667	Patient-Reported Continuity of Care and Functional Safety Concerns After Inpatient Cancer Rehabilitation. Oncologist, 2021, 26, 887-896.	1.9	3
668	Symptom and Illness Experience for English and Spanish-Speaking Children with Advanced Cancer: Child and Parent Perspective. Children, 2021, 8, 657.	0.6	3
669	A Qualitative Study on Nudging and Palliative Care: "An Attractive but Misleading Concept― International Journal of Environmental Research and Public Health, 2021, 18, 9575.	1.2	3
670	Bus rounds for palliative care education in the community. Cmaj, 1997, 157, 729-32.	0.9	3
671	Current pharmacological management of anorexia in cancer patients. Oncology, 1992, 6, 125-30; discussion 132, 137.	0.4	3
672	Severe organic brain syndrome. Journal of Palliative Care, 1991, 7, 36-8.	0.4	3
673	Combination Therapy of Physical Activity and Dexamethasone for Cancer-Related Fatigue: A Phase II Randomized Double-Blind Controlled Trial. Journal of the National Comprehensive Cancer Network: JNCCN, 2022, 20, 235-243.	2.3	3
674	Do Patients Benefit from a Trial of Corticosteroids at the End of Life?. Current Treatment Options in Oncology, 2022, 23, 796-805.	1.3	3
675	Managing Cancer Pain in Patients With Opioid Use Disorder or Nonmedical Opioid Use. JAMA Oncology, 2022, 8, 1104.	3.4	3
676	Quality assurance in palliative care â€" a growing "mustâ€?. Supportive Care in Cancer, 1996, 4, 157-157.	1.0	2
677	The International Association for Hospice and Palliative Care. Journal of Pain and Symptom Management, 2002, 24, 102-105.	0.6	2
678	Current Trends in Cancer Pain Management. , 2006, , 13-23.		2
679	Evaluaci $ ilde{A}^3$ n multidimensional de la astenia relacionada con el c $ ilde{A}_1$ ncer. Medicina Paliativa, 2014, 21, 21-31.	0.1	2
680	What are the best terms in Portuguese to explain the concepts of "fatigue―and "depression―in cancer patients?. Palliative and Supportive Care, 2015, 13, 991-996.	0.6	2
681	Truthfulness of More Optimistic vs Less Optimistic Messages for Patients With Advanced Cancer—Reply. JAMA Oncology, 2015, 1, 688.	3.4	2
682	Reply to minimal clinically important difference and Edmonton Symptom Assessment Scale. Cancer, 2016, 122, 159-160.	2.0	2
683	The Edmonton Symptom Assessment Scale remains useful for depression screening. Palliative Medicine, 2017, 31, 483-484.	1.3	2
684	Compassion is a key quality for palliative care teams. Cancer Medicine, 2018, 7, 5325-5326.	1.3	2

#	Article	IF	Citations
685	Changes in the Care Setting of First Consults to Palliative and Supportive Care Over a Seven-Year Period. Journal of Pain and Symptom Management, 2019, 57, 86-92.	0.6	2
686	Cancer Patients' Perception of Usefulness of Wearable Exercise Trackers. PM and R, 2020, 13, 845-851.	0.9	2
687	Hypomagnesemia and survival in patients with head and neck cancers who received primary concurrent chemoradiation. Cancer, 2021, 127, 528-534.	2.0	2
688	Hypomagnesemia and incidence of osteoradionecrosis in patients with head and neck cancers. Head and Neck, 2021, 43, 613-621.	0.9	2
689	Multifocal Tendon Ruptures during Nivolumab and Ipilimumab Therapy for Metastatic Melanoma: A Case Report. PM and R, 2021, , .	0.9	2
690	Patterns of Storage, Use, and Disposal of Prescription Opioids by Young Adults with Cancer. Journal of Adolescent and Young Adult Oncology, 2021, 10, 234-239.	0.7	2
691	Repeated filling of elastomeric infuser pumps for home-based subcutaneous medications: a case series. International Journal of Palliative Nursing, 2021, 27, 107-115.	0.2	2
692	Palliative medicine integration in the USA: cancer centre executives' attitudes. BMJ Supportive and Palliative Care, 2023, 13, 199-208.	0.8	2
693	Integrated Palliative and Oncology Care for Patients With Acute Myeloid Leukemia—Moving From Evidence to Practice. JAMA Oncology, 2021, 7, 943.	3.4	2
694	An Integrated Approach to Selecting a Prepared Medical Decision-Maker. Journal of Pain and Symptom Management, 2021, 61, 1305-1310.	0.6	2
695	Insights from a community-based palliative care course: a qualitative study. BMC Palliative Care, 2021, 20, 106.	0.8	2
696	Fixed-Dose Netupitant and Palonosetron for Chronic Nausea in Cancer Patients: A Double-Blind, Placebo Run-in Pilot Randomized Clinical Trial. Journal of Pain and Symptom Management, 2021, 62, 223-232.e1.	0.6	2
697	Frequency and characteristics of advanced cancer patients with COVID $\hat{a}\in\mathcal{M}+\hat{a}\in\mathcal{M}$ ve status among inpatient supportive care consults during the pandemic: experience from a tertiary cancer center. Supportive Care in Cancer, 2021, , 1.	1.0	2
698	The US Cancer Pain Crisis and the Global Pain Divide: Can Two Wrongs Make It Right?. Journal of Clinical Oncology, 2022, 40, 310-311.	0.8	2
699	Controversies in supportive care: destructive or beneficial diversity?. Supportive Care in Cancer, 1994, 2, 77-78.	1.0	1
700	Symptom control and communication issues in advanced cervical cancer. Gynecologic Oncology, 2005, 99, S219-S220.	0.6	1
701	Dying Patients and Palliative Sedation. JAMA - Journal of the American Medical Association, 2006, 295, 1249.	3.8	1
702	Emerging Evidence on Psychosocial Effects of Cancer Cachexia: Commentary on Oberholzer etÂal Journal of Pain and Symptom Management, 2013, 46, 76.	0.6	1

#	Article	IF	CITATIONS
703	Reply to H. Yamane et al and M. Franco et al. Journal of Clinical Oncology, 2014, 32, 609-609.	0.8	1
704	Intensive symptom control of opioid-refractory dyspnea in congestive heart failure: Role of milrinone in the palliative care unit. Palliative and Supportive Care, 2015, 13, 1781-1785.	0.6	1
705	End-of-life diagnosis, communication, and the search for "Infectin,―"Clottin,―and "Heart Arrestin― Palliative Medicine, 2015, 29, 99-100.	1.3	1
706	Authors' Response. Journal of Pain and Symptom Management, 2018, 56, e3-e5.	0.6	1
707	Transcultural Validation of the French Version of the Modified Edmonton Symptom Assessment Scale: The ESAS12-F. Journal of Palliative Medicine, 2019, 22, 1553-1560.	0.6	1
708	Response to Casarett et al. (doi: 10.1089/jpm.2018.0658): Benefit of Tetrahydrocannabinol versus Cannabidiol for Common Palliative Care Symptoms. Journal of Palliative Medicine, 2019, 22, 1301-1301.	0.6	1
709	Terminal agitation and delirium in patients with cancer – Authors' reply. Lancet Oncology, The, 2020, 21, e411.	5.1	1
710	COVID â€19 Pandemic and Cancer: The Importance of Early Palliative Care. Oncologist, 2020, 26, e2094-e2096.	1.9	1
711	Management challenges at end-of-life in a patient with agitated delirium and benzodiazepine withdrawal at comprehensive cancer care center. Annals of Palliative Medicine, 2020, 9, 54-54.	0.5	1
712	Expression of existential suffering in two patients with advanced cancer in an acute palliative care unit. Palliative and Supportive Care, 2020, 18, 748-750.	0.6	1
713	A retrospective review of the use of oxymorphone immediate release for long term pain control in cancer patients with gastrostomy tubes. Annals of Palliative Medicine, 2021, 10, 2662-2667.	0.5	1
714	Frequency of anxiety and depression and screening performance of the Edmonton Symptom Assessment Scale in a psychoâ€oncology clinic. Psycho-Oncology, 2021, , .	1.0	1
715	Age, pain intensity, and opioid dose in patients with advanced cancer. Cancer, 1998, 83, 1244-1250.	2.0	1
716	A randomized, placebo-controlled trial of parenteral hydration in terminally ill cancer patients. Journal of Clinical Oncology, 2004, 22, 8004-8004.	0.8	1
717	Hypogonadism in patients with advanced cancer: Impact on fatigue, anxiety and depression, hemoglobin, and sexual desire. Journal of Clinical Oncology, 2004, 22, 8112-8112.	0.8	1
718	What is a clinically significant improvement in the intensity of fatigue among cancer patients?. Journal of Clinical Oncology, 2006, 24, 8560-8560.	0.8	1
719	Meta-analysis of neurokinin-1 receptor antagonists (NK-1 RA) for chemotherapy-induced nausea and vomiting (CINV). Journal of Clinical Oncology, 2004, 22, 8047-8047.	0.8	1
720	A randomized, placebo-controlled trial of parenteral hydration in terminally ill cancer patients. Journal of Clinical Oncology, 2004, 22, 8004-8004.	0.8	1

#	Article	lF	CITATIONS
721	Palliative Care in the Management of Cancer Pain. , 2007, , 360-375.		1
722	HAprog: A New Prognostic Application to Assist Oncologists in Routine Care. Journal of Pain and Symptom Management, 2022, 63, 1014-1021.e4.	0.6	1
723	The Use of Olanzapine for Nonmedical Opioid Use in a Patient with Cancer Receiving Palliative Care. Journal of Palliative Medicine, 2022, 25, 181-183.	0.6	1
724	Asthenia in breast cancer. American Journal of Nursing, 1989, 89, 737-8, 741.	0.2	1
725	The clinical and research implications of survival prediction. The Journal of Supportive Oncology, 2005, 3, 342, 348.	2.3	1
726	Managing cancer-related symptoms: advances in supportive oncology. Clinical Advances in Hematology and Oncology, 2007, 5, 29-31.	0.3	1
727	Facial edema as an adverse drug reaction to olanzapine in a patient with cancer receiving palliative care. Palliative and Supportive Care, 2022 , , 1 - 2 .	0.6	1
728	Overall Survival among Patients with Cancer and Pressure Injury and Its Association with Braden Scale Score. Journal of Palliative Medicine, 2022, , .	0.6	1
729	Symptomatic therapies and supportive care issues. , 0, , 258-269.		0
730	When dryness rules. Supportive Care in Cancer, 1998, 6, 331-331.	1.0	0
731	General Keynote: Patient Support. Gynecologic Oncology, 2003, 88, S124-S128.	0.6	0
732	Consensus guideline on parental methadone use in pain and palliative care. Palliative and Supportive Care, 2008, 6, 321-321.	0.6	0
733	Patient Evaluation and delivery of Care at the Bedside: Increasing Well-Being. Journal of Palliative Care, 2014, 30, 307-310.	0.4	0
734	The growing body of knowledge in palliative care. Current Opinion in Supportive and Palliative Care, 2014, 8, 271-272.	0.5	0
735	In Reply. Oncologist, 2015, 20, e27-e27.	1.9	0
736	Do-Not-Resuscitate (DNR) Orders and Consultants' Willingness to Perform Invasive Procedures. Journal of Pain and Symptom Management, 2015, 49, e2-e4.	0.6	0
737	Choosing a "Yardstick―to Determine the Minimal Clinically Important Difference: Reply to Johnson and Currow. Journal of Pain and Symptom Management, 2015, 49, e7.	0.6	0
738	Reply to the letter to the editor †Integration between oncology and palliative care: does one size fit all?' by Verna et al Annals of Oncology, 2016, 27, 549-550.	0.6	0

#	Article	IF	CITATIONS
739	Medicina paliativa: cuidando el paciente más que la enfermedad. Medicina Paliativa, 2016, 23, 1-2.	0.1	O
740	Response to letter to the editor referencingâ€"2016 updated MASCC/ESMO consensus recommendations: management of nausea and vomiting in advanced cancer. Supportive Care in Cancer, 2017, 25, 2991-2992.	1.0	0
741	Authors' Response to: Prophylactic Fentanyl Sublingual Spray for Episodic Exertional Dyspnea in Cancer Patients: A Pilot Double-Blind Randomized Controlled Trial. Journal of Pain and Symptom Management, 2019, 58, e17-e18.	0.6	0
742	Patient and Caregiver Consent for Publication of Unidentifiable Case Reports—A Barrier to Medical Education and Patient Care. JAMA Oncology, 2019, 5, 300.	3.4	0
743	Frequency of Concomitant Use of Opioids and Psychoactive Medications Among Cancer Patients Referred to Outpatient Palliative Care. Journal of Pain and Symptom Management, 2019, 57, e7-e10.	0.6	0
744	Calf measurements screening for deep vein thrombosis in acute inpatient cancer rehabilitation. International Journal of Therapy and Rehabilitation, 2019, 26, 1-5.	0.1	0
745	Continuation of Neurogenic Bowel and Bladder Programs in a Pancytopenic Cancer Patient: A Case Report. PM and R, 2020, 13, 922-924.	0.9	0
746	Questionable Conceptualizations of Nonmedical Use Can Contribute to Needless Distress—Reply. JAMA Oncology, 2021, 7, 942.	3.4	0
747	Role of Palliative Providers in the Progressive Burden of Caregiving. Journal of Palliative Medicine, 2021, 24, 1120-1121.	0.6	0
748	Caregiver Exclusion in Fighting Cancer During COVID-19: Splitting the Risk, Doubling the Team. Journal of Clinical Oncology, 2021, 39, JCO.21.00945.	0.8	0
749	Evaluation of Symptom Distress by Edmonton Symptom Assessment System and Maslach Burnout Inventory-Medical Personnel among Medical Personnel under the Epidemic of COVID-19. Journal of Palliative Medicine, 2021, 24, 1426-1427.	0.6	0
750	Impact of "race―as a social variable for screening for the risk of non-medical opioid use using nomogram. Palliative and Supportive Care, 2021, 19, 638-639.	0.6	0
751	Characteristics of patients who refuse medically appropriate do not resuscitate orders (DNR) upon admission to a palliative care (PC) unit in a comprehensive cancer center. Journal of Clinical Oncology, 2009, 27, 9589-9589.	0.8	0
752	Palliative Care for Patients with Lung Cancer. , 2010, , 483-502.		0
753	Methadone and Buprenorphine Prescribing in the Palliative Care Population. , 2013, , 241-261.		0
754	Disease-Specific Oncology – Disease-Specific Palliative Care. , 2015, , 3-11.		0
755	A review of cachexia: a tribute to Ken Fearon. Annals of Palliative Medicine, 2019, 8, 1-2.	0.5	0
756	The Palliative Care of Patients with Brain Metastases. , 2020, , 705-718.		0

#	Article	IF	CITATIONS
757	A Case Report on the Communication between Oncologists and Physiatrists in the Establishment of Functional Prognosis while Undergoing Chimeric Antigen Receptor T-cell Therapy. Journal of Medicine and Life, 2020, 13, 94-97.	0.4	O
758	Impact of COVID-19 on Acute Inpatient Rehabilitation Caregiver Training., 2020, 3, 40-42.		0
759	Pain relief with elastic therapeutic taping. BMJ Supportive and Palliative Care, 2023, 13, e933-e935.	0.8	0
760	Continuing challenges in the management of cancer pain. Oncology, 1989, 3, 31-4.	0.4	0
761	Meta-analysis of neurokinin-1 receptor antagonists (NK-1 RA) for chemotherapy-induced nausea and vomiting (CINV). Journal of Clinical Oncology, 2004, 22, 8047-8047.	0.8	0
762	Measuring non-pharmacological caregiving. Annals of Palliative Medicine, 2012, 1, 222-3.	0.5	0
763	Social isolation at the end of life: A case report of one person's journey navigating the medical landscape during the COVID-19 pandemic. Palliative and Supportive Care, 2022, , 1-4.	0.6	O
764	Refractory lower limb edema in cancer: subcutaneous drainage. BMJ Supportive and Palliative Care, 2023, 13, e939-e941.	0.8	0
765	End-of-life care quality metrics in patients with cancer: challenges and opportunities. International Journal of Gynecological Cancer, 2022, , ijgc-2022-003629.	1.2	O
766	Edmonton symptom assessment system global distress score and overall survival among patients with advanced cancer receiving early palliative care. BMJ Supportive and Palliative Care, 2023, 13, e735-e736.	0.8	0
767	Edmonton symptom assessment system Global Distress Score and overall survival in acute leukaemia. BMJ Supportive and Palliative Care, 2023, 13, e746-e748.	0.8	O