

Jose Manuel Herrero-Martinez

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6580370/jose-manuel-herrero-martinez-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

176
papers

3,422
citations

30
h-index

46
g-index

179
ext. papers

3,925
ext. citations

5.1
avg, IF

5.66
L-index

#	Paper	IF	Citations
176	Mesoporous silica sorbent with gold nanoparticles for solid-phase extraction of organochlorine pesticides in water samples.. <i>Journal of Chromatography A</i> , 2022 , 1662, 462729	4.5	1
175	Development of hybrid monoliths incorporating metal-organic frameworks for stir bar sorptive extraction coupled with liquid chromatography for determination of estrogen endocrine disruptors in water and human urine samples.. <i>Mikrochimica Acta</i> , 2022 , 189, 92	5.8	0
174	Selection and characterization of DNA aptamers for highly selective recognition of the major allergen of olive pollen Ole e 1.. <i>Analytica Chimica Acta</i> , 2022 , 1192, 339334	6.6	0
173	3D printed spinning cup-shaped device for immunoaffinity solid-phase extraction of diclofenac in wastewaters.. <i>Mikrochimica Acta</i> , 2022 , 189, 173	5.8	0
172	A Cyclodextrin sorbent based on hierarchical mesoporous silica for the determination of endocrine-disrupting chemicals in urine samples.. <i>Journal of Chromatography A</i> , 2022 , 1671, 463007	4.5	1
171	Chemical composition of essential oils from the leaves of <i>Mosiera bullata</i> (Britton & P.Wilson), an unexplored Cuban endemic species. <i>Journal of Essential Oil Research</i> , 2022 , 34, 123-130	2.3	0
170	Paper-based monolith extraction of psychoactive substances from biological fluids.. <i>Talanta</i> , 2022 , 246, 123536	6.2	0
169	Reticular framework materials in miniaturized and emerging formats in analytical chemistry.. <i>Journal of Chromatography A</i> , 2022 , 1673, 463092	4.5	0
168	Development of an Ultraperformance Liquid Chromatography-Mass Spectrometry Method to Determine Sterols in Olive Oils 2022 , 61-70		
167	Weak anion-exchange mixed-mode materials to selectively extract acidic compounds by stir bar sorptive extraction from environmental waters.. <i>Journal of Chromatography A</i> , 2021 , 1663, 462748	4.5	2
166	Monolithic solids: synthesis and uses in microextraction techniques 2021 , 393-426		
165	Reticular materials in sorbent-based extraction methods 2021 , 323-376		1
164	Magnetic molecularly imprinted polymer for the simultaneous selective extraction of phenoxy acid herbicides from environmental water samples. <i>Talanta</i> , 2021 , 123082	6.2	1
163	The emerging role of 3D printing in the fabrication of detection systems. <i>TrAC - Trends in Analytical Chemistry</i> , 2021 , 136, 116177	14.6	20
162	Recent advances in aptamer-based miniaturized extraction approaches in food analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2021 , 138, 116230	14.6	4
161	Zeolitic imidazolate framework-8 decorated with gold nanoparticles for solid-phase extraction of neonicotinoids in agricultural samples. <i>Mikrochimica Acta</i> , 2021 , 188, 197	5.8	2
160	Boronate affinity sorbents based on thiol-functionalized polysiloxane-polymethacrylate composite materials in syringe format for selective extraction of glycopeptides. <i>Microchemical Journal</i> , 2021 , 164, 106018	4.8	6

159	Highly Efficient Removal of Neonicotinoid Insecticides by Thioether-Based (Multivariate) Metal-Organic Frameworks. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 28424-28432	9.5	9
158	Dual mixed-mode poly (vinylpyridine-co-methacrylic acid-co-ethylene glycol dimethacrylate)-based sorbent for acidic and basic drug extraction from oral fluid samples. <i>Analytica Chimica Acta</i> , 2021 , 1167, 338604	6.6	3
157	Preparation of monolithic polymer-magnetite nanoparticle composites into poly(ethylene-co-tetrafluoroethylene) tubes for uses in micro-bore HPLC separation and extraction of phosphorylated compounds. <i>Talanta</i> , 2021 , 224, 121806	6.2	5
156	Determination of antibiotics in meat samples using analytical methodologies: A review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021 , 20, 1681-1716	16.4	12
155	Enhancing extraction performance of organophosphorus flame retardants in water samples using titanium hierarchical porous silica materials as sorbents. <i>Journal of Chromatography A</i> , 2021 , 1639, 461938	4.5	6
154	A hybrid nano-MOF/polymer material for trace analysis of fluoroquinolones in complex matrices at microscale by on-line solid-phase extraction capillary electrophoresis. <i>Talanta</i> , 2021 , 233, 122529	6.2	4
153	Recent Advances in Molecularly Imprinted Membranes for Sample Treatment and Separation. <i>Separations</i> , 2020 , 7, 69	3.1	8
152	Poly(ethylene glycol) diacrylate-based solid-phase extraction for determination of sulfonamides in meat samples. <i>Microchemical Journal</i> , 2020 , 157, 104931	4.8	5
151	Tuning the selectivity of molecularly imprinted polymer extraction of arylcyclohexylamines: From class-selective to specific. <i>Analytica Chimica Acta</i> , 2020 , 1124, 94-103	6.6	3
150	Selective solid-phase extraction of organophosphorus pesticides and their oxon-derivatives from water samples using molecularly imprinted polymer followed by high-performance liquid chromatography with UV detection. <i>Journal of Chromatography A</i> , 2020 , 1626, 461346	4.5	29
149	Comparison of silica-based materials for organophosphorus pesticides sampling and occupational risk assessment. <i>Analytica Chimica Acta</i> , 2020 , 1110, 26-34	6.6	7
148	Bio-metal-organic frameworks for molecular recognition and sorbent extraction of hydrophilic vitamins followed by their determination using HPLC-UV. <i>Mikrochimica Acta</i> , 2020 , 187, 201	5.8	9
147	Bimodal porous silica nanomaterials as sorbents for an efficient and inexpensive determination of aflatoxin M in milk and dairy products. <i>Food Chemistry</i> , 2020 , 333, 127421	8.5	10
146	Extraction of β-blockers from urine with a polymeric monolith modified with 1-allyl-3-methylimidazolium chloride in spin column format. <i>Talanta</i> , 2020 , 214, 120860	6.2	10
145	In situ growth of metal-organic framework HKUST-1 in an organic polymer as sorbent for nitrated and oxygenated polycyclic aromatic hydrocarbon in environmental water samples prior to quantitation by HPLC-UV. <i>Mikrochimica Acta</i> , 2020 , 187, 301	5.8	10
144	Polymeric monolithic microcartridges with gold nanoparticles for the analysis of protein biomarkers by on-line solid-phase extraction capillary electrophoresis-mass spectrometry. <i>Journal of Chromatography A</i> , 2020 , 1622, 461097	4.5	8
143	In syringe hybrid monoliths modified with gold nanoparticles for selective extraction of glutathione in biological fluids prior to its determination by HPLC. <i>Talanta</i> , 2020 , 209, 120566	6.2	6
142	Molecularly imprinted polymer-based device for field collection of oral fluid samples for cocaine identification. <i>Journal of Chromatography A</i> , 2020 , 1633, 461629	4.5	2

141	Determination of benzomercaptans in environmental complex samples by combining zeolitic imidazolate framework-8-based solid-phase extraction and high-performance liquid chromatography with UV detection. <i>Journal of Chromatography A</i> , 2020 , 1631, 461580	4.5	7
140	Development and Evaluation of Paper-Based Devices for Iron(III) Determination in an Advanced Undergraduate Laboratory. <i>Journal of Chemical Education</i> , 2020 , 97, 3852-3857	2.4	7
139	Recent Advances in Affinity MOF-Based Sorbents with Sample Preparation Purposes. <i>Molecules</i> , 2020 , 25,	4.8	9
138	Influence of photo-initiators in the preparation of methacrylate monoliths into poly(ethylene-co-tetrafluoroethylene) tubing for microbore HPLC. <i>Analytica Chimica Acta</i> , 2020 , 1093, 160-167	6.6	4
137	3D printed fluidic platform with in-situ covalently immobilized polymer monolithic column for automatic solid-phase extraction. <i>Analytica Chimica Acta</i> , 2020 , 1111, 40-48	6.6	13
136	Modelling retention and peak shape of small polar solutes analysed by nano-HPLC using methacrylate-based monolithic columns. <i>Analytica Chimica Acta</i> , 2019 , 1086, 142-155	6.6	5
135	Smart Materials for Solid-Phase Extraction Applications 2019 , 531-580		
134	Development of pipette tip-based poly(methacrylic acid-co-ethylene glycol dimethacrylate) monolith for the extraction of drugs of abuse from oral fluid samples. <i>Talanta</i> , 2019 , 205, 120158	6.2	19
133	Current trends in affinity-based monoliths in microextraction approaches: A review. <i>Analytica Chimica Acta</i> , 2019 , 1084, 1-20	6.6	24
132	Hybrid monoliths with metal-organic frameworks in spin columns for extraction of non-steroidal drugs prior to their quantitation by reversed-phase HPLC. <i>Mikrochimica Acta</i> , 2019 , 186, 759	5.8	8
131	Development of a molecularly imprinted monolithic polymer disk for agitation-extraction of ecgonine methyl ester from environmental water. <i>Talanta</i> , 2019 , 199, 388-395	6.2	14
130	Extraction of aflatoxins by using mesoporous silica (type UVM-7), and their quantitation by HPLC-MS. <i>Mikrochimica Acta</i> , 2019 , 186, 792	5.8	17
129	Uptake and translocation monitoring of imidacloprid to chili and tomato plants by molecularly imprinting extraction - ion mobility spectrometry. <i>Microchemical Journal</i> , 2019 , 144, 195-202	4.8	15
128	Incorporation of metal-organic framework amino-modified MIL-101 into glycidyl methacrylate monoliths for nano LC separation. <i>Journal of Separation Science</i> , 2019 , 42, 834-842	3.4	18
127	Amphetamine-type stimulants analysis in oral fluid based on molecularly imprinting extraction. <i>Analytica Chimica Acta</i> , 2019 , 1052, 73-83	6.6	28
126	Magnetic molecularly imprinted polymers for the selective determination of cocaine by ion mobility spectrometry. <i>Journal of Chromatography A</i> , 2018 , 1545, 22-31	4.5	30
125	Photografted methacrylate-based monolithic columns coated with cellulose tris(3,5-dimethylphenylcarbamate) for chiral separation in CEC. <i>Journal of Separation Science</i> , 2018 , 41, 1424-1432	3.4	11
124	New In-Depth Analytical Approach of the Porcine Seminal Plasma Proteome Reveals Potential Fertility Biomarkers. <i>Journal of Proteome Research</i> , 2018 , 17, 1065-1076	5.6	37

123	Carbon nanotube-modified monolithic polymethacrylate pipette tips for (micro)solid-phase extraction of antidepressants from urine samples. <i>Mikrochimica Acta</i> , 2018 , 185, 127	5.8	38
122	Polymer-based materials modified with magnetite nanoparticles for enrichment of phospholipids. <i>Talanta</i> , 2018 , 180, 162-167	6.2	6
121	Poly(ethylene glycol) diacrylate based monolithic capillary columns for the analysis of polar small solutes by capillary electrochromatography. <i>Journal of Separation Science</i> , 2018 , 41, 2632-2639	3.4	9
120	Carbon nanostructures incorporated on methacrylate monoliths for separation of small molecules by nano-liquid chromatography. <i>Microchemical Journal</i> , 2018 , 139, 222-229	4.8	10
119	Sterol profiles of Tunisian virgin olive oils: classification among different cultivars and maturity indexes. <i>European Food Research and Technology</i> , 2018 , 244, 675-684	3.4	4
118	Zwitterionic codeine-derived methacrylate monoliths for enantioselective capillary electrochromatography of chiral acids and chiral bases. <i>Electrophoresis</i> , 2018 , 39, 2558-2565	3.6	8
117	Study of silica-structured materials as sorbents for organophosphorus pesticides determination in environmental water samples. <i>Talanta</i> , 2018 , 189, 560-567	6.2	31
116	Improving Fractionation of Human Milk Proteins through Calcium Phosphate Coprecipitation and Their Rapid Characterization by Capillary Electrophoresis. <i>Journal of Proteome Research</i> , 2018 , 17, 3557-3564	5.6	6
115	Photografted fluoropolymers as novel chromatographic supports for polymeric monolithic stationary phases. <i>Talanta</i> , 2018 , 187, 216-222	6.2	8
114	Solid-phase extraction of phospholipids using mesoporous silica nanoparticles: application to human milk samples. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 4847-4854	4.4	10
113	Preparation of organic monolithic columns in polytetrafluoroethylene tubes for reversed-phase liquid chromatography. <i>Analytica Chimica Acta</i> , 2017 , 960, 160-167	6.6	17
112	Molecularly imprinted polymers for selective solid-phase extraction of phospholipids from human milk samples. <i>Mikrochimica Acta</i> , 2017 , 184, 3389-3397	5.8	9
111	Proteomic fingerprinting of mistletoe (<i>Viscum album</i> L.) via combinatorial peptide ligand libraries and mass spectrometry analysis. <i>Journal of Proteomics</i> , 2017 , 164, 52-58	3.9	8
110	Isolation of human milk whey proteins by solid phase extraction with a polymeric material modified with gold nanoparticles. <i>Microchemical Journal</i> , 2017 , 133, 320-326	4.8	2
109	Polymeric sorbents modified with gold and silver nanoparticles for solid-phase extraction of proteins followed by MALDI-TOF analysis. <i>Mikrochimica Acta</i> , 2017 , 184, 1683-1690	5.8	19
108	Extraction and preconcentration of organophosphorus pesticides in water by using a polymethacrylate-based sorbent modified with magnetic nanoparticles. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 3561-3571	4.4	18
107	Preparation of porous methacrylate monoliths with oxidized single-walled carbon nanohorns for the extraction of nonsteroidal anti-inflammatory drugs from urine samples. <i>Mikrochimica Acta</i> , 2017 , 184, 1863-1871	5.8	29
106	Cocaine abuse determination by ion mobility spectrometry using molecular imprinting. <i>Journal of Chromatography A</i> , 2017 , 1481, 23-30	4.5	38

105	Nanoparticle-Directed Metal-Organic Framework/Porous Organic Polymer Monolithic Supports for Flow-Based Applications. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 1728-1736	9.5	30
104	Analysis of Aliphatic Organic Acids in Commercial Fruit Juices by Capillary Electrophoresis with Indirect UV Detection: Application to Differentiation of Fruit Juices. <i>Food Analytical Methods</i> , 2017 , 10, 3991-4002	3.4	10
103	Optical recognition and removal of Hg(II) using a new self-chemosensor based on a modified amino-functionalized Al-MOF. <i>Sensors and Actuators B: Chemical</i> , 2017 , 253, 164-172	8.5	33
102	Organo-silica hybrid capillary monolithic column with mesoporous silica particles for separation of small aromatic molecules. <i>Mikrochimica Acta</i> , 2017 , 184, 3799-3808	5.8	17
101	Determination of azoxystrobin and chlorothalonil using a methacrylate-based polymer modified with gold nanoparticles as solid-phase extraction sorbent. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 243-250	4.4	24
100	Simultaneous determination of main phenolic acids and flavonoids in tomato by micellar electrokinetic capillary electrophoresis. <i>Food Chemistry</i> , 2017 , 221, 439-446	8.5	27
99	Enzyme-assisted extraction of proteins from Citrus fruits and prediction of their cultivar using protein profiles obtained by capillary gel electrophoresis. <i>Food Control</i> , 2017 , 72, 14-19	6.2	18
98	Incorporation of zeolitic imidazolate framework (ZIF-8)-derived nanoporous carbons in methacrylate polymeric monoliths for capillary electrochromatography. <i>Talanta</i> , 2017 , 164, 348-354	6.2	30
97	Cultivar discrimination and prediction of mixtures of Tunisian extra virgin olive oils by FTIR. <i>European Journal of Lipid Science and Technology</i> , 2016 , 118, 1236-1242	3	11
96	Classification of Tunisian extra virgin olive oils according to their genetic variety and maturity index using fatty acid profiles established by direct infusion mass spectrometry. <i>European Journal of Lipid Science and Technology</i> , 2016 , 118, 735-743	3	4
95	Determination of water-soluble vitamins in energy and sport drinks by micellar electrokinetic capillary chromatography. <i>Food Control</i> , 2016 , 63, 110-116	6.2	27
94	Solid-phase extraction based on ground methacrylate monolith modified with gold nanoparticles for isolation of proteins. <i>Analytica Chimica Acta</i> , 2016 , 917, 37-43	6.6	42
93	Use of triacylglycerol profiles established by HPLC-UV and ELSD to predict cultivar and maturity of Tunisian olive oils. <i>European Food Research and Technology</i> , 2016 , 242, 1607-1619	3.4	7
92	Evaluation of 2,3-epoxypropyl groups and functionalization yield in glycidyl methacrylate monoliths using gas chromatography. <i>Journal of Chromatography A</i> , 2015 , 1379, 100-5	4.5	13
91	Statistical classification of pumpkin seed oils by direct infusion mass spectrometry: Correlation with GC-FID profiles. <i>European Journal of Lipid Science and Technology</i> , 2015 , 117, 331-337	3	2
90	Triacylglycerol Analysis in Human Milk and Other Mammalian Species: Small-Scale Sample Preparation, Characterization, and Statistical Classification Using HPLC-ELSD Profiles. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 5761-70	5.7	33
89	Rapid differentiation of commercial juices and blends by using sugar profiles obtained by capillary zone electrophoresis with indirect UV detection. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 2639-46	5.7	23
88	Classification of vegetable oils according to their botanical origin using n-alkane profiles established by GC-MS. <i>Food Chemistry</i> , 2015 , 167, 36-9	8.5	32

87	Use of an enzyme-assisted method to improve protein extraction from olive leaves. <i>Food Chemistry</i> , 2015 , 169, 28-33	8.5	36
86	Fast simultaneous determination of prominent polyphenols in vegetables and fruits by reversed phase liquid chromatography using a fused-core column. <i>Food Chemistry</i> , 2015 , 169, 169-79	8.5	20
85	Cultivar discrimination of Spanish olives by using direct FTIR data combined with linear discriminant analysis. <i>European Journal of Lipid Science and Technology</i> , 2015 , 117, 1473-1479	3	8
84	Quality control of fruit juices by using organic acids determined by capillary zone electrophoresis with poly(vinyl alcohol)-coated bubble cell capillaries. <i>Food Chemistry</i> , 2015 , 188, 596-603	8.5	20
83	Hybrid methacrylate monolithic columns containing magnetic nanoparticles for capillary electrochromatography. <i>Journal of Chromatography A</i> , 2015 , 1385, 77-84	4.5	39
82	Sensitive determination of parabens in human urine and serum using methacrylate monoliths and reversed-phase capillary liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2015 , 1379, 65-73	4.5	28
81	Classification of olive leaves and pulps according to their cultivar by using protein profiles established by capillary gel electrophoresis. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 1731-8	4.4	7
80	UV-polymerized butyl methacrylate monoliths with embedded carboxylic single-walled carbon nanotubes for CEC applications. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 6329-36	4.4	18
79	Reliable and simple analytical methods for determination of citrulline and metabolically related amino acids by liquid chromatography after derivatization: comparison between monolithic and core-shell columns. <i>Analytical Methods</i> , 2014 , 6, 5830	3.2	11
78	Efficient extraction of olive pulp and stone proteins by using an enzyme-assisted method. <i>Journal of Food Science</i> , 2014 , 79, C1298-304	3.4	11
77	Use of protein profiles established by CZE to predict the cultivar of olive leaves and pulps. <i>Electrophoresis</i> , 2014 , 35, 1652-1659	3.6	9
76	Polymethacrylate monoliths with immobilized poly-3-mercaptopropyl methylsiloxane film for high-coverage surface functionalization by thiol-ene click reaction. <i>Journal of Chromatography A</i> , 2014 , 1367, 123-30	4.5	26
75	Derivatization of hydroxyl functional groups for liquid chromatography and capillary electroseparation. <i>Journal of Chromatography A</i> , 2013 , 1296, 140-56	4.5	33
74	Preparation and characterization of octadecyl acrylate monoliths for capillary electrochromatography by photochemical, thermal, and chemical initiation. <i>Journal of Separation Science</i> , 2013 , 36, 2283-90	3.4	7
73	Determination of non-ionic and anionic surfactants in industrial products by separation on a weak ion-exchanger, derivatization and liquid chromatography. <i>Journal of Chromatography A</i> , 2013 , 1320, 66-74	4.5	17
72	Synchronized gradient elution in capillary liquid chromatography. <i>Journal of Chromatography A</i> , 2013 , 1318, 142-8	4.5	3
71	Methacrylate monolithic columns functionalized with epinephrine for capillary electrochromatography applications. <i>Journal of Chromatography A</i> , 2013 , 1298, 61-7	4.5	27
70	Preparation and evaluation of lauryl methacrylate monoliths with embedded silver nanoparticles for capillary electrochromatography. <i>Electrophoresis</i> , 2013 , 34, 925-34	3.6	30

69	Analytical methods for the characterization and determination of nonionic surfactants in cosmetics and environmental matrices. <i>Analytical Methods</i> , 2013 , 5, 341-354	3.2	16
68	Determination of alcohols in essential oils by liquid chromatography with ultraviolet detection after chromogenic derivatization. <i>Journal of Chromatography A</i> , 2013 , 1296, 157-63	4.5	10
67	Epidemiology, risk factors and impact on long-term pancreatic function of infection following pancreas-kidney transplantation. <i>Clinical Microbiology and Infection</i> , 2013 , 19, 1132-9	9.5	31
66	Chemical Analysis and Antioxidant Activity of the Essential Oils of Three Piperaceae Species Growing in the Central Region of Cuba. <i>Natural Product Communications</i> , 2013 , 8, 1934578X1300800	0.9	4
65	High efficiency joint CZE determination of sugars and acids in vegetables and fruits. <i>Electrophoresis</i> , 2012 , 33, 2416-23	3.6	31
64	Chemical Composition, Antioxidant Properties and Antimicrobial Activity of the Essential Oil of <i>Murraya Paniculata</i> Leaves from the Mountains of Central Cuba. <i>Natural Product Communications</i> , 2012 , 7, 1934578X1200701	0.9	5
63	Capillary electrophoresis of free fatty acids by indirect ultraviolet detection: application to the classification of vegetable oils according to their botanical origin. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 10775-80	5.7	22
62	Classification of extra virgin olive oils according to their genetic variety using linear discriminant analysis of sterol profiles established by ultra-performance liquid chromatography with mass spectrometry detection. <i>Food Research International</i> , 2011 , 44, 103-108	7	21
61	Clinical, epidemiological characteristics and indications for liver biopsy and treatment in immigrants with chronic hepatitis B at a referral hospital in Madrid. <i>Journal of Viral Hepatitis</i> , 2011 , 18, 294-9	3.4	7
60	Acrylate ester-based monolithic columns for capillary electrochromatography separation of triacylglycerols in vegetable oils. <i>Journal of Chromatography A</i> , 2011 , 1218, 7528-33	4.5	8
59	Comparison of monolithic and microparticulate columns for reversed-phase liquid chromatography of tryptic digests of industrial enzymes in cleaning products. <i>Journal of Chromatography A</i> , 2011 , 1218, 7275-80	4.5	11
58	Determination of fatty alcohol ethoxylates and alkylether sulfates by anionic exchange separation, derivatization with a cyclic anhydride and liquid chromatography. <i>Journal of Chromatography A</i> , 2011 , 1218, 8511-8	4.5	15
57	Evaluation of molecular mass and tacticity of polyvinyl alcohol by non-equilibrium capillary electrophoresis of equilibrium mixtures of a polymer and a dye. <i>Journal of Chromatography A</i> , 2011 , 1218, 2334-41	4.5	13
56	Classification of pumpkin seed oils according to their species and genetic variety by attenuated total reflection Fourier-transform infrared spectroscopy. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 4125-9	5.7	18
55	Sensitive determination of polycyclic aromatic hydrocarbons in water samples using monolithic capillary solid-phase extraction and on-line thermal desorption prior to gas chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2011 , 1218, 1802-7	4.5	23
54	Fast separation and determination of sterols in vegetable oils by ultraperformance liquid chromatography with atmospheric pressure chemical ionization mass spectrometry detection. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 2771-6	5.7	25
53	Determination of tocopherols and tocotrienols in vegetable oils by nanoliquid chromatography with ultraviolet-visible detection using a silica monolithic column. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 757-61	5.7	40
52	Study of elution behaviour with gradient voltage in CEC using methacrylate monolithic columns. <i>Electrophoresis</i> , 2010 , 31, 1003-10	3.6	1

51	Methacrylate ester-based monolithic columns for nano-LC separation of tocopherols in vegetable oils. <i>Journal of Separation Science</i> , 2010 , 33, 2681-7	3.4	3
50	Comparison on photo-initiators for the preparation of methacrylate monolithic columns for capillary electrochromatography. <i>Journal of Chromatography A</i> , 2010 , 1217, 3231-7	4.5	16
49	Authentication of extra virgin olive oils by Fourier-transform infrared spectroscopy. <i>Food Chemistry</i> , 2010 , 118, 78-83	8.5	264
48	Classification of vegetable oils according to their botanical origin using amino acid profiles established by High Performance Liquid Chromatography with UV-Vis detection: A first approach. <i>Food Chemistry</i> , 2010 , 120, 1149-1154	8.5	13
47	Study of the Fragmentation of D-Glucose and Alkylmonoglycosides in the Presence of Sodium Ions in an Ion-Trap Mass Spectrometer. <i>Analytical Letters</i> , 2009 , 42, 907-921	2.2	8
46	CEC column behaviour of butyl and lauryl methacrylate monoliths prepared in non-aqueous media. <i>Electrophoresis</i> , 2009 , 30, 607-15	3.6	14
45	Comparison of thermal- and photo-polymerization of lauryl methacrylate monolithic columns for CEC. <i>Electrophoresis</i> , 2009 , 30, 1929-36	3.6	14
44	Chemical initiation for butyl and lauryl acrylate monolithic columns for CEC. <i>Electrophoresis</i> , 2009 , 30, 599-606	3.6	15
43	Photo-polymerized lauryl methacrylate monolithic columns for CEC using lauroyl peroxide as initiator. <i>Electrophoresis</i> , 2009 , 30, 3748-56	3.6	30
42	Evaluation of the oxidative status of virgin olive oils with different phenolic content by direct infusion atmospheric pressure chemical ionization mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 395, 1543-50	4.4	9
41	Composition, industrial processing and applications of rice bran Embryanol. <i>Food Chemistry</i> , 2009 , 115, 389-404	8.5	185
40	Characterization of the alcoholic fraction of vegetable oils by derivatization with diphenic anhydride followed by high-performance liquid chromatography with spectrophotometric and mass spectrometric detection. <i>Journal of Chromatography A</i> , 2009 , 1216, 230-6	4.5	15
39	Study of peak shape and efficiency in butyl acrylate-based monolithic columns for capillary electrochromatography. <i>Journal of Chromatography A</i> , 2009 , 1216, 6831-7	4.5	6
38	Characterization and determination of poly(vinylpyrrolidone) by complexation with an anionic azo-dye and nonequilibrium capillary electrophoresis. <i>Journal of Chromatography A</i> , 2009 , 1216, 9014-2145	4.5	4
37	Prediction of the curing time of Spanish hams using peptide profiles established by capillary zone electrophoresis. <i>Food Chemistry</i> , 2009 , 113, 635-639	8.5	10
36	Classification of extra virgin olive oils according to their geographical origin using phenolic compound profiles obtained by capillary electrochromatography. <i>Food Research International</i> , 2009 , 42, 1446-1452	7	38
35	Enzyme class identification in cleaning products by hydrolysis followed by derivatization with o-phthalaldehyde, HPLC and linear discriminant analysis. <i>Talanta</i> , 2009 , 79, 275-9	6.2	3
34	Classification of extra virgin olive oils produced at La Comunitat Valenciana according to their genetic variety using sterol profiles established by high-performance liquid chromatography with mass spectrometry detection. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 10512-7	5.7	23

33	Prediction of the genetic variety of extra virgin olive oils produced at La Comunitat Valenciana, Spain, by fourier transform infrared spectroscopy. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 9985-9	5.7	19
32	Potentiometric determination of aqueous dissociation constants of flavonols sparingly soluble in water. <i>Talanta</i> , 2008 , 74, 1008-13	6.2	46
31	Classification of vegetable oils according to their botanical origin using sterol profiles established by direct infusion mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2008 , 22, 973-8	2.2	36
30	Rapid classification of enzymes in cleaning products by hydrolysis, mass spectrometry and linear discriminant analysis. <i>Rapid Communications in Mass Spectrometry</i> , 2008 , 22, 3667-72	2.2	3
29	Application of a polarity parameter model to the separation of fat-soluble vitamins by reversed-phase HPLC. <i>Journal of Separation Science</i> , 2008 , 31, 3170-81	3.4	4
28	Peroxodisulfate as a chemical initiator for methacrylate-ester monolithic columns for capillary electrochromatography. <i>Electrophoresis</i> , 2008 , 29, 910-8	3.6	15
27	Preparation and evaluation of butyl acrylate-based monolithic columns for CEC using ammonium peroxodisulfate as a chemical initiator. <i>Electrophoresis</i> , 2008 , 29, 3858-65	3.6	12
26	Rapid determination of sterols in vegetable oils by CEC using methacrylate ester-based monolithic columns. <i>Electrophoresis</i> , 2008 , 29, 4603-11	3.6	29
25	Lauroyl peroxide as thermal initiator of lauryl methacrylate monolithic columns for CEC. <i>Electrophoresis</i> , 2008 , 29, 4399-406	3.6	13
24	Prediction of the genetic variety of Spanish extra virgin olive oils using fatty acid and phenolic compound profiles established by direct infusion mass spectrometry. <i>Food Chemistry</i> , 2008 , 108, 1142-8	8.5	36
23	Evaluation of the quality of olive oil using fatty acid profiles by direct infusion electrospray ionization mass spectrometry. <i>Food Chemistry</i> , 2008 , 107, 1307-1313	8.5	25
22	Fast determination of prominent carotenoids in tomato fruits by CEC using methacrylate ester-based monolithic columns. <i>Electrophoresis</i> , 2007 , 28, 4120-7	3.6	13
21	Determination of tocopherols in vegetable oils by CEC using methacrylate ester-based monolithic columns. <i>Electrophoresis</i> , 2007 , 28, 4128-35	3.6	29
20	Determination of flavonoid aglycones in several food samples by mixed micellar electrokinetic chromatography. <i>Journal of Separation Science</i> , 2007 , 30, 2493-500	3.4	25
19	Separation and determination of alkylglycosides by liquid chromatography with electrospray mass spectrometric detection. <i>Talanta</i> , 2007 , 74, 65-71	6.2	5
18	Determination of major carotenoids in vegetables by capillary electrochromatography. <i>Journal of Separation Science</i> , 2006 , 29, 660-5	3.4	25
17	Analysis of prominent flavonoid aglycones by high-performance liquid chromatography using a monolithic type column. <i>Journal of Chromatography A</i> , 2006 , 1131, 51-7	4.5	48
16	Tailoring the morphology of methacrylate ester-based monoliths for optimum efficiency in liquid chromatography. <i>Analytical Chemistry</i> , 2005 , 77, 7342-7	7.8	129

15	Determination of dissociation constants of flavonoids by capillary electrophoresis. <i>Electrophoresis</i> , 2005 , 26, 1886-95	3.6	166
14	Characterization of the acidity of residual silanol groups in microparticulate and monolithic reversed-phase columns. <i>Journal of Chromatography A</i> , 2004 , 1060, 135-45	4.5	22
13	Determination of the amylose-amylopectin ratio of starches by iodine-affinity capillary electrophoresis. <i>Journal of Chromatography A</i> , 2004 , 1053, 227-34	4.5	32
12	Separation of homologues and isomers of linear alkylbenzenesulfonates by capillary electrophoresis with sodium dodecyl sulfate, carboxylic acids and bile salts. <i>Electrophoresis</i> , 2003 , 24, 681-6	3.6	14
11	Mixed micellar electrokinetic capillary chromatography separation of depolymerized grape procyanidins. <i>Electrophoresis</i> , 2003 , 24, 707-13	3.6	15
10	Micellar electrokinetic chromatography estimation of size and composition of procyanidins after thiolysis with cysteine. <i>Electrophoresis</i> , 2003 , 24, 1404-10	3.6	20
9	Simultaneous quantification of the main organic acids and carbohydrates involved in tomato flavour using capillary zone electrophoresis. <i>Journal of the Science of Food and Agriculture</i> , 2002 , 82, 1101-1106 ²⁰	4.3	1106 ²⁰
8	Determination of L-ascorbic acid in Lycopersicon fruits by capillary zone electrophoresis. <i>Analytical Biochemistry</i> , 2001 , 296, 218-24	3.1	29
7	Determination of alkylphenol ethoxylates by micellar electrokinetic chromatography with bile salts. <i>Electrophoresis</i> , 2001 , 22, 526-34	3.6	12
6	Separation and determination of homologues of linear alkylbenzenesulfonates by nonaqueous capillary zone electrophoresis using alkylammonium salts in ethanol. <i>Electrophoresis</i> , 2001 , 22, 2017-24	3.6	12
5	Determination of cow's milk and ripening time in nonbovine cheese by capillary electrophoresis of the ethanol-water protein fraction. <i>Electrophoresis</i> , 2000 , 21, 633-40	3.6	28
4	Determination of cow's milk in non-bovine and mixed cheeses by capillary electrophoresis of whey proteins in acidic isoelectric buffers. <i>Journal of Chromatography A</i> , 2000 , 878, 261-71	4.5	40
3	Determination of cationic surfactants by capillary zone electrophoresis and micellar electrokinetic chromatography with deoxycholate micelles in the presence of large organic solvent concentrations. <i>Journal of Chromatography A</i> , 2000 , 895, 227-35	4.5	30
2	Simultaneous Determination of l-Ascorbic Acid, Glutathione, and Their Oxidized Forms in Ozone-Exposed Vascular Plants by Capillary Zone Electrophoresis. <i>Environmental Science & Technology</i> , 2000 , 34, 1331-1336	10.3	15
1	Determination of L-ascorbic acid and total ascorbic acid in vascular and nonvascular plants by capillary zone electrophoresis. <i>Analytical Biochemistry</i> , 1998 , 265, 275-81	3.1	28