

Tao Yang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/658046/tao-yang-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91 papers	1,218 citations	18 h-index	31 g-index
110 ext. papers	1,730 ext. citations	6.1 avg, IF	3.87 L-index

#	Paper	IF	Citations
91	Cohort profile: risk evaluation of cancers in Chinese diabetic individuals: a longitudinal (REACTION) study. <i>Journal of Diabetes</i> , 2014 , 6, 147-57	3.8	112
90	Predictive factors of type 2 diabetes mellitus remission following bariatric surgery: a meta-analysis. <i>Obesity Surgery</i> , 2015 , 25, 199-208	3.7	85
89	The relationship between insulin-sensitive obesity and cardiovascular diseases in a Chinese population: results of the REACTION study. <i>International Journal of Cardiology</i> , 2014 , 172, 388-94	3.2	65
88	Inhibition of increased circulating Tfh cell by anti-CD20 monoclonal antibody in patients with type 1 diabetes. <i>PLoS ONE</i> , 2013 , 8, e79858	3.7	58
87	Predictive Value of Fasting Glucose, Postload Glucose, and Hemoglobin A on Risk of Diabetes and Complications in Chinese Adults. <i>Diabetes Care</i> , 2019 , 42, 1539-1548	14.6	51
86	Bethesda Categorization of Thyroid Nodule Cytology and Prediction of Thyroid Cancer Type and Prognosis. <i>Thyroid</i> , 2016 , 26, 256-61	6.2	50
85	Fat mass and obesity-associated gene enhances oxidative stress and lipogenesis in nonalcoholic fatty liver disease. <i>Digestive Diseases and Sciences</i> , 2013 , 58, 1004-9	4	47
84	Association of insulin resistance and β cell dysfunction with incident diabetes among adults in China: a nationwide, population-based, prospective cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2020 , 8, 115-124	18.1	44
83	Visceral adiposity index may be a surrogate marker for the assessment of the effects of obesity on arterial stiffness. <i>PLoS ONE</i> , 2014 , 9, e104365	3.7	40
82	Association between rs13266634 C/T polymorphisms of solute carrier family 30 member 8 (SLC30A8) and type 2 diabetes, impaired glucose tolerance, type 1 diabetes--a meta-analysis. <i>Diabetes Research and Clinical Practice</i> , 2011 , 91, 195-202	7.4	33
81	Identification of Novel T1D Risk Loci and Their Association With Age and Islet Function at Diagnosis in Autoantibody-Positive T1D Individuals: Based on a Two-Stage Genome-Wide Association Study. <i>Diabetes Care</i> , 2019 , 42, 1414-1421	14.6	30
80	Association of high vitamin d status with low circulating thyroid-stimulating hormone independent of thyroid hormone levels in middle-aged and elderly males. <i>International Journal of Endocrinology</i> , 2014 , 2014, 631819	2.7	30
79	Associations between two polymorphisms (FokI and BsmI) of vitamin D receptor gene and type 1 diabetes mellitus in Asian population: a meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e89325	3.7	29
78	Ideal Cardiovascular Health Metrics and Major Cardiovascular Events in Patients With Prediabetes and Diabetes. <i>JAMA Cardiology</i> , 2019 , 4, 874-883	16.2	28
77	UCP2 -866G/A, Ala55Val and UCP3 -55C/T polymorphisms in association with obesity susceptibility - a meta-analysis study. <i>PLoS ONE</i> , 2013 , 8, e58939	3.7	28
76	Relationship between Branched-Chain Amino Acids, Metabolic Syndrome, and Cardiovascular Risk Profile in a Chinese Population: A Cross-Sectional Study. <i>International Journal of Endocrinology</i> , 2016 , 2016, 8173905	2.7	22
75	The positive association of branched-chain amino acids and metabolic dyslipidemia in Chinese Han population. <i>Lipids in Health and Disease</i> , 2016 , 15, 120	4.4	20

74	Increased Th22 cells are independently associated with Th17 cells in type 1 diabetes. <i>Endocrine</i> , 2014 , 46, 90-8	4	18
73	Characterization of immune response to novel HLA-A2-restricted epitopes from zinc transporter 8 in type 1 diabetes. <i>Vaccine</i> , 2016 , 34, 854-62	4.1	17
72	Islet neogenesis-associated protein-related pentadecapeptide enhances the differentiation of islet-like clusters from human pancreatic duct cells. <i>Peptides</i> , 2009 , 30, 2242-9	3.8	16
71	CTLA-4 +49 G/A, a functional T1D risk SNP, affects CTLA-4 level in Treg subsets and IA-2A positivity, but not beta-cell function. <i>Scientific Reports</i> , 2018 , 8, 10074	4.9	14
70	Low serum free thyroxine concentrations associate with increased arterial stiffness in euthyroid subjects: a population-based cross-sectional study. <i>Endocrine</i> , 2015 , 50, 465-73	4	14
69	Coexistence of Histologically Confirmed Hashimoto's Thyroiditis with Different Stages of Papillary Thyroid Carcinoma in a Consecutive Chinese Cohort. <i>International Journal of Endocrinology</i> , 2014 , 2014, 769294	2.7	14
68	IFIH1 gene polymorphisms in type 1 diabetes: genetic association analysis and genotype-phenotype correlation in Chinese Han population. <i>Autoimmunity</i> , 2012 , 45, 226-32	3	14
67	Discordant association of islet autoantibodies with high-risk HLA genes in Chinese type 1 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2011 , 27, 899-905	7.5	14
66	Evolutionary features of thyroid cancer in patients with thyroidectomies from 2008 to 2013 in China. <i>Scientific Reports</i> , 2016 , 6, 28414	4.9	13
65	Hepatocytes derived extracellular vesicles from high-fat diet induced obese mice modulate genes expression and proliferation of islet β cells. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 516, 1159-1166	3.4	12
64	The relationship between serum 25-hydroxy vitamin D and insulin sensitivity and β cell function in newly diagnosed type 2 diabetes. <i>Journal of Diabetes Research</i> , 2015 , 2015, 636891	3.9	12
63	High Prevalence of a Monogenic Cause in Han Chinese Diagnosed With Type 1 Diabetes, Partly Driven by Nonsyndromic Recessive Mutations. <i>Diabetes</i> , 2020 , 69, 121-126	0.9	12
62	Individual and Combined Associations of Modifiable Lifestyle and Metabolic Health Status With New-Onset Diabetes and Major Cardiovascular Events: The China Cardiometabolic Disease and Cancer Cohort (4C) Study. <i>Diabetes Care</i> , 2020 , 43, 1929-1936	14.6	11
61	Steroids for the treatment of methimazole-induced severe cholestatic jaundice in a 74-year-old woman with type 2 diabetes. <i>Endocrine</i> , 2010 , 37, 241-3	4	11
60	Multi-peptide-coupled nanoparticles induce tolerance in humanised SHLA-transgenic mice and inhibit diabetogenic CD8 T cell responses in type 1 diabetes. <i>Diabetologia</i> , 2017 , 60, 2418-2431	10.3	10
59	Follicular regulatory T cells are associated with β cell autoimmunity and the development of type 1 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 ,	5.6	10
58	Erythropoietin promotes peripheral nerve regeneration in rats by upregulating expression of insulin-like growth factor-1. <i>Archives of Medical Science</i> , 2015 , 11, 433-7	2.9	10
57	Association of Serum Bile Acids Profile and Pathway Dysregulation With the Risk of Developing Diabetes Among Normoglycemic Chinese Adults: Findings From the 4C Study. <i>Diabetes Care</i> , 2021 , 44, 499-510	14.6	10

56	Prediction of HLA class I-restricted T-cell epitopes of islet autoantigen combined with binding and dissociation assays. <i>Autoimmunity</i> , 2012 , 45, 176-85	3	9
55	Inverse relationship between serum Metrnl levels and visceral fat obesity (VFO) in patients with type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2020 , 161, 108068	7.4	9
54	Early Life Famine Exposure, Ideal Cardiovascular Health Metrics, and Risk of Incident Diabetes: Findings From the 4C Study. <i>Diabetes Care</i> , 2020 , 43, 1902-1909	14.6	8
53	Downregulation of microRNA-448 improves isoflurane-induced learning and memory impairment in rats. <i>Molecular Medicine Reports</i> , 2017 , 16, 1578-1583	2.9	8
52	Association between calcaneus quantitative ultrasound (QUS) parameters and thyroid status in middle-aged and elderly Chinese men with euthyroidism: a population-based cross-sectional study. <i>Endocrine</i> , 2014 , 47, 227-33	4	8
51	Fat mass and obesity associated gene (FTO) expression is regulated negatively by the transcription factor Foxa2. <i>PLoS ONE</i> , 2012 , 7, e51082	3.7	8
50	Aberrant activation of Notch-1 signaling inhibits podocyte restoration after islet transplantation in a rat model of diabetic nephropathy. <i>Cell Death and Disease</i> , 2018 , 9, 950	9.8	8
49	Annual financial impact of thyroidectomies for nodular thyroid disease in China. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 5921-6	1.7	7
48	ICPis-Induced Autoimmune Polyendocrine Syndrome Type 2: A Review of the Literature and a Protocol for Optimal Management. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	7
47	Type 2 Diabetes Risk Allele UBE2E2 Is Associated With Decreased Glucose-Stimulated Insulin Release in Elderly Chinese Han Individuals. <i>Medicine (United States)</i> , 2016 , 95, e3604	1.8	7
46	Association between birth weight and diabetes: Role of body mass index and lifestyle in later life. <i>Journal of Diabetes</i> , 2020 , 12, 10-20	3.8	7
45	Rs2227982 and rs2227981 in PDCD1 gene are functional SNPs associated with T1D risk in East Asian. <i>Acta Diabetologica</i> , 2018 , 55, 813-819	3.9	7
44	The heterogeneity of islet autoantibodies and the progression of islet failure in type 1 diabetic patients. <i>Science China Life Sciences</i> , 2016 , 59, 930-9	8.5	6
43	Circulating PCSK9 levels and 2-hPG are positively correlated in metabolic diseases in a Chinese Han population. <i>Lipids in Health and Disease</i> , 2018 , 17, 15	4.4	6
42	Elevated thyroid stimulating hormone levels are associated with metabolic syndrome in a Chinese community-based population of euthyroid people aged 40 years and older. <i>Journal of Biomedical Research</i> , 2016 , 30, 476-482	1.5	6
41	Establishment of clinical diagnosis model of Graves Disease and Hashimoto's thyroiditis. <i>Journal of Translational Medicine</i> , 2019 , 17, 11	8.5	6
40	βCells: The Neighborhood Watch in the Islet Community. <i>Biology</i> , 2021 , 10,	4.9	6
39	A Chinese risk score model for identifying postprandial hyperglycemia without oral glucose tolerance test. <i>Diabetes/Metabolism Research and Reviews</i> , 2014 , 30, 284-90	7.5	5

38	Glutamic Acid Decarboxylase Autoantibody Detection by Electrochemiluminescence Assay Identifies Latent Autoimmune Diabetes in Adults with Poor Islet Function. <i>Diabetes and Metabolism Journal</i> , 2020 , 44, 260-266	5	5
37	Circulating microRNA-135a-3p in serum extracellular vesicles as a potential biological marker of non-alcoholic fatty liver disease. <i>Molecular Medicine Reports</i> , 2021 , 24,	2.9	5
36	Diabetes mellitus predicts inferior survival in diffuse large B-cell lymphoma: a propensity score-matched analysis. <i>Cancer Management and Research</i> , 2019 , 11, 2849-2870	3.6	4
35	A systematic survey on the diagnosis strategy and patient management of type 1 diabetes by Chinese physicians. <i>Science China Life Sciences</i> , 2018 , 61, 318-327	8.5	4
34	Comparison of two different standards of care in detecting malignant thyroid nodules using thyroid fine-needle aspiration. <i>Molecular and Clinical Oncology</i> , 2015 , 3, 682-686	1.6	4
33	Association of serum uric acid with 2-hour postload glucose in Chinese with impaired fasting plasma glucose and/or HbA1c. <i>PLoS ONE</i> , 2013 , 8, e67759	3.7	4
32	The association and joint effect of serum cholesterol, glycemic status with the risk of incident cancer among middle-aged and elderly population in china cardiometabolic disease and cancer cohort (4C)-study. <i>American Journal of Cancer Research</i> , 2020 , 10, 975-986	4.4	4
31	Safety, Pharmacokinetics, and Pharmacodynamics of Globalaglatin, a Glucokinase Activator, in Chinese Patients with Type 2 Diabetes Mellitus: A Randomized, Phase Ib, 28-day Ascending Dose Study. <i>Clinical Drug Investigation</i> , 2020 , 40, 1155-1166	3.2	4
30	Cross-cultural adaption and psychometric properties of the Chinese version of the Diabetes Behavior Rating Scale: a pilot study. <i>Science China Life Sciences</i> , 2018 , 61, 310-317	8.5	4
29	Non-alcoholic fatty liver disease, metabolic goal achievement with incident cardiovascular disease and eGFR-based chronic kidney disease in patients with prediabetes and diabetes. <i>Metabolism: Clinical and Experimental</i> , 2021 , 124, 154874	12.7	4
28	Impaired β -cell function and decreased insulin sensitivity in subjects with normal oral glucose tolerance but isolated high glycosylated hemoglobin. <i>Endocrine Journal</i> , 2018 , 65, 13-22	2.9	3
27	Mapping I-A(g7) restricted epitopes in murine G6PC2. <i>Immunologic Research</i> , 2013 , 55, 91-9	4.3	3
26	Immune Checkpoint Inhibitor-Induced Adrenalitis and Primary Adrenal Insufficiency: Systematic Review and Optimal Management. <i>Endocrine Practice</i> , 2021 , 27, 165-169	3.2	3
25	Age-related disparities in diabetes risk attributable to modifiable risk factor profiles in Chinese adults: a nationwide, population-based, cohort study. <i>The Lancet Healthy Longevity</i> , 2021 , 2, e618-e628	9.5	3
24	Efficacy and safety of stem cells transplantation in patients with type 1 diabetes mellitus-a systematic review and meta-analysis. <i>Endocrine Journal</i> , 2020 , 67, 827-840	2.9	2
23	Screening and identification of human ZnT8-specific single-chain variable fragment (scFv) from type 1 diabetes phage display library. <i>Science China Life Sciences</i> , 2016 , 59, 686-93	8.5	2
22	Islet neogenesis-associated protein-related pentadecapeptide improves the function of allograft after islets transplantation. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2014 , 27, 1167-73	1.6	2
21	Multiplex ratiometric gold nanoprobe based on surface-enhanced Raman scattering enable accurate molecular detection and imaging of bladder cancer. <i>Nano Research</i> , 1	10	2

20	Cardiovascular Risk Based on ASCVD and KDIGO Categories in Chinese Adults: A Nationwide, Population-Based, Prospective Cohort Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2021 ,	12.7	2
19	Temporal metabolic and transcriptomic characteristics crossing islets and liver reveal dynamic pathophysiology in diet-induced diabetes. <i>IScience</i> , 2021 , 24, 102265	6.1	2
18	CHL1 promotes insulin secretion and negatively regulates the proliferation of pancreatic β cells. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 525, 1095-1102	3.4	2
17	R11 peptides can promote the molecular imaging of spherical nucleic acids for bladder cancer margin identification. <i>Nano Research</i> , 1	10	2
16	Age-specific modifiable risk factor profiles for cardiovascular disease and all-cause mortality: a nationwide, population-based, prospective cohort study.. <i>The Lancet Regional Health - Western Pacific</i> , 2021 , 17, 100277	5	2
15	Dorzagliatin add-on therapy to metformin in patients with type 2 diabetes: a randomized, double-blind, placebo-controlled phase 3 trial.. <i>Nature Medicine</i> , 2022 , 28, 974-981	50.5	2
14	Identification of novel HLA-A0201-restricted T-cell epitopes against thyroid antigens in autoimmune thyroid diseases. <i>Endocrine</i> , 2020 , 69, 562-570	4	1
13	Cholecystectomy is an independent factor of enhanced insulin release and impaired insulin sensitivity. <i>Diabetes Research and Clinical Practice</i> , 2020 , 162, 108080	7.4	1
12	The Frequency of Intrathyroidal Follicular Helper T Cells Varies with the Progression of Graves'S Disease and Hashimoto'S Thyroiditis.. <i>Journal of Immunology Research</i> , 2022 , 2022, 4075522	4.5	1
11	Hypertension Defined by 2017 ACC/AHA Guideline, Ideal Cardiovascular Health Metrics, and Risk of Cardiovascular Disease: A Nationwide Prospective Cohort Study.. <i>The Lancet Regional Health - Western Pacific</i> , 2022 , 20, 100350	5	1
10	The associations between three genome-wide risk variants for serum C-peptide of T1D and autoantibody-positive T1D risk, and clinical characteristics in Chinese population. <i>Journal of Human Genetics</i> , 2020 , 65, 297-303	4.3	1
9	Targeted lipidomics reveals associations between serum sphingolipids and insulin sensitivity measured by the hyperinsulinemic-euglycemic clamp. <i>Diabetes Research and Clinical Practice</i> , 2021 , 173, 108699	7.4	1
8	Differences in Maturation Status and Immune Phenotypes of Circulating Helios and Helios Tregs and Their Disrupted Correlations With Monocyte Subsets in Autoantibody-Positive T1D Individuals. <i>Frontiers in Immunology</i> , 2021 , 12, 628504	8.4	1
7	High concentrations of triglycerides are associated with diabetic kidney disease in new-onset type 2 diabetes in China: Findings from the China Cardiometabolic Disease and Cancer Cohort (4C) Study. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 2551-2560	6.7	1
6	Autoimmune thyroid disease correlates to islet autoimmunity on zinc transporter 8 autoantibody. <i>Endocrine Connections</i> , 2021 , 10, 534-542	3.5	0
5	High L-Valine Concentrations Associate with Increased Oxidative Stress and Newly-Diagnosed Type 2 Diabetes Mellitus: A Cross-Sectional Study.. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2022 , 15, 499-509	3.4	0
4	Silencing of Id2 Alleviates Chronic Neuropathic Pain Following Chronic Constriction Injury. <i>Journal of Molecular Neuroscience</i> , 2016 , 59, 99-105	3.3	
3	Association of soy food with cardiovascular outcomes and all-cause mortality in a Chinese population: a nationwide prospective cohort study.. <i>European Journal of Nutrition</i> , 2022 , 61, 1609	5.2	

- | | | |
|---|--|-----|
| 2 | Differences of Circulating CD25 Bregs and Their Correlations with CD4 Effector and Regulatory T Cells in Autoantibody-Positive T1D Compared with Age-Matched Healthy Individuals.. <i>Journal of Immunology Research</i> , 2022 , 2022, 2269237 | 4.5 |
| 1 | The common rs13266634 C > T variant in SLC30A8 contributes to the heterogeneity of phenotype and clinical features of both type 1 and type 2 diabetic subtypes.. <i>Acta Diabetologica</i> , 2022 , 59, 545 | 3.9 |