

Ichiro Kusumi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6581421/publications.pdf>

Version: 2024-02-01

76
papers

2,137
citations

279701

23
h-index

265120

42
g-index

77
all docs

77
docs citations

77
times ranked

3189
citing authors

#	ARTICLE	IF	CITATIONS
1	Victimization in Childhood Influences Presenteeism in Adulthood via Mediation by Neuroticism and Perceived Job Stressors. <i>Neuropsychiatric Disease and Treatment</i> , 2022, Volume 18, 265-274.	1.0	6
2	Cognitive complaints mediate the influence of sleep disturbance and state anxiety on subjective well-being and ill-being in adult community volunteers: a cross sectional study. <i>BMC Public Health</i> , 2022, 22, 566.	1.2	2
3	Cognitive complaints mediate childhood parental bonding influence on presenteeism. <i>PLoS ONE</i> , 2022, 17, e0266226.	1.1	1
4	Roles of childhood maltreatment, personality traits, and life stress in the prediction of severe premenstrual symptoms. <i>BioPsychoSocial Medicine</i> , 2022, 16, 11.	0.9	3
5	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470.	4.1	44
6	BIS/BAS as moderators in the relationship between stressful life events and depressive symptoms in adult community volunteers. <i>Journal of Affective Disorders Reports</i> , 2021, 3, 100050.	0.9	6
7	Interaction between childhood parental bonding and affective temperaments on adulthood depressive symptoms. <i>Journal of Affective Disorders Reports</i> , 2021, 3, 100056.	0.9	1
8	Associations between cognitive impairment and illness awareness in fully remitted bipolar outpatients. <i>Psychiatry Research</i> , 2021, 296, 113655.	1.7	0
9	Affective temperaments moderate the effect of insomnia on depressive symptoms in adult community volunteers. <i>Journal of Affective Disorders</i> , 2021, 282, 726-731.	2.0	8
10	Mediating Roles of Cognitive Complaints on Relationships between Insomnia, State Anxiety, and Presenteeism in Japanese Adult Workers. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4516.	1.2	12
11	The Role of Cognitive Complaints in the Relationship Between Trait Anxiety, Depressive Symptoms, and Subjective Well-Being and Ill-Being in Adult Community Volunteers. <i>Neuropsychiatric Disease and Treatment</i> , 2021, Volume 17, 1299-1309.	1.0	6
12	Affective temperaments and functional disability modulate depressive symptoms in adulthood. <i>Journal of Affective Disorders Reports</i> , 2021, 4, 100108.	0.9	1
13	Quantitative Resting State Electroencephalography in Patients with Schizophrenia Spectrum Disorders Treated with Strict Monotherapy Using Atypical Antipsychotics. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 313-322.	0.9	7
14	Effectiveness of suicide prevention gatekeeper training for university teachers in Japan. <i>Asian Journal of Psychiatry</i> , 2021, 60, 102661.	0.9	14
15	The relationship among sleep reactivity, job-related stress, and subjective cognitive dysfunction: a cross-sectional study using path analysis. <i>Industrial Health</i> , 2021, 59, 229-238.	0.4	6
16	The mediating effects of perceived cognitive disturbances on reported sleep disturbance, presenteeism, and functional disability in Japanese adult workers. <i>Journal of Affective Disorders Reports</i> , 2021, 5, 100180.	0.9	2
17	Interpersonal Sensitivity Mediates the Effects of Childhood Maltreatment on the Evaluation of Life Events and Anxiety States in Adult Community Volunteers. <i>Neuropsychiatric Disease and Treatment</i> , 2021, Volume 17, 2757-2766.	1.0	4
18	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823.	1.6	10

#	ARTICLE	IF	CITATIONS
19	Associations of Cognitive Complaints and Depressive Symptoms with Health-Related Quality of Life and Perceived Overall Health in Japanese Adult Volunteers. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9647.	1.2	2
20	Lipid and Energy Metabolism of the Gut Microbiota Is Associated with the Response to Probiotic <i>Bifidobacterium breve</i> Strain for Anxiety and Depressive Symptoms in Schizophrenia. <i>Journal of Personalized Medicine</i> , 2021, 11, 987.	1.1	17
21	Subjective cognitive impairment and presenteeism mediate the associations of rumination with subjective well-being and ill-being in Japanese adult workers from the community. <i>BioPsychoSocial Medicine</i> , 2021, 15, 15.	0.9	1
22	Plasma fatty acid-binding protein 7 concentration correlates with depression/anxiety, cognition, and positive symptom in patients with schizophrenia. <i>Journal of Psychiatric Research</i> , 2021, 144, 304-311.	1.5	5
23	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606.	2.4	25
24	White matter microstructural alterations across four major psychiatric disorders: mega-analysis study in 2937 individuals. <i>Molecular Psychiatry</i> , 2020, 25, 883-895.	4.1	170
25	Structural equation modeling approach to explore the influence of childhood maltreatment in adults. <i>PLoS ONE</i> , 2020, 15, e0239820.	1.1	9
26	Associations among childhood parenting, affective temperaments, depressive symptoms, and cognitive complaints in adult community volunteers. <i>Journal of Affective Disorders</i> , 2020, 276, 361-368.	2.0	13
27	Personality traits mediate the association between perceived parental bonding and well-being in adult volunteers from the community. <i>BioPsychoSocial Medicine</i> , 2020, 14, 28.	0.9	8
28	Association Between N-Desmethylclozapine and Clozapine-Induced Sialorrhea: Involvement of Increased Nocturnal Salivary Secretion via Muscarinic Receptors by N-Desmethylclozapine. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2020, 375, 376-384.	1.3	5
29	<p>Does Subjective Cognitive Function Mediate the Effect of Affective Temperaments on Functional Disability in Japanese Adults?</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 1675-1684.	1.0	10
30	Associations between the depressive symptoms, subjective cognitive function, and presenteeism of Japanese adult workers: a cross-sectional survey study. <i>BioPsychoSocial Medicine</i> , 2020, 14, 10.	0.9	28
31	Associations between cognitive impairment and P300 mean amplitudes in individuals with bipolar disorder in remission. <i>Psychiatry Research</i> , 2020, 290, 113125.	1.7	5
32	A pilot validation study of the Japanese translation of the Positive and Negative Syndrome Scale (PANSS). <i>Asian Journal of Psychiatry</i> , 2020, 54, 102210.	0.9	6
33	<p>Influence of Childhood Maltreatment, Adulthood Stressful Life Events, and Affective Temperaments on Premenstrual Mental Symptoms of Nonclinical Adult Volunteers</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 1-10.	1.0	8
34	Caffeic acid reduces oxidative stress and microglial activation in the mouse hippocampus. <i>Tissue and Cell</i> , 2019, 60, 14-20.	1.0	29
35	<p>Complex effects of childhood abuse, affective temperament, and subjective social status on depressive symptoms of adult volunteers from the community</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 2477-2485.	1.0	10
36	<p>Evaluation Of Subjective Cognitive Function Using The Cognitive Complaints In Bipolar Disorder Rating Assessment (COBRA) In Japanese Adults</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 2981-2990.	1.0	27

#	ARTICLE	IF	CITATIONS
37	Controlling the laxative abuse of anorexia nervosa patients with the Serigaya Methamphetamine Relapse Prevention Program workbook: a case report. <i>BioPsychoSocial Medicine</i> , 2019, 13, 23.	0.9	1
38	Subjective social status via mediation of childhood parenting is associated with adulthood depression in non-clinical adult volunteers. <i>Psychiatry Research</i> , 2019, 274, 352-357.	1.7	13
39	<p>Pilot Validation Study of the Japanese Translation of the Brief Negative Symptoms Scale (BNSS)</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 3511-3518.	1.0	13
40	Effect of bifidobacterium breve A-1 on anxiety and depressive symptoms in schizophrenia: A proof-of-concept study. <i>Journal of Affective Disorders</i> , 2019, 245, 377-385.	2.0	90
41	Associations between cognitive impairment and quality of life in euthymic bipolar patients. <i>Psychiatry Research</i> , 2019, 271, 510-515.	1.7	25
42	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74.	6.0	102
43	Affective temperaments play an important role in the relationship between child abuse and the diagnosis of bipolar disorder. <i>Psychiatry Research</i> , 2018, 262, 13-19.	1.7	13
44	Influence of trait anxiety, child maltreatment, and adulthood life events on depressive symptoms. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 3279-3287.	1.0	23
45	Social cognition and metacognition contribute to accuracy for self-evaluation of real-world functioning in patients with schizophrenia. <i>Schizophrenia Research</i> , 2018, 202, 426-428.	1.1	7
46	Childhood parental bonding affects adulthood trait anxiety through self-esteem. <i>Comprehensive Psychiatry</i> , 2017, 74, 15-20.	1.5	20
47	Verbal memory impairments in bipolar disorder: <sc>E</sc>ffect of type of word learning tasks. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 570-571.	1.0	4
48	Validity and reliability of the Cognitive Complaints in Bipolar Disorder Rating Assessment (COBRA) in Japanese patients with bipolar disorder. <i>Psychiatry Research</i> , 2017, 254, 85-89.	1.7	27
49	Reliability and validity of the California Verbal Learning Testâ€” Japanese version. <i>Psychiatry and Clinical Neurosciences</i> , 2017, 71, 417-418.	1.0	3
50	The influence of parental care and overprotection, neuroticism and adult stressful life events on depressive symptoms in the general adult population. <i>Journal of Affective Disorders</i> , 2017, 217, 66-72.	2.0	37
51	Verbal Memory Impairment in Patients with Subsyndromal Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2017, 8, 168.	1.3	12
52	The relationship between a low grain intake dietary pattern and impulsive behaviors in middle-aged Japanese people. <i>PLoS ONE</i> , 2017, 12, e0181057.	1.1	12
53	Associations among depressive symptoms, childhood abuse, neuroticism, and adult stressful life events in the general adult population. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 477-482.	1.0	31
54	Interpersonal sensitivity mediates the effects of child abuse and affective temperaments on depressive symptoms in the general adult population. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 2559-2568.	1.0	23

#	ARTICLE	IF	CITATIONS
55	Neural responses to feedback information produced by self-generated or other-generated decision-making and their impairment in schizophrenia. <i>PLoS ONE</i> , 2017, 12, e0183792.	1.1	3
56	Confirmation of the factorial structure of the Japanese short version of the TEMPS-A in psychiatric patients and general adults. <i>Neuropsychiatric Disease and Treatment</i> , 2016, Volume 12, 2173-2179.	1.0	16
57	The influence of childhood abuse, adult life events, and affective temperaments on the well-being of the general, nonclinical adult population. <i>Neuropsychiatric Disease and Treatment</i> , 2016, 12, 823.	1.0	27
58	Cognitive insight and functional outcome in schizophrenia; a multi-center collaborative study with the specific level of functioning scale—Japanese version. <i>Schizophrenia Research: Cognition</i> , 2016, 6, 9-14.	0.7	30
59	Loss of function mutations in <i>ATP2A2</i> and psychoses: A case report and literature survey. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 342-350.	1.0	23
60	Effectiveness of suicide prevention gatekeeper training for university administrative staff in Japan. <i>Psychiatry and Clinical Neurosciences</i> , 2016, 70, 62-70.	1.0	38
61	Affective temperaments play an important role in the relationship between childhood abuse and depressive symptoms in major depressive disorder. <i>Psychiatry Research</i> , 2016, 236, 142-147.	1.7	25
62	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016, 387, 1085-1093.	6.3	306
63	Different P50 sensory gating measures reflect different cognitive dysfunctions in schizophrenia. <i>Schizophrenia Research: Cognition</i> , 2015, 2, 166-169.	0.7	25
64	The structural equation analysis of childhood abuse, adult stressful life events, and temperaments in major depressive disorders and their influence on refractoriness. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 2079.	1.0	27
65	Involvement of Serotonin Transporter Gene Polymorphisms (5-HTT) in Impulsive Behavior in the Japanese Population. <i>PLoS ONE</i> , 2015, 10, e0119743.	1.1	19
66	The moderator effects of affective temperaments, childhood abuse and adult stressful life events on depressive symptoms in the nonclinical general adult population. <i>Journal of Affective Disorders</i> , 2015, 187, 203-210.	2.0	27
67	Does temperature or sunshine mediate the effect of latitude on affective temperaments? A study of 5 regions in Japan. <i>Journal of Affective Disorders</i> , 2015, 172, 141-145.	2.0	14
68	Neonatal Maternal Separation Alters the Capacity of Adult Neural Precursor Cells to Differentiate into Neurons Via Methylation of Retinoic Acid Receptor Gene Promoter. <i>Biological Psychiatry</i> , 2015, 77, 335-344.	0.7	47
69	The influence of childhood abuse, adult stressful life events and temperaments on depressive symptoms in the nonclinical general adult population. <i>Journal of Affective Disorders</i> , 2014, 158, 101-107.	2.0	68
70	Culture modulates sensitivity to the disappearance of facial expressions associated with serotonin transporter polymorphism (5-HTTLPR). <i>Culture and Brain</i> , 2014, 2, 72-88.	0.3	23
71	Absent activation in medial prefrontal cortex and temporoparietal junction but not superior temporal sulcus during the perception of biological motion in schizophrenia: a functional MRI study. <i>Neuropsychiatric Disease and Treatment</i> , 2014, 10, 2221.	1.0	16
72	Maternal Separation Enhances Conditioned Fear and Decreases the mRNA Levels of the Neurotensin Receptor 1 Gene with Hypermethylation of This Gene in the Rat Amygdala. <i>PLoS ONE</i> , 2014, 9, e97421.	1.1	49

#	ARTICLE	IF	CITATIONS
73	Neurocognitive impairments and quality of life in unemployed patients with remitted major depressive disorder. <i>Psychiatry Research</i> , 2013, 210, 913-918.	1.7	36
74	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013, 8, e65636.	1.1	156
75	The International Consortium on Lithium Genetics (ConLiGen): An Initiative by the NIMH and IGSLI to Study the Genetic Basis of Response to Lithium Treatment. <i>Neuropsychobiology</i> , 2010, 62, 72-78.	0.9	134
76	Tone duration mismatch negativity deficits predict impairment of executive function in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 95-99.	2.5	61