

# Andrzej Lewinski

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6581833/andrzej-lewinski-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

327  
papers

4,333  
citations

32  
h-index

51  
g-index

377  
ext. papers

5,148  
ext. citations

3.1  
avg. IF

5.59  
L-index

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 327 | Night shift work and osteoporosis - bone turnover markers among female blue-collar workers in Poland.. <i>Chronobiology International</i> , <b>2022</b> , 1-8   | 3.6  | 0         |
| 326 | Establishing Reference Ranges for Aldosterone, Renin and Aldosterone-to-Renin Ratio for Women in the Third-Trimester of Pregnancy.. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2022</b> ,   | 2.3  | 1         |
| 325 | Significance of HLA Haplotypes in Two Patients with Subacute Thyroiditis Triggered by mRNA-Based COVID-19 Vaccine.. <i>Vaccines</i> , <b>2022</b> , 10,   | 5.3  | 0         |
| 324 | Leptin Does Not Influence TSH Levels in Obese Short Children.. <i>Frontiers in Endocrinology</i> , <b>2022</b> , 13, 838881   | 3.7  | 1         |
| 323 | Familial Partial Lipodystrophy Literature Review and Report of a Novel Variant in PPARG Expanding the Spectrum of Disease-Causing Alterations in FPLD3. <i>Diagnostics</i> , <b>2022</b> , 12, 1122   | 3.8  | 0         |
| 322 | Diagnosis and treatment of thyroid cancer in adult patients - Recommendations of Polish Scientific Societies and the National Oncological Strategy. 2022 Update [Diagnostyka i leczenie raka tarczycy u chorych dorosłych - Rekomendacje Polskich Towarzystw Naukowych oraz Narodowej Strategii Onkologicznej. Aktualizacja na rok 2022].. <i>Endokrynologia Polska</i> , <b>2022</b> , 73, 173-300 | 1.1  | 2         |
| 321 | Identification of New Genetic Determinants in Pediatric Patients with Familial Hypercholesterolemia Using a Custom NGS Panel. <i>Genes</i> , <b>2022</b> , 13, 999  | 4.2  | 0         |
| 320 | Oxidative damage to membrane lipids in the thyroid - no differences between sexes. <i>Drug and Chemical Toxicology</i> , <b>2021</b> , 44, 655-660  | 2.3  | 3         |
| 319 | Effectiveness, economical and safety aspects of growth hormone (GH) therapy in growth promoting doses in patients with isolated GH deficiency after the attainment of near-final height. Is there a need to modify the criteria of therapy withdrawal?. <i>Pediatric Endocrinology, Diabetes and Metabolism</i> , <b>2021</b> , 27, 258-267   | 1    | 0         |
| 318 | Thyroid diseases in pregnancy: guidelines of the Polish Society of Endocrinology [Choroby tarczycy w ciąży: zalecenia postępowania Polskiego Towarzystwa Endokrynologicznego]. <i>Endokrynologia Polska</i> , <b>2021</b> , 72, 425-488   | 1.1  | 1         |
| 317 | Frequency of oligosymptomatic gastrointestinal tract diseases and its relation to insulin-like growth factor I in idiopathic (non-GH-deficient) short stature children.. <i>Archives of Medical Science</i> , <b>2021</b> , 17, 1663-1671   | 2.9  | 0         |
| 316 | Transient Hyperthyrotropinemia in Outpatient Children with Acute Infections of the Respiratory System. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,   | 4.6  | 2         |
| 315 | The Role of Snail-1 in Thyroid Cancer-What We Know So Far. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,  | 5.1  | 2         |
| 314 | New aspects in the pathogenesis and management of subacute thyroiditis. <i>Reviews in Endocrine and Metabolic Disorders</i> , <b>2021</b> , 1   | 10.5 | 19        |
| 313 | Percentage of Myeloid Dendritic Cells in Peripheral Venous Blood Is Negatively Related to Incidence of Graves Orbitopathy. <i>Mediators of Inflammation</i> , <b>2021</b> , 2021, 8896055   | 4.3  | 0         |
| 312 | Hormonal replacement therapy in women with a history of internal genital organ malignancy. <i>Przegląd Menopauzalny</i> , <b>2021</b> , 20, 34-39   | 1.2  | 0         |
| 311 | Innovative biodegradable dibutyrylchitin dressing for the treatment of ulcers occurring during chronic venous insufficiency in patients with type 2 diabetes. <i>International Journal of Occupational Medicine and Environmental Health</i> , <b>2021</b> , 34, 565-573  | 1.5  | 0         |

|     |  |     |    |
|-----|--|-----|----|
| 310 | High prevalence of early (1st trimester) gestational diabetes mellitus in Polish women is accompanied by insulin resistance similar to women with polycystic ovary syndrome (PCOS). <i>Endokrynologia Polska</i> , <b>2021</b> ,   | 1.1 | 2  |
| 309 | Clinical Manifestation of Subacute Thyroiditis Triggered by SARS-CoV-2 Infection Can Be HLA-Dependent.. <i>Viruses</i> , <b>2021</b> , 13,   | 6.2 | 2  |
| 308 | Strong Correlation between HLA and Clinical Course of Subacute Thyroiditis-A Report of the Three Siblings. <i>Genes</i> , <b>2020</b> , 11,  | 4.2 | 5  |
| 307 | Subclinical thyroid dysfunction in the first trimester of pregnancy: Disease versus physiological (pulsatile) variation in TSH concentrations. <i>Clinical Endocrinology</i> , <b>2020</b> , 93, 739-745   | 3.4 | 1  |
| 306 | Night shift work and osteoporosis among female blue-collar workers in Poland - a pilot study. <i>Chronobiology International</i> , <b>2020</b> , 37, 910-920   | 3.6 | 3  |
| 305 | Less Favorable Lipid Profile and Higher Prevalence of Thyroid Antibodies in Women of Reproductive Age with High-Normal TSH-Retrospective Study. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,   | 4.6 | 2  |
| 304 | Adequate timing and constant supervision are the keys for successful implementation of levothyroxine or levothyroxine/paracetamol absorption test. <i>Thyroid Research</i> , <b>2020</b> , 13, 5   | 2.4 | 1  |
| 303 | Bone Metabolism in Patients Treated for Depression. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,   | 4.6 | 2  |
| 302 | Subacute Thyroiditis is Associated with , - and --The Significance of the New Molecular Background. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,   | 5.1 | 20 |
| 301 | Significance of Direct Confirmation of Growth Hormone Insensitivity for the Diagnosis of Primary IGF-I Deficiency. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,  | 5.1 | 2  |
| 300 | Expert opinion on liquid L-thyroxine usage in hypothyroid patients and new liquid thyroxine formulation - Tirosint SOL [Opinia eksperta dotycząca stosowania płynnej postaci lewotyroksyny oraz nowego preparatu Tirosint SOL u chorych na niedoczynność tarczycy]. <i>Endokrynologia Polska</i> , <b>2020</b> , 71, 441-465 | 1.1 | 2  |
| 299 | Changes of androgens levels in menopausal women. <i>Przegląd Menopauzalny</i> , <b>2020</b> , 19, 151-154  | 1.2 | 4  |
| 298 | Specialist thyroid package 1 (PS1) in outpatient endocrine care [Pakiet specjalistyczny dotyczący tarczycy (PS1) w ambulatoryjnej opiece endokrynologicznej]. <i>Endokrynologia Polska</i> , <b>2020</b> , 71, 485-496   | 1.1 |    |
| 297 | Time-Lag Between Symptom Onset and Diagnosis of Subacute Thyroiditis - How to Avoid the Delay of Diagnosis and Unnecessary Overuse of Antibiotics. <i>Hormone and Metabolic Research</i> , <b>2020</b> , 52, 32-38   | 3.1 | 6  |
| 296 | High normal TSH is associated with lower mannan-binding lectin in women of childbearing age. <i>BMC Endocrine Disorders</i> , <b>2020</b> , 20, 1  | 3.3 | 14 |
| 295 | Application of Shear Wave Sonoelastography in the Differential Diagnosis of Extra- and Intra-Thyroidal Ectopic Thymic Tissue. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,   | 5.1 | 1  |
| 294 | S-Detect Software vs. EU-TIRADS Classification: A Dual-Center Validation of Diagnostic Performance in Differentiation of Thyroid Nodules. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,   | 5.1 | 5  |
| 293 | Comparison of nocturnal and morning ghrelin concentration in children with growth hormone deficiency and with idiopathic short stature. <i>Chronobiology International</i> , <b>2020</b> , 37, 1629-1635   | 3.6 | 2  |

|     |  |     |    |
|-----|--|-----|----|
| 292 | Strong Positive Correlation between TSH and Ghrelin in Euthyroid Non-Growth Hormone-Deficient Children with Short Stature. <i>Molecules</i> , <b>2020</b> , 25,  | 4.8 | 3  |
| 291 | Novel Germline c.105_107dupGCT Mutation in a Family with Newly Diagnosed Multiple Endocrine Neoplasia Type 1. <i>Genes</i> , <b>2020</b> , 11,   | 4.2 | 1  |
| 290 | Overexpression Correlates with Metastatic Phenotype in BRAF Positive Papillary Thyroid Carcinoma. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,   | 5.1 | 3  |
| 289 | Recombinant Human Thyroid-Stimulating Hormone Increases the Percentages of Natural Killer T Cells and B Lymphocytes in Human Peripheral Blood. <i>Frontiers in Endocrinology</i> , <b>2020</b> , 11, 543845  | 5.7 | 2  |
| 288 | Seasonality of vitamin D concentrations and the incidence of vitamin D deficiency in children and adolescents from central Poland. <i>Pediatric Endocrinology, Diabetes and Metabolism</i> , <b>2019</b> , 25, 54-59   | 1   | 6  |
| 287 | Sonographic and Elastographic Features of Extra- and Intrathyroidal Ectopic Thymus Mimicking Malignancy: Differential Diagnosis in Children. <i>Frontiers in Endocrinology</i> , <b>2019</b> , 10, 223   | 5.7 | 7  |
| 286 | Prevalence of Dyslipidaemia and Pre-Diabetes Among Women with Polycystic Ovary Syndrome (PCOS): Do We Overestimate Cardiovascular Risk?. <i>Hormone and Metabolic Research</i> , <b>2019</b> , 51, 539-545   | 3.1 | 4  |
| 285 | How much insulin resistance in polycystic ovary syndrome? Comparison of HOMA-IR and insulin resistance (Belfiore) index models. <i>Archives of Medical Science</i> , <b>2019</b> , 15, 613-618   | 2.9 | 17 |
| 284 | Evaluation of the effectiveness of iodine prophylaxis in Poland based on over 20 years of observations of iodine supply in school-aged children in the central region of the country. <i>Archives of Medical Science</i> , <b>2019</b> , 15, 1468-1474                           | 2.9 | 2  |
| 283 | Integration of Sonoelastography Into the TIRADS Lexicon Could Influence the Classification. <i>Frontiers in Endocrinology</i> , <b>2019</b> , 10, 127  | 5.7 | 3  |
| 282 | Differences of the Structure of Immune Regulatory Cell Populations between Cellular Material from Sonographically Detected Focal Thyroid Lesions and Peripheral Blood in Humans. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,                          | 6.3 | 1  |
| 281 | The Risk of Recurrence of Subacute Thyroiditis Is HLA-Dependent. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,  | 6.3 | 26 |
| 280 | Sonographic Pattern of Subacute Thyroiditis Is HLA-Dependent. <i>Frontiers in Endocrinology</i> , <b>2019</b> , 10, 3  | 5.7 | 13 |
| 279 | Thyroid primary and metastatic malignant tumours of poor prognosis may mimic subacute thyroiditis - time to change the diagnostic criteria: case reports and a review of the literature. <i>BMC Endocrine Disorders</i> , <b>2019</b> , 19, 86                                   | 3.3 | 11 |
| 278 | Metformin paradoxically worsens insulin resistance in SHORT syndrome. <i>Diabetology and Metabolic Syndrome</i> , <b>2019</b> , 11, 81   | 5.6 | 8  |
| 277 | Prospective analysis of inter-observer and intra-observer variability in multi ultrasound descriptor assessment of thyroid nodules. <i>Journal of Ultrasonography: Official Publication of Polish Ultrasound Society / Red Nacz Iwona SudoSzopik</i> , <b>2019</b> , 19, 198-206 | 1.1 | 2  |
| 276 | Vitamin D Supplementation Guidelines for General Population and Groups at Risk of Vitamin D Deficiency in Poland. <i>Bol?, Sustavy, Pozvonik</i> , <b>2019</b> , 9, 2-27   | 0.3 | 2  |
| 275 | Treatment of severe primary IGF-1 deficiency using rhIGF-1 preparation - first three years of Polish experience. <i>Endokrynologia Polska</i> , <b>2019</b> , 70, 20-27  | 1.1 | 4  |

|     |   |     |    |
|-----|---|-----|----|
| 274 | Diagnostics and treatment of acromegaly - updated recommendations of the Polish Society of Endocrinology. <i>Endokrynologia Polska</i> , <b>2019</b> , 70, 2-18   | 1.1 | 7  |
| 273 | MON-584 Iodine Nutrition Status in Pregnancy: Is the Situation in Poland Improving?. <i>Journal of the Endocrine Society</i> , <b>2019</b> , 3,   | 0.4 | 78 |
| 272 | Histopathological Verification of the Diagnostic Performance of the EU-TIRADS Classification of Thyroid Nodules-Results of a Multicenter Study Performed in a Previously Iodine-Deficient Region. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,  | 5.1 | 6  |
| 271 | Correlations between Molecular Landscape and Sonographic Image of Different Variants of Papillary Thyroid Carcinoma. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,   | 5.1 | 8  |
| 270 | Clinical characteristics of subacute thyroiditis is different than it used to be - current state based on 15 years own material. <i>Neuroendocrinology Letters</i> , <b>2019</b> , 39, 489-495  | 0.3 | 15 |
| 269 | Angiotensinogen gene T174M polymorphism is related to Hashimoto's thyroiditis. <i>Neuroendocrinology Letters</i> , <b>2019</b> , 39, 579-585  | 0.3 |    |
| 268 | Positive TgAbs in patients with Graves Orbitopathy are associated with lower risk of its active form - preliminary study. <i>Neuroendocrinology Letters</i> , <b>2019</b> , 40, 105-110   | 0.3 | 1  |
| 267 | Pre-treatment growth and IGF-I deficiency as main predictors of response to growth hormone therapy in neural models. <i>Endocrine Connections</i> , <b>2018</b> , 7, 239-249  | 3.5 | 8  |
| 266 | Limitations of insulin resistance assessment in polycystic ovary syndrome. <i>Endocrine Connections</i> , <b>2018</b> , 7, 403-412  | 3.5 | 10 |
| 265 | Vitamin D Supplementation Guidelines for General Population and Groups at Risk of Vitamin D Deficiency in Poland-Recommendations of the Polish Society of Pediatric Endocrinology and Diabetes and the Expert Panel With Participation of National Specialist Consultants and Representatives of Scientific Societies-2018 Update. <i>Frontiers in Endocrinology</i> , <b>2018</b> , 9, 246 | 5.7 | 85 |
| 264 | Guidelines of Polish National Societies Diagnostics and Treatment of Thyroid Carcinoma. 2018 Update. <i>Endokrynologia Polska</i> , <b>2018</b> , 69, 34-74   | 1.1 | 18 |
| 263 | National Program of Severe Growth Hormone Deficiency Treatment in Adults and Adolescents after Completion of Growth Promoting Therapy. <i>Endokrynologia Polska</i> , <b>2018</b> , 69, 468-524   | 1.1 | 2  |
| 262 | Sexual Dimorphism of NADPH Oxidase/HDL System in Rat Thyroid Cells; Effect of Exogenous 17 $\beta$ Estradiol. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,  | 6.3 | 9  |
| 261 | Relationship between urine lipid peroxidation, anthropometric parameters and parameters associated with goitre formation in school-age children. <i>Archives of Medical Science</i> , <b>2018</b> , 14, 30-37   | 2.9 | 1  |
| 260 | Parity does not affect diabetes complications in women with type 1 diabetes. <i>Annals of Agricultural and Environmental Medicine</i> , <b>2018</b> , 25, 114-119   | 1.4 | 2  |
| 259 | Insulin resistance - "the good or the bad and ugly". <i>Neuroendocrinology Letters</i> , <b>2018</b> , 39, 355-362  | 0.3 |    |
| 258 | TSH $\geq$ 5 mIU/l is Associated with the Increased Oxidative Damage to Membrane Lipids in Women of Childbearing Age with Normal Thyroid Tests. <i>Hormone and Metabolic Research</i> , <b>2017</b> , 49, 321-326   | 3.1 | 7  |
| 257 | Nutritional Status in Short Stature Children Is Related to Both Ghrelin and Insulin-like Growth Factor I Concentrations. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , <b>2017</b> , 64, 812-817   | 2.8 | 7  |

|     |  |     |    |
|-----|--|-----|----|
| 256 | Low dairy calcium intake is associated with overweight and elevated blood pressure in Polish adults, notably in premenopausal women. <i>Public Health Nutrition</i> , <b>2017</b> , 20, 630-637  | 3.3 | 8  |
| 255 | Melatonin reverses the enhanced oxidative damage to membrane lipids and improves skin biophysical characteristics in former-smokers - A study in postmenopausal women. <i>Annals of Agricultural and Environmental Medicine</i> , <b>2017</b> , 24, 659-666  | 1.4 | 8  |
| 254 | The Influence of the Manner of Performing the Thyroid Ultrasound Examination on the Reliability of the Assessment of the Thyroid Size in School-Aged Children. <i>Hormone Research in Paediatrics</i> , <b>2017</b> , 87, 368-376  | 3.3 | 3  |
| 253 | Filamin A upregulation correlates with Snail-induced epithelial to mesenchymal transition (EMT) and cell adhesion but its inhibition increases the migration of colon adenocarcinoma HT29 cells. <i>Experimental Cell Research</i> , <b>2017</b> , 359, 163-170  | 4.2 | 14 |
| 252 | Copeptin as a marker of an altered CRH axis in pituitary disease. <i>Endocrine</i> , <b>2017</b> , 57, 474-480   | 4   | 8  |
| 251 | The Molecular Effect of Diagnostic Absorbed Doses from I on Papillary Thyroid Cancer Cells In Vitro. <i>Molecules</i> , <b>2017</b> , 22,  | 4.8 | 3  |
| 250 | Relationship between IGF-I Concentration and Metabolic Profile in Children with Growth Hormone Deficiency: The Influence of Children's Nutritional State as well as the Ghrelin, Leptin, Adiponectin, and Resistin Serum Concentrations. <i>International Journal of Endocrinology</i> , <b>2017</b> , 2017, 5713249                                   | 2.7 | 7  |
| 249 | Diagnostic and therapeutic guidelines for gastro-entero-pancreatic neuroendocrine neoplasms (recommended by the Polish Network of Neuroendocrine Tumours). <i>Endokrynologia Polska</i> , <b>2017</b> , 68, 79-110   | 1.1 | 26 |
| 248 | Gastroduodenal neuroendocrine neoplasms, including gastrinoma - management guidelines (recommended by the Polish Network of Neuroendocrine Tumours). <i>Endokrynologia Polska</i> , <b>2017</b> , 68, 138-153  | 1.1 | 12 |
| 247 | Neuroendocrine neoplasms of the small intestine and appendix - management guidelines (recommended by the Polish Network of Neuroendocrine Tumours). <i>Endokrynologia Polska</i> , <b>2017</b> , 68, 223-236   | 1.1 | 12 |
| 246 | Colorectal neuroendocrine neoplasms - management guidelines (recommended by the Polish Network of Neuroendocrine Tumours). <i>Endokrynologia Polska</i> , <b>2017</b> , 68, 250-260  | 1.1 | 9  |
| 245 | Cognitive Function, APOE Gene Polymorphisms, and Thyroid Status Associations in Postmenopausal Women in Poland. <i>Dementia and Geriatric Cognitive Disorders</i> , <b>2016</b> , 42, 169-185  | 2.6 | 6  |
| 244 | Copeptin under glucagon stimulation. <i>Endocrine</i> , <b>2016</b> , 52, 344-51   | 4   | 11 |
| 243 | Pendulum swings from hypo- to hyperthyroidism: thyrotoxicosis after severe hypothyroidism following neck irradiation in a patient with a history of Hodgkin's lymphoma. <i>Thyroid Research</i> , <b>2016</b> , 9, 1   | 2.4 | 6  |
| 242 | Ghrelin, insulin-like growth factor I and adipocytokines concentrations in born small for gestational age prepubertal children after the catch-up growth. <i>Journal of Pediatric Endocrinology and Metabolism</i> , <b>2016</b> , 29, 939-45  | 1.6 | 10 |
| 241 | In quest for method of insulin resistance assessment in everyday clinical practice-Insulin resistance indices. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , <b>2016</b> , 10, S120-5  | 8.9 | 12 |
| 240 | Assessment of ghrelin, leptin, orexin A and alpha-MSH serum concentrations and the levels of the autoantibodies against the aforementioned peptides in relation to Helicobacter pylori infections and Candida albicans colonization in children with short stature. <i>Pediatric Endocrinology, Diabetes and Metabolism</i> , <b>2016</b> , 21, 102-10 | 1   | 2  |
| 239 | Diagnostics and Treatment of Thyroid Carcinoma. <i>Endokrynologia Polska</i> , <b>2016</b> , 67, 74-107  | 1.1 | 24 |



|     |   |     |    |
|-----|---|-----|----|
| 238 | The influence of INS VNTR class III allele on auxological parameters, glucose, insulin, lipids, and adipocytokines secretion in prepubertal children born small for gestational age. <i>Endokrynologia Polska</i> , <b>2016</b> , 67, 585-591 | 1.1 | 2  |
| 237 | Diagnostics and treatment of differentiated thyroid carcinoma in children - Guidelines of Polish National Societies. <i>Endokrynologia Polska</i> , <b>2016</b> , 67, 628-642   | 1.1 | 14 |
| 236 | Influence of dietary calcium intake on quantitative and qualitative parameters of bone tissue in Polish adults. <i>Annals of Agricultural and Environmental Medicine</i> , <b>2016</b> , 23, 495-501  | 1.4 | 1  |
| 235 | Congenital hypothyroidism - Polish recommendations for therapy, treatment monitoring, and screening tests in special categories of neonates with increased risk of hypothyroidism. <i>Endokrynologia Polska</i> , <b>2016</b> , 67, 536-547   | 1.1 | 2  |
| 234 | Thyroid research: stepping forward. <i>Thyroid Research</i> , <b>2016</b> , 9, 3  | 2.4 |    |
| 233 | Hypopituitarism and goitre as endocrine manifestation of Langerhans cell histiocytosis (LCH). Case Report. <i>Neuroendocrinology Letters</i> , <b>2016</b> , 37, 174-178  | 0.3 | 2  |
| 232 | Secondary IGF-I deficiency as a prognostic factor of growth hormone (GH) therapy effectiveness in children with isolated, non-acquired GH deficiency. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2015</b> , 123, 209-14 | 2.3 | 2  |
| 231 | Does elevated morning prolactin concentration in children always mean the diagnosis of hyperprolactinemia?. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2015</b> , 123, 405-10   | 2.3 | 6  |
| 230 | Expression of apoptosis-related genes in liver-specific growth hormone receptor gene-disrupted mice is sex dependent. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2015</b> , 70, 44-52            | 6.4 | 13 |
| 229 | Pendulum swings from hypo- to hyperthyroidism: thyrotoxicosis after severe hypothyroidism after neck irradiation in a patient with a history of Hodgkin's lymphoma. <i>Thyroid Research</i> , <b>2015</b> , 8, A18                            | 2.4 | 1  |
| 228 | Ultrasound and cytological diagnostics of thyroid - its proper application in case of coexisting disturbing clinical signs and symptoms, suggestive of active proliferative lesion. <i>Thyroid Research</i> , <b>2015</b> , 8, A19            | 2.4 | 1  |
| 227 | Acromegaly and the thyroid gland. <i>Thyroid Research</i> , <b>2015</b> , 8, A20  | 2.4 | 1  |
| 226 | Iodine prophylaxis in pregnant women in Poland - where we are? (update 2015). <i>Thyroid Research</i> , <b>2015</b> , 8, 17   | 2.4 | 7  |
| 225 | The Effect of Diagnostic Absorbed Doses from <sup>131</sup> I on Human Thyrocytes in Vitro. <i>International Journal of Molecular Sciences</i> , <b>2015</b> , 16, 14608-22   | 6.3 | 2  |
| 224 | Patterns of cyclin A and B1 immunostaining in papillary thyroid carcinoma. <i>Annals of Agricultural and Environmental Medicine</i> , <b>2015</b> , 22, 741-6   | 1.4 | 2  |
| 223 | Mechanisms of Normalisation of Bone Metabolism during Recovery from Hyperthyroidism: Potential Role for Sclerostin and Parathyroid Hormone. <i>International Journal of Endocrinology</i> , <b>2015</b> , 2015, 948384                        | 2.7 | 6  |
| 222 | A single bolus of high dose levothyroxine (L-T4) as a test in cases of suspected poor compliance to L-T4 therapy. <i>Thyroid Research</i> , <b>2015</b> , 8, 16   | 2.4 | 5  |
| 221 | Protective effect of KI in mtDNA in porcine thyroid: comparison with KIO <sub>3</sub> and nDNA. <i>European Journal of Nutrition</i> , <b>2015</b> , 54, 319-23   | 5.2 | 8  |

|     |  |     |    |
|-----|--|-----|----|
| 220 | Gene expression of key regulators of mitochondrial biogenesis is sex dependent in mice with growth hormone receptor deletion in liver. <i>Aging</i> , <b>2015</b> , 7, 195-204   | 5.6 | 29 |
| 219 | Flow cytometry in the differential diagnostics of Hashimoto's thyroiditis and MALT lymphoma of the thyroid. <i>Endokrynologia Polska</i> , <b>2015</b> , 66, 73-8  | 1.1 | 5  |
| 218 | Polish Society of Endocrinology Position statement on endocrine disrupting chemicals (EDCs). <i>Endokrynologia Polska</i> , <b>2015</b> , 66, 276-81   | 1.1 | 11 |
| 217 | An assessment of the effectiveness of iodine prophylaxis in pregnant women--analysis in one of reference gynaecological-obstetric centres in Poland. <i>Endokrynologia Polska</i> , <b>2015</b> , 66, 404-11   | 1.1 | 6  |
| 216 | Familial partial lipodystrophy as differential diagnosis of polycystic ovary syndrome. <i>Endokrynologia Polska</i> , <b>2015</b> , 66, 550-4  | 1.1 | 2  |
| 215 | Can thyroid size still be considered as a useful tool for assessing iodine intake?. <i>Annals of Agricultural and Environmental Medicine</i> , <b>2015</b> , 22, 301-6   | 1.4 | 7  |
| 214 | Hyperprolactinemia diagnostics--dilemmas over optimal selection of prolactinemia time points. <i>Annals of Agricultural and Environmental Medicine</i> , <b>2015</b> , 22, 332-7   | 1.4 | 3  |
| 213 | Lateral spread of heat during thyroidectomy using different haemostatic devices. <i>Annals of Agricultural and Environmental Medicine</i> , <b>2015</b> , 22, 491-4  | 1.4 | 3  |
| 212 | Continuous intraoperative neuromonitoring (CIONM) of the recurrent laryngeal nerve is sufficient as the only neuromonitoring technique in thyroidectomy performed because of benign goitre. <i>Annals of Agricultural and Environmental Medicine</i> , <b>2015</b> , 22, 495-8   | 1.4 | 3  |
| 211 | Co-existence of chronic non-communicable diseases and common neoplasms among 2,462 endocrine adult inpatients - a retrospective analysis. <i>Annals of Agricultural and Environmental Medicine</i> , <b>2015</b> , 22, 747-54  | 1.4 | 1  |
| 210 | Prolactin secretion in polycystic ovary syndrome (PCOS). <i>Neuroendocrinology Letters</i> , <b>2015</b> , 36, 53-8  | 0.3 | 8  |
| 209 | Neural network models - a novel tool for predicting the efficacy of growth hormone (GH) therapy in children with short stature. <i>Neuroendocrinology Letters</i> , <b>2015</b> , 36, 348-53   | 0.3 | 3  |
| 208 | Prevalence of autoantibodies against some selected growth and appetite-regulating neuropeptides in serum of short children exposed to <i>Candida albicans</i> colonization and/or <i>Helicobacter pylori</i> infection: the molecular mimicry phenomenon. <i>Neuroendocrinology Letters</i> , <b>2015</b> , 36, 458-64 | 0.3 | 7  |
| 207 | Higher lipid peroxidation in former-smokers vs. never-smokers - study in postmenopausal women. <i>Neuroendocrinology Letters</i> , <b>2015</b> , 36, 557-63  | 0.3 |    |
| 206 | Portal blood - a new source of dendritic cells for pancreatic cancer vaccine. <i>Pancreatology</i> , <b>2014</b> , 14, 409-18  | 3.0 | 2  |
| 205 | Protective antioxidative effects of caffeic acid phenethyl ester (CAPE) in the thyroid and the liver are similar to those caused by melatonin. <i>Thyroid Research</i> , <b>2014</b> , 7, 5  | 2.4 | 6  |
| 204 | Coexistence of macroprolactinaemia and hyperprolactinaemia in women with oligo-/amenorrhoea is associated with high risk of pituitary adenomas. <i>Gynecological Endocrinology</i> , <b>2014</b> , 30, 385-7   | 2.4 | 6  |
| 203 | Assessment of cyclooxygenase-1 and 2 gene expression levels in chronic autoimmune thyroiditis, papillary thyroid carcinoma and nontoxic nodular goitre. <i>Thyroid Research</i> , <b>2014</b> , 7, 10  | 2.4 | 9  |



|     |  |     |    |
|-----|--|-----|----|
| 202 | Metastases of renal clear-cell carcinoma to the thyroid: a comparison of shear-wave and quasi-static elastography. <i>Polish Archives of Internal Medicine</i> , <b>2014</b> , 124, 485-6  | 1.9 | 6  |
| 201 | Acromegaly--a novel view of the patient. Polish proposals for diagnostic and therapeutic procedures in the light of recent reports. <i>Endokrynologia Polska</i> , <b>2014</b> , 65, 326-31  | 1.1 | 14 |
| 200 | Incidence and predictors of persistent growth hormone deficiency (GHD) in patients with isolated, childhood-onset GHD. <i>Endokrynologia Polska</i> , <b>2014</b> , 65, 334-41   | 1.1 | 6  |
| 199 | Dendritic cells in autoimmune disorders and cancer of the thyroid. <i>Folia Histochemica Et Cytobiologica</i> , <b>2014</b> , 52, 18-28  | 1.4 | 12 |
| 198 | Effect of L-thyroxine treatment on peripheral blood dendritic cell subpopulations in patients with Hashimoto's thyroiditis. <i>Folia Histochemica Et Cytobiologica</i> , <b>2014</b> , 52, 138-43  | 1.4 | 5  |
| 197 | Raised concentrations of lipid peroxidation products (LPO) in pregnant women with impaired glucose tolerance. <i>Annals of Agricultural and Environmental Medicine</i> , <b>2014</b> , 21, 429-34  | 1.4 | 1  |
| 196 | Changes in circadian rhythm of prolactin in short children are dependent on growth hormone secretion. <i>Annals of Agricultural and Environmental Medicine</i> , <b>2014</b> , 21, 445-9   | 1.4 | 1  |
| 195 | Limited usefulness of the test of spontaneous growth hormone (GH) nocturnal secretion as a screening procedure in diagnosing GH deficiency in children with short stature. <i>Annals of Agricultural and Environmental Medicine</i> , <b>2014</b> , 21, 893-7              | 1.4 | 1  |
| 194 | The association of leukocyte phosphatidylinositol 3-kinase delta overexpression with gestational diabetes mellitus (GDM). <i>Endokrynologia Polska</i> , <b>2014</b> , 65, 17-24   | 1.1 | 2  |
| 193 | Iodine prophylaxis in Poland - new, old challenges. <i>Annals of Agricultural and Environmental Medicine</i> , <b>2014</b> , 21, 1-4   | 1.4 | 3  |
| 192 | Assessment of adequacy of vitamin D supplementation during pregnancy. <i>Annals of Agricultural and Environmental Medicine</i> , <b>2014</b> , 21, 198-200   | 1.4 | 6  |
| 191 | Influence of calcium intake on bone mineral density and incidence of fractures in treatment-naive women from Lodz urban area - a part of EPOLOS study. <i>Annals of Agricultural and Environmental Medicine</i> , <b>2014</b> , 21, 201-4                                  | 1.4 | 5  |
| 190 | Effects of maternal vitamin D status on pregnancy outcomes, health of pregnant women and their offspring. <i>Neuroendocrinology Letters</i> , <b>2014</b> , 35, 367-72   | 0.3 | 8  |
| 189 | Increased oxidative damage to membrane lipids following surgery for breast cancer. <i>Neuroendocrinology Letters</i> , <b>2014</b> , 35, 602-7   | 0.3 | 6  |
| 188 | Ability of proper application of ultrasound (US) and a fine needle aspiration biopsy (FNAB) in the management of thyroid nodules/focal lesions in patients with coexisting additional worrying clinical signs and symptoms. <i>Thyroid Research</i> , <b>2013</b> , 6, A39 | 2.4 | 78 |
| 187 | The correct interpretation of thyroid FNAB cytological result by the endocrinologist as a basis for further optimal diagnostics and treatment. <i>Thyroid Research</i> , <b>2013</b> , 6, A38  | 2.4 | 78 |
| 186 | 4th congress of the polish thyroid association 2013 lodz, poland. 11-13 april 2013. Abstracts. <i>Thyroid Research</i> , <b>2013</b> , 6 Suppl 2, A1-A67   | 2.4 | 2  |
| 185 | Proposed algorithm for management of patients with thyroid nodules/focal lesions, based on ultrasound (US) and fine-needle aspiration biopsy (FNAB); our own experience. <i>Thyroid Research</i> , <b>2013</b> , 6, 6  | 2.4 | 16 |

|     |   |     |     |
|-----|---|-----|-----|
| 184 | Single nucleotide polymorphisms of NR3C1 gene and recurrent depressive disorder in population of Poland. <i>Molecular Biology Reports</i> , <b>2013</b> , 40, 1693-9  | 2.8 | 31  |
| 183 | TSH receptor antibodies have predictive value for breast cancer - retrospective analysis. <i>Thyroid Research</i> , <b>2013</b> , 6, 8  | 2.4 | 19  |
| 182 | Decreased levels of proapoptotic factors and increased key regulators of mitochondrial biogenesis constitute new potential beneficial features of long-lived growth hormone receptor gene-disrupted mice. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2013</b> , 68, 639-51 | 6.4 | 10  |
| 181 | Potassium iodide, but not potassium iodate, as a potential protective agent against oxidative damage to membrane lipids in porcine thyroid. <i>Thyroid Research</i> , <b>2013</b> , 6, 10   | 2.4 | 15  |
| 180 | Effects of radioiodine administration on serum concentrations of matrix metalloproteinases, adiponectin and thrombospondin-1. <i>Thyroid Research</i> , <b>2013</b> , 6, 9  | 2.4 | 2   |
| 179 | Vascular endothelial growth factor gene (VEGFA) polymorphisms may serve as prognostic factors for recurrent depressive disorder development. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2013</b> , 45, 117-24   | 5.5 | 21  |
| 178 | Vascular endothelial growth factor receptor 2 gene (KDR) polymorphisms and expression levels in depressive disorder. <i>Journal of Affective Disorders</i> , <b>2013</b> , 147, 144-9   | 6.6 | 13  |
| 177 | Membrane lipids and nuclear DNA are differently susceptible to Fenton reaction substrates in porcine thyroid. <i>Toxicology in Vitro</i> , <b>2013</b> , 27, 71-8   | 3.6 | 15  |
| 176 | Frequency of the E23K polymorphism of the KCNJ11 gene in children born small for gestational age and its influence on auxological and metabolic parameters in the prepubertal period. <i>Journal of Pediatric Endocrinology and Metabolism</i> , <b>2013</b> , 26, 457-62   | 1.6 | 1   |
| 175 | Significant increase of IGF-I concentration and of IGF-I/IGFBP-3 molar ratio in generation test predicts the good response to growth hormone (GH) therapy in children with short stature and normal results of GH stimulating tests. <i>Neuroendocrinology Letters</i> , <b>2013</b> , 34, 222-8                        | 0.3 | 2   |
| 174 | Working memory impairment as a common component in recurrent depressive disorder and certain somatic diseases. <i>Neuroendocrinology Letters</i> , <b>2013</b> , 34, 436-45   | 0.3 | 11  |
| 173 | Thiol protein groups correlate with cognitive impairment in patients with recurrent depressive disorder. <i>Neuroendocrinology Letters</i> , <b>2013</b> , 34, 780-6  | 0.3 | 2   |
| 172 | The expression of genes encoding for COX-2, MPO, iNOS, and sPLA2-IIA in patients with recurrent depressive disorder. <i>Journal of Affective Disorders</i> , <b>2012</b> , 138, 360-6   | 6.6 | 104 |
| 171 | High level of oxidized nucleosides in thyroid mitochondrial DNA; damaging effects of Fenton reaction substrates. <i>Thyroid Research</i> , <b>2012</b> , 5, 24  | 2.4 | 15  |
| 170 | Evaluation of efficacy of iodine prophylaxis in Poland based on the examination of schoolchildren living in Opoczno Town (Lodz Voivodship). <i>Thyroid Research</i> , <b>2012</b> , 5, 23   | 2.4 | 6   |
| 169 | The role of phosphoinositide 3-kinase subunits in chronic thyroiditis. <i>Thyroid Research</i> , <b>2012</b> , 5, 22  | 2.4 | 4   |
| 168 | The influence of liver and pancreas surgery on the thyroid function. <i>Thyroid Research</i> , <b>2012</b> , 5, 21  | 2.4 | 1   |
| 167 | Prevalence of macroprolactinaemia in regularly menstruating women with non-toxic goitre or autoimmune thyroid disease. <i>Thyroid Research</i> , <b>2012</b> , 5, 20  | 2.4 | 1   |

|     |  |     |    |
|-----|--|-----|----|
| 166 | Distribution of subpopulations of dendritic cells in peripheral blood of patients treated with exogenous thyrotropin. <i>Thyroid Research</i> , <b>2012</b> , 5, 18  | 2.4 | 3  |
| 165 | The thyroid gland and the process of aging; what is new?. <i>Thyroid Research</i> , <b>2012</b> , 5, 16  | 2.4 | 57 |
| 164 | Successful treatment of thyrotoxicosis is accompanied by a decrease in serum sclerostin levels. <i>Thyroid Research</i> , <b>2012</b> , 5, 14  | 2.4 | 9  |
| 163 | In contrast to matrix metalloproteinases, serum adiponectin concentrations increase after radioiodine treatment of thyrotoxicosis. <i>Thyroid Research</i> , <b>2012</b> , 5, 12   | 2.4 | 2  |
| 162 | Case report: When measured free T4 and free T3 may be misleading. Interference with free thyroid hormones measurements on Roche and Siemens platforms. <i>Thyroid Research</i> , <b>2012</b> , 5, 11   | 2.4 | 10 |
| 161 | Decreased thyroid follicle size in dwarf mice may suggest the role of growth hormone signaling in thyroid growth regulation. <i>Thyroid Research</i> , <b>2012</b> , 5, 7  | 2.4 | 10 |
| 160 | Riedel's thyroiditis - a case report with gene expression studies. <i>Thyroid Research</i> , <b>2012</b> , 5, 2  | 2.4 | 5  |
| 159 | Growth hormone (GH) peak after falling asleep reflects spontaneous nocturnal GH secretion, however is not corresponding to the results of GH stimulating tests in children with short stature. <i>Neuroendocrinology Letters</i> , <b>2012</b> , 33, 37-41 | 0.3 | 1  |
| 158 | Prevalence of hypothalamic-pituitary tumours - retrospective analysis of 20-year own material. <i>Neuroendocrinology Letters</i> , <b>2012</b> , 33, 42-7  | 0.3 | 1  |
| 157 | High concentration of ghrelin in children with growth hormone deficiency and neurosecretory dysfunction. <i>Neuroendocrinology Letters</i> , <b>2012</b> , 33, 331-9   | 0.3 | 7  |
| 156 | Direct contribution of obesity to oxidative damage to macromolecules. <i>Neuroendocrinology Letters</i> , <b>2012</b> , 33, 453-61   | 0.3 | 16 |
| 155 | Ghrelin concentration is correlated with IGF-I/IGFBP-3 molar ratio but not with GH secretion in children with short stature. <i>Neuroendocrinology Letters</i> , <b>2012</b> , 33, 412-8   | 0.3 | 2  |
| 154 | Thyroid hormones influence human dendritic cell phenotype, function, and subsets distribution. <i>Thyroid</i> , <b>2011</b> , 21, 533-40   | 6.2 | 21 |
| 153 | Single nucleotide polymorphisms and mRNA expression for melatonin MT(2) receptor in depression. <i>Psychiatry Research</i> , <b>2011</b> , 189, 472-4  | 9.9 | 26 |
| 152 | Hepatitis and the polyglandular autoimmune syndrome, type 1. <i>Archives of Medical Science</i> , <b>2011</b> , 7, 536-9   | 9.9 | 7  |
| 151 | Matrix metalloproteinases in type 2 diabetes and non-diabetic controls: effects of short-term and chronic hyperglycaemia. <i>Archives of Medical Science</i> , <b>2011</b> , 7, 294-303  | 2.9 | 53 |
| 150 | Association between inducible and neuronal nitric oxide synthase polymorphisms and recurrent depressive disorder. <i>Journal of Affective Disorders</i> , <b>2011</b> , 129, 175-82  | 6.6 | 49 |
| 149 | COX-2 expression in papillary thyroid carcinoma (PTC) in cytological material obtained by fine needle aspiration biopsy (FNAB). <i>Thyroid Research</i> , <b>2011</b> , 4, 3   | 2.4 | 5  |

|     |   |      |    |
|-----|---|------|----|
| 148 | Increased expression of PIN1 gene in papillary thyroid carcinoma. <i>Thyroid Research</i> , <b>2011</b> , 4, 4  | 2.4  | 5  |
| 147 | Assessment of RET/PTC1 and RET/PTC3 rearrangements in fine-needle aspiration biopsy specimens collected from patients with Hashimoto's thyroiditis. <i>Thyroid Research</i> , <b>2011</b> , 4, 5  | 2.4  | 11 |
| 146 | Do IGF-I concentrations better reflect growth hormone (GH) action in children with short stature than the results of GH stimulating tests? Evidence from the simultaneous assessment of thyroid function. <i>Thyroid Research</i> , <b>2011</b> , 4, 6  | 2.4  | 9  |
| 145 | Expression of key regulators of mitochondrial biogenesis in growth hormone receptor knockout (GHRKO) mice is enhanced but is not further improved by other potential life-extending interventions. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2011</b> , 66, 1062-76           | 6.4  | 34 |
| 144 | Decreased expression level of apoptosis-related genes and/or proteins in skeletal muscles, but not in hearts, of growth hormone receptor knockout mice. <i>Experimental Biology and Medicine</i> , <b>2011</b> , 236, 156-68  | 3.7  | 16 |
| 143 | Is the PIK3CA gene expression level in FNAB washouts equivalent to that in postoperative tissue specimens of papillary thyroid carcinoma?. <i>Neuroendocrinology Letters</i> , <b>2011</b> , 32, 59-63  | 0.3  | 1  |
| 142 | The utility of the gonadotrophin releasing hormone (GnRH) test in the diagnosis of polycystic ovary syndrome (PCOS). <i>Endokrynologia Polska</i> , <b>2011</b> , 62, 120-8   | 1.1  | 9  |
| 141 | Women with oligo-/amenorrhoea and polycystic ovaries have identical responses to GnRH stimulation regardless of their androgen status: comparison of the Rotterdam and Androgen Excess Society diagnostic criteria. <i>Neuroendocrinology Letters</i> , <b>2011</b> , 32, 847-56  | 0.3  | 5  |
| 140 | Single-nucleotide polymorphisms and mRNA expression for melatonin synthesis rate-limiting enzyme in recurrent depressive disorder. <i>Journal of Pineal Research</i> , <b>2010</b> , 48, 311-7  | 10.4 | 48 |
| 139 | Recurrent hypoglycaemia in a type 2 diabetes patient - diagnostic difficulties. <i>Archives of Medical Science</i> , <b>2010</b> , 6, 126-9   | 2.9  | 9  |
| 138 | Analysis of demographic and clinical factors affecting the outcome of radioiodine therapy in patients with hyperthyroidism. <i>Archives of Medical Science</i> , <b>2010</b> , 6, 611-6   | 2.9  | 6  |
| 137 | Cyclooxygenase-2 expression and its association with thyroid lesions. <i>Archives of Medical Science</i> , <b>2010</b> , 6, 653-7   | 2.9  | 10 |
| 136 | Analysis of correlation between the process of thyroid fibrosis and TGFB1 gene expression level in fine-needle aspiration biopsy (FNAB) thyroid specimens collected from patients with Hashimoto's thyroiditis and non-toxic goitre. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2010</b> , 118, 420-6 | 2.3  | 5  |
| 135 | Effects of drugs on the efficacy of radioiodine (I) therapy in hyperthyroid patients. <i>Archives of Medical Science</i> , <b>2010</b> , 6, 4-10  | 2.9  | 11 |
| 134 | An inducible nitric oxide synthase polymorphism is associated with the risk of recurrent depressive disorder. <i>Neuroscience Letters</i> , <b>2010</b> , 486, 184-7  | 3.3  | 27 |
| 133 | Real-time, high-resolution ultrasonography of the vocal folds--a prospective pilot study in patients before and after thyroidectomy. <i>Langenbecks Archives of Surgery</i> , <b>2010</b> , 395, 859-64   | 3.4  | 42 |
| 132 | Acute myocardial infarction as the first presentation of thyrotoxicosis in a 31-year old woman - case report. <i>Thyroid Research</i> , <b>2010</b> , 3, 1  | 2.4  | 17 |
| 131 | Thyroid function in children with growth hormone (GH) deficiency during the initial phase of GH replacement therapy - clinical implications. <i>Thyroid Research</i> , <b>2010</b> , 3, 2   | 2.4  | 15 |

|     |  |     |    |
|-----|--|-----|----|
| 130 | Relative quantification of PIK3CA gene expression level in fine-needle aspiration biopsy thyroid specimens collected from patients with papillary thyroid carcinoma and non-toxic goitre by real-time RT-PCR. <i>Thyroid Research</i> , <b>2010</b> , 3, 5   | 2.4 | 11 |
| 129 | Evaluation of NDRG2 gene expression in primary papillary thyroid carcinoma and in metastases of this neoplasm to regional lymph nodes. <i>Thyroid Research</i> , <b>2010</b> , 3, 6  | 2.4 | 12 |
| 128 | Radioiodine remnant ablation of differentiated thyroid cancer does not further increase oxidative damage to membrane lipids - early effect. <i>Thyroid Research</i> , <b>2010</b> , 3, 7   | 2.4 | 4  |
| 127 | External hydrogen peroxide is not indispensable for experimental induction of lipid peroxidation via Fenton reaction in porcine ovary homogenates. <i>Neuroendocrinology Letters</i> , <b>2010</b> , 31, 343-7   | 0.3 | 6  |
| 126 | Quality of life and exercise capacity in obesity and growth hormone deficiency. <i>Neuroendocrinology Letters</i> , <b>2010</b> , 31, 700-7  | 0.3 | 4  |
| 125 | Detrimental Effects of Increasing Iodine Supply <b>2009</b> , 871-875  |     | 1  |
| 124 | The usefulness of sonographic features in selection of thyroid nodules for biopsy in relation to the nodule size. <i>European Journal of Endocrinology</i> , <b>2009</b> , 161, 103-11   | 6.5 | 45 |
| 123 | Evaluation of selective embolization of thyroid arteries (SETA) as a prereseptive treatment in selected cases of toxic goitre. <i>Thyroid Research</i> , <b>2009</b> , 2, 7  | 2.4 | 8  |
| 122 | GH replacement reduces increased lipid peroxidation in GH-deficient adults. <i>Clinical Endocrinology</i> , <b>2008</b> , 68, 957-64   | 3.4 | 9  |
| 121 | Protective effects of GH and IGF-I against iron-induced lipid peroxidation in vivo. <i>Experimental and Toxicologic Pathology</i> , <b>2008</b> , 60, 453-8  |     | 20 |
| 120 | Decreased H <sub>2</sub> O <sub>2</sub> in exhaled breath condensate during pregnancy--feasible effect of 17beta-estradiol. <i>Respiratory Physiology and Neurobiology</i> , <b>2008</b> , 162, 152-9  | 2.8 | 6  |
| 119 | Gelatinase A (MM-2), gelatinase B (MMP-9) and their inhibitors (TIMP 1, TIMP-2) in serum of women with endometriosis: Significant correlation between MMP-2, MMP-9 and their inhibitors without difference in levels of matrix metalloproteinases and tissue inhibitors of metalloproteinases in relation to the severity of endometriosis. <i>European Journal of Endocrinology</i> , <b>2008</b> , 159, 221-23 | 2.4 | 19 |
| 118 | Effectiveness of the iodine prophylaxis model adopted in Poland. <i>Journal of Endocrinological Investigation</i> , <b>2008</b> , 31, 309-13   | 5.2 | 11 |
| 117 | The fine-needle aspiration biopsy efficacy of small thyroid nodules in the area of recently normalized iodine supply. <i>European Journal of Endocrinology</i> , <b>2008</b> , 159, 747-54   | 6.5 | 6  |
| 116 | Association of Trp64Arg polymorphism of beta3-adrenergic receptor with insulin resistance in Polish children with obesity. <i>Journal of Pediatric Endocrinology and Metabolism</i> , <b>2008</b> , 21, 147-54   | 1.6 | 5  |
| 115 | Welcome to thyroid research. <i>Thyroid Research</i> , <b>2008</b> , 1, 1  | 2.4 | 3  |
| 114 | New onset GravesDisease as a cause of an adrenal crisis in an individual with panhypopituitarism: brief report. <i>Thyroid Research</i> , <b>2008</b> , 1, 7   | 2.4 | 12 |
| 113 | Effects of one-year low-dose growth hormone (GH) therapy on body composition, lipid profile and carbohydrate metabolism in young adults with childhood-onset severe GH deficiency confirmed after completion of growth promotion. <i>Endokrynologia Polska</i> , <b>2008</b> , 59, 292-300   | 1.1 | 3  |

|     |   |      |    |
|-----|---|------|----|
| 112 | The Polish version of the Quality of Life Assessment of Growth Hormone Deficiency in Adults (QoL-AGHDA) - four-stage translation and validation. <i>Endokrynologia Polska</i> , <b>2008</b> , 59, 374-84                            | 1.1  | 0  |
| 111 | Normal secretion of the incretin hormones glucose-dependent insulinotropic polypeptide and glucagon-like peptide-1 during gestational diabetes mellitus. <i>Gynecological Endocrinology</i> , <b>2007</b> , 23, 58-62 <sup>24</sup> | 2.4  | 19 |
| 110 | The sex ratios of offspring of diabetic parents. <i>Diabetic Medicine</i> , <b>2007</b> , 24, 925-6; author reply 926   | 3.5  | 1  |
| 109 | Increased melatonin concentrations in children with growth hormone deficiency. <i>Journal of Pineal Research</i> , <b>2007</b> , 42, 119-24   | 10.4 | 5  |
| 108 | Elevated serum levels of visfatin in gestational diabetes: a comparative study across various degrees of glucose tolerance. <i>Diabetologia</i> , <b>2007</b> , 50, 1033-7  | 10.3 | 94 |
| 107 | Influence of the H3/H4 receptor antagonist, thioperamide on regional haemodynamics in rats with trinitrobenzene sulfonic acid-induced colitis. <i>Inflammation Research</i> , <b>2007</b> , 56 Suppl 1, S21-2                       | 7.2  | 4  |
| 106 | Involvement of the histaminergic system in the central cardiovascular regulation in haemorrhage-shocked rats with portocaval anastomosis. <i>Inflammation Research</i> , <b>2007</b> , 56 Suppl 1, S29-30 <sup>7.2</sup>            |      |    |
| 105 | Selective embolization of thyroid arteries as a prereseptive and palliative treatment of thyroid cancer. <i>Endocrine-Related Cancer</i> , <b>2007</b> , 14, 847-52   | 5.7  | 22 |
| 104 | Prevalence of RAS point mutations in papillary thyroid carcinoma; a novel mutation at codon 31 of K-RAS. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2007</b> , 115, 594-9                                     | 2.3  | 8  |
| 103 | Influence of L-thyroxine administration on poor-platelet plasma VEGF concentrations in patients with induced short-term hypothyroidism, monitored for thyroid carcinoma. <i>Endocrine Journal</i> , <b>2007</b> , 54, 63-9          | 2.9  | 10 |
| 102 | Histamine in food: is there anything to worry about?. <i>Biochemical Society Transactions</i> , <b>2007</b> , 35, 349-52  | 5.1  | 34 |
| 101 | Genetic background of carcinogenesis in the thyroid gland. <i>Neuroendocrinology Letters</i> , <b>2007</b> , 28, 77-105 <sup>0.3</sup>  | 0.3  | 5  |
| 100 | Significance of increased lipid peroxidation in critically ill patients. <i>Neuroendocrinology Letters</i> , <b>2007</b> , 28, 367-81   | 0.3  | 3  |
| 99  | Assessment of cyclin D1 gene expression as a prognostic factor in benign and malignant thyroid lesions. <i>Neuroendocrinology Letters</i> , <b>2007</b> , 28, 341-50  | 0.3  | 7  |
| 98  | Partial growth hormone deficiency (GHD) in children has more similarities to idiopathic short stature than to severe GHD. <i>Endokrynologia Polska</i> , <b>2007</b> , 58, 182-7  | 1.1  | 5  |
| 97  | The effects of diamine oxidase administration on experimental ulcerative colitis in rats. <i>Inflammation Research</i> , <b>2006</b> , 55 Suppl 1, S63-4  | 7.2  | 6  |
| 96  | Molecular analysis of the RET and NTRK1 gene rearrangements in papillary thyroid carcinoma in the Polish population. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , <b>2006</b> , 599, 26-35      | 3.3  | 28 |
| 95  | Protective effects of melatonin and indole-3-propionic acid against lipid peroxidation, caused by potassium bromate in the rat kidney. <i>Cell Biochemistry and Function</i> , <b>2006</b> , 24, 483-9                              | 4.2  | 39 |



|    |  |      |     |
|----|--|------|-----|
| 94 | Effects of hormone replacement therapy type and route of administration on plasma matrix metalloproteinases and their tissue inhibitors in postmenopausal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2006</b> , 91, 3123-30   | 5.6  | 39  |
| 93 | Evaluation of the diagnostic value of the first thyroglobulin determination in detecting metastases after differentiated thyroid carcinoma surgery. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>2006</b> , 114, 485-9   | 2.3  | 14  |
| 92 | A novel mutation in the thyrotropin (thyroid-stimulating hormone) receptor gene in a case of congenital hypothyroidism. <i>Thyroid</i> , <b>2006</b> , 16, 1303-9  | 6.2  | 13  |
| 91 | Evaluation of metabolic control in women with gestational diabetes mellitus by the continuous glucose monitoring system: a pilot study. <i>Endocrine Practice</i> , <b>2006</b> , 12, 245-50   | 3.2  | 23  |
| 90 | The association between common vitamin D receptor gene variations and osteoporosis: a participant-level meta-analysis. <i>Annals of Internal Medicine</i> , <b>2006</b> , 145, 255-64  | 8    | 185 |
| 89 | Short-term dexamethasone administration does not alter serum adiponectin or resistin concentrations in overweight and obese subjects despite an increase in insulin resistance. <i>Clinical Endocrinology</i> , <b>2006</b> , 65, 551-2  | 3.4  | 15  |
| 88 | Increased lipid peroxidation in growth hormone-deficient adult patients. <i>Neuroendocrinology Letters</i> , <b>2006</b> , 27, 225-30  | 0.3  | 7   |
| 87 | Limitations of clinical utility of growth hormone stimulating tests in diagnosing children with short stature. <i>Endocrine Regulations</i> , <b>2006</b> , 40, 69-75  | 1.9  | 12  |
| 86 | Effect of propylthiouracil on the level of SchiffB bases in tissues of rats on diet with different doses of potassium iodide. <i>Neuroendocrinology Letters</i> , <b>2006</b> , 27, 595-9  | 0.3  | 3   |
| 85 | Increased expression of mRNA specific for thymidine kinase, deoxycytidine kinase or thymidine phosphorylase in human papillary thyroid carcinoma. <i>Cancer Letters</i> , <b>2005</b> , 225, 267-73  | 9.9  | 9   |
| 84 | Adiponectin and resistin serum levels in women with polycystic ovary syndrome during oral glucose tolerance test: a significant reciprocal correlation between adiponectin and resistin independent of insulin resistance indices. <i>Molecular Genetics and Metabolism</i> , <b>2005</b> , 85, 61-9 | 3.7  | 49  |
| 83 | Comparison of potential protective effects of melatonin, indole-3-propionic acid, and propylthiouracil against lipid peroxidation caused by potassium bromate in the thyroid gland. <i>Journal of Cellular Biochemistry</i> , <b>2005</b> , 95, 131-8  | 4.7  | 22  |
| 82 | Final height and growth hormone secretion after completion of growth hormone therapy in patients with idiopathic growth hormone deficiency and with abnormalities of the hypothalamic-pituitary region. <i>Neuroendocrinology Letters</i> , <b>2005</b> , 26, 19-24                                  | 0.3  | 3   |
| 81 | Selective embolization of thyroid arteries (SETA) as a palliative treatment of inoperable anaplastic thyroid carcinoma (ATC). <i>Neuroendocrinology Letters</i> , <b>2005</b> , 26, 401-6  | 0.3  | 6   |
| 80 | Gastric bypass surgery in severely obese type 1 diabetic patients. <i>Diabetes Care</i> , <b>2004</b> , 27, 2561-2   | 14.6 | 22  |
| 79 | Non-diagnostic cytological outcome of thyroid biopsy and the risk of thyroid malignancy. <i>Endocrine Pathology</i> , <b>2004</b> , 15, 65-75  | 4.2  | 2   |
| 78 | Diabetes screening after gestational diabetes mellitus: poor performance of fasting plasma glucose. <i>Acta Diabetologica</i> , <b>2004</b> , 41, 5-8  | 3.9  | 16  |
| 77 | Increased thymidine kinase activity in human thyroid toxic adenomas: effects of exposure to epidermal growth factor in vitro. <i>Endocrine Research</i> , <b>2004</b> , 30, 37-46  | 1.9  | 1   |

|    |  |     |    |
|----|--|-----|----|
| 76 | Expression of insulin-like growth factor I (IGF-I) gene and of genes for IGF-binding proteins 1, 2, 3, 4 (IGFBP-1-IGFBP-4) in non-neoplastic human thyroid cells and in certain human thyroid cancers. Effect of exogenous IGF-I on this expression. <i>Endocrine Research</i> , <b>2004</b> , 30, 47-59 | 1.9 | 13 |
| 75 | Expression of genes for certain enzymes of pyrimidine and purine salvage pathway in peripheral blood leukocytes collected from patients with GravesPor Hashimoto's disease. <i>Journal of Cellular Biochemistry</i> , <b>2003</b> , 89, 550-5  | 4.7 | 10 |
| 74 | Melatonin reduces Fenton reaction-induced lipid peroxidation in porcine thyroid tissue. <i>Journal of Cellular Biochemistry</i> , <b>2003</b> , 90, 806-11   | 4.7 | 33 |
| 73 | Low cholesteryl ester transfer protein (CETP) concentration but normal CETP activity in serum from patients with short-term hypothyroidism Lack of relationship to lipoprotein abnormalities. <i>Clinical Endocrinology</i> , <b>2003</b> , 58, 581-8  | 3.4 | 11 |
| 72 | Fine needle aspiration cytology in non-neoplastic non-toxic recurrent nodular goitre. <i>Cytopathology</i> , <b>2003</b> , 14, 216-20  | 1.3 |    |
| 71 | The role of oxidative stress in physiological and pathological processes in the thyroid gland; possible involvement in pineal-thyroid interactions. <i>Neuroendocrinology Letters</i> , <b>2003</b> , 24, 293-303  | 0.3 | 40 |
| 70 | Purine metabolism in leukocytes and erythrocytes in GravesPor Hashimoto's disease. <i>Endocrine Research</i> , <b>2002</b> , 28, 207-15  | 1.9 | 4  |
| 69 | Fine-needle aspiration biopsy of the thyroid in an area of endemic goitre: influence of restored sufficient iodine supplementation on the clinical significance of cytological results. <i>European Journal of Endocrinology</i> , <b>2002</b> , 146, 19-26  | 6.5 | 27 |
| 68 | Growth hormone deficiency and replacement in hypopituitary patients previously treated for acromegaly or Cushing's disease. <i>European Journal of Endocrinology</i> , <b>2002</b> , 146, 67-74  | 6.5 | 58 |
| 67 | REVIEW. Melatonin and the thyroid gland. <i>Neuroendocrinology Letters</i> , <b>2002</b> , 23 Suppl 1, 73-8  | 0.3 | 7  |
| 66 | The problem of goitre with particular consideration of goitre resulting from iodine deficiency (I): classification, diagnostics and treatment. <i>Neuroendocrinology Letters</i> , <b>2002</b> , 23, 351-5   | 0.3 | 3  |
| 65 | The problem of goitre with particular consideration of goitre resulting from iodine deficiency (II): management of non-toxic nodular goitre and of thyroid nodules. <i>Neuroendocrinology Letters</i> , <b>2002</b> , 23, 356-64   | 0.3 | 4  |
| 64 | Melatonin attenuates estradiol-induced oxidative damage to DNA: relevance for cancer prevention. <i>Experimental Biology and Medicine</i> , <b>2001</b> , 226, 707-12  | 3.7 | 26 |
| 63 | Indole-3-propionic acid, a melatonin-related molecule, protects hepatic microsomal membranes from iron-induced oxidative damage: Relevance to cancer reduction. <i>Journal of Cellular Biochemistry</i> , <b>2001</b> , 81, 507-513  | 4.7 | 55 |
| 62 | Relative efficacies of indole antioxidants in reducing autoxidation and iron-induced lipid peroxidation in hamster testes. <i>Journal of Cellular Biochemistry</i> , <b>2001</b> , 81, 693-9   | 4.7 | 42 |
| 61 | Induction of lipid peroxidation in hamster organs by the carcinogen cadmium: melioration by melatonin. <i>Cell Biology and Toxicology</i> , <b>2001</b> , 17, 33-40  | 7.4 | 43 |
| 60 | Carcinogen-induced, free radical-mediated reduction in microsomal membrane fluidity: reversal by indole-3-propionic acid. <i>Journal of Bioenergetics and Biomembranes</i> , <b>2001</b> , 33, 73-8  | 3.7 | 26 |
| 59 | Correlation between PCNA expression and AgNOR dots in pituitary adenomas. <i>Endocrine Pathology</i> , <b>2001</b> , 12, 163-9   | 4.2 | 5  |

|    |  |      |     |
|----|--|------|-----|
| 58 | A programme of iodine supplementation using only iodised household salt is efficient--the case of Poland. <i>European Journal of Endocrinology</i> , <b>2001</b> , 144, 331-7  | 6.5  | 16  |
| 57 | Anticarcinogenic actions of melatonin which involve antioxidative processes: comparison with other antioxidants. <i>International Journal of Biochemistry and Cell Biology</i> , <b>2001</b> , 33, 735-53  | 5.6  | 114 |
| 56 | Healthcare Consumption Decreases in Parallel with Improvements in Quality of Life during GH Replacement in Hypopituitary Adults with GH Deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2001</b> , 86, 5277-5281        | 5.6  | 28  |
| 55 | Silver-Staining Nucleolar Organizer Region Quantification in Pituitary Adenomas. <i>Endocrine Pathology</i> , <b>2000</b> , 11, 173-178  | 4.2  | 3   |
| 54 | Pyrimidine and purine salvage deoxyribonucleoside metabolism in hepatic and renal homogenates from rats pretreated with propylthiouracil or L-thyroxine. <i>Neuroendocrinology Letters</i> , <b>2000</b> , 21, 51-55                             | 0.3  | 2   |
| 53 | Increased plasma concentration of epidermal growth factor in female patients with non-toxic nodular goitre. <i>European Journal of Endocrinology</i> , <b>1998</b> , 138, 388-93   | 6.5  | 9   |
| 52 | Usefulness of computer-aided karyometric examination in preoperative differentiation of Hürthle cell lesions. <i>Diagnostic Cytopathology</i> , <b>1997</b> , 17, 255-7  | 1.4  | 3   |
| 51 | Multifarious system for quantitative analysis of histologic compartments. <i>Journal of Biomedical Informatics</i> , <b>1997</b> , 30, 165-9   |      | 2   |
| 50 | Size of thyrocyte nuclei in aspirates from follicular adenomas: correlation with patientsPages. <i>Acta Cytologica</i> , <b>1996</b> , 40, 414-6   | 3    | 3   |
| 49 | Immunoendocrine therapy with low-dose subcutaneous interleukin-2 plus melatonin of locally advanced or metastatic endocrine tumors. <i>Oncology</i> , <b>1995</b> , 52, 163-6  | 3.6  | 39  |
| 48 | Lipopolysaccharide-induced hepatotoxicity is inhibited by the antioxidant melatonin. <i>European Journal of Pharmacology - Environmental Toxicology and Pharmacology Section</i> , <b>1995</b> , 293, 327-34                                     |      | 113 |
| 47 | Effects of substance P on the growth processes in rat thyroid lobes in vitro. <i>NeuroSignals</i> , <b>1995</b> , 4, 72-7  | 1.9  | 1   |
| 46 | Thyroid growth-stimulating and growth-inhibiting factors. <i>NeuroSignals</i> , <b>1993</b> , 2, 313-51  | 1.9  | 9   |
| 45 | Thyroid Growth-Stimulating and Growth-Inhibiting Factors. pp 340-351. <i>NeuroSignals</i> , <b>1993</b> , 2, 340-351   | 1.9  |     |
| 44 | Thyroid Growth-Stimulating and Growth-Inhibiting Factors. pp 330-339. <i>NeuroSignals</i> , <b>1993</b> , 2, 330-339   | 1.9  |     |
| 43 | Effects of pinealectomy and melatonin administration on certain indices of ovarian hyperplasia and/or hypertrophy in rats with both ovaries intact or after unilateral ovariectomy. <i>Journal of Pineal Research</i> , <b>1993</b> , 14, 117-27 | 10.4 | 8   |
| 42 | Influence of pineal indoleamines on the mitotic activity of gastric and colonic mucosa epithelial cells in the rat: interaction with omeprazole. <i>Journal of Pineal Research</i> , <b>1991</b> , 10, 104-8                                     | 10.4 | 40  |
| 41 | Effect of omeprazole-induced hypergastrinaemia on the proliferation of colonic mucosal epithelial cells in the rat. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>1991</b> , 97, 50-4   | 2.3  | 8   |

|    |  |      |    |
|----|--|------|----|
| 40 | Inhibitory effect of bombesin and SMS 201-995 on DNA synthesis in the rat thyroid lobes incubated in vitro. <i>Biochemical and Biophysical Research Communications</i> , <b>1991</b> , 178, 520-5                              | 3.4  | 1  |
| 39 | Effects of melatonin on [3H]-thymidine incorporation into DNA of rat thyroid lobes in vitro. <i>Biochemical and Biophysical Research Communications</i> , <b>1991</b> , 181, 1187-91   | 3.4  | 3  |
| 38 | Hydrocortisone inhibits the basal and angiotensin II-stimulated proliferation of rat adrenocortical cells in organ culture. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>1990</b> , 95, 197-202            | 2.3  | 1  |
| 37 | Glutamine derivatives as novel anticancer agents acting via gastrin binding sites. <i>Medical Hypotheses</i> , <b>1990</b> , 32, 85-8  | 3.8  | 3  |
| 36 | Abnormalities in structure and function of the thyroid gland in patients with alopecia areata. <i>Journal of the American Academy of Dermatology</i> , <b>1990</b> , 23, 768-9   | 4.5  | 15 |
| 35 | Somatostatin analog (SMS 201-995) inhibits the basal and angiotensin II-stimulated 3H-thymidine uptake by rat adrenal glands. <i>Biochemical and Biophysical Research Communications</i> , <b>1990</b> , 166, 1171-5           | 3.4  | 7  |
| 34 | Influence of somatostatin and epidermal growth factor (EGF) on the proliferation of thyroid follicular cells in organ culture. <i>Regulatory Peptides</i> , <b>1990</b> , 28, 293-300  |      | 4  |
| 33 | Gastrin and somatostatin levels in patients with gastric cancer. <i>Hormone and Metabolic Research</i> , <b>1989</b> , 21, 89-91   | 3.1  | 2  |
| 32 | Indomethacin inhibits the basal and angiotensin II-stimulated mitotic activity of adrenocortical cells in vivo and in organ culture. <i>Research in Experimental Medicine</i> , <b>1989</b> , 189, 173-80                      |      | 8  |
| 31 | Melatonin inhibits mitotic activity of adrenocortical cells in vivo and in organ culture. <i>Journal of Pineal Research</i> , <b>1989</b> , 7, 1-12  | 10.4 | 37 |
| 30 | Influence of melatonin and N-acetylserotonin on the cyclic AMP concentration in the rat thyroid lobes incubated in vitro. <i>Journal of Pineal Research</i> , <b>1989</b> , 7, 55-61   | 10.4 | 6  |
| 29 | Melatonin-induced suppression of human lymphocyte natural killer activity in vitro. <i>Journal of Pineal Research</i> , <b>1989</b> , 7, 153-64  | 10.4 | 45 |
| 28 | Prostaglandins and growth of the adrenal cortex. <i>Prostaglandins</i> , <b>1989</b> , 38, 171-81  |      | 2  |
| 27 | Suppressing effect of cysteamine on the TSH-stimulated mitotic activity of the rat thyroid follicular cells in vivo. <i>Neuropeptides</i> , <b>1989</b> , 13, 171-4  | 3.3  | 4  |
| 26 | Stimulatory effect of prolactin on the mitotic activity of the adrenal cortex in snell mice with hereditary dwarfism. <i>Research in Experimental Medicine</i> , <b>1988</b> , 188, 87-94                                      |      | 5  |
| 25 | Inhibitory effect of somatostatin on the basal and TSH-stimulated 3H-thymidine incorporation into rat thyroid lobes incubated in vitro. <i>Biochemical and Biophysical Research Communications</i> , <b>1988</b> , 154, 417-20 | 3.4  | 7  |
| 24 | Increased 3H-thymidine incorporation into DNA of organ-cultured adrenal explants from rats injected with corticotropin and/or cysteamine. <i>Biochemical and Biophysical Research Communications</i> , <b>1988</b> , 157, 95-9 | 3.4  | 3  |
| 23 | Precise annual changes in the numbers of "synaptic" ribbons and spherules in the rat pineal gland. <i>Journal of Biological Rhythms</i> , <b>1988</b> , 3, 41-8  | 3.2  | 19 |

|    |  |      |    |
|----|--|------|----|
| 22 | Influence of somatostatin and epidermal growth factor (EGF) on the proliferation of follicular cells in the organ-cultured rat thyroid. <i>Research in Experimental Medicine</i> , <b>1987</b> , 187, 415-21                     |      | 21 |
| 21 | Melatonin suppression of the colloid droplet formation in the thyroid is not related to the alteration of prostacyclin synthesis. <i>Journal of Pineal Research</i> , <b>1986</b> , 3, 285-9                                     | 10.4 | 1  |
| 20 | Melatonin inhibits the basal and TSH-stimulated mitotic activity of thyroid follicular cells in vivo and in organ culture. <i>Journal of Pineal Research</i> , <b>1986</b> , 3, 291-9  | 10.4 | 22 |
| 19 | Effect of intracerebroventricular injection of prostaglandin E2 on anterior pituitary cell proliferation. <i>Research in Experimental Medicine</i> , <b>1986</b> , 186, 1-4  |      | 1  |
| 18 | Adrenal catecholamine content: effects of congenital GH, PRL and TSH deficiency and of hormone replacement therapy in the male mouse. <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>1986</b> , 87, 176-82     | 2.3  | 8  |
| 17 | Stimulus-permeability coupling in rat pulmonary macrophages challenged by <i>Pseudomonas aeruginosa</i> . An X-ray microanalysis study. <i>Cell and Tissue Research</i> , <b>1985</b> , 240, 461-5                               | 4.2  | 5  |
| 16 | Influence of melatonin and serotonin on the number of rat pineal "synaptic" ribbons and spherules in vitro. <i>Cell and Tissue Research</i> , <b>1985</b> , 242, 607-11  | 4.2  | 22 |
| 15 | Photoreceptor damage and eye pigmentation: influence on the sensitivity of rat pineal N-acetyltransferase activity and melatonin levels to light at night. <i>Neuroendocrinology</i> , <b>1985</b> , 40, 205-9                   | 5.6  | 50 |
| 14 | Colloid droplet accumulation precedes the enhancement of 6-keto-PGF 1 alpha release from the thyrotropin-stimulated thyroid gland. <i>Journal of Endocrinological Investigation</i> , <b>1985</b> , 8, 293-5                     | 5.2  | 1  |
| 13 | Deficiency of immunoreactive somatostatin in the median eminence of Snell dwarf mice. <i>Life Sciences</i> , <b>1985</b> , 36, 1239-45   | 6.8  | 6  |
| 12 | Inhibitory action of the pineal gland on the nuclear volume of thyroid follicular cells in male gerbils ( <i>Meriones unguiculatus</i> ). <i>Experimental and Clinical Endocrinology and Diabetes</i> , <b>1984</b> , 84, 239-44 | 2.3  | 3  |
| 11 | Effects of intraventricular injections of 6-hydroxydopamine on anterior pituitary cell proliferation. <i>The Anatomical Record</i> , <b>1984</b> , 208, 421-6  |      | 7  |
| 10 | Further evidence of inactivity of hypothalamo-pituitary-thyroid axis in Snell dwarf mice. <i>The Anatomical Record</i> , <b>1984</b> , 210, 617-27   |      | 5  |
| 9  | Dark exposure inhibits the mitotic activity of thyroid follicular cells in male mice with intact pineal. <i>Experientia</i> , <b>1984</b> , 40, 1284-5   |      | 9  |
| 8  | Possible mechanisms of TSH-independent thyroid growth. <i>Medical Hypotheses</i> , <b>1984</b> , 14, 141-60  | 3.8  | 8  |
| 7  | Effect of experimental hyperthyroidism on the elemental content of rat hepatocytes. <i>Biochemical and Biophysical Research Communications</i> , <b>1983</b> , 115, 232-7  | 3.4  |    |
| 6  | X-ray microanalysis of cardiocytes in the Snell dwarf mouse. <i>Biochemical and Biophysical Research Communications</i> , <b>1983</b> , 114, 234-9   | 3.4  | 3  |
| 5  | Compensatory thyroid hyperplasia in hemithyroidectomized Snell dwarf mice. <i>Endocrinology</i> , <b>1983</b> , 113, 2317-9  | 4.8  | 17 |

- 4 Influence of hypophysectomy and prolactin on the rat pinealocyte: a quantitative ultrastructural study. *Reproduction, Nutrition, Development*, **1982**, 22, 785-92 12
- 3 Indomethacin inhibits the estrogen-induced DNA synthesis in the rat anterior pituitary gland. *Biochemical and Biophysical Research Communications*, **1981**, 101, 1052-6 3-4 7
- 2 Pituitary is not required for the compensatory thyroid hyperplasia. *Hormone Research*, **1981**, 15, 189-97 9
- 1 Effect of dibutyryl cyclic adenosine 3',5'-phosphate on mitotic activity in the thyroid of hypophysectomized rats. *Cell and Tissue Research*, **1980**, 211, 349-52 4-2 7