

Veronique Bataille

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6582786/publications.pdf>

Version: 2024-02-01

116
papers

8,253
citations

44069

48
h-index

53230

85
g-index

121
all docs

121
docs citations

121
times ranked

13220
citing authors

#	ARTICLE	IF	CITATIONS
1	COVID-19 vaccines and skin manifestations. British Journal of Dermatology, 2022, 186, 15-15.	1.5	1
2	Cross-cohort gut microbiome associations with immune checkpoint inhibitor response in advanced melanoma. Nature Medicine, 2022, 28, 535-544.	30.7	158
3	European consensus-based interdisciplinary guideline for melanoma. Part 1: Diagnostics: Update 2022. European Journal of Cancer, 2022, 170, 236-255.	2.8	102
4	Natural history of naevi: a two-wave study. British Journal of Dermatology, 2021, 184, 289-295.	1.5	9
5	Cancer and Risk of COVID-19 Through a General Community Survey. Oncologist, 2021, 26, e182-e185.	3.7	61
6	Looking for Sunshine: Genetic Predisposition to Sun Seeking in 265,000 Individuals of European Ancestry. Journal of Investigative Dermatology, 2021, 141, 779-786.	0.7	5
7	Diagnostic value of cutaneous manifestation of SARS-CoV-2 infection*. British Journal of Dermatology, 2021, 184, 880-887.	1.5	45
8	Inherited duplications of PPP2R3B predispose to nevi and melanoma via a C21orf91-driven proliferative phenotype. Genetics in Medicine, 2021, 23, 1636-1647.	2.4	5
9	The gut microbiome: what the oncologist ought to know. British Journal of Cancer, 2021, 125, 1197-1209.	6.4	74
10	Body site-specific genetic effects influence naevus count distribution in women. Pigment Cell and Melanoma Research, 2020, 33, 326-333.	3.3	15
11	European consensus-based interdisciplinary guideline for melanoma. Part 2: Treatment Update 2019. European Journal of Cancer, 2020, 126, 159-177.	2.8	154
12	Response to: Comment on "Diagnosis and treatment of basal cell carcinoma: European consensus-based interdisciplinary guidelines"™. European Journal of Cancer, 2020, 140, 154-157.	2.8	1
13	Role of the gut microbiome for cancer patients receiving immunotherapy: Dietary and treatment implications. European Journal of Cancer, 2020, 138, 149-155.	2.8	52
14	Genetics plays a role in nevi distribution in women. Melanoma Management, 2020, 7, MMT35.	0.5	2
15	European consensus-based interdisciplinary guideline for melanoma. Part 1: Diagnostics Update 2019. European Journal of Cancer, 2020, 126, 141-158.	2.8	133
16	Comment on "Diagnosis and treatment of basal cell carcinoma: European consensus-based interdisciplinary guidelines"™. European Journal of Cancer, 2020, 131, 100-103.	2.8	4
17	Genome-wide association meta-analyses combining multiple risk phenotypes provide insights into the genetic architecture of cutaneous melanoma susceptibility. Nature Genetics, 2020, 52, 494-504.	21.4	138
18	Clinical Genetics and Risk Assessment of Melanoma. , 2020, , 471-499.		0

#	ARTICLE	IF	CITATIONS
19	Diagnosis and treatment of basal cell carcinoma: European consensusâ€‘based interdisciplinary guidelines. <i>European Journal of Cancer</i> , 2019, 118, 10-34.	2.8	345
20	Clinical Genetics and Risk Assessment of Melanoma. , 2019, , 1-29.		0
21	Genome-wide association meta-analysis of individuals of European ancestry identifies new loci explaining a substantial fraction of hair color variation and heritability. <i>Nature Genetics</i> , 2018, 50, 652-656.	21.4	86
22	Favourable prognostic role of histological regression in stage III positive sentinel lymph node melanoma patients. <i>British Journal of Cancer</i> , 2018, 118, 398-404.	6.4	19
23	Novel pleiotropic risk loci for melanoma and nevus density implicate multiple biological pathways. <i>Nature Communications</i> , 2018, 9, 4774.	12.8	87
24	Genome-wide meta-analysis implicates mediators of hair follicle development and morphogenesis in risk for severe acne. <i>Nature Communications</i> , 2018, 9, 5075.	12.8	48
25	The relationship between naevus count, memory function and telomere length in the Twins <sc>UK</sc> cohort. <i>Pigment Cell and Melanoma Research</i> , 2018, 31, 720-724.	3.3	3
26	Effect of Age on Melanoma Risk, Prognosis and Treatment Response. <i>Acta Dermato-Venereologica</i> , 2018, 98, 624-629.	1.3	52
27	Genome-wide association study in 176,678 Europeans reveals genetic loci for tanning response to sun exposure. <i>Nature Communications</i> , 2018, 9, 1684.	12.8	80
28	Pregnancy and melanoma: a Europeanâ€‘wide survey to assess current management and a critical literature overview. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 65-69.	2.4	18
29	Genome-Wide Association Shows thatâ€‘Pigmentation Genes Play a Role in Skinâ€‘Aging. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1887-1894.	0.7	48
30	Higher Nevus Count Exhibits a Distinct DNA Methylation Signature in Healthy Human Skin: Implications for Melanoma. <i>Journal of Investigative Dermatology</i> , 2017, 137, 910-920.	0.7	26
31	Effects of sex on naevus body distribution and melanoma risk in two melanoma case-control studies at different latitudes. <i>British Journal of Dermatology</i> , 2017, 176, 1093-1094.	1.5	6
32	Acne and Telomere Length: A New Spectrum between Senescence and Apoptosis Pathways. <i>Journal of Investigative Dermatology</i> , 2017, 137, 513-515.	0.7	6
33	Positive Association Between Vitamin D Serum Levels and Naevus Counts. <i>Acta Dermato-Venereologica</i> , 2017, 97, 321-324.	1.3	6
34	Genomic expression differences between cutaneous cells from red hair color individuals and black hair color individuals based on bioinformatic analysis. <i>Oncotarget</i> , 2017, 8, 11589-11599.	1.8	5
35	Sentinel lymph node biopsy in cutaneous melanoma. <i>Italian Journal of Dermatology and Venereology</i> , 2017, 152, 355-359.	0.2	0
36	Unknown Primary Melanoma: Worldwide Survey on Clinical Management. <i>Dermatology</i> , 2016, 232, 704-707.	2.1	20

#	ARTICLE	IF	CITATIONS
37	What Is New in Melanoma Genetics and Treatment?. <i>Dermatology</i> , 2016, 232, 259-264.	2.1	25
38	Genetic epidemiology of melanoma. <i>European Journal of Dermatology</i> , 2016, 26, 335-339.	0.6	49
39	Skin phenotypes can offer some insight about the association between telomere length and cancer susceptibility. <i>Medical Hypotheses</i> , 2016, 97, 7-10.	1.5	10
40	Prediction of high naevus count in a healthy U.K. population to estimate melanoma risk. <i>British Journal of Dermatology</i> , 2016, 174, 312-318.	1.5	39
41	Authors' reply to: High naevus counts confer a favourable prognosis in patients with melanoma. <i>International Journal of Cancer</i> , 2015, 137, 3008-3009.	5.1	0
42	Height and Bone Mineral Density Are Associated with Naevus Count Supporting the Importance of Growth in Melanoma Susceptibility. <i>PLoS ONE</i> , 2015, 10, e0116863.	2.5	19
43	Genetics of skin color variation in Europeans: genome-wide association studies with functional follow-up. <i>Human Genetics</i> , 2015, 134, 823-835.	3.8	133
44	High nevus counts confer a favorable prognosis in melanoma patients. <i>International Journal of Cancer</i> , 2015, 137, 1691-1698.	5.1	37
45	<i>DCAF4</i> , a novel gene associated with leucocyte telomere length. <i>Journal of Medical Genetics</i> , 2015, 52, 157-162.	3.2	66
46	Development and Validation of a Melanoma Risk Score Based on Pooled Data from 16 Case-Control Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 817-824.	2.5	25
47	Multi-ancestry genome-wide association study of 21,000 cases and 95,000 controls identifies new risk loci for atopic dermatitis. <i>Nature Genetics</i> , 2015, 47, 1449-1456.	21.4	529
48	Pro-Invasive Activity of the Hippo Pathway Effectors YAP and TAZ in Cutaneous Melanoma. <i>Journal of Investigative Dermatology</i> , 2014, 134, 123-132.	0.7	122
49	Intrinsic and Extrinsic Risk Factors for Sagging Eyelids. <i>JAMA Dermatology</i> , 2014, 150, 836.	4.1	64
50	Melanoma. Shall we move away from the sun and focus more on embryogenesis, body weight and longevity?. <i>Medical Hypotheses</i> , 2013, 81, 846-850.	1.5	8
51	Sun Exposure, Sunbeds and Sunscreens and Melanoma. What Are the Controversies?. <i>Current Oncology Reports</i> , 2013, 15, 526-532.	4.0	24
52	An investigation of rheumatoid arthritis loci in patients with early-onset psoriasis validates association of the <i>REL</i> gene. <i>British Journal of Dermatology</i> , 2013, 168, 864-866.	1.5	11
53	Global Analysis of DNA Methylation Variation in Adipose Tissue from Twins Reveals Links to Disease-Associated Variants in Distal Regulatory Elements. <i>American Journal of Human Genetics</i> , 2013, 93, 876-890.	6.2	330
54	Sunbed use increases risk of melanoma; risk increases with greater number of sessions and first use at younger age. <i>Evidence-based Nursing</i> , 2013, 16, 107-108.	0.2	1

#	ARTICLE	IF	CITATIONS
55	Evaluation of <i>PAX3</i> genetic variants and nevus number. <i>Pigment Cell and Melanoma Research</i> , 2013, 26, 666-676.	3.3	7
56	Sunny Holidays before and after Melanoma Diagnosis Are Respectively Associated with Lower Breslow Thickness and Lower Relapse Rates in Italy. <i>PLoS ONE</i> , 2013, 8, e78820.	2.5	13
57	Six Novel Susceptibility Loci for Early-Onset Androgenetic Alopecia and Their Unexpected Association with Common Diseases. <i>PLoS Genetics</i> , 2012, 8, e1002746.	3.5	92
58	Mapping cis- and trans-regulatory effects across multiple tissues in twins. <i>Nature Genetics</i> , 2012, 44, 1084-1089.	21.4	701
59	The use of the twin model to investigate the genetics and epigenetics of skin diseases with genomic, transcriptomic and methylation data. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 1067-1073.	2.4	44
60	Biologic markers of sun exposure and melanoma risk in women: Pooled case-control analysis. <i>International Journal of Cancer</i> , 2011, 129, 713-723.	5.1	28
61	The Architecture of Gene Regulatory Variation across Multiple Human Tissues: The MuTHER Study. <i>PLoS Genetics</i> , 2011, 7, e1002003.	3.5	392
62	IRF4 Variants Have Age-Specific Effects on Nevus Count and Predispose to Melanoma. <i>American Journal of Human Genetics</i> , 2010, 87, 6-16.	6.2	114
63	Sun exposure and melanoma risk at different latitudes: a pooled analysis of 5700 cases and 7216 controls. <i>International Journal of Epidemiology</i> , 2009, 38, 814-830.	1.9	219
64	Melanoma: risk factors and controversies. <i>Clinical Risk</i> , 2009, 15, 3-7.	0.1	1
65	A pooled analysis of melanocytic nevus phenotype and the risk of cutaneous melanoma at different latitudes. <i>International Journal of Cancer</i> , 2009, 124, 420-428.	5.1	84
66	Nevus density and melanoma risk in women: A pooled analysis to test the divergent pathway hypothesis. <i>International Journal of Cancer</i> , 2009, 124, 937-944.	5.1	70
67	Genome-wide association study identifies variants at 9p21 and 22q13 associated with development of cutaneous nevi. <i>Nature Genetics</i> , 2009, 41, 915-919.	21.4	204
68	Risk factors for melanoma development. <i>Expert Review of Dermatology</i> , 2009, 4, 533-539.	0.3	1
69	Melanoma of the small intestine. <i>Lancet Oncology</i> , The, 2009, 10, 516-521.	10.7	151
70	Pigmentation and Vitamin D Metabolism in Caucasians: Low Vitamin D Serum Levels in Fair Skin Types in the UK. <i>PLoS ONE</i> , 2009, 4, e6477.	2.5	65
71	Early detection of melanoma improves survival. <i>Practitioner</i> , 2009, 253, 29-32, 3.	0.3	9
72	Anthropometric factors and risk of melanoma in women: A pooled analysis. <i>International Journal of Cancer</i> , 2008, 122, 1100-1108.	5.1	51

#	ARTICLE	IF	CITATIONS
73	Melanoma in relation to reproductive and hormonal factors in women: current review on controversial issues. <i>Cancer Causes and Control</i> , 2008, 19, 437-442.	1.8	83
74	Male-pattern baldness susceptibility locus at 20p11. <i>Nature Genetics</i> , 2008, 40, 1282-1284.	21.4	118
75	p53 labeling index in assessing the efficacy of a sunscreen in protection against UV-induced damage. <i>International Journal of Dermatology</i> , 2008, 47, 1234-1239.	1.0	2
76	Melanoma--Part 1: epidemiology, risk factors, and prevention. <i>BMJ: British Medical Journal</i> , 2008, 337, a2249-a2249.	2.3	76
77	Nevus Size and Number Are Associated with Telomere Length and Represent Potential Markers of a Decreased Senescence <i>in vivo</i> . <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1499-1502.	2.5	115
78	The prevention, diagnosis, referral and management of melanoma of the skin: concise guidelines. <i>Clinical Medicine</i> , 2007, 7, 283-290.	1.9	34
79	Genome-wide search for nevus density shows linkage to two melanoma loci on chromosome 9 and identifies a new QTL on 5q31 in an adult twin cohort. <i>Human Molecular Genetics</i> , 2006, 15, 2975-2979.	2.9	41
80	A multicentre epidemiological study on sunbed use and cutaneous melanoma in Europe. <i>European Journal of Cancer</i> , 2005, 41, 2141-2149.	2.8	107
81	Genetic Factors in Nickel Allergy. <i>Journal of Investigative Dermatology</i> , 2004, 123, xxiv-xxv.	0.7	9
82	An Assessment of a Variant of the DNA Repair Gene XRCC3 as a Possible Nevus or Melanoma Susceptibility Genotype. <i>Journal of Investigative Dermatology</i> , 2004, 122, 429-432.	0.7	25
83	Exposure to the sun and sunbeds and the risk of cutaneous melanoma in the UK: a case-control study. <i>European Journal of Cancer</i> , 2004, 40, 429-435.	2.8	99
84	Genetic epidemiology of melanoma. <i>European Journal of Cancer</i> , 2003, 39, 1341-1347.	2.8	70
85	p16/Cyclin-Dependent Kinase Inhibitor 2A Deficiency in Human Melanocyte Senescence, Apoptosis, and Immortalization: Possible Implications for Melanoma Progression. <i>Journal of the National Cancer Institute</i> , 2003, 95, 723-732.	6.3	106
86	Biallelic Mutations in p16 INK4a Confer Resistance to Ras- and Ets-Induced Senescence in Human Diploid Fibroblasts. <i>Molecular and Cellular Biology</i> , 2002, 22, 8135-8143.	2.3	112
87	An Assessment of the CDKN2A Variant Ala148Thr as a Nevus/Melanoma Susceptibility Allele. <i>Journal of Investigative Dermatology</i> , 2002, 119, 961-965.	0.7	36
88	The Influence of Genetics and Environmental Factors in the Pathogenesis of Acne: A Twin Study of Acne in Women. <i>Journal of Investigative Dermatology</i> , 2002, 119, 1317-1322.	0.7	161
89	The Heritability of Polymorphic Light Eruption. <i>Journal of Investigative Dermatology</i> , 2000, 115, 467-470.	0.7	63
90	Genotype/Phenotype and Penetrance Studies in Melanoma Families with Germline CDKN2A Mutations. <i>Journal of Investigative Dermatology</i> , 2000, 114, 28-33.	0.7	102

#	ARTICLE	IF	CITATIONS
91	Genetics of familial and sporadic melanoma. <i>Clinical and Experimental Dermatology</i> , 2000, 25, 464-470.	1.3	30
92	Photoadaptation to ultraviolet (UV) radiation in vivo: photoproducts in epidermal cells following UVB therapy for psoriasis. <i>British Journal of Dermatology</i> , 2000, 143, 477-483.	1.5	33
93	Hereditary factors in basal cell carcinoma of the skin: a population-based cohort study in twins. <i>British Journal of Cancer</i> , 2000, 82, 247-248.	6.4	3
94	Genetics of Risk Factors for Melanoma: an Adult Twin Study of Nevi and Freckles. <i>Journal of the National Cancer Institute</i> , 2000, 92, 457-463.	6.3	127
95	Melanoma yield, number of biopsies and missed melanomas in a British teaching hospital pigmented lesion clinic: a 9-year retrospective study. <i>British Journal of Dermatology</i> , 1999, 140, 243-248.	1.5	25
96	The role of twin studies in the genetics of skin diseases. <i>Clinical and Experimental Dermatology</i> , 1999, 24, 286-290.	1.3	7
97	Somatic Mutations in the Peutz-Jeghers (LKB1/STK11) Gene in Sporadic Malignant Melanomas. <i>Journal of Investigative Dermatology</i> , 1999, 112, 509-511.	0.7	93
98	Mutation testing in melanoma families: INK4A, CDK4 and INK4D. <i>British Journal of Cancer</i> , 1999, 80, 295-300.	6.4	57
99	The association between naevi and melanoma in populations with different levels of sun exposure: a joint case-control study of melanoma in the UK and Australia. <i>British Journal of Cancer</i> , 1998, 77, 505-510.	6.4	107
100	Solar keratoses: A risk factor for melanoma but negative association with melanocytic naevi. , 1998, 78, 8-12.		71
101	Gorlin syndrome: Identification of 4 novel germ-line mutations of the human patched (PTCH) gene. <i>Human Mutation</i> , 1998, 11, 480-480.	2.5	21
102	Gorlin syndrome: Identification of 4 novel germ-line mutations of the human patched (PTCH) gene. <i>Human Mutation</i> , 1998, 11, 480-480.	2.5	2
103	Germline Mutations of the CDKN2 Gene in UK Melanoma Families. <i>Human Molecular Genetics</i> , 1997, 6, 2061-2067.	2.9	135
104	Kikuchi disease (histiocytic necrotizing lymphadenitis) in association with HTLV1. <i>British Journal of Dermatology</i> , 1997, 136, 610-2.	1.5	6
105	Risk of cutaneous melanoma in relation to the numbers, types and sites of naevi: a case-control study. <i>British Journal of Cancer</i> , 1996, 73, 1605-1611.	6.4	228
106	Naevi and pigmentary characteristics as risk factors for melanoma in a high-risk population: A case-control study in new South Wales, Australia. , 1996, 67, 485-491.		114
107	Inflammation of solar keratoses following systemic 5-fluorouracil. <i>British Journal of Dermatology</i> , 1996, 135, 478-80.	1.5	0
108	Risk of ocular melanoma in relation to cutaneous and IRIS naevi. <i>International Journal of Cancer</i> , 1995, 60, 622-626.	5.1	58

#	ARTICLE	IF	CITATIONS
109	Retinoblastoma, melanoma and the atypical mole syndrome. British Journal of Dermatology, 1995, 132, 134-138.	1.5	36
110	Family studies in melanoma: identification of the atypical mole syndrome (AMS) phenotype. Melanoma Research, 1994, 4, 199-206.	1.2	62
111	Three cases of primary acquired melanosis of the conjunctiva as a manifestation of the atypical mole syndrome. British Journal of Dermatology, 1993, 128, 86-90.	1.5	16
112	How common is the atypical mole syndrome phenotype in apparently sporadic melanoma?. Journal of the American Academy of Dermatology, 1993, 29, 989-996.	1.2	88
113	Five cases of coexistent primary ocular and cutaneous melanoma. Archives of Dermatology, 1993, 129, 198-201.	1.4	4
114	Risk factors for melanoma. Melanoma Research, 1992, 2, 83-86.	1.2	2
115	(18) Dysplastic naevus syndrome, cutaneous melanoma and ocular melanoma. British Journal of Dermatology, 1991, 125, 54a-55.	1.5	0
116	(19) Woolly hair and ulerythema oophryogenes. British Journal of Dermatology, 1991, 125, 55-55.	1.5	0