

Anthony J Kinloch

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6583920/publications.pdf>

Version: 2024-02-01

256
papers

19,948
citations

8732

75
h-index

12558

132
g-index

264
all docs

264
docs citations

264
times ranked

10977
citing authors

#	ARTICLE	IF	CITATIONS
1	Modelling the quasi-static flexural behaviour of composite sandwich structures with uniform- and graded-density foam cores. <i>Engineering Fracture Mechanics</i> , 2022, 259, 108121.	2.0	9
2	The essential work of fracture method for the characterisation of fusion bonding in 3D printed short carbon-fibre reinforced polyamide 6 thin films. <i>Composites Science and Technology</i> , 2022, 230, 109361.	3.8	3
3	Thoughts on the durability and damage tolerance assessment of adhesively-bonded joints. <i>Theoretical and Applied Fracture Mechanics</i> , 2022, 119, 103319.	2.1	1
4	The effectiveness of patch repairs to restore the impact properties of carbon-fibre reinforced-plastic composites. <i>Engineering Fracture Mechanics</i> , 2022, 270, 108570.	2.0	9
5	3D printed carbon-fibre reinforced composite lattice structures with good thermal-dimensional stability. <i>Composites Science and Technology</i> , 2022, 227, 109599.	3.8	13
6	Examining the effect of graphene nanoplatelets on the corrosion resistance of epoxy coatings. <i>International Journal of Adhesion and Adhesives</i> , 2021, 104, 102723.	1.4	21
7	Characterisation of fusion bonding between filaments of thin 3D printed polyamide 6 using an essential work of fracture method. <i>Journal of Materials Science</i> , 2021, 56, 2777-2794.	1.7	13
8	Strengthening and toughening epoxy polymer at cryogenic temperature using cupric oxide nanorods. <i>Composites Science and Technology</i> , 2021, 208, 108762.	3.8	25
9	Fatigue crack growth in epoxy polymer nanocomposites. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2021, 379, 20200436.	1.6	8
10	Improving the delamination resistance and impact damage tolerance of carbon fibre-epoxy composites using multi-scale fibre toughening. <i>Composites Part A: Applied Science and Manufacturing</i> , 2021, 150, 106624.	3.8	24
11	Experimental investigations on the effects of projectile hardness on the impact response of fibre-reinforced composite laminates. <i>International Journal of Lightweight Materials and Manufacture</i> , 2020, 3, 77-87.	1.3	7
12	A three-dimensional elastic-plastic damage model for predicting the impact behaviour of fibre-reinforced polymer-matrix composites. <i>Composites Part B: Engineering</i> , 2020, 201, 108389.	5.9	51
13	The behaviour of thermoplastic and thermoset carbon fibre composites subjected to low-velocity and high-velocity impact. <i>Journal of Materials Science</i> , 2020, 55, 15741-15768.	1.7	44
14	Investigations on the impact behaviour of fibre-reinforced composites: effect of impact energy and impactor shape. <i>Procedia Structural Integrity</i> , 2020, 28, 106-115.	0.3	0
15	Effects of Impactor Geometry on the Low-Velocity Impact Behaviour of Fibre-Reinforced Composites: An Experimental and Theoretical Investigation. <i>Applied Composite Materials</i> , 2020, 27, 533-553.	1.3	26
16	Requirements and Variability Affecting the Durability of Bonded Joints. <i>Materials</i> , 2020, 13, 1468.	1.3	17
17	The behaviour of fibre-reinforced composites subjected to a soft impact-loading: An experimental and numerical study. <i>Engineering Failure Analysis</i> , 2020, 111, 104448.	1.8	19
18	On the extent of fracture toughness transfer from 1D/2D nanomodified epoxy matrices to glass fibre composites. <i>Journal of Materials Science</i> , 2020, 55, 4717-4733.	1.7	24

#	ARTICLE	IF	CITATIONS
19	A way forward for industry to determine valid cyclic-fatigue relationships for polymer-matrix fibre composites. <i>Procedia Structural Integrity</i> , 2020, 28, 26-38.	0.3	5
20	A means for industry to determine the economic life of bonded joints under representative operation flight loads. <i>Procedia Structural Integrity</i> , 2020, 28, 370-380.	0.3	4
21	Liquid metal synthesis of two-dimensional aluminium oxide platelets to reinforce epoxy composites. <i>Composites Science and Technology</i> , 2019, 181, 107708.	3.8	15
22	The Impact Performance of Woven-Fabric Thermoplastic and Thermoset Composites Subjected to High-Velocity Soft- and Hard-Impact Loading. <i>Applied Composite Materials</i> , 2019, 26, 1389-1410.	1.3	27
23	Experimental and numerical studies on the behaviour of fibre-reinforced composites subjected to soft impact loading. <i>Procedia Structural Integrity</i> , 2019, 17, 992-1001.	0.3	9
24	Fracture and fatigue behaviour of epoxy nanocomposites containing 1-D and 2-D nanoscale carbon fillers. <i>Engineering Fracture Mechanics</i> , 2018, 203, 102-114.	2.0	37
25	Increasing the fatigue resistance of epoxy nanocomposites by aligning graphene nanoplatelets. <i>International Journal of Fatigue</i> , 2018, 113, 88-97.	2.8	24
26	The electric field alignment of short carbon fibres to enhance the toughness of epoxy composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2018, 106, 11-23.	3.8	36
27	High-velocity impact deformation and perforation of fibre metal laminates. <i>Journal of Materials Science</i> , 2018, 53, 4209-4228.	1.7	41
28	Effects of the core density on the quasi-static flexural and ballistic performance of fibre-composite skin/foam-core sandwich structures. <i>Journal of Materials Science</i> , 2018, 53, 16393-16414.	1.7	26
29	Multi-scale toughening of epoxy composites via electric field alignment of carbon nanofibres and short carbon fibres. <i>Composites Science and Technology</i> , 2018, 167, 115-125.	3.8	56
30	Novel Electrically Conductive Porous PDMS/Carbon Nanofiber Composites for Deformable Strain Sensors and Conductors. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 14207-14215.	4.0	239
31	A facile way to produce epoxy nanocomposites having excellent thermal conductivity with low contents of reduced graphene oxide. <i>Journal of Materials Science</i> , 2017, 52, 7323-7344.	1.7	63
32	Aligning carbon nanofibres in glass-fibre/epoxy composites to improve interlaminar toughness and crack-detection capability. <i>Composites Science and Technology</i> , 2017, 152, 46-56.	3.8	54
33	Using Carbon Nanofibre Sensors for In-situ Detection and Monitoring of Disbonds in Bonded Composite Joints. <i>Procedia Engineering</i> , 2017, 188, 362-368.	1.2	7
34	Enhancing fatigue resistance and damage characterisation in adhesively-bonded composite joints by carbon nanofibres. <i>Composites Science and Technology</i> , 2017, 149, 116-126.	3.8	55
35	Quasi-static bending and low velocity impact performance of monolithic and laminated glass windows employing chemically strengthened glass. <i>European Journal of Mechanics, A/Solids</i> , 2017, 63, 165-186.	2.1	36
36	From matrix nano- and micro-phase tougheners to composite macro-properties. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2016, 374, 20150275.	1.6	15

#	ARTICLE	IF	CITATIONS
37	A novel route for tethering graphene with iron oxide and its magnetic field alignment in polymer nanocomposites. <i>Polymer</i> , 2016, 97, 273-284.	1.8	42
38	In situ thermally reduced graphene oxide/epoxy composites: thermal and mechanical properties. <i>Applied Nanoscience (Switzerland)</i> , 2016, 6, 1015-1022.	1.6	75
39	Strain Sensors with Adjustable Sensitivity by Tailoring the Microstructure of Graphene Aerogel/PDMS Nanocomposites. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 24853-24861.	4.0	195
40	Multi-scale toughening of fibre composites using carbon nanofibres and z-pins. <i>Composites Science and Technology</i> , 2016, 131, 98-109.	3.8	81
41	Computing the growth of naturally-occurring disbands in adhesively-bonded patches to metallic structures. <i>Engineering Fracture Mechanics</i> , 2016, 152, 162-173.	2.0	12
42	Multifunctional properties of epoxy nanocomposites reinforced by aligned nanoscale carbon. <i>Materials and Design</i> , 2016, 94, 554-564.	3.3	80
43	Mixed mode partitioning of beam-like geometries: A damage dependent solution. <i>Engineering Fracture Mechanics</i> , 2015, 149, 351-367.	2.0	29
44	Epoxy nanocomposites containing magnetite-carbon nanofibers aligned using a weak magnetic field. <i>Polymer</i> , 2015, 68, 25-34.	1.8	89
45	A study of the impact properties of adhesively-bonded aluminum alloy based on impact velocity. <i>Journal of Mechanical Science and Technology</i> , 2015, 29, 493-499.	0.7	12
46	Co-continuous polymer systems: A numerical investigation. <i>Computational Materials Science</i> , 2015, 98, 24-33.	1.4	38
47	Aligning multilayer graphene flakes with an external electric field to improve multifunctional properties of epoxy nanocomposites. <i>Carbon</i> , 2015, 94, 607-618.	5.4	288
48	Improving the toughness and electrical conductivity of epoxy nanocomposites by using aligned carbon nanofibres. <i>Composites Science and Technology</i> , 2015, 117, 146-158.	3.8	135
49	Tough, natural-fibre composites based upon epoxy matrices. <i>Journal of Materials Science</i> , 2015, 50, 6947-6960.	1.7	24
50	A convenient way to represent fatigue crack growth in structural adhesives. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2015, 38, 379-391.	1.7	66
51	Modelling the interfacial peeling of pressure-sensitive adhesives. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2015, 222, 141-150.	1.0	37
52	Vimentin Is a Dominant Target of In Situ Humoral Immunity in Human Lupus Tubulointerstitial Nephritis. <i>Arthritis and Rheumatology</i> , 2014, 66, 3359-3370.	2.9	82
53	Mode I fracture in adhesively-bonded joints: A mesh-size independent modelling approach using cohesive elements. <i>Engineering Fracture Mechanics</i> , 2014, 115, 73-95.	2.0	53
54	Improving the fracture toughness and the cyclic-fatigue resistance of epoxy-polymer blends. <i>Polymer</i> , 2014, 55, 6325-6334.	1.8	57

#	ARTICLE	IF	CITATIONS
55	Immune complex formation and in situ B-cell clonal expansion in human cerebral cavernous malformations. <i>Journal of Neuroimmunology</i> , 2014, 272, 67-75.	1.1	26
56	Durability of asphalt mixtures: Effect of aggregate type and adhesion promoters. <i>International Journal of Adhesion and Adhesives</i> , 2014, 54, 100-111.	1.4	144
57	Lupus tubulointerstitial and vascular disease. <i>Pathology</i> , 2014, 46, S40.	0.3	1
58	The mechanical properties and toughening mechanisms of an epoxy polymer modified with polysiloxane-based core-shell particles. <i>Polymer</i> , 2013, 54, 4276-4289.	1.8	186
59	The modelling of the toughening of epoxy polymers via silica nanoparticles: The effects of volume fraction and particle size. <i>Polymer</i> , 2013, 54, 7022-7032.	1.8	106
60	The Role of the Surface Pretreatment in the Durability of Aluminium-Alloy Structural Adhesive Joints: Mechanisms of Failure. <i>Journal of Adhesion</i> , 2013, 89, 369-397.	1.8	17
61	A maximum stress at a distance criterion for the prediction of crack propagation in adhesively-bonded joints. <i>Engineering Fracture Mechanics</i> , 2013, 97, 105-135.	2.0	31
62	The development of a novel test method to assess the durability of asphalt road pavement materials. <i>International Journal of Adhesion and Adhesives</i> , 2013, 42, 1-10.	1.4	32
63	Enhanced fatigue behavior of a glass fiber reinforced hybrid particles modified epoxy nanocomposite under WISPERX spectrum load sequence. <i>International Journal of Fatigue</i> , 2013, 54, 25-31.	2.8	43
64	High-strain-rate fracture of adhesively bonded composite joints in DCB and TDCB specimens. <i>International Journal of Automotive Technology</i> , 2012, 13, 1127-1131.	0.7	9
65	A multiscale parametric study of mode I fracture in metal-to-metal low-toughness adhesive joints. <i>International Journal of Fracture</i> , 2012, 173, 105-133.	1.1	34
66	The fracture behaviour of adhesively-bonded composite joints: Effects of rate of test and mode of loading. <i>International Journal of Solids and Structures</i> , 2012, 49, 1434-1452.	1.3	73
67	Improved variable-amplitude fatigue behavior of a glass-fiber-reinforced hybrid-toughened epoxy composite. <i>Journal of Reinforced Plastics and Composites</i> , 2011, 30, 1783-1793.	1.6	23
68	Citrullination of autoantigens: Upstream of TNF α in the pathogenesis of rheumatoid arthritis. <i>FEBS Letters</i> , 2011, 585, 3681-3688.	1.3	49
69	The effect of carbon nanotubes on the fracture toughness and fatigue performance of a thermosetting epoxy polymer. <i>Journal of Materials Science</i> , 2011, 46, 7525.	1.7	217
70	The effect of silica nanoparticles and carbon nanotubes on the toughness of a thermosetting epoxy polymer. <i>Journal of Applied Polymer Science</i> , 2011, 119, 2135-2142.	1.3	65
71	Immunization with <i>Porphyromonas gingivalis</i> enolase induces autoimmunity to mammalian α -enolase and arthritis in DR4-IE-transgenic mice. <i>Arthritis and Rheumatism</i> , 2011, 63, 3818-3823.	6.7	103
72	Modelling the fracture behaviour of adhesively-bonded joints as a function of test rate. <i>Engineering Fracture Mechanics</i> , 2011, 78, 973-989.	2.0	76

#	ARTICLE	IF	CITATIONS
73	Fracture behaviour of adhesively-bonded composite materials under impact loading. International Journal of Precision Engineering and Manufacturing, 2010, 11, 89-95.	1.1	36
74	The toughness of epoxy polymers and fibre composites modified with rubber microparticles and silica nanoparticles. Journal of Materials Science, 2010, 45, 1193-1210.	1.7	331
75	Particle cavitation in rubber toughened epoxies: the role of particle size. Journal of Materials Science, 2010, 45, 3882-3894.	1.7	44
76	Peptidylarginine deiminase from <i>Porphyromonas gingivalis</i> citrullinates human fibrinogen and Î±-enolase: Implications for autoimmunity in rheumatoid arthritis. Arthritis and Rheumatism, 2010, 62, 2662-2672.	6.7	547
77	The mechanisms and mechanics of the toughening of epoxy polymers modified with silica nanoparticles. Polymer, 2010, 51, 6284-6294.	1.8	386
78	The tensile fatigue behaviour of a silica nanoparticle-modified glass fibre reinforced epoxy composite. Composites Science and Technology, 2010, 70, 193-199.	3.8	181
79	Autoimmunity to specific citrullinated proteins gives the first clues to the etiology of rheumatoid arthritis. Immunological Reviews, 2010, 233, 34-54.	2.8	407
80	Study on Impact Fractures of Adhesively Bonded Composite Joints. Advanced Materials Research, 2010, 123-125, 235-238.	0.3	0
81	A Critical Role for LTA ⁴ H in Limiting Chronic Pulmonary Neutrophilic Inflammation. Science, 2010, 330, 90-94.	6.0	223
82	The Morphology and Fracture Properties of Thermoplastic-Toughened Epoxy Polymers. Journal of Adhesion, 2010, 86, 726-741.	1.8	91
83	The Tensile Fatigue Behavior of a GFRP Composite with Rubber Particle Modified Epoxy Matrix. Journal of Reinforced Plastics and Composites, 2010, 29, 2170-2183.	1.6	35
84	The Tensile Fatigue Behavior of a Glass-fiber Reinforced Plastic Composite Using a Hybrid-toughened Epoxy Matrix. Journal of Composite Materials, 2010, 44, 2095-2109.	1.2	60
85	The effect of rubber micro-particles and silica nano-particles on the tensile fatigue behaviour of a glass-fibre epoxy composite. Journal of Materials Science, 2009, 44, 342-345.	1.7	55
86	The cyclic-fatigue behaviour of an epoxy polymer modified with micron-rubber and nano-silica particles. Journal of Materials Science, 2009, 44, 4487-4490.	1.7	50
87	The fracture behaviour of structural adhesives under high rates of testing. Engineering Fracture Mechanics, 2009, 76, 2868-2889.	2.0	114
88	Ultra-tough and fatigue resistant. Adhesion Adhesives and Sealants, 2009, 6, 8-11.	0.1	5
89	Numerical analysis of the energy contributions in peel tests: A steady-state multilevel finite element approach. International Journal of Adhesion and Adhesives, 2008, 28, 222-236.	1.4	44
90	The fracture of glass-fibre-reinforced epoxy composites using nanoparticle-modified matrices. Journal of Materials Science, 2008, 43, 1151-1154.	1.7	98

#	ARTICLE	IF	CITATIONS
91	Failure mechanisms in adhesively bonded aluminium: an XPS and PEELS study. <i>Surface and Interface Analysis</i> , 2008, 40, 128-131.	0.8	5
92	Synovial fluid is a site of citrullination of autoantigens in inflammatory arthritis. <i>Arthritis and Rheumatism</i> , 2008, 58, 2287-2295.	6.7	236
93	Antibodies to citrullinated Î±-enolase peptide 1 are specific for rheumatoid arthritis and cross-react with bacterial enolase. <i>Arthritis and Rheumatism</i> , 2008, 58, 3009-3019.	6.7	348
94	The influence of bond line thickness and peel arm thickness on adhesive fracture toughness of rubber toughened epoxy-aluminium alloy laminates. <i>International Journal of Adhesion and Adhesives</i> , 2008, 28, 199-210.	1.4	49
95	The Effects of Pre-Bond Moisture on the Fracture Behaviour of Adhesively-Bonded Composite Joints. <i>Journal of Adhesion</i> , 2008, 84, 256-276.	1.8	32
96	Toughening mechanisms of nanoparticle-modified epoxy polymers. <i>Polymer</i> , 2007, 48, 530-541.	1.8	815
97	Crack growth in structural adhesive joints in aqueous environments. <i>Journal of Materials Science</i> , 2007, 42, 6353-6370.	1.7	37
98	The fracture and fatigue behaviour of nano-modified epoxy polymers. <i>Journal of Materials Science</i> , 2007, 42, 7049-7051.	1.7	156
99	Novel Self-Assembling Silane for Abhesive and Adhesive Applications. <i>Journal of Adhesion</i> , 2006, 82, 1117-1132.	1.8	19
100	A numerical analysis of the elastic-plastic peel test. <i>Engineering Fracture Mechanics</i> , 2006, 73, 2324-2335.	2.0	61
101	A critical investigation of the use of a mandrel peel method for the determination of adhesive fracture toughness of metal-polymer laminates. <i>Engineering Fracture Mechanics</i> , 2006, 73, 2304-2323.	2.0	17
102	The mechanical properties and fracture behaviour of epoxy-inorganic micro- and nano-composites. <i>Journal of Materials Science</i> , 2006, 41, 3271-3297.	1.7	152
103	The interlaminar toughness of carbon-fibre reinforced plastic composites using "hybrid-toughened" matrices. <i>Journal of Materials Science</i> , 2006, 41, 5043-5046.	1.7	85
104	The effects of surface pretreatment on the cyclic-fatigue characteristics of bonded aluminium-alloy joints. <i>International Journal of Adhesion and Adhesives</i> , 2006, 26, 50-61.	1.4	45
105	Pathogenic role of antibodies to citrullinated proteins in rheumatoid arthritis. <i>Expert Review of Clinical Immunology</i> , 2006, 2, 365-375.	1.3	17
106	Toughness of syndiotactic polystyrene/epoxy polymer blends: microstructure and toughening mechanisms. <i>Polymer</i> , 2005, 46, 7352-7369.	1.8	114
107	The determination of the mode II adhesive fracture resistance, GIIC, of structural adhesive joints: an effective crack length approach. <i>Engineering Fracture Mechanics</i> , 2005, 72, 877-897.	2.0	165
108	The effect of silica nano particles and rubber particles on the toughness of multiphase thermosetting epoxy polymers. <i>Journal of Materials Science</i> , 2005, 40, 5083-5086.	1.7	263

#	ARTICLE	IF	CITATIONS
109	Identification of citrullinated alpha-enolase as a candidate autoantigen in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2005, 7, R1421.	1.6	304
110	Title is missing!. <i>Arthritis Research</i> , 2005, 7, P20.	2.0	2
111	CRACK GROWTH OF STRUCTURAL ADHESIVE JOINTS IN HUMID ENVIRONMENTS. <i>Journal of Adhesion</i> , 2004, 80, 169-201.	1.8	26
112	Title is missing!. <i>International Journal of Fracture</i> , 2003, 119, 25-46.	1.1	233
113	Mechanical and fracture properties of epoxy/inorganic micro- and nano-composites. <i>Journal of Materials Science Letters</i> , 2003, 22, 1439-1441.	0.5	102
114	The toughening of cyanate-ester polymers: Part II Chemical modification. <i>Journal of Materials Science</i> , 2003, 38, 65-79.	1.7	32
115	Toughness of syndiotactic polystyrene (sPS)/epoxy blends. <i>Journal of Materials Science Letters</i> , 2003, 22, 507-512.	0.5	7
116	The calculation of adhesive fracture energies in mode I: revisiting the tapered double cantilever beam (TDCB) test. <i>Engineering Fracture Mechanics</i> , 2003, 70, 233-248.	2.0	126
117	The prediction of crack growth in bonded joints under cyclic-fatigue loading I. Experimental studies. <i>International Journal of Adhesion and Adhesives</i> , 2003, 23, 449-461.	1.4	70
118	The prediction of crack growth in bonded joints under cyclic-fatigue loading II. Analytical and finite element studies. <i>International Journal of Adhesion and Adhesives</i> , 2003, 23, 463-471.	1.4	41
119	The prediction of fatigue damage growth in impact-damaged composite skin/stringer structures. Part I: theoretical modelling studies. <i>Composites Science and Technology</i> , 2003, 63, 1463-1472.	3.8	9
120	Measuring the mode I adhesive fracture energy, G _{IC} , of structural adhesive joints: the results of an international round-robin. <i>International Journal of Adhesion and Adhesives</i> , 2003, 23, 293-305.	1.4	156
121	Toughening structural adhesives via nano- and micro-phase inclusions. <i>Journal of Adhesion</i> , 2003, 79, 867-873.	1.8	198
122	Toughening Epoxy Adhesives to Meet Today's Challenges. <i>MRS Bulletin</i> , 2003, 28, 445-448.	1.7	170
123	Cohesive zone models and the plastically deforming peel test. <i>Journal of Adhesion</i> , 2003, 79, 239-265.	1.8	99
124	Comparison of normal and oblique incidence ultrasonic measurements for the detection of environmental degradation of adhesive joints. <i>NDT and E International</i> , 2002, 35, 241-253.	1.7	19
125	The mechanical performance of repaired stiffened panels. Part I. Experimental characterisation. <i>Composites Part B: Engineering</i> , 2002, 33, 343-354.	5.9	15
126	The mechanical performance of repaired stiffened panels. Part II. Finite element modelling. <i>Composites Part B: Engineering</i> , 2002, 33, 355-366.	5.9	12

#	ARTICLE	IF	CITATIONS
127	Title is missing!. Journal of Materials Science, 2002, 37, 433-460.	1.7	94
128	The Correlation of Non-Destructive Measurements and Toughness Changes in Adhesive Joints during Environmental Attack. Journal of Adhesion, 2001, 77, 125-161.	1.8	43
129	Modelling the fatigue life of polymer matrix fibre-composite components. Composites Science and Technology, 2001, 61, 2273-2283.	3.8	8
130	Title is missing!. Journal of Materials Science Letters, 2001, 20, 265-267.	0.5	15
131	The role of the interphase in the environmental failure of adhesive joints. Acta Materialia, 2000, 48, 4543-4553.	3.8	155
132	The impact wedge-peel performance of structural adhesives. Journal of Materials Science, 2000, 35, 1867-1884.	1.7	71
133	Predicting the service-life of adhesively-bonded joints. International Journal of Fracture, 2000, 103, 41-69.	1.1	115
134	Mechanical performance of carbon-fibre- and glass-fibre-reinforced epoxy I-beams: III. fatigue performance. Composites Science and Technology, 1999, 59, 179-200.	3.8	9
135	Cantonese Speakers and the Acquisition of French Consonants. Language Learning, 1999, 49, 95-121.	1.4	4
136	Further comments on "Determining the toughness of plastically deforming joints". Journal of Materials Science Letters, 1999, 18, 2049-2049.	0.5	3
137	Determination of density and elastic constants of a thin phosphoric acid-anodized oxide film by acoustic microscopy. Journal of the Acoustical Society of America, 1999, 106, 2560-2567.	0.5	25
138	Predicting Progressive Delamination of Composite Material Specimens via Interface Elements. Mechanics of Advanced Materials and Structures, 1999, 6, 301-317.	1.5	144
139	Comments on "Determining the Toughness of Plastically Deforming Joints". Journal of Materials Science Letters, 1998, 17, 813-814.	0.5	9
140	Adhesively-bonded repairs to fibre-composite materials I. Experimental. Composites Part A: Applied Science and Manufacturing, 1998, 29, 1371-1381.	3.8	72
141	Adhesively-bonded repairs to fibre-composite materials II. Finite element modelling. Composites Part A: Applied Science and Manufacturing, 1998, 29, 1383-1396.	3.8	53
142	The Computational Molecular Modelling of Organosilane Primers. Journal of Adhesion, 1998, 66, 203-228.	1.8	18
143	The Fatigue and Durability Behaviour of Automotive Adhesives. Part II: Failure Mechanisms. Journal of Adhesion, 1998, 66, 1-37.	1.8	33
144	The Fatigue and Durability Behaviour of Automotive Adhesives. Part III: Predicting the Service Life. Journal of Adhesion, 1998, 66, 39-59.	1.8	43

#	ARTICLE	IF	CITATIONS
145	Anomalous behaviour of leaky surface waves for stiffening layer near cutoff. Journal of Applied Physics, 1997, 82, 1031-1035.	1.1	25
146	Adhesives in engineering. Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering, 1997, 211, 307-335.	0.7	82
147	The Fatigue and Durability Behaviour of Automotive Adhesives. Part I: Fracture Mechanics Tests. Journal of Adhesion, 1997, 61, 71-95.	1.8	89
148	The effect of the substrate material on the value of the adhesive fracture energy, G c. Journal of Materials Science Letters, 1997, 16, 1450-1453.	0.5	23
149	A fracture mechanics study of the influence of moisture on the fatigue behaviour of adhesively bonded aluminium-alloy joints. International Journal of Adhesion and Adhesives, 1996, 16, 113-119.	1.4	53
150	Mechanical performance of carbon-fibre- and glass-fibre-reinforced epoxy I-beams: I. Mechanical behaviour. Composites Science and Technology, 1996, 56, 37-53.	3.8	36
151	Mechanical performance of carbon-fibre and glass-fibre-reinforced epoxy I-beams: II. Fractographic failure observations. Composites Science and Technology, 1996, 56, 1031-1045.	3.8	25
152	The failure of fibre composites and adhesively bonded fibre composites under high rates of test. Journal of Materials Science, 1996, 31, 4451-4466.	1.7	57
153	The failure of fibre composites and adhesively bonded fibre composites under high rates of test. Journal of Materials Science, 1996, 31, 4467-4477.	1.7	69
154	Comments on mixed-mode fracture in adhesive joints. International Journal of Fracture, 1996, 75, 157-162.	1.1	17
155	Modelling the Fracture Behaviour of Adhesive Joints. Journal of Adhesion, 1996, 59, 217-224.	1.8	9
156	Predictive Modeling of the Properties and Toughness of Rubber-Toughened Epoxies. Advances in Chemistry Series, 1996, , 1-25.	0.6	22
157	The failure of fibre composites and adhesively bonded fibre composites under high rates of test. Journal of Materials Science, 1995, 30, 5885-5900.	1.7	131
158	Quantitative acoustic microscopy of anodized and coated aluminium at frequencies up to 1 GHz. Journal of Materials Science, 1995, 30, 3752-3760.	1.7	11
159	Subcritical interlaminar crack growth in fibre composites exhibiting a rising R-curve. Journal of Materials Science, 1995, 30, 2305-2312.	1.7	2
160	A new test method for determining the adhesive fracture energy when bonding thin or coated substrates. Journal of Materials Science Letters, 1995, 14, 155-157.	0.5	12
161	Modelling the properties of rubber-modified epoxy polymers. Journal of Materials Science, 1995, 30, 1689-1697.	1.7	65
162	Investigation of the Interaction of Silane-based Adhesive Primers with Metal Oxide Surfaces Using Molecular Dynamics Simulations. Journal of Adhesion, 1995, 54, 23-31.	1.8	7

#	ARTICLE	IF	CITATIONS
163	Thermoplastic-toughened epoxy polymers. <i>Journal of Materials Science</i> , 1994, 29, 3781-3790.	1.7	193
164	Predictive modelling of the mechanical properties of rubber-toughened epoxy. <i>Journal of Materials Science Letters</i> , 1994, 13, 629-632.	0.5	22
165	The peeling of flexible laminates. <i>International Journal of Fracture</i> , 1994, 66, 45-70.	1.1	375
166	The bonded repair of fibre composites: Effect com of composite moisture content. <i>Composites Science and Technology</i> , 1994, 52, 235-246.	3.8	12
167	The interlaminar failure behaviour of carbon fibre/polyetheretherketone composites. <i>Composites</i> , 1994, 25, 189-196.	0.9	9
168	The plasma treatment of thermoplastic fibre composites for adhesive bonding. <i>Composites</i> , 1994, 25, 332-341.	0.9	55
169	The mixed-mode delamination of fibre composite materials. <i>Composites Science and Technology</i> , 1993, 47, 225-237.	3.8	173
170	The use of the "inverted-blister test" to measure the adhesion of an electrocoated paint layer adhering to a steel substrate. <i>Journal of Materials Science Letters</i> , 1993, 12, 875-877.	0.5	10
171	Subcritical interlaminar crack growth in continuous carbon fibre-poly(ether ether ketone) composites. <i>Journal of Materials Science Letters</i> , 1993, 12, 1815-1817.	0.5	1
172	Cantonese Speakers and the Acquisition of French Consonants. <i>Language Learning</i> , 1993, 43, 43-68.	1.4	6
173	The Use of Time-Temperature Superpositioning in Studying the Fracture Properties of Rubber-Toughened Epoxy Polymers. <i>Journal of Adhesion</i> , 1993, 41, 5-22.	1.8	22
174	Mechanisms of Toughening Thermoset Resins. <i>Advances in Chemistry Series</i> , 1993, , 1-35.	0.6	45
175	Predicting the Fatigue Life of Adhesively-Bonded Joints. <i>Journal of Adhesion</i> , 1993, 43, 79-90.	1.8	100
176	The Strength of Composite Repair Patches: A Laminate Analysis Approach. <i>Journal of Reinforced Plastics and Composites</i> , 1992, 11, 729-742.	1.6	24
177	The Design of Double-Overlap Joints Using Thermoplastic-Fibre Composites. <i>Journal of Adhesion</i> , 1992, 37, 33-45.	1.8	3
178	The adhesion of thermoplastic fibre composites. <i>Philosophical Transactions of the Royal Society: Physical and Engineering Sciences</i> , 1992, 338, 83-112.	1.0	31
179	Modelling of the toughening mechanisms in rubber-modified epoxy polymers. <i>Journal of Materials Science</i> , 1992, 27, 2753-2762.	1.7	189
180	Modelling of the toughening mechanisms in rubber-modified epoxy polymers. <i>Journal of Materials Science</i> , 1992, 27, 2763-2769.	1.7	198

#	ARTICLE	IF	CITATIONS
181	The role of plastic void growth in the fracture of rubber-toughened epoxy polymers. <i>Journal of Materials Science Letters</i> , 1992, 11, 484-487.	0.5	81
182	The sequence of initiation of the toughening micromechanisms in rubber-modified epoxy polymers. <i>Polymer</i> , 1992, 33, 5338-5340.	1.8	38
183	Round-robin interlaminar fracture testing of carbon-fibre-reinforced epoxy and PEEK composites. <i>Composites Science and Technology</i> , 1992, 43, 129-136.	3.8	90
184	Self-assembling monolayer silane films as adhesion promoters. <i>Polymer</i> , 1992, 33, 1162-1170.	1.8	38
185	The toughness of epoxy polymers containing microvoids. <i>Polymer</i> , 1992, 33, 1330-1332.	1.8	87
186	On the Calculation of Dispersion and Polar Force Components of the Surface Free Energy. <i>Journal of Adhesion</i> , 1991, 34, 41-44.	1.8	11
187	Measuring and predicting the durability of bonded carbon fibre/epoxy composite joints. <i>Composites</i> , 1991, 22, 121-127.	0.9	51
188	Fracture at bimaterial interfaces: the role of residual stresses. <i>Journal of Materials Science</i> , 1991, 26, 6260-6270.	1.7	31
189	Interfacial interactions of octadecyltrichlorosilane adsorbed onto aluminium substrates. <i>Surface and Interface Analysis</i> , 1991, 17, 120-121.	0.8	5
190	Relationships between the surface free energies and surface chemical compositions of thermoplastic fibre composites and adhesive joint strengths. <i>Journal of Materials Science Letters</i> , 1991, 10, 815-818.	0.5	28
191	The calculation of adhesive fracture energies from double-cantilever beam test specimens. <i>Journal of Materials Science Letters</i> , 1991, 10, 253-256.	0.5	94
192	The Effect of the Silane Deposition Conditions on the Durability of Aluminium Joints Pretreated using 3-Aminopropyltrimethoxysilane. <i>Journal of Adhesion</i> , 1991, 34, 175-187.	1.8	10
193	The Fracture Behaviour of a Rubber-Modified Epoxy Under Impact Fatigue. <i>Journal of Adhesion</i> , 1990, 32, 245-254.	1.8	11
194	Mechanics and mechanisms of delamination in a poly(ether sulphone) fibre composite. <i>Composites Science and Technology</i> , 1990, 37, 429-462.	3.8	138
195	An examination of the interaction of silanes containing carbon-carbon double bonds with aluminium oxide by inelastic electron tunnelling spectroscopy. <i>International Journal of Adhesion and Adhesives</i> , 1990, 10, 13-18.	1.4	7
196	The effect of humidity on the durability of aluminium-epoxide joints. <i>International Journal of Adhesion and Adhesives</i> , 1990, 10, 247-253.	1.4	71
197	Use of the "inverted-blister" test to study the adhesion of photopolymers. <i>International Journal of Adhesion and Adhesives</i> , 1990, 10, 69-76.	1.4	30
198	The Effects of Geometry, Rate and Temperature on the Mode I, Mode II and Mixed-Mode I/II Interlaminar Fracture of Carbon-Fibre/Poly(ether-ether ketone) Composites. <i>Journal of Composite Materials</i> , 1990, 24, 918-956.	1.2	207

#	ARTICLE	IF	CITATIONS
199	Characterization of the structure of Langmuir-Blodgett films of 22-tricosenoic acid using x-ray photoelectron spectroscopy. <i>Langmuir</i> , 1990, 6, 529-535.	1.6	20
200	The analysis of interlaminar fracture in uniaxial fibre-polymer composites. <i>Proceedings of the Royal Society of London Series A, Mathematical and Physical Sciences</i> , 1990, 427, 173-199.	1.5	275
201	The Adhesive Fracture Energy of Bonded Thermoplastic Fibre-Composites. <i>Journal of Adhesion</i> , 1989, 29, 193-218.	1.8	27
202	Inelastic Electron Tunneling Spectroscopy of Some Aminosilane Coupling Agents. <i>Journal of Adhesion</i> , 1989, 28, 171-190.	1.8	9
203	Comments on "Fatigue Performance of Two Structural Adhesives" [J. Adhesion 26, 273-291 (1988)]. <i>Journal of Adhesion</i> , 1989, 30, 83-84.	1.8	1
204	Micromechanics of Fracture in Structural Adhesive Bonds. <i>Journal of Adhesion</i> , 1989, 28, 103-114.	1.8	57
205	Examination of the interaction of 3-glycidoxypropyltrimethoxysilane with aluminium oxide by inelastic electron tunnelling spectroscopy. <i>International Journal of Adhesion and Adhesives</i> , 1989, 9, 201-204.	1.4	9
206	The mechanical behaviour of polyimide-copper laminates. <i>Journal of Materials Science</i> , 1989, 24, 2183-2190.	1.7	13
207	The fracture of a rubber-modified epoxy polymer containing through-thickness and surface cracks. <i>International Journal of Adhesion and Adhesives</i> , 1989, 9, 69-76.	1.4	9
208	Corrections needed in double-cantilever beam tests for assessing the interlaminar failure of fibre-composites. <i>Journal of Materials Science Letters</i> , 1989, 8, 125-129.	0.5	194
209	The Mechanical Behaviour of Polyimide/Copper Laminates Part 2: Peel Energy Measurements. <i>Journal of Adhesion</i> , 1989, 30, 151-170.	1.8	11
210	Surface pretreatment and adhesion of thermoplastic fibre-composites. <i>Journal of Materials Science Letters</i> , 1988, 7, 625-627.	0.5	65
211	The Impact Resistance of Structural Adhesive Joints. <i>Journal of Adhesion</i> , 1987, 24, 109-126.	1.8	26
212	The Adhesive Bonding of Thermoplastic Composites. <i>Journal of Adhesion</i> , 1987, 21, 291-302.	1.8	34
213	Impact behaviour of structural adhesive joints. <i>Journal of Materials Science Letters</i> , 1987, 6, 653-655.	0.5	5
214	Effect of volume fraction of dispersed rubbery phase on the toughness of rubber-toughened epoxy polymers. <i>Journal of Materials Science Letters</i> , 1987, 6, 137-139.	0.5	58
215	Impact properties of epoxy polymers. <i>Journal of Materials Science</i> , 1987, 22, 4111-4120.	1.7	42
216	Stress Analysis and Failure Properties of Carbon-Fibre-Reinforced-Plastic/Steel Double-Lap Joints. <i>Journal of Adhesion</i> , 1986, 20, 29-53.	1.8	178

#	ARTICLE	IF	CITATIONS
217	The deformation of hybrid-particulate composites. <i>Journal of Materials Science</i> , 1986, 21, 380-388.	1.7	41
218	A mechanism for ductile crack growth in epoxy polymers. <i>Journal of Materials Science</i> , 1986, 21, 1051-1056.	1.7	39
219	Effect of volume fraction of dispersed rubbery phase on the toughness of rubber-toughened epoxy polymers. <i>Journal of Materials Science Letters</i> , 1986, 5, 1207-1209.	0.5	21
220	The fracture of hybrid-particulate composites. <i>Journal of Materials Science</i> , 1985, 20, 4169-4184.	1.7	211
221	Micromechanisms of crack propagation in hybrid-particulate composites. <i>Journal of Materials Science Letters</i> , 1985, 4, 1276-1279.	0.5	64
222	Dictionary of Newfoundland English. Ed. by G. M. Story, W. J. Kirwin, and J. D. A. Widdowson. Toronto: University of Toronto Press, 1982 (repr. 1982, 1983). lxxviii + 625. <i>Journal of English Linguistics</i> , 1984, 17, 84-90.	0.3	0
223	The Locus of Environmental Crack Growth in Bonded Aluminium Alloy Joints. <i>Journal of Adhesion</i> , 1984, 16, 165-177.	1.8	28
224	Inelastic electron tunnelling spectroscopy of silane coupling agents. <i>Surface and Interface Analysis</i> , 1984, 6, 40-45.	0.8	34
225	Hybrid particulate-filled epoxy-polymers. <i>Journal of Materials Science Letters</i> , 1984, 3, 9-12.	0.5	75
226	Deformation and fracture behaviour of a rubber-toughened epoxy: 1. Microstructure and fracture studies. <i>Polymer</i> , 1983, 24, 1341-1354.	1.8	743
227	Deformation and fracture behaviour of a rubber-toughened epoxy: 2. Failure criteria. <i>Polymer</i> , 1983, 24, 1355-1363.	1.8	318
228	English in Newfoundland. <i>American Speech</i> , 1983, 58, 186.	0.3	0
229	The Phonology of Central/Prairie Canadian English. <i>American Speech</i> , 1983, 58, 31.	0.3	8
230	Surface Analysis and Bonding of Aluminium-Magnesium Alloys. <i>Journal of Adhesion</i> , 1982, 14, 105-118.	1.8	40
231	The science of adhesion. <i>Journal of Materials Science</i> , 1982, 17, 617-651.	1.7	168
232	Bonding and Failure Mechanisms in Aluminium Alloy Adhesive Joints. <i>Journal of Adhesion</i> , 1981, 12, 23-35.	1.8	34
233	Propellant Failure: A Fracture-Mechanics Approach. <i>Journal of Spacecraft and Rockets</i> , 1981, 18, 333-337.	1.3	15
234	A First History of Canadian English. <i>American Speech</i> , 1980, 55, 119.	0.3	0

#	ARTICLE	IF	CITATIONS
235	Crack blunting mechanisms in polymers. <i>Journal of Materials Science</i> , 1980, 15, 987-996.	1.7	243
236	The science of adhesion. <i>Journal of Materials Science</i> , 1980, 15, 2141-2166.	1.7	432
237	Bibliography as an Art. <i>American Speech</i> , 1980, 55, 214.	0.3	0
238	A Model for Predicting Joint Durability. <i>Journal of Adhesion</i> , 1980, 11, 3-15.	1.8	99
239	Some Nondenominational-Christian Words. <i>American Speech</i> , 1979, 54, 68.	0.3	0
240	A self-toughening mechanism in epoxide resins. <i>Journal of Materials Science</i> , 1979, 14, 1769-1772.	1.7	37
241	Mechanics of crack growth in epoxide resins. <i>Polymer Engineering and Science</i> , 1979, 19, 82-88.	1.5	44
242	A Unique Failure Criterion for Characterizing the Fracture of Propellants. <i>Propellants, Explosives, Pyrotechnics</i> , 1979, 4, 73-77.	1.0	12
243	Interfacial Fracture Mechanical Aspects of Adhesive Bonded Joints—A Review. <i>Journal of Adhesion</i> , 1979, 10, 193-219.	1.8	142
244	Relationship between mechanical properties of and crack propagation in epoxy resin adhesives. <i>Polymer</i> , 1978, 19, 574-582.	1.8	134
245	Effect of Relative Humidity on the Wettability of Steel Surfaces. <i>Journal of Adhesion</i> , 1977, 9, 81-85.	1.8	30
246	Use of auger and x-ray photoelectron spectroscopy to study the locus of failure of structural adhesive joints. <i>Journal of Applied Polymer Science</i> , 1977, 21, 2375-2392.	1.3	67
247	Surface analysis of polysiloxane/metal oxide interfaces. <i>Journal of Materials Science</i> , 1977, 12, 2511-2518.	1.7	180
248	Failure criterion for the fracture of structural adhesive joints. <i>Polymer</i> , 1976, 17, 727-731.	1.8	41
249	The Names of the Game: Baseball. <i>American Speech</i> , 1975, 50, 325.	0.3	0
250	Crack growth in epoxide resin adhesives. <i>Journal of Materials Science</i> , 1975, 10, 1261-1263.	1.7	26
251	Non-destructive testing of bonded joints. <i>Non-destructive Testing</i> , 1974, 7, 324-326.	0.1	13
252	Environmental Failure of Structural Adhesive Joints. <i>Journal of Adhesion</i> , 1974, 6, 315-330.	1.8	215

#	ARTICLE	IF	CITATIONS
253	Mechanics of adhesive failure. I. Proceedings of the Royal Society of London Series A, Mathematical and Physical Sciences, 1973, 332, 385-399.	1.5	284
254	Mechanics of adhesive failure. II. Proceedings of the Royal Society of London Series A, Mathematical and Physical Sciences, 1973, 332, 401-414.	1.5	113
255	Elastomeric adhesives: Effect of cross link density on joint strength. Journal of Polymer Science Part A-2 Polymer Physics, 1973, 11, 269-273.	0.8	11
256	Adhesion of viscoelastic materials to rigid substrates. III. Energy criterion for failure. Journal of Polymer Science Part A-2 Polymer Physics, 1971, 9, 659-668.	0.8	112