

Pereira, Ta

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6585052/pereira-ta-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

34
papers

1,470
citations

15
h-index

36
g-index

36
ext. papers

1,740
ext. citations

6.3
avg, IF

3.64
L-index

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 34 | Praziquantel pharmacotherapy reduces systemic osteopontin levels and liver collagen content in murine schistosomiasis mansoni. <i>International Journal for Parasitology</i> , 2021 , 51, 437-440 | 4.3 | 0 |
| 33 | Quality of Life Assessment Among Patients Living With Hepatosplenic Schistosomiasis and Schistosomal Myeloradiculopathy. <i>Frontiers in Medicine</i> , 2021 , 8, 629484 | 4.9 | 2 |
| 32 | EDTA-dependent pseudothrombocytopenia in patients with hepatosplenic schistosomiasis mansoni: a clinical management alert. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2021 , 115, 1168-1173 | 2 | |
| 31 | Inhibition of CAL27 Oral Squamous Carcinoma Cell by Targeting Hedgehog Pathway With Vismodegib or Itraconazole. <i>Frontiers in Oncology</i> , 2020 , 10, 563838 | 5.3 | 6 |
| 30 | Hedgehog pathway activation in oral squamous cell carcinoma: cancer-associated fibroblasts exhibit nuclear GLI-1 localization. <i>Journal of Molecular Histology</i> , 2020 , 51, 675-684 | 3.3 | 4 |
| 29 | GANT61 Reduces Hedgehog Molecule (GLI1) Expression and Promotes Apoptosis in Metastatic Oral Squamous Cell Carcinoma Cells. <i>International Journal of Molecular Sciences</i> , 2020 , 21, | 6.3 | 3 |
| 28 | Anti-IL-13R α therapy promotes recovery in a murine model of inflammatory bowel disease. <i>Mucosal Immunology</i> , 2019 , 12, 1174-1186 | 9.2 | 17 |
| 27 | Thrombocytopenia as a marker of liver steatosis in a low-endemic area for schistosomiasis mansoni. <i>Revista Da Associação Médica Brasileira</i> , 2017 , 63, 532-537 | 1.4 | 2 |
| 26 | Sensitivity and specificity of the circulating cathodic antigen rapid urine test in the diagnosis of Schistosomiasis mansoni infection and evaluation of morbidity in a low- endemic area in Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2017 , 50, 358-364 | 1.5 | 15 |
| 25 | Bone marrow-derived monocyte infusion improves hepatic fibrosis by decreasing osteopontin, TGF- β 1, IL-13 and oxidative stress. <i>World Journal of Gastroenterology</i> , 2017 , 23, 5146-5157 | 5.6 | 12 |
| 24 | Vitamin B5 and N-Acetylcysteine in Nonalcoholic Steatohepatitis: A Preclinical Study in a Dietary Mouse Model. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 137-48 | 4 | 9 |
| 23 | Serum osteopontin is a biomarker of severe fibrosis and portal hypertension in human and murine schistosomiasis mansoni. <i>International Journal for Parasitology</i> , 2016 , 46, 829-832 | 4.3 | 6 |
| 22 | In Vivo MRI Assessment of Experimental Schistosomiasis. <i>Trends in Parasitology</i> , 2016 , 32, 3-5 | 6.4 | 1 |
| 21 | Caspase-2 promotes obesity, the metabolic syndrome and nonalcoholic fatty liver disease. <i>Cell Death and Disease</i> , 2016 , 7, e2096 | 9.8 | 29 |
| 20 | Macrophages and endothelial cells orchestrate tumor-associated angiogenesis in oral cancer via hedgehog pathway activation. <i>Tumor Biology</i> , 2016 , 37, 9233-41 | 2.9 | 14 |
| 19 | Vestibular Evoked Myogenic Potential (VEMP) Triggered by Galvanic Vestibular Stimulation (GVS): A Promising Tool to Assess Spinal Cord Function in Schistosomal Myeloradiculopathy. <i>PLoS Neglected Tropical Diseases</i> , 2016 , 10, e0004672 | 4.8 | 7 |
| 18 | Osteopontin Is Upregulated in Human and Murine Acute Schistosomiasis Mansoni. <i>PLoS Neglected Tropical Diseases</i> , 2016 , 10, e0005057 | 4.8 | 7 |

| | | | |
|----|---|------|-----|
| 17 | Accumulation of duct cells with activated YAP parallels fibrosis progression in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2015 , 63, 962-70 | 13.4 | 73 |
| 16 | Mouse models of diet-induced nonalcoholic steatohepatitis reproduce the heterogeneity of the human disease. <i>PLoS ONE</i> , 2015 , 10, e0127991 | 3.7 | 188 |
| 15 | Reduced lipoapoptosis, hedgehog pathway activation and fibrosis in caspase-2 deficient mice with non-alcoholic steatohepatitis. <i>Gut</i> , 2015 , 64, 1148-57 | 19.2 | 59 |
| 14 | Brain schistosomiasis in mice experimentally infected with <i>Schistosoma mansoni</i> . <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2014 , 47, 251-253 | 1.5 | 7 |
| 13 | Alcohol activates the hedgehog pathway and induces related procarcinogenic processes in the alcohol-preferring rat model of hepatocarcinogenesis. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 787-800 | 3.7 | 25 |
| 12 | Brain schistosomiasis in mice experimentally infected with <i>Schistosoma mansoni</i> . <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2014 , 47, 251-3 | 1.5 | 3 |
| 11 | Hepatocellular carcinoma and liver cirrhosis TP53 mutation analysis reflects a moderate dietary exposure to aflatoxins in Espírito Santo State, Brazil. <i>Molecular Biology Reports</i> , 2013 , 40, 4883-7 | 2.8 | 7 |
| 10 | Macrophage-derived Hedgehog ligands promotes fibrogenic and angiogenic responses in human schistosomiasis mansoni. <i>Liver International</i> , 2013 , 33, 149-61 | 7.9 | 45 |
| 9 | NKT-associated hedgehog and osteopontin drive fibrogenesis in non-alcoholic fatty liver disease. <i>Gut</i> , 2012 , 61, 1323-9 | 19.2 | 181 |
| 8 | Paracrine Hedgehog signaling drives metabolic changes in hepatocellular carcinoma. <i>Cancer Research</i> , 2012 , 72, 6344-50 | 10.1 | 43 |
| 7 | Osteopontin is induced by hedgehog pathway activation and promotes fibrosis progression in nonalcoholic steatohepatitis. <i>Hepatology</i> , 2011 , 53, 106-15 | 11.2 | 182 |
| 6 | Viral factors induce Hedgehog pathway activation in humans with viral hepatitis, cirrhosis, and hepatocellular carcinoma. <i>Laboratory Investigation</i> , 2010 , 90, 1690-703 | 5.9 | 88 |
| 5 | Accumulation of natural killer T cells in progressive nonalcoholic fatty liver disease. <i>Hepatology</i> , 2010 , 51, 1998-2007 | 11.2 | 190 |
| 4 | Activation of Rac1 promotes hedgehog-mediated acquisition of the myofibroblastic phenotype in rat and human hepatic stellate cells. <i>Hepatology</i> , 2010 , 52, 278-90 | 11.2 | 40 |
| 3 | Pan-caspase inhibitor VX-166 reduces fibrosis in an animal model of nonalcoholic steatohepatitis. <i>Hepatology</i> , 2009 , 50, 1421-30 | 11.2 | 179 |
| 2 | Genetic differences in oxidative stress and inflammatory responses to diet-induced obesity do not alter liver fibrosis in mice. <i>Liver International</i> , 2009 , 29, 1262-72 | 7.9 | 25 |
| 1 | LMO2 is critical for early metastatic events in breast cancer | | 1 |