

M Emã-lia Juan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6585634/publications.pdf>

Version: 2024-02-01

39
papers

2,050
citations

304602

22
h-index

360920

35
g-index

39
all docs

39
docs citations

39
times ranked

3239
citing authors

#	ARTICLE	IF	CITATIONS
1	Table olive elicits antihypertensive activity in spontaneously hypertensive rats. Journal of the Science of Food and Agriculture, 2023, 103, 64-72.	1.7	6
2	PRACTICAL LABORATORY TEACHING OF THE "DIGESTIVE SYSTEM" ADAPTED TO VIRTUALITY DURING THE PANDEMIC IN THE PHYSIOLOGY AND PHYSIOPATHOLOGY II SUBJECT AT THE PHARMACY DEGREE OF THE UNIVERSITY OF BARCELONA. INTED Proceedings, 2022, , .	0.0	0
3	Cancer chemopreventive activity of maslinic acid, a pentacyclic triterpene from olives and olive oil. , 2021, , 525-535.		1
4	Table olive polyphenols: A simultaneous determination by liquid chromatography"mass spectrometry. Journal of Chromatography A, 2020, 1609, 460434.	1.8	24
5	Simultaneous Determination of Phenolic Compounds in Plasma by LC-ESI-MS/MS and Their Bioavailability after the Ingestion of Table Olives. Journal of Agricultural and Food Chemistry, 2020, 68, 10213-10222.	2.4	6
6	Profiling of pentacyclic triterpenes and polyphenols by LC-MS in Arbequina and Empeltre table olives. LWT - Food Science and Technology, 2020, 126, 109310.	2.5	13
7	Reduction of Preneoplastic Lesions Induced by 1,2-Dimethylhydrazine in Rat Colon by Maslinic Acid, a Pentacyclic Triterpene from <i>Olea europaea</i> L.. Molecules, 2019, 24, 1266.	1.7	15
8	A sensitive liquid chromatography-mass spectrometry method for the simultaneous determination in plasma of pentacyclic triterpenes of <i>Olea europaea</i> L.. Food Chemistry, 2017, 229, 534-541.	4.2	12
9	Identification of gut-derived metabolites of maslinic acid, a bioactive compound from <i>Olea europaea</i> L. Molecular Nutrition and Food Research, 2016, 60, 2053-2064.	1.5	11
10	Identification in Rat Plasma and Urine by Linear Trap Quadrupole"Orbitrap Mass Spectrometry of the Metabolites of Maslinic Acid, a Triterpene from Olives. Journal of Agricultural and Food Chemistry, 2015, 63, 1126-1132.	2.4	14
11	Pentacyclic triterpene in <i>Olea europaea</i> L: A simultaneous determination by high-performance liquid chromatography coupled to mass spectrometry. Journal of Chromatography A, 2015, 1410, 68-75.	1.8	30
12	Population pharmacokinetics of maslinic acid, a triterpene from olives, after intravenous and oral administration in rats. Molecular Nutrition and Food Research, 2014, 58, 1970-1979.	1.5	20
13	Maslinic Acid, a Natural Phytoalexin-Type Triterpene from Olives " A Promising Nutraceutical?. Molecules, 2014, 19, 11538-11559.	1.7	111
14	Assessment of the safety of maslinic acid, a bioactive compound from <i>Olea europaea</i> L. Molecular Nutrition and Food Research, 2013, 57, 339-346.	1.5	55
15	Liquid chromatography"mass spectrometry determination in plasma of maslinic acid, a bioactive compound from <i>Olea europaea</i> L.. Food Chemistry, 2013, 141, 4375-4381.	4.2	11
16	Fagomine lowers postprandial blood glucose and modulates bacterial adhesion. British Journal of Nutrition, 2012, 107, 1739-1746.	1.2	56
17	The bioavailability and distribution of trans-resveratrol are constrained by ABC transporters. Archives of Biochemistry and Biophysics, 2012, 527, 67-73.	1.4	97
18	Colorectal cancer chemoprevention by trans-resveratrol. Pharmacological Research, 2012, 65, 584-591.	3.1	97

#	ARTICLE	IF	CITATIONS
19	Determination of Maslinic Acid, a Pentacyclic Triterpene from Olives, in Rat Plasma by High-Performance Liquid Chromatography. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 10220-10225.	2.4	22
20	Population Pharmacokinetic Modeling of trans-Resveratrol and Its Glucuronide and Sulfate Conjugates After Oral and Intravenous Administration in Rats. <i>Pharmaceutical Research</i> , 2011, 28, 1606-1621.	1.7	41
21	Retinol-Binding Protein 4 and Peroxisome Proliferator-Activated Receptor- β 3 in Steatotic Liver Transplantation. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011, 338, 143-153.	1.3	24
22	Quantification of trans-resveratrol and its metabolites in rat plasma and tissues by HPLC. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010, 51, 391-398.	1.4	154
23	Multidrug Resistance Proteins Restrain the Intestinal Absorption of trans-Resveratrol in Rats. <i>Journal of Nutrition</i> , 2010, 140, 489-495.	1.3	69
24	Cancer Chemopreventive Activity of Hydroxytyrosol. , 2010, , 1295-1300.		2
25	Olive Fruit Extracts and HT-29 Human Colon Cancer Cells. , 2010, , 1301-1310.		0
26	trans-Resveratrol Reduces Precancerous Colonic Lesions in Dimethylhydrazine-Treated Rats. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 8104-8110.	2.4	34
27	Determination of Dihydroresveratrol in Rat Plasma by HPLC. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 7472-7475.	2.4	30
28	Involvement of Breast Cancer Resistance Protein (BCRP1/ABCG2) in the Bioavailability and Tissue Distribution of trans-Resveratrol in Knockout Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 4523-4528.	2.4	45
29	Erythrodiol, a natural triterpenoid from olives, has antiproliferative and apoptotic activity in HT-29 human adenocarcinoma cells. <i>Molecular Nutrition and Food Research</i> , 2008, 52, 595-599.	1.5	55
30	Resveratrol Induces Apoptosis through ROS-Dependent Mitochondria Pathway in HT-29 Human Colorectal Carcinoma Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 4813-4818.	2.4	178
31	Antiproliferative and apoptosis-inducing effects of maslinic and oleanolic acids, two pentacyclic triterpenes from olives, on HT-29 colon cancer cells. <i>British Journal of Nutrition</i> , 2008, 100, 36-43.	1.2	142
32	Olive Fruit Extracts Inhibit Proliferation and Induce Apoptosis in HT-29 Human Colon Cancer Cells. <i>Journal of Nutrition</i> , 2006, 136, 2553-2557.	1.3	100
33	trans-Resveratrol, a Natural Antioxidant from Grapes, Increases Sperm Output in Healthy Rats. <i>Journal of Nutrition</i> , 2005, 135, 757-760.	1.3	126
34	The Daily Oral Administration of High Doses of trans-Resveratrol to Rats for 28 Days Is Not Harmful. <i>Journal of Nutrition</i> , 2002, 132, 257-260.	1.3	231
35	Plasmatic levels of trans-resveratrol in rats. <i>Food Research International</i> , 2002, 35, 195-199.	2.9	63
36	trans-Resveratrol oral administration does not affect the enzymatic activities in rat small intestine. <i>Journal of Physiology and Biochemistry</i> , 2002, 58, 59-60.	1.3	2

#	ARTICLE	IF	CITATIONS
37	Determination of Hydroxytyrosol in Plasma by HPLC. Analytical Chemistry, 2000, 72, 4458-4461.	3.2	56
38	Determination of trans-Resveratrol in Plasma by HPLC. Analytical Chemistry, 1999, 71, 747-750.	3.2	93
39	Ontogenetic and regional changes in \pm -methyl-D-glucoside and L-proline intestinal transport in guinea pig. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 1998, 275, R897-R904.	0.9	4