

Masami Yamada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6586670/publications.pdf>

Version: 2024-02-01

55
papers

1,703
citations

361045

20
h-index

288905

40
g-index

55
all docs

55
docs citations

55
times ranked

1414
citing authors

#	ARTICLE	IF	CITATIONS
1	Development of a new quantitative structure-activity relationship model for predicting Ames mutagenicity of food flavor chemicals using StarDrop, auto-Modeller. Genes and Environment, 2021, 43, 16.	0.9	7
2	Multiple-endpoint genotoxicity assay for colon carcinogen 1,2-dimethylhydrazine. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2020, 849, 503130.	0.9	3
3	Genotoxic activities of wastewater after ozonation and activated carbon filtration: Different effects in liver-derived cells and bacterial indicators. Water Research, 2020, 186, 116328.	5.3	8
4	Effect of episomally encoded DNA polymerases on chemically induced mutagenesis at the hisG46 target in Ames test. Genes and Environment, 2020, 42, 14.	0.9	2
5	Integration of micronucleus tests with a gene mutation assay in F344 gpt delta transgenic rats using benzo[a]pyrene. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2019, 837, 1-7.	0.9	9
6	Opposing roles of Y-family DNA polymerases in lipid peroxide mutagenesis at the hisG46 target in the Ames test. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2018, 829-830, 43-49.	0.9	1
7	Greetings from the new regime. Genes and Environment, 2018, 40, 11.	0.9	0
8	2-Nitroanisole-induced oxidative DNA damage in Salmonella typhimurium and in rat urinary bladder cells. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2017, 816-817, 18-23.	0.9	1
9	The PIGRET assay, a method for measuring Pig-a gene mutation in reticulocytes, is reliable as a short-term in vivo genotoxicity test: Summary of the MMS/JEMS-collaborative study across 16 laboratories using 24 chemicals. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2016, 811, 3-15.	0.9	45
10	Mutation assay using single-molecule real-time (SMRTTM) sequencing technology. Genes and Environment, 2015, 37, 15.	0.9	18
11	In vivo evidence that DNA polymerase kappa is responsible for error-free bypass across DNA cross-links induced by mitomycin C. DNA Repair, 2014, 24, 113-121.	1.3	17
12	Interlaboratory trial of the rat Pig-a mutation assay using an erythroid marker HIS49 antibody. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2013, 755, 126-134.	0.9	53
13	A Pilot Study for the Mutation Assay Using a High-throughput DNA Sequencer. Genes and Environment, 2013, 35, 53-56.	0.9	10
14	Validation of the (Q)SAR combination approach for mutagenicity prediction of flavor chemicals. Food and Chemical Toxicology, 2012, 50, 1538-1546.	1.8	12
15	E scherichia coli DNA polymerase III is responsible for the high level of spontaneous mutations in mutT strains. Molecular Microbiology, 2012, 86, 1364-1375.	1.2	19
16	in vivo Approaches to Identify Mutations and in vitro Research to Reveal Underlying Mechanisms of Genotoxic Thresholds. Genes and Environment, 2012, 34, 146-152.	0.9	7
17	2nd International Symposium on Genotoxic and Carcinogenic Thresholds. Genes and Environment, 2012, 34, 141-145.	0.9	1
18	Chemopreventive effects of silymarin against 1,2-dimethylhydrazine plus dextran sodium sulfate-induced inflammation-associated carcinogenicity and genotoxicity in the colon of gpt delta rats. Carcinogenesis, 2011, 32, 1512-1517.	1.3	21

#	ARTICLE	IF	CITATIONS
19	Modulatory Effects of Capsaicin on N-diethylnitrosamine (DEN)-induced Mutagenesis in <i>Salmonella typhimurium</i> YG7108 and DEN-induced Hepatocarcinogenesis in gpt Delta Transgenic Rats. <i>Genes and Environment</i> , 2011, 33, 160-166.	0.9	3
20	Integration of In Vivo Genotoxicity and Short-term Carcinogenicity Assays Using F344 gpt Delta Transgenic Rats: In Vivo Mutagenicity of 2,4-Diaminotoluene and 2,6-Diaminotoluene Structural Isomers. <i>Toxicological Sciences</i> , 2010, 114, 71-78.	1.4	31
21	DinB Upregulation Is the Sole Role of the SOS Response in Stress-Induced Mutagenesis in <i>Escherichia coli</i> . <i>Genetics</i> , 2009, 182, 55-68.	1.2	102
22	Genetic Analysis of Repair and Damage Tolerance Mechanisms for DNA-Protein Cross-Links in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2009, 191, 5657-5668.	1.0	31
23	Development of Tester Strains Deficient in Nth/Nei DNA Glycosylases to Selectively Detect the Mutagenicity of Oxidized DNA Pyrimidines. <i>Genes and Environment</i> , 2009, 31, 69-79.	0.9	2
24	Specificity of mutations induced by incorporation of oxidized dNTPs into DNA by human DNA polymerase β . <i>DNA Repair</i> , 2008, 7, 497-506.	1.3	16
25	Combined Ascorbic Acid and Sodium Nitrite Treatment Induces Oxidative DNA Damage-Associated Mutagenicity In Vitro, but Lacks Initiation Activity in Rat Forestomach Epithelium. <i>Toxicological Sciences</i> , 2008, 104, 274-282.	1.4	11
26	Replication of 2-hydroxyadenine-containing DNA and recognition by human MutS β . <i>DNA Repair</i> , 2007, 6, 355-366.	1.3	25
27	Specificity of replicative and SOS-inducible DNA polymerases in frameshift mutagenesis: Mutability of <i>Salmonella typhimurium</i> strains overexpressing SOS-inducible DNA polymerases to 30 chemical mutagens. <i>DNA Repair</i> , 2006, 5, 465-478.	1.3	21
28	Development of a Bacterial Hyper-sensitive Tester Strain for Specific Detection of the Genotoxicity of Polycyclic Aromatic Hydrocarbons. <i>Genes and Environment</i> , 2006, 28, 23-30.	0.9	8
29	Inhibitory effects of caraway (<i>Carum carvi</i> L.) and its component on N-methyl-N'-nitro-N-nitrosoguanidine-induced mutagenicity. <i>Journal of Medical Investigation</i> , 2006, 53, 123-133.	0.2	14
30	Involvement of Y-Family DNA Polymerases in Mutagenesis Caused by Oxidized Nucleotides in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 2006, 188, 4992-4995.	1.0	46
31	Modulation of oxidative mutagenesis and carcinogenesis by polymorphic forms of human DNA repair enzymes. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2005, 591, 60-73.	0.4	83
32	Light-dependent mutagenesis by benzo[a]pyrene is mediated via oxidative DNA damage. <i>Environmental and Molecular Mutagenesis</i> , 2005, 46, 141-149.	0.9	18
33	Mutagenesis Induced by Oxidized DNA Precursors: Roles of Y Family DNA Polymerases in <i>Escherichia coli</i> . <i>Chemical Research in Toxicology</i> , 2005, 18, 1271-1278.	1.7	15
34	Roles of replicative and specialized DNA polymerases in frameshift mutagenesis: Mutability of <i>Salmonella typhimurium</i> strains lacking one or all of SOS-inducible DNA polymerases to 26 chemicals. <i>DNA Repair</i> , 2005, 4, 1160-1171.	1.3	23
35	Suppression of chemically induced and spontaneously occurring oxidative mutagenesis by three alleles of human OGG1 gene encoding 8-hydroxyguanine DNA glycosylase. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2004, 554, 365-374.	0.4	15
36	The effectiveness of the O6-alkylguanine-DNA alkyltransferase encoded by the ogtST gene from <i>S. typhimurium</i> in protection against alkylating drugs, resistance to O6-benzylguanine and sensitisation to dibromoalkane genotoxicity. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2001, 497, 111-121.	0.9	7

#	ARTICLE	IF	CITATIONS
37	Construction of <i>Salmonella typhimurium</i> YG7108 strains, each coexpressing a form of human cytochrome P450 with NADPH-cytochrome P450 reductase. <i>Environmental and Molecular Mutagenesis</i> , 2001, 38, 329-338.	0.9	17
38	Synthetic Activity of Sso DNA Polymerase Y1, an Archaeal DinB-like DNA Polymerase, Is Stimulated by Processivity Factors Proliferating Cell Nuclear Antigen and Replication Factor C. <i>Journal of Biological Chemistry</i> , 2001, 276, 47394-47401.	1.6	51
39	Metabolic activation of N-alkylnitrosamines in genetically engineered <i>Salmonella typhimurium</i> expressing CYP2E1 or CYP2A6 together with human NADPH-cytochrome P450 reductase. <i>Carcinogenesis</i> , 2000, 21, 1227-1232.	1.3	12
40	Characterization of mutations induced by 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine in the colon of gpt delta transgenic mouse: novel G:C deletions beside runs of identical bases. <i>Carcinogenesis</i> , 2000, 21, 2049-2056.	1.3	45
41	Metabolic activation of N -alkylnitrosamines in genetically engineered <i>Salmonella typhimurium</i> expressing CYP2E1 or CYP2A6 together with human NADPH-cytochrome P450 reductase. <i>Carcinogenesis</i> , 2000, 21, 1227-1232.	1.3	81
42	Development of a <i>Salmonella</i> tester strain sensitive to promutagenic N-nitrosamines: expression of recombinant CYP2A6 and human NADPH-cytochrome P450 reductase in <i>S. typhimurium</i> YG7108. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2000, 471, 135-143.	0.9	34
43	Semi-quantitative evaluation of genotoxic activity of chemical substances and evidence for a biological threshold of genotoxic activity. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2000, 464, 97-104.	0.9	47
44	A patient who survived total colonic type ulcerative colitis complicated by toxic megacolon, disseminated intravascular coagulation, methicillin-resistant <i>Staphylococcus aureus</i> infection and bilateral femoral phlebothrombosis. <i>Journal of Gastroenterology</i> , 1999, 34, 395-399.	2.3	6
45	Effects of O6-alkylguanine-DNA alkyltransferase deficiency in <i>Escherichia coli</i> as the host for the detection of mutations in lacI transgenic mice. <i>Environmental and Molecular Mutagenesis</i> , 1999, 34, 221-226.	0.9	11
46	New O-acetyltransferase-deficient Ames <i>Salmonella</i> strains generated by specific gene disruption. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 1999, 439, 159-169.	0.9	9
47	The dinB Gene Encodes a Novel <i>E. coli</i> DNA Polymerase, DNA Pol IV, Involved in Mutagenesis. <i>Molecular Cell</i> , 1999, 4, 281-286.	4.5	439
48	Mutagenicity of 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP) in the new gptI ⁺ transgenic mouse. <i>Cancer Letters</i> , 1999, 143, 241-244.	3.2	40
49	Construction of mutants of <i>Salmonella typhimurium</i> deficient in 8-hydroxyguanine DNA glycosylase and their sensitivities to oxidative mutagens and nitro compounds. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 1997, 393, 233-246.	0.9	42
50	Targeted disruption of the gene encoding the classical nitroreductase enzyme in <i>Salmonella typhimurium</i> Ames test strains TA1535 and TA1538. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1997, 375, 9-17.	0.4	28
51	New tester strains of <i>Salmonella typhimurium</i> lacking O6-methylguanine DNA methyltransferases and highly sensitive to mutagenic alkylating agents. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1997, 381, 15-24.	0.4	66
52	Processing of O6-methylguanine by mismatch correction in human cell extracts. <i>Current Biology</i> , 1996, 6, 1528-1531.	1.8	45
53	Involvement of umuDC ST genes in nitropyrene-induced -CG frameshift mutagenesis at the repetitive CG sequence in the hisD3052 allele of <i>Salmonella typhimurium</i> . <i>Molecular Genetics and Genomics</i> , 1995, 247, 7-16.	2.4	11
54	Decreased Calcium Pump Activity in Duodenal Epithelial Cells from Spontaneously Hypertensive Rats. <i>Experimental Biology and Medicine</i> , 1993, 203, 440-445.	1.1	2

#	ARTICLE	IF	CITATIONS
55	Preferential induction at AT-TA transversion, but not deletions, by chlorambucil at the hisG428 site of <i>Salmonella typhimurium</i> TA102. <i>Mutation Research-Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1992, 283, 29-33.	1.2	12