

Barbara A Maher

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6587362/barbara-a-maher-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89
papers

8,496
citations

44
h-index

92
g-index

94
ext. papers

9,514
ext. citations

7.1
avg. IF

6.55
L-index

#	Paper	IF	Citations
89	Biomagnetic Characterization of Air Pollution Particulates in Lahore, Pakistan. <i>Geochemistry, Geophysics, Geosystems</i> , 2022 , 23,	3.6	1
88	A Multi-Proxy Approach to Unravel Late Pleistocene Sediment Flux and Bottom Water Conditions in the Western South Atlantic Ocean. <i>Paleoceanography and Paleoclimatology</i> , 2021 , 36, e2020PA004058	3.3	2
87	Variation in the concentration and regional distribution of magnetic nanoparticles in human brains, with and without Alzheimer's disease, from the UK. <i>Scientific Reports</i> , 2021 , 11, 9363	4.9	5
86	Prolific shedding of magnetite nanoparticles from banknote surfaces. <i>Science of the Total Environment</i> , 2021 , 768, 144490	10.2	
85	Source apportionment of magnetite particles in roadside airborne particulate matter. <i>Science of the Total Environment</i> , 2021 , 752, 141828	10.2	21
84	Evidence for the presence of air pollution nanoparticles in placental tissue cells. <i>Science of the Total Environment</i> , 2021 , 751, 142235	10.2	30
83	Indoor particulate air pollution from open fires and the cognitive function of older people. <i>Environmental Research</i> , 2021 , 192, 110298	7.9	8
82	Size-resolved, quantitative evaluation of the magnetic mineralogy of airborne brake-wear particulate emissions. <i>Environmental Pollution</i> , 2021 , 288, 117808	9.3	8
81	Iron-rich air pollution nanoparticles: An unrecognised environmental risk factor for myocardial mitochondrial dysfunction and cardiac oxidative stress. <i>Environmental Research</i> , 2020 , 188, 109816	7.9	35
80	Reduced repressive epigenetic marks, increased DNA damage and Alzheimer's disease hallmarks in the brain of humans and mice exposed to particulate urban air pollution. <i>Environmental Research</i> , 2020 , 183, 109226	7.9	37
79	Quadruple abnormal protein aggregates in brainstem pathology and exogenous metal-rich magnetic nanoparticles (and engineered Ti-rich nanorods). The substantia nigrae is a very early target in young urbanites and the gastrointestinal tract a key brainstem portal. <i>Environmental Research</i> , 2020 , 181, 110128	7.9	20
78	Efficient Removal of Ultrafine Particles from Diesel Exhaust by Selected Tree Species: Implications for Roadside Planting for Improving the Quality of Urban Air. <i>Environmental Science & Technology</i> , 2019 , 53, 6906-6916	10.3	37
77	Airborne, Vehicle-Derived Fe-Bearing Nanoparticles in the Urban Environment: A Review. <i>Environmental Science & Technology</i> , 2019 , 53, 9970-9991	10.3	72
76	Airborne Magnetite- and Iron-Rich Pollution Nanoparticles: Potential Neurotoxicants and Environmental Risk Factors for Neurodegenerative Disease, Including Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2019 , 71, 361-375	4.3	36
75	Combustion- and friction-derived magnetic air pollution nanoparticles in human hearts. <i>Environmental Research</i> , 2019 , 176, 108567	7.9	66
74	Identification and paleoclimatic significance of magnetite nanoparticles in soils. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 1736-1741	11.5	37
73	Connection of the proto-Yangtze River to the East China Sea traced by sediment magnetic properties. <i>Geomorphology</i> , 2018 , 303, 162-171	4.3	12

72	Biomagnetic Monitoring of Atmospheric Pollution: A Review of Magnetic Signatures from Biological Sensors. <i>Environmental Science & Technology</i> , 2017 , 51, 6648-6664	10.3	60
71	Reprint of: The spatial-temporal characteristics and health impacts of ambient fine particulate matter in China. <i>Journal of Cleaner Production</i> , 2017 , 163, S352-S358	10.3	6
70	Palaeoclimatic records of the loess/palaeosol sequences of the Chinese Loess Plateau. <i>Quaternary Science Reviews</i> , 2016 , 154, 23-84	3.9	147
69	The spatial-temporal characteristics and health impacts of ambient fine particulate matter in China. <i>Journal of Cleaner Production</i> , 2016 , 112, 1312-1318	10.3	73
68	Magnetite pollution nanoparticles in the human brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 10797-801	11.5	516
67	Particulate matter deposited on leaf of five evergreen species in Beijing, China: Source identification and size distribution. <i>Atmospheric Environment</i> , 2015 , 105, 53-60	5.3	128
66	Impact of roadside tree lines on indoor concentrations of traffic-derived particulate matter. <i>Environmental Science & Technology</i> , 2013 , 47, 13737-44	10.3	73
65	Thermal enhancement of natural magnetism as a tool for tracing eroded soil. <i>Earth Surface Processes and Landforms</i> , 2012 , 37, 1567-1572	3.7	13
64	Rapid magnetic biomonitoring and differentiation of atmospheric particulate pollutants at the roadside and around two major industrial sites in the U.K. <i>Environmental Science & Technology</i> , 2012 , 46, 4403-10	10.3	37
63	Oxygen isotopes from Chinese caves: records not of monsoon rainfall but of circulation regime. <i>Journal of Quaternary Science</i> , 2012 , 27, 615-624	2.3	145
62	The magnetic properties of Quaternary aeolian dusts and sediments, and their palaeoclimatic significance. <i>Aeolian Research</i> , 2011 , 3, 87-144	3.9	160
61	The dating and interpretation of a Mode 1 site in the Luangwa Valley, Zambia. <i>Journal of Human Evolution</i> , 2011 , 60, 549-70	3.1	17
60	Biomagnetic monitoring of industry-derived particulate pollution. <i>Environmental Pollution</i> , 2011 , 159, 1673-81	9.3	61
59	Early Pleistocene human occupation at the edge of the boreal zone in northwest Europe. <i>Nature</i> , 2010 , 466, 229-33	50.4	271
58	Rates of particulate pollution deposition onto leaf surfaces: temporal and inter-species magnetic analyses. <i>Environmental Pollution</i> , 2010 , 158, 1472-8	9.3	114
57	Global connections between aeolian dust, climate and ocean biogeochemistry at the present day and at the last glacial maximum. <i>Earth-Science Reviews</i> , 2010 , 99, 61-97	10.2	385
56	Sediment source variations and lead-210 inventories in recent Potomac Estuary sediment cores. <i>Journal of Quaternary Science</i> , 2010 , 4, 189-200	2.3	33
55	Holocene sediment dynamics in an upland temperate lake catchment: climatic and land-use impacts in the English Lake District. <i>Holocene</i> , 2009 , 19, 427-438	2.6	17

54	Magnetic and geochemical characteristics of Gobi Desert surface sediments: Implications for provenance of the Chinese Loess Plateau. <i>Geology</i> , 2009 , 37, 279-282	5	72
53	Fingerprinting upland sediment sources: particle size-specific magnetic linkages between soils, lake sediments and suspended sediments. <i>Earth Surface Processes and Landforms</i> , 2009 , 34, 1359-1373	3.7	83
52	Sediment provenance in a tropical fluvial and marine context by magnetic fingerprinting of transportable sand fractions. <i>Sedimentology</i> , 2009 , 56, 841-861	3.3	62
51	Rain and Dust: Magnetic Records of Climate and Pollution. <i>Elements</i> , 2009 , 5, 229-234	3.8	49
50	Mineral Dust and Climate: Working Group on Dust and Climate Joint INQUA/QUEST Workshop; Villefranche-sur-Mer, France, 19-22 October 2008. <i>Eos</i> , 2009 , 90, 139	1.5	
49	Holocene variability of the East Asian summer monsoon from Chinese cave records: a re-assessment. <i>Holocene</i> , 2008 , 18, 861-866	2.6	179
48	Suspended sediment characterization and tracing using a magnetic fingerprinting technique: Bassenthwaite Lake, Cumbria, UK. <i>Holocene</i> , 2008 , 18, 105-115	2.6	46
47	Sediment dynamics in an upland temperate catchment: changing sediment sources, rates and deposition. <i>Journal of Paleolimnology</i> , 2008 , 40, 1143-1158	2.1	21
46	Ocean circulation at the Last Glacial Maximum: A combined modeling and magnetic proxy-based study. <i>Paleoceanography</i> , 2007 , 22,		44
45	Environmental magnetism and climate change. <i>Contemporary Physics</i> , 2007 , 48, 247-274	3.3	56
44	A high-resolution record of Holocene rainfall variations from the western Chinese Loess Plateau: antiphase behaviour of the African/Indian and East Asian summer monsoons. <i>Holocene</i> , 2006 , 16, 309-319	2.6	113
43	Quantifying grain size distribution of pedogenic magnetic particles in Chinese loess and its significance for pedogenesis. <i>Journal of Geophysical Research</i> , 2005 , 110,		117
42	Palaeomagnetic correlation and dating of Plio/Pleistocene sediments at the southern margins of the North Sea Basin. <i>Journal of Quaternary Science</i> , 2005 , 20, 67-77	2.3	26
41	Magnetic carriers and remanence mechanisms in magnetite-poor sediments of Pleistocene age, southern North Sea margin. <i>Journal of Quaternary Science</i> , 2005 , 20, 79-94	2.3	18
40	Application of a magnetic extraction technique to assess radionuclide-mineral association in Cumbrian shoreline sediments. <i>Journal of Environmental Radioactivity</i> , 2004 , 77, 111-31	2.4	15
39	Application of a magnetic extraction technique to assess radionuclide-mineral association in Cumbrian shoreline sediments. <i>Journal of Environmental Radioactivity</i> , 2004 , 77, 111-111	2.4	
38	Grain sizes of susceptibility and anhysteretic remanent magnetization carriers in Chinese loess/paleosol sequences. <i>Journal of Geophysical Research</i> , 2004 , 109,		40
37	Mechanism of the magnetic susceptibility enhancements of the Chinese loess. <i>Journal of Geophysical Research</i> , 2004 , 109,		67

36	Magnetic mineralogy of soils across the Russian Steppe: climatic dependence of pedogenic magnetite formation. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2003 , 201, 321-341	2.9	154
35	Holocene loess accumulation and soil development at the western edge of the Chinese Loess Plateau: implications for magnetic proxies of palaeorainfall. <i>Quaternary Science Reviews</i> , 2003 , 22, 445-451	3.9	85
34	Evidence against dust-mediated control of glacial-interglacial changes in atmospheric CO ₂ . <i>Nature</i> , 2001 , 411, 176-80	50.4	71
33	Holocene sediment-accumulation rates in the western Loess Plateau, China, and a 2500-year record of agricultural activity, revealed by OSL dating. <i>Holocene</i> , 2001 , 11, 477-483	2.6	72
32	Analysis and interpretation of Holocene sedimentary sequences in the Humber Estuary. <i>Geological Society Special Publication</i> , 2000 , 166, 9-39	1.7	11
31	Origin, abundance and storage of organic carbon and sulphur in the Holocene Humber Estuary: emphasizing human impact on storage changes. <i>Geological Society Special Publication</i> , 2000 , 166, 145-170	1.7	16
30	Sedimentary evolution of the north Norfolk barrier coastline in the context of Holocene sea-level change. <i>Geological Society Special Publication</i> , 2000 , 166, 219-251	1.7	12
29	Association of ²¹⁰ Po(²¹⁰ Pb), ²³⁹ + ²⁴⁰ Pu and ²⁴¹ Am with different mineral fractions of a beach sand at Seascale, Cumbria, UK. <i>Science of the Total Environment</i> , 2000 , 254, 1-15	10.2	17
28	Bacterial magnetite and the Quaternary record 1999 , 163-198		13
27	Incidence and significance of magnetic iron sulphides in Quaternary sediments and soils 1999 , 199-230		20
26	Holocene environmental change from magnetic proxies in lake sediments 1999 , 231-278		51
25	Magnetic monitoring of air- land- and water-pollution 1999 , 279-322		84
24	Magnetic cyclostratigraphy: high-resolution dating in and beyond the Quaternary and analysis of periodic changes in diagenesis and sedimentary magnetism 1999 , 352-382		7
23	The significance of magnetotactic bacteria for the palaeomagnetic and rock magnetic record of Quaternary sediments and soils. <i>Geological Society Special Publication</i> , 1999 , 151, 43-46	1.7	3
22	Source of the climate signal recorded by magnetic susceptibility variations in Indian Ocean sediments. <i>Journal of Geophysical Research</i> , 1999 , 104, 5047-5061		44
21	Magnetic properties of modern soils and Quaternary loessic paleosols: paleoclimatic implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1998 , 137, 25-54	2.9	559
20	Diagenesis and remobilization of carbon and sulfur in mid-Pleistocene organic-rich freshwater sediment. <i>Journal of Sedimentary Research</i> , 1998 , 68, 37-42	2.1	19
19	Quantitative extraction and analysis of carriers of magnetization in sediments. <i>Geophysical Journal International</i> , 1996 , 124, 57-74	2.6	93

18	Frequency-dependent susceptibility measurements of environmental materials. <i>Geophysical Journal International</i> , 1996 , 124, 228-240	2.6	508
17	Age models, sediment fluxes and palaeoclimatic reconstructions for the Chinese loess and palaeosol sequences. <i>Geophysical Journal International</i> , 1995 , 123, 611-622	2.6	39
16	Paleorainfall Reconstructions from Pedogenic Magnetic Susceptibility Variations in the Chinese Loess and Paleosols. <i>Quaternary Research</i> , 1995 , 44, 383-391	1.9	342
15	Magnetostratigraphic correlations in two cores from the late Triassic Lunde Formation, Beryl Field, northern North Sea, UK. <i>Geological Society Special Publication</i> , 1995 , 98, 163-172	1.7	3
14	Magnetic mineralogy of sandstones from the Lunde Formation (late Triassic), northern North Sea, UK: origin of the palaeomagnetic signal. <i>Geological Society Special Publication</i> , 1995 , 98, 119-147	1.7	9
13	Spatial and temporal reconstructions of changes in the Asian palaeomonsoon: A new mineral magnetic approach. <i>Earth and Planetary Science Letters</i> , 1994 , 125, 461-471	5.3	289
12	Pedogenesis and paleoclimate: Interpretation of the magnetic susceptibility record of Chinese loess-paleosol sequences: Comments and Reply. <i>Geology</i> , 1994 , 22, 857	5	32
11	Rock Magnetic and Palaeomagnetic Studies of British Speleothems.. <i>Journal of Geomagnetism and Geoelectricity</i> , 1993 , 45, 143-153		10
10	Reply to letter to the editor by Clemens and Prell. <i>Quaternary Research</i> , 1992 , 38, 268	1.9	
9	Paleoclimatic Significance of the Mineral Magnetic Record of the Chinese Loess and Paleosols. <i>Quaternary Research</i> , 1992 , 37, 155-170	1.9	253
8	Mineral magnetic record of the Chinese loess and paleosols. <i>Geology</i> , 1991 , 19, 3	5	323
7	Inorganic Formation of Ultrafine-Grained Magnetite 1991 , 179-191		5
6	Origin of soil magnetite. <i>Nature</i> , 1989 , 340, 106-106	50.4	6
5	Magnetic properties of some synthetic sub-micron magnetites. <i>Geophysical Journal International</i> , 1988 , 94, 83-96	2.6	569
4	Formation of ultrafine-grained magnetite in soils. <i>Nature</i> , 1988 , 336, 368-370	50.4	462
3	Characterisation of soils by mineral magnetic measurements. <i>Physics of the Earth and Planetary Interiors</i> , 1986 , 42, 76-92	2.3	398
2	Magnetite in soils: I. The synthesis of single-domain and superparamagnetic magnetite. <i>Clay Minerals</i> , 1986 , 22, 411-422	1.3	102
1	Particle-size related, mineral magnetic source sediment linkages in the Rhode River catchment, Maryland, USA. <i>Journal of the Geological Society</i> , 1985 , 142, 1035-1046	2.7	124

