

# Marek Rosiak

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6587501/publications.pdf>

Version: 2024-02-01

16  
papers

155  
citations

1163117

8  
h-index

1125743

13  
g-index

16  
all docs

16  
docs citations

16  
times ranked

204  
citing authors

#	ARTICLE	IF	CITATIONS
1	New single nucleotide polymorphisms associated with differences in platelets reactivity in patients with type 2 diabetes treated with acetylsalicylic acid: genome-wide association approach and pooled DNA strategy. <i>Journal of Thrombosis and Thrombolysis</i> , 2013, 36, 65-73.	2.1	22
2	Effect of ASA dose doubling versus switching to clopidogrel on plasma inflammatory markers concentration in patients with type 2 diabetes and high platelet reactivity: The AVOCADO study. <i>Cardiology Journal</i> , 2013, 20, 545-551.	1.2	21
3	Resistin is a prognostic factor for death in type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3098.	4.0	19
4	Serum Brain-Derived Neurotrophic Factor is Related to Platelet Reactivity and Metformin Treatment in Adult Patients With Type 2 Diabetes Mellitus. <i>Canadian Journal of Diabetes</i> , 2019, 43, 19-26.	0.8	19
5	Serum Brain-Derived Neurotrophic Factor is Related to Platelet Reactivity but not to Genetic Polymorphisms within BDNF Encoding Gene in Patients with Type 2 Diabetes. <i>Medical Science Monitor</i> , 2016, 22, 69-76.	1.1	18
6	Emerging treatments in type 2 diabetes: focus on canagliflozin. <i>Therapeutics and Clinical Risk Management</i> , 2014, 10, 683.	2.0	13
7	New single-nucleotide polymorphisms associated with differences in platelet reactivity and their influence on survival in patients with type 2 diabetes treated with acetylsalicylic acid: an observational study. <i>Acta Diabetologica</i> , 2017, 54, 343-351.	2.5	9
8	Effect of common single-nucleotide polymorphisms in acetylsalicylic acid metabolic pathway genes on platelet reactivity in patients with diabetes. <i>Medical Science Monitor</i> , 2013, 19, 394-408.	1.1	9
9	Next-generation re-sequencing of genes involved in increased platelet reactivity in diabetic patients on acetylsalicylic acid. <i>Platelets</i> , 2016, 27, 357-364.	2.3	7
10	Targeted deep resequencing of ALOX5 and ALOX5AP in patients with diabetes and association of rare variants with leukotriene pathways. <i>Experimental and Therapeutic Medicine</i> , 2016, 12, 415-421.	1.8	6
11	Lack of effect of common single nucleotide polymorphisms in leukotriene pathway genes on platelet reactivity in patients with diabetes. <i>Molecular Medicine Reports</i> , 2013, 8, 853-860.	2.4	4
12	Are adipokines associated with atrial fibrillation in type 2 diabetes?. <i>Endokrynologia Polska</i> , 2020, 71, 34-41.	1.0	4
13	Effect of common single nucleotide polymorphisms in COX-1 gene on related metabolic activity in diabetic patients treated with acetylsalicylic acid. <i>Archives of Medical Science</i> , 2014, 6, 1198-1205.	0.9	2
14	Resistin is Associated with Inflammation and Renal Function, but not with Insulin Resistance in Type 2 Diabetes. <i>Hormone and Metabolic Research</i> , 2021, 53, 478-484.	1.5	2
15	Reversible complete atrioventricular block in patient with wegener's granulomatosis - a report on fortunate outcome with long term follow-up. <i>Wiadomości Lekarskie</i> , 2016, 69, 594-596.	0.3	0
16	Reversible complete atrioventricular block in patient with wegener's granulomatosis - a report on fortunate outcome with long term follow-up. <i>Wiadomości Lekarskie</i> , 2016, 69, 594-596.	0.3	0