

Minna MÃ¶nty

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6589652/publications.pdf>

Version: 2024-02-01

65
papers

543
citations

758635

12
h-index

794141

19
g-index

66
all docs

66
docs citations

66
times ranked

756
citing authors

#	ARTICLE	IF	CITATIONS
1	Mobility-Related Fatigue, Walking Speed, and Muscle Strength in Older People. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2012, 67A, 523-529.	1.7	63
2	Effect of Exercise Training on Bone Mineral Density in Post-menopausal Women: A Systematic Review and Meta-Analysis of Intervention Studies. <i>Frontiers in Physiology</i> , 2020, 11, 652.	1.3	50
3	Long-term exposure to heavy physical work, disability pension due to musculoskeletal disorders and all-cause mortality: 20-year follow-up introducing Helsinki Health Study job exposure matrix. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 337-345.	1.1	36
4	Changes in working conditions and physical health functioning among midlife and ageing employees. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 511-518.	1.7	19
5	Musculoskeletal pain and physical functioning in the oldest old. <i>European Journal of Pain</i> , 2014, 18, 522-529.	1.4	17
6	Statutory retirement and changes in self-reported leisure-time physical activity: a follow-up study with three time-points. <i>BMC Public Health</i> , 2017, 17, 528.	1.2	17
7	Changes in leisure-time physical activity and physical and mental health functioning: a follow-up study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017, 27, 1785-1792.	1.3	17
8	Changes in leisure time physical activity and subsequent disability retirement: A register-linked cohort study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 99.	2.0	16
9	Changes in physical and mental health functioning during retirement transition: a register-linkage follow-up study. <i>European Journal of Public Health</i> , 2018, 28, 805-809.	0.1	16
10	Physical working conditions and subsequent disability retirement due to any cause, mental disorders and musculoskeletal diseases: does the risk vary by common mental disorders?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1021-1029.	1.6	16
11	Fatigability in Basic Indoor Mobility in Nonagenarians. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 1279-1285.	1.3	14
12	Changes in psychosocial and physical working conditions and common mental disorders. <i>European Journal of Public Health</i> , 2016, 26, 458-463.	0.1	14
13	Recurrent back pain during working life and exit from paid employment: a 28-year follow-up of the Whitehall II Study. <i>Occupational and Environmental Medicine</i> , 2018, 75, 786-791.	1.3	14
14	Obesity, change of body mass index and subsequent physical and mental health functioning: a 12-year follow-up study among ageing employees. <i>BMC Public Health</i> , 2017, 17, 744.	1.2	13
15	Common mental disorders and trajectories of work disability among midlife public sector employees – A 10-year follow-up study. <i>Journal of Affective Disorders</i> , 2019, 247, 66-72.	2.0	13
16	Bidirectional longitudinal relationship between leisure-time physical activity and psychotropic medication usage: A register linked follow-up study. <i>Psychiatry Research</i> , 2017, 247, 208-213.	1.7	12
17	Changes in psychosocial and physical working conditions and psychotropic medication in ageing public sector employees: a record-linkage follow-up study. <i>BMJ Open</i> , 2017, 7, e015573.	0.8	12
18	Pre-retirement physical working conditions and changes in physical health functioning during retirement transition process. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 405-412.	1.7	12

#	ARTICLE	IF	CITATIONS
19	Recurrent pain and work disability: a record linkage study. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 421-432.	1.1	11
20	Socioeconomic Differences in Occupational Health Service Utilization and Sickness Absence Due to Mental Disorders: A Register-Based Retrospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2064.	1.2	11
21	Association of physical workload and leisure time physical activity with incident mobility limitations: a follow-up study. <i>Occupational and Environmental Medicine</i> , 2014, 71, 543-548.	1.3	10
22	Associations of Midlife to Late Life Fatigue With Physical Performance and Strength in Early Old Age. <i>Psychosomatic Medicine</i> , 2015, 77, 823-832.	1.3	10
23	Obesity and socioeconomic disadvantage in midlife female public sector employees: a cohort study. <i>BMC Public Health</i> , 2017, 17, 842.	1.2	10
24	Work-Related Exposures and Sickness Absence Trajectories: A Nationally Representative Follow-up Study among Finnish Working-Aged People. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2099.	1.2	10
25	Physical working conditions and subsequent sickness absence: a record linkage follow-up study among 19-39-year-old municipal employees. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 489-497.	1.1	10
26	Physical and mental health functioning after all-cause and diagnosis-specific sickness absence: a register-linkage follow-up study among ageing employees. <i>BMC Public Health</i> , 2017, 17, 114.	1.2	9
27	Indoor mobility-related fatigue and muscle strength in nonagenarians: a prospective longitudinal study. <i>Aging Clinical and Experimental Research</i> , 2014, 26, 39-46.	1.4	7
28	Cumulative physical workload and mobility limitations in middle-aged men and women: a population-based study with retrospective assessment of workload. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 651-660.	1.1	7
29	Weight change among normal weight, overweight and obese employees and subsequent diagnosis-specific sickness absence: A register-linked follow-up study. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 155-163.	1.2	7
30	Within-individual analysis of pain and sickness absence among employees from low and high occupational classes: a record linkage study. <i>BMJ Open</i> , 2019, 9, e026994.	0.8	6
31	Exposure to heavy physical work from early to later adulthood and primary healthcare visits due to musculoskeletal diseases in midlife: a register linked study. <i>BMJ Open</i> , 2019, 9, e031564.	0.8	6
32	Working Conditions and Long-Term Sickness Absence Due to Mental Disorders. <i>Journal of Occupational and Environmental Medicine</i> , 2022, 64, 105-114.	0.9	6
33	Psychosocial factors at work and the development of mobility limitations among adults in Denmark. <i>Scandinavian Journal of Public Health</i> , 2014, 42, 417-424.	1.2	5
34	Who maintains good health functioning? The contribution of social, work-related and behavioural factors to mental and physical health functioning trajectories in ageing employees. <i>Occupational and Environmental Medicine</i> , 2020, 77, 478-487.	1.3	5
35	Working conditions and antidepressant medication use: A prospective study among 18 to 39-year-old municipal employees. <i>Psychiatry Research</i> , 2021, 305, 114213.	1.7	5
36	Joint Association of Overweight and Common Mental Disorders With Diagnosis-Specific Disability Retirement. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 979-984.	0.9	4

#	ARTICLE	IF	CITATIONS
37	Age-dependency in mortality of family caregivers: a nationwide register-based study. <i>Aging Clinical and Experimental Research</i> , 2020, 33, 1971-1980.	1.4	4
38	Use of antidepressants among Finnish family caregivers: a nationwide register-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 2209-2216.	1.6	4
39	The contribution of physical working conditions to sickness absence of varying length among employees with and without common mental disorders. <i>Scandinavian Journal of Public Health</i> , 2021, 49, 141-148.	1.2	4
40	Self-Certified Sickness Absence among Young Municipal Employees—Changes from 2002 to 2016 and Occupational Class Differences. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1131.	1.2	3
41	Frequent short sickness absence, occupational health service utilisation and long-term sickness absence due to mental disorders among young employees. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 1549-1558.	1.1	3
42	Psychotropic medication before and after disability retirement by pre-retirement perceived work-related stress. <i>European Journal of Public Health</i> , 2020, 30, 158-163.	0.1	2
43	Joint contribution of rotation of the back and repetitive movements to disability pension using job exposure matrix data. <i>European Journal of Public Health</i> , 2019, 29, 1079-1084.	0.1	2
44	Favourable changes in physical working conditions and the risk of all-cause sickness absence: a pseudo-experiment. <i>European Journal of Public Health</i> , 2020, 30, 253-259.	0.1	2
45	Timing of Entry into Paid Employment, Adverse Physical Work Exposures and Health: The Young Helsinki Health Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7854.	1.2	2
46	Structured communication during emergency response driving: Safety-critical points identified by Finnish emergency response driving experts. <i>Australasian Emergency Care</i> , 2022, 25, 308-315.	0.7	2
47	Occupational Class Differences in Long-Term Sickness Absence Due to Breast Cancer during 2005–2013: A Population-Based Study among Finnish Women. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3477.	1.2	1
48	Diagnosis-Specific Sickness Absence and Subsequent Common Mental Disorders: A Register-Linkage Cohort Study among Finnish Public Sector Employees. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 782.	1.2	1
49	Work incapacity among family caregivers: a record linkage study. <i>Journal of Epidemiology and Community Health</i> , 2022, 76, 580-585.	2.0	1
50	Changes in working conditions and physical functioning in ageing employees in Finland. <i>European Journal of Public Health</i> , 2015, 25, .	0.1	0
51	Weight gain and subsequent diagnosis-specific sickness absence: A register-linked follow-up study. <i>European Journal of Public Health</i> , 2017, 27, .	0.1	0
52	P54—Changes in physical and mental health functioning during retirement transition: a register-linkage follow-up study. , 2017, , .		0
53	449—Repeated back pain and routes of exit out of paid employment among british civil servants: a follow-up study 1985–2013. , 2018, , .		0
54	O3B.2—Occupational exposures and sickness absence trajectories among finnish employees: a register linked nationally representative follow-up study. <i>Occupational and Environmental Medicine</i> , 2019, 76, A24.1-A24.	1.3	0

#	ARTICLE	IF	CITATIONS
55	Associations of Sleep and Health Functioning with Premature Exit from Work: A Cohort Study with a Methodological Emphasis. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1725.	1.2	0
56	Seeing an occupational health psychologist reduces sickness absence due to mental disorders: A quasi-experimental study. <i>Preventive Medicine</i> , 2021, 149, 106611.	1.6	0
57	Working conditions and mental health functioning among young public sector employees. <i>Scandinavian Journal of Public Health</i> , 2021, , 140349482110454.	1.2	0
58	Joint association of overweight and common mental disorders with disability retirement in Finland. <i>European Journal of Public Health</i> , 2018, 28, .	0.1	0
59	Sickness absence due to breast cancer by occupational class among Finnish women during 2005–2013. <i>European Journal of Public Health</i> , 2018, 28, .	0.1	0
60	Sleep, functioning and premature exit from labour market: repeated measures latent class analysis. <i>European Journal of Public Health</i> , 2018, 28, .	0.1	0
61	Age-dependency in mortality of Finnish family caregivers: a nationwide register-based study. <i>European Journal of Public Health</i> , 2020, 30, .	0.1	0
62	Does seeing a psychologist reduce sickness absence due to mental disorders? A quasi-experiment. <i>European Journal of Public Health</i> , 2020, 30, .	0.1	0
63	Sleep, functioning and premature exit from labour market: repeated measures latent class analysis. <i>European Journal of Public Health</i> , 2018, 28, .	0.1	0
64	Sickness absence due to breast cancer by occupational class among Finnish women during 2005–2013. <i>European Journal of Public Health</i> , 2018, 28, .	0.1	0
65	Joint association of overweight and common mental disorders with disability retirement in Finland. <i>European Journal of Public Health</i> , 2018, 28, .	0.1	0