
Bo Ag Jönsson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6590785/publications.pdf

Version: 2024-02-01



Ro Ac LÃUNSSON

#	Article	IF	CITATIONS
1	Exposure determinants of phthalates, parabens, bisphenol A and triclosan in Swedish mothers and their children. Environment International, 2014, 73, 323-333.	10.0	252
2	Prenatal Phthalate Exposures and Anogenital Distance in Swedish Boys. Environmental Health Perspectives, 2015, 123, 101-107.	6.0	221
3	Phthalates, non-phthalate plasticizers and bisphenols in Swedish preschool dust in relation to children's exposure. Environment International, 2017, 102, 114-124.	10.0	176
4	Prenatal Phthalate, Perfluoroalkyl Acid, and Organochlorine Exposures and Term Birth Weight in Three Birth Cohorts: Multi-Pollutant Models Based on Elastic Net Regression. Environmental Health Perspectives, 2016, 124, 365-372.	6.0	173
5	Association between Pregnancy Loss and Urinary Phthalate Levels around the Time of Conception. Environmental Health Perspectives, 2012, 120, 458-463.	6.0	171
6	Urinary BPA measurements in children and mothers from six European member states: Overall results and determinants of exposure. Environmental Research, 2015, 141, 77-85.	7.5	143
7	Fertility and Markers of Male Reproductive Function in Inuit and European Populations Spanning Large Contrasts in Blood Levels of Persistent Organochlorines. Environmental Health Perspectives, 2008, 116, 269-277.	6.0	100
8	Diverging temporal trends of human exposure to bisphenols and plastizisers, such as phthalates, caused by substitution of legacy EDCs?. Environmental Research, 2017, 153, 48-54.	7.5	100
9	The European COPHES/DEMOCOPHES project: Towards transnational comparability and reliability of human biomonitoring results. International Journal of Hygiene and Environmental Health, 2014, 217, 653-661.	4.3	95
10	Phosphatidylethanol in Human Organs and Blood: A Study on Autopsy Material and Influences by Storage Conditions. Alcoholism: Clinical and Experimental Research, 2004, 28, 1718-1723.	2.4	89
11	Anthropometry in 5- to 9-Year-Old Greenlandic and Ukrainian Children in Relation to Prenatal Exposure to Perfluorinated Alkyl Substances. Environmental Health Perspectives, 2015, 123, 841-846.	6.0	84
12	Outcome of decompression with and without fusion in spinal stenosis with degenerative spondylolisthesis in relation to preoperative pain pattern: a register study of 1,624 patients. Spine Journal, 2015, 15, 638-646.	1.3	64
13	Temporal trends of phthalate exposures during 2007–2010 in Swedish pregnant women. Journal of Exposure Science and Environmental Epidemiology, 2018, 28, 437-447.	3.9	53
14	Perfluorooctane Sulfonate Concentrations in Amniotic Fluid, Biomarkers of Fetal Leydig Cell Function, and Cryptorchidism and Hypospadias in Danish Boys (1980–1996). Environmental Health Perspectives, 2016, 124, 151-156.	6.0	48
15	Impact of PCB andp,p′-DDE Contaminants on Human Sperm Y:X Chromosome Ratio: Studies in Three European Populations and the Inuit Population in Greenland. Environmental Health Perspectives, 2006, 114, 718-724.	6.0	47
16	Exposure to Perfluoroalkyl Substances and Sperm DNA Global Methylation in <scp>Arctic</scp> and <scp>European</scp> Populations. Environmental and Molecular Mutagenesis, 2014, 55, 591-600.	2.2	45
17	Impact of Di-2-Ethylhexyl Phthalate Metabolites on Male Reproductive Function: a Systematic Review of Human Evidence. Current Environmental Health Reports, 2018, 5, 20-33.	6.7	44
18	Prenatal and Postnatal PCB-153 and <i>p</i> , <i>p</i> ′-DDE Exposures and Behavior Scores at 5–9 Years of Age among Children in Greenland and Ukraine. Environmental Health Perspectives, 2017, 125, 107002.	6.0	40

Bo Ag JöNSSON

#	Article	IF	CITATIONS
19	Exposure to persistent organic pollutants and sperm <scp>DNA</scp> methylation changes in Arctic and European populations. Environmental and Molecular Mutagenesis, 2016, 57, 200-209.	2.2	39
20	Gender differences in patients scheduled for lumbar disc herniation surgery: a National Register Study including 15,631 operations. European Spine Journal, 2016, 25, 162-167.	2.2	38
21	Incidental durotomy in degenerative lumbar spine surgery – a register study of 64,431 operations. Spine Journal, 2019, 19, 624-630.	1.3	31
22	Renal effects of aspirin are clearly doseâ€dependent and are of clinical importance from a dose of 160 mg. European Journal of Heart Failure, 2008, 10, 892-898.	7.1	23
23	Lumbar disc herniation surgery in children: outcome and gender differences. European Spine Journal, 2016, 25, 657-663.	2.2	23
24	Surgical treatment of lumbar disc herniation in different ages—evaluation of 11,237 patients. Spine Journal, 2017, 17, 1577-1585.	1.3	20
25	Predictive outcome factors in the young patient treated with lumbar disc herniation surgery. Journal of Neurosurgery: Spine, 2016, 25, 448-455.	1.7	18
26	Prenatal phthalate exposure was associated with croup in Swedish infants. Acta Paediatrica, International Journal of Paediatrics, 2018, 107, 1011-1019.	1.5	18
27	The outcome of lumbar disc herniation surgery is worse in old adults than in young adults. Monthly Notices of the Royal Astronomical Society: Letters, 2016, 87, 516-521.	3.3	17
28	Treatments with losartan or enalapril are equally sensitive to deterioration in renal function from cyclooxygenase inhibition. European Journal of Heart Failure, 2007, 9, 191-196.	7.1	12
29	Gender differences in the surgical treatment of lumbar disc herniation in elderly. European Spine Journal, 2016, 25, 3528-3535.	2.2	12
30	High levels of vitamin D associated with less ischemic heart disease – a nested case-control study among rural men in Sweden. Annals of Agricultural and Environmental Medicine, 2017, 24, 288-293.	1.0	9
31	Tobacco smoking during pregnancy and risk of adverse behaviour in offspring: A follow-up study. Reproductive Toxicology, 2015, 58, 65-72.	2.9	8
32	Strategy for identification and detection of multiple oxidative modifications within proteins applied on persulfateâ€oxidized hemoglobin and human serum albumin. Rapid Communications in Mass Spectrometry, 2011, 25, 327-340.	1.5	6
33	Motor development following in utero exposure to organochlorines: a follow-up study of children aged 5–9 years in Greenland, Ukraine and Poland. BMC Public Health, 2015, 15, 146.	2.9	6
34	Assessment of dermal uptake of diphenylmethane-4,4'-diisocyanate using tape stripping and biological monitoring. European Journal of Dermatology, 2018, 28, 143-148.	0.6	3