

# Bo Ag Jansson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6590785/publications.pdf>

Version: 2024-02-01

34  
papers

2,228  
citations

304743

22  
h-index

377865

34  
g-index

34  
all docs

34  
docs citations

34  
times ranked

3332  
citing authors

#	ARTICLE	IF	CITATIONS
1	Incidental durotomy in degenerative lumbar spine surgery – a register study of 64,431 operations. <i>Spine Journal</i> , 2019, 19, 624-630.	1.3	31
2	Impact of Di-2-Ethylhexyl Phthalate Metabolites on Male Reproductive Function: a Systematic Review of Human Evidence. <i>Current Environmental Health Reports</i> , 2018, 5, 20-33.	6.7	44
3	Temporal trends of phthalate exposures during 2007–2010 in Swedish pregnant women. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2018, 28, 437-447.	3.9	53
4	Prenatal phthalate exposure was associated with croup in Swedish infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018, 107, 1011-1019.	1.5	18
5	Assessment of dermal uptake of diphenylmethane-4,4'-diisocyanate using tape stripping and biological monitoring. <i>European Journal of Dermatology</i> , 2018, 28, 143-148.	0.6	3
6	Phthalates, non-phthalate plasticizers and bisphenols in Swedish preschool dust in relation to children's exposure. <i>Environment International</i> , 2017, 102, 114-124.	10.0	176
7	Surgical treatment of lumbar disc herniation in different ages – evaluation of 11,237 patients. <i>Spine Journal</i> , 2017, 17, 1577-1585.	1.3	20
8	Diverging temporal trends of human exposure to bisphenols and plasticizers, such as phthalates, caused by substitution of legacy EDCs?. <i>Environmental Research</i> , 2017, 153, 48-54.	7.5	100
9	High levels of vitamin D associated with less ischemic heart disease – a nested case-control study among rural men in Sweden. <i>Annals of Agricultural and Environmental Medicine</i> , 2017, 24, 288-293.	1.0	9
10	Prenatal and Postnatal PCB-153 and $\text{p,p}'\text{-DDE}$ Exposures and Behavior Scores at 5–9 Years of Age among Children in Greenland and Ukraine. <i>Environmental Health Perspectives</i> , 2017, 125, 107002.	6.0	40
11	Prenatal Phthalate, Perfluoroalkyl Acid, and Organochlorine Exposures and Term Birth Weight in Three Birth Cohorts: Multi-Pollutant Models Based on Elastic Net Regression. <i>Environmental Health Perspectives</i> , 2016, 124, 365-372.	6.0	173
12	Perfluorooctane Sulfonate Concentrations in Amniotic Fluid, Biomarkers of Fetal Leydig Cell Function, and Cryptorchidism and Hypospadias in Danish Boys (1980–1996). <i>Environmental Health Perspectives</i> , 2016, 124, 151-156.	6.0	48
13	Exposure to persistent organic pollutants and sperm DNA methylation changes in Arctic and European populations. <i>Environmental and Molecular Mutagenesis</i> , 2016, 57, 200-209.	2.2	39
14	Predictive outcome factors in the young patient treated with lumbar disc herniation surgery. <i>Journal of Neurosurgery: Spine</i> , 2016, 25, 448-455.	1.7	18
15	The outcome of lumbar disc herniation surgery is worse in old adults than in young adults. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 516-521.	3.3	17
16	Gender differences in the surgical treatment of lumbar disc herniation in elderly. <i>European Spine Journal</i> , 2016, 25, 3528-3535.	2.2	12
17	Lumbar disc herniation surgery in children: outcome and gender differences. <i>European Spine Journal</i> , 2016, 25, 657-663.	2.2	23
18	Gender differences in patients scheduled for lumbar disc herniation surgery: a National Register Study including 15,631 operations. <i>European Spine Journal</i> , 2016, 25, 162-167.	2.2	38

#	ARTICLE	IF	CITATIONS
19	Anthropometry in 5- to 9-Year-Old Greenlandic and Ukrainian Children in Relation to Prenatal Exposure to Perfluorinated Alkyl Substances. <i>Environmental Health Perspectives</i> , 2015, 123, 841-846.	6.0	84
20	Motor development following in utero exposure to organochlorines: a follow-up study of children aged 5-9 years in Greenland, Ukraine and Poland. <i>BMC Public Health</i> , 2015, 15, 146.	2.9	6
21	Prenatal Phthalate Exposures and Anogenital Distance in Swedish Boys. <i>Environmental Health Perspectives</i> , 2015, 123, 101-107.	6.0	221
22	Outcome of decompression with and without fusion in spinal stenosis with degenerative spondylolisthesis in relation to preoperative pain pattern: a register study of 1,624 patients. <i>Spine Journal</i> , 2015, 15, 638-646.	1.3	64
23	Tobacco smoking during pregnancy and risk of adverse behaviour in offspring: A follow-up study. <i>Reproductive Toxicology</i> , 2015, 58, 65-72.	2.9	8
24	Urinary BPA measurements in children and mothers from six European member states: Overall results and determinants of exposure. <i>Environmental Research</i> , 2015, 141, 77-85.	7.5	143
25	Exposure determinants of phthalates, parabens, bisphenol A and triclosan in Swedish mothers and their children. <i>Environment International</i> , 2014, 73, 323-333.	10.0	252
26	Exposure to Perfluoroalkyl Substances and Sperm DNA Global Methylation in Arctic and European Populations. <i>Environmental and Molecular Mutagenesis</i> , 2014, 55, 591-600.	2.2	45
27	The European COPHES/DEMOCOPHES project: Towards transnational comparability and reliability of human biomonitoring results. <i>International Journal of Hygiene and Environmental Health</i> , 2014, 217, 653-661.	4.3	95
28	Association between Pregnancy Loss and Urinary Phthalate Levels around the Time of Conception. <i>Environmental Health Perspectives</i> , 2012, 120, 458-463.	6.0	171
29	Strategy for identification and detection of multiple oxidative modifications within proteins applied on persulfate-oxidized hemoglobin and human serum albumin. <i>Rapid Communications in Mass Spectrometry</i> , 2011, 25, 327-340.	1.5	6
30	Renal effects of aspirin are clearly dose-dependent and are of clinical importance from a dose of 160 mg. <i>European Journal of Heart Failure</i> , 2008, 10, 892-898.	7.1	23
31	Fertility and Markers of Male Reproductive Function in Inuit and European Populations Spanning Large Contrasts in Blood Levels of Persistent Organochlorines. <i>Environmental Health Perspectives</i> , 2008, 116, 269-277.	6.0	100
32	Treatments with losartan or enalapril are equally sensitive to deterioration in renal function from cyclooxygenase inhibition. <i>European Journal of Heart Failure</i> , 2007, 9, 191-196.	7.1	12
33	Impact of PCB and p,p'-DDE Contaminants on Human Sperm Y:X Chromosome Ratio: Studies in Three European Populations and the Inuit Population in Greenland. <i>Environmental Health Perspectives</i> , 2006, 114, 718-724.	6.0	47
34	Phosphatidylethanol in Human Organs and Blood: A Study on Autopsy Material and Influences by Storage Conditions. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 1718-1723.	2.4	89