

# Masahiro Mori

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6590894/publications.pdf>

Version: 2024-02-01

117  
papers

3,689  
citations

172386

29  
h-index

138417

58  
g-index

124  
all docs

124  
docs citations

124  
times ranked

3320  
citing authors

#	ARTICLE	IF	CITATIONS
1	Silent progression of brain atrophy in aquaporin-4 antibody-positive neuromyelitis optica spectrum disorder. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2022, 93, 32-40.	0.9	15
2	Correlation of the symbol digit modalities test with the quality of life and depression in Japanese patients with multiple sclerosis. <i>Multiple Sclerosis and Related Disorders</i> , 2022, 57, 103427.	0.9	1
3	Complete Relief of Painful Tonic Seizures in Neuromyelitis Optica Spectrum Disorder by Satralizumab Treatment. <i>Internal Medicine</i> , 2022, 61, 2785-2787.	0.3	4
4	Cell-based flow cytometry assay for simultaneous detection of multiple autoantibodies in a single serum sample. <i>Analytical Biochemistry</i> , 2022, , 114721.	1.1	0
5	Low anti-CFL1 antibody with high anti-ACTB antibody is a poor prognostic factor in esophageal squamous cell carcinoma. <i>Esophagus</i> , 2022, 19, 617-625.	1.0	1
6	Anti-MOG antibody-associated disorders: differences in clinical profiles and prognosis in Japan and Germany. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021, 92, 377-383.	0.9	18
7	Cryptococcal Meningitis in a Fingolimod-Treated Patient. <i>Neurology: Clinical Practice</i> , 2021, 11, e549-e550.	0.8	2
8	Different patterns of brainstem and cerebellar MRI abnormalities in demyelinating disorders with MOG and aquaporin-4 antibodies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021, 92, 348-348.	0.9	3
9	Cultural bias in motor function patterns: Potential relevance for predictive, preventive, and personalized medicine. <i>EPMA Journal</i> , 2021, 12, 91-101.	3.3	4
10	Dementia and Parkinson-like syndrome with basal ganglia lesion in neuromyelitis optica spectrum disorders. <i>Neurocase</i> , 2021, 27, 223-226.	0.2	3
11	Insights from the differences in clinical profiles of neuroimmune disorders between patients in Japan and those in Western countries. <i>Clinical and Experimental Neuroimmunology</i> , 2021, 12, 146-147.	0.5	0
12	Novel serum autoantibodies against $\gamma$ -actin (ACTB) in amyotrophic lateral sclerosis. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2021, 22, 388-394.	1.1	11
13	AQP4-IgG autoimmunity in Japan and Germany: Differences in clinical profiles and prognosis in seropositive neuromyelitis optica spectrum disorders. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2021, 7, 205521732110068.	0.5	6
14	Methodology for identification of new target molecules in neuroimmunological disorders. <i>Clinical and Experimental Neuroimmunology</i> , 2021, 12, 202-207.	0.5	0
15	Serum anti-DIDO1, anti-CPSF2, and anti-FOXJ2 antibodies as predictive risk markers for acute ischemic stroke. <i>BMC Medicine</i> , 2021, 19, 131.	2.3	13
16	Severe orthostatic hypotension associated with lesions of the area postrema in neuromyelitis optica spectrum disorder. <i>ENeurologicalSci</i> , 2021, 23, 100335.	0.5	0
17	Cognitive Impairment in Multiple System Atrophy Is Related to White Matter Damage Detected by the T1-Weighted/T2-Weighted Ratio. <i>European Neurology</i> , 2021, 84, 435-443.	0.6	5
18	Clinical difference after the first optic neuritis between aquaporin-4-IgG-associated and myelin oligodendrocyte glycoprotein-IgG-associated disorders. <i>Journal of Neurology</i> , 2021, , 1.	1.8	1

#	ARTICLE	IF	CITATIONS
19	High levels of serum interleukin-6 are associated with disease activity in myasthenia gravis. <i>Journal of Neuroimmunology</i> , 2021, 358, 577634.	1.1	11
20	Remyelination and neuroprotective effects of alemtuzumab therapy in patients with multiple sclerosis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021, 92, 1251-1251.	0.9	1
21	Serum anti-John Cunningham virus antibody seroprevalence and index among Japanese patients with neuromyelitis optica spectrum disorders. <i>Multiple Sclerosis Journal</i> , 2020, 26, 128-129.	1.4	4
22	Peripheral blood helper T cell profiles and their clinical relevance in MOG-IgG-associated and AQP4-IgG-associated disorders and MS. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2020, 91, 132-139.	0.9	20
23	Serum anti-IL-17A is a common biomarker for digestive organ cancers and atherosclerotic diseases. <i>Cancer Science</i> , 2020, 111, 4453-4464.	1.7	16
24	Peroxiredoxins are involved in the pathogenesis of multiple sclerosis and neuromyelitis optica spectrum disorder. <i>Clinical and Experimental Immunology</i> , 2020, 202, 239-248.	1.1	6
25	Serum Sphingosine 1-Phosphate (S1P): A Novel Diagnostic Biomarker in Early Acute Ischemic Stroke. <i>Frontiers in Neurology</i> , 2020, 11, 985.	1.1	6
26	Comparison of brain atrophy in patients with multiple sclerosis treated with first- versus second-generation disease modifying therapy without clinical relapse. <i>European Journal of Neurology</i> , 2020, 27, 2056-2061.	1.7	4
27	Safety and efficacy of rituximab in neuromyelitis optica spectrum disorders (RIN-1 study): a multicentre, randomised, double-blind, placebo-controlled trial. <i>Lancet Neurology</i> , The, 2020, 19, 298-306.	4.9	218
28	Difference in fatigue and pain between neuromyelitis optica spectrum disorder and multiple sclerosis. <i>PLoS ONE</i> , 2020, 15, e0224419.	1.1	11
29	Efficacy and Safety of Rituximab in Refractory CIDP With or Without IgG4 Autoantibodies (RECIPE): Protocol for a Double-Blind, Randomized, Placebo-Controlled Clinical Trial. <i>JMIR Research Protocols</i> , 2020, 9, e17117.	0.5	23
30	The accuracy of flow cytometric cell-based assay to detect anti-myelin oligodendrocyte glycoprotein (MOG) antibodies determining the optimal method for positivity judgement. <i>Journal of Neuroimmunology</i> , 2019, 336, 577021.	1.1	20
31	Efficacy and safety of IVIG in CIDP: Combined data of the PRIMA and PATH studies. <i>Journal of the Peripheral Nervous System</i> , 2019, 24, 48-55.	1.4	17
32	Restabilization treatment after intravenous immunoglobulin withdrawal in chronic inflammatory demyelinating polyneuropathy: Results from the pre-randomization phase of the Polyneuropathy And Treatment with Hizentra study. <i>Journal of the Peripheral Nervous System</i> , 2019, 24, 72-79.	1.4	13
33	Efficacy and safety of dimethyl fumarate in treatment-naïve Japanese patients with multiple sclerosis: Interim analysis of the randomized placebo-controlled study. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2019, 5, 205521731985272.	0.5	2
34	Anatomical connectivity elucidated by analysing thalamic atrophy in neuromyelitis optica. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019, 90, 1075-1075.	0.9	1
35	Relapse numbers and earlier intervention by disease modifying drugs are related with progression of less brain atrophy in patients with multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2019, 403, 78-84.	0.3	8
36	Cognition with magnetic resonance imaging findings and social activities in patients with multiple sclerosis in a Japanese cohort. <i>Clinical and Experimental Neuroimmunology</i> , 2019, 10, 41-48.	0.5	1

#	ARTICLE	IF	CITATIONS
37	Atypical chronic inflammatory demyelinating polyneuropathies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019, 90, 121-121.	0.9	4
38	Risk factors for fingolimod-induced lymphopenia in multiple sclerosis. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2018, 4, 205521731875969.	0.5	14
39	Recombinant thrombomodulin ameliorates experimental autoimmune encephalomyelitis by suppressing high mobility group box 1 and inflammatory cytokines. <i>Clinical and Experimental Immunology</i> , 2018, 193, 47-54.	1.1	14
40	Intravenous immunoglobulin for maintenance treatment of multifocal motor neuropathy: A multicenter, open-label, 52-week phase 3 trial. <i>Journal of the Peripheral Nervous System</i> , 2018, 23, 115-119.	1.4	11
41	Worldwide prevalence of neuromyelitis optica spectrum disorders. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 555-556.	0.9	87
42	Soluble CD40 ligand disrupts the blood-brain barrier and exacerbates inflammation in experimental autoimmune encephalomyelitis. <i>Journal of Neuroimmunology</i> , 2018, 316, 117-120.	1.1	11
43	Chronic inflammatory demyelinating polyneuropathy: The spectrum and immunopathogenesis deciphered by electrophysiology and neuroimaging. <i>Clinical and Experimental Neuroimmunology</i> , 2018, 9, 47-53.	0.5	6
44	Serum anti-JCV antibody indexes in Japanese patients with multiple sclerosis: elevations along with fingolimod treatment duration. <i>Journal of Neurology</i> , 2018, 265, 1145-1150.	1.8	15
45	Validation of the Modified Fatigue Impact Scale and the relationships among fatigue, pain and serum interleukin-6 levels in patients with neuromyelitis optica spectrum disorder. <i>Journal of the Neurological Sciences</i> , 2018, 385, 64-68.	0.3	10
46	Subcutaneous immunoglobulin for maintenance treatment in chronic inflammatory demyelinating polyneuropathy (PATH): a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet Neurology</i> , 2018, 17, 35-46.	4.9	193
47	Association of serum levels of antibodies against MMP1, CBX1, and CBX5 with transient ischemic attack and cerebral infarction. <i>Oncotarget</i> , 2018, 9, 5600-5613.	0.8	38
48	Novel autoantibodies against the proteasome subunit PSMA7 in amyotrophic lateral sclerosis. <i>Journal of Neuroimmunology</i> , 2018, 325, 54-60.	1.1	17
49	Diagnosis and Treatment of NMO Spectrum Disorder and MOG-Encephalomyelitis. <i>Frontiers in Neurology</i> , 2018, 9, 888.	1.1	194
50	MOG antibody disorders and AQP4 antibody NMO spectrum disorders share a common immunopathogenesis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 900-900.	0.9	4
51	Serum soluble Talin-1 levels are elevated in patients with multiple sclerosis, reflecting its disease activity. <i>Journal of Neuroimmunology</i> , 2017, 305, 131-134.	1.1	5
52	Nodopathy: chronic inflammatory demyelinating polyneuropathy with anti-neurofascin 155 antibodies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, 459-459.	0.9	9
53	Geographical differences in preventative therapies for neuromyelitis optica spectrum disorder. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, 620-620.	0.9	0
54	Interleukin-6 analysis of 572 consecutive CSF samples from neurological disorders: A special focus on neuromyelitis optica. <i>Clinica Chimica Acta</i> , 2017, 469, 144-149.	0.5	32

#	ARTICLE	IF	CITATIONS
55	Soluble CD40 ligand contributes to blood-brain barrier breakdown and central nervous system inflammation in multiple sclerosis and neuromyelitis optica spectrum disorder. <i>Journal of Neuroimmunology</i> , 2017, 305, 102-107.	1.1	35
56	Serum cytokine and chemokine profiles in patients with juvenile muscular atrophy of distal upper extremity (Hirayama disease). <i>Journal of Neuroimmunology</i> , 2017, 302, 20-22.	1.1	3
57	Intravenous immunoglobulin for maintenance treatment of chronic inflammatory demyelinating polyneuropathy: a multicentre, open-label, 52-week phase III trial. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2017, 88, 832-838.	0.9	45
58	Increased cerebrospinal fluid metalloproteinase-2 and interleukin-6 are associated with albumin quotient in neuromyelitis optica: Their possible role on blood-brain barrier disruption. <i>Multiple Sclerosis Journal</i> , 2017, 23, 1072-1084.	1.4	48
59	Validation of the Brief International Cognitive Assessment for Multiple Sclerosis in Japan. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2017, 3, 205521731774897.	0.5	16
60	Identification of Serum Anti-GADD34 Antibody as a Common Marker of Diabetes Mellitus and Parkinson Disease. , 2017, 07, .		5
61	Comparison of cognitive and brain grey matter volume profiles between multiple sclerosis and neuromyelitis optica spectrum disorder. <i>PLoS ONE</i> , 2017, 12, e0184012.	1.1	10
62	How often and when Fisher syndrome is overlapped by Guillain-Barré syndrome or Bickerstaff brainstem encephalitis?. <i>European Journal of Neurology</i> , 2016, 23, 1058-1063.	1.7	46
63	Serum antinuclear antibody may be associated with less severe disease activity in neuromyelitis optica. <i>European Journal of Neurology</i> , 2016, 23, 276-281.	1.7	30
64	Recovery from optic neuritis attack in neuromyelitis optica spectrum disorder and multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2016, 367, 375-379.	0.3	16
65	Increased levels of CSF CD59 in neuromyelitis optica and multiple sclerosis. <i>Clinica Chimica Acta</i> , 2016, 453, 131-133.	0.5	10
66	Urinary symptoms and neurological disabilities are differentially correlated between multiple sclerosis and neuromyelitis optica. <i>Clinical and Experimental Neuroimmunology</i> , 2016, 7, 52-58.	0.5	8
67	Seronegative neuromyelitis optica spectrum disorder patients diagnosed using new diagnostic criteria. <i>Multiple Sclerosis Journal</i> , 2016, 22, 1371-1375.	1.4	9
68	The role of granulocyte-macrophage colony-stimulating factor in the pathogenesis of neuromyelitis optica: A white or black knight?. <i>Clinical and Experimental Neuroimmunology</i> , 2015, 6, 70-77.	0.5	0
69	Change in vital signs after fingolimod initiation in patients with multiple sclerosis: the possible need for 24 h monitoring. <i>British Journal of Clinical Pharmacology</i> , 2015, 80, 607-608.	1.1	3
70	Autoimmune polyendocrine syndrome type 3 in a multiple sclerosis patient. <i>Clinical and Experimental Neuroimmunology</i> , 2015, 6, 299-303.	0.5	1
71	Validation of the Japanese version of the Modified Fatigue Impact Scale and assessment of the effect of pain on scale responses in patients with multiple sclerosis. <i>Clinical and Experimental Neuroimmunology</i> , 2015, 6, 409-412.	0.5	5
72	Serum cytokine and chemokine profiles in patients with chronic inflammatory demyelinating polyneuropathy. <i>Journal of Neuroimmunology</i> , 2015, 279, 7-10.	1.1	40

#	ARTICLE	IF	CITATIONS
73	Moesin, membrane-organizing extension spike protein, is a possible immunological target in Guillain-Barré syndrome after cytomegalovirus infection. <i>Clinical and Experimental Neuroimmunology</i> , 2015, 6, 5-6.	0.5	0
74	Autoantibodies against vinculin in patients with chronic inflammatory demyelinating polyneuropathy. <i>Journal of Neuroimmunology</i> , 2015, 287, 9-15.	1.1	5
75	Trigeminal root entry zone involvement in neuromyelitis optica and multiple sclerosis. <i>Journal of the Neurological Sciences</i> , 2015, 355, 147-149.	0.3	14
76	Novel serum autoantibodies against talin1 in multiple sclerosis: Possible pathogenetic roles of the antibodies. <i>Journal of Neuroimmunology</i> , 2015, 284, 30-36.	1.1	28
77	Paranodal destruction and axo-glial dysjunction in a subtype of CIDP with anticontaction-1 antibodies. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015, 86, 707-707.	0.9	3
78	Epstein-Barr virus persistence and reactivation in neuromyelitis optica. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015, 86, 1137-1142.	0.9	31
79	Benign neuromyelitis optica is rare in Japanese patients. <i>Multiple Sclerosis Journal</i> , 2015, 21, 1204-1208.	1.4	4
80	Different electrophysiological profiles and treatment response in "atypical" and "atypical" chronic inflammatory demyelinating polyneuropathy. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2015, 86, 1054-1059.	0.9	95
81	Current symptomatology in multiple sclerosis and neuromyelitis optica. <i>European Journal of Neurology</i> , 2015, 22, 299-304.	1.7	25
82	Are more sphingosine 1-phosphate receptor agonists a better therapeutic option against multiple sclerosis?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014, 85, 1180-1180.	0.9	5
83	Multiple enhancing brain lesions after discontinuation of fingolimod in a patient with multiple sclerosis. <i>Clinical and Experimental Neuroimmunology</i> , 2014, 5, 52-53.	0.5	0
84	Association of cognitive impairment with magnetic resonance imaging findings and social activities in patients with multiple sclerosis. <i>Clinical and Experimental Neuroimmunology</i> , 2014, 5, 328-335.	0.5	9
85	Neuromyelitis optica: Concept, immunology and treatment. <i>Journal of Clinical Neuroscience</i> , 2014, 21, 12-21.	0.8	48
86	Moesin is a possible target molecule for cytomegalovirus-related Guillain-Barré syndrome. <i>Neurology</i> , 2014, 83, 113-117.	1.5	56
87	Cytokines and Chemokines in Neuromyelitis Optica: Pathogenetic and Therapeutic Implications. <i>Brain Pathology</i> , 2014, 24, 67-73.	2.1	79
88	A case of fulminant neuromyelitis optica presenting with destructive lesions in whole-brain. <i>Clinical Neurology and Neurosurgery</i> , 2014, 116, 87-89.	0.6	2
89	First adult case of <i>Helicobacter cinaedi</i> meningitis. <i>Journal of the Neurological Sciences</i> , 2014, 336, 263-264.	0.3	20
90	Lower motor neuron syndrome associated with IgG anti-GM1 antibodies revisited. <i>Journal of Neuroimmunology</i> , 2014, 272, 62-66.	1.1	5

#	ARTICLE	IF	CITATIONS
91	A Case of Anti-aquaporin-4 Antibody-Seronegative NMO Spectrum Disorder with Bal <sup>3</sup> Concentric Lesions. <i>Internal Medicine</i> , 2014, 53, 531-531.	0.3	0
92	Steroid-Responsive Epilepsia Partialis Continua with Anti-Thyroid Antibodies: A Spectrum of Hashimoto's Encephalopathy. <i>Case Reports in Neurology</i> , 2014, 6, 166-170.	0.3	5
93	CSF high-mobility group box 1 is associated with intrathecal inflammation and astrocytic damage in neuromyelitis optica. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2013, 84, 517-522.	0.9	44
94	Cerebrospinal fluid interleukin-6 and glial fibrillary acidic protein levels are increased during initial neuromyelitis optica attacks. <i>Clinica Chimica Acta</i> , 2013, 421, 181-183.	0.5	74
95	Is "Bickerstaff brainstem encephalitis" really encephalitis?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2013, 84, 712-712.	0.9	5
96	Role of interleukin-6 in the pathogenesis of neuromyelitis optica. <i>Clinical and Experimental Neuroimmunology</i> , 2013, 4, 167-172.	0.5	8
97	Guillain-Barré syndrome and influenza A (H1N1) 2009 monovalent inactivated vaccines: The risks and benefits. <i>Clinical and Experimental Neuroimmunology</i> , 2013, 4, 249-250.	0.5	0
98	Upbeat nystagmus at caudal brainstem lesions in four cases with multiple sclerosis and its related disorders. <i>Clinical and Experimental Neuroimmunology</i> , 2013, 4, 206-209.	0.5	1
99	Environment surrounding the ganglioside clusters as immunological targets in Guillain-Barré syndrome. <i>Clinical and Experimental Neuroimmunology</i> , 2013, 4, 10-11.	0.5	0
100	Fisher syndrome: clinical features, immunopathogenesis and management. <i>Expert Review of Neurotherapeutics</i> , 2012, 12, 39-51.	1.4	55
101	Seroconversion of anti-aquaporin-4 antibody in NMO spectrum disorder: a case report. <i>Journal of Neurology</i> , 2012, 259, 980-981.	1.8	6
102	Detection of mumps virus RNA in cerebrospinal fluid of patients with neuromyelitis optica. <i>Neurological Sciences</i> , 2011, 32, 795-799.	0.9	11
103	Fisher Syndrome. <i>Current Treatment Options in Neurology</i> , 2011, 13, 71-78.	0.7	22
104	A patient with neuromyelitis optica with positive anti-Ro (SS-A) antibody presenting with intractable hiccup and nausea. <i>Modern Rheumatology</i> , 2011, 21, 561-562.	0.9	5
105	Cytokine and chemokine profiles in neuromyelitis optica: significance of interleukin-6. <i>Multiple Sclerosis Journal</i> , 2010, 16, 1443-1452.	1.4	285
106	Markedly increased CSF interleukin-6 levels in neuromyelitis optica, but not in multiple sclerosis. <i>Journal of Neurology</i> , 2009, 256, 2082-2084.	1.8	104
107	Association of anti-aquaporin-4 antibody-positive neuromyelitis optica with myasthenia gravis. <i>Journal of the Neurological Sciences</i> , 2009, 287, 105-107.	0.3	43
108	Bickerstaff's brainstem encephalitis after an outbreak of <i>Campylobacter jejuni</i> enteritis. <i>Journal of Neuroimmunology</i> , 2008, 196, 143-146.	1.1	12

#	ARTICLE	IF	CITATIONS
109	Neuromyelitis optica and anti-aquaporin-4 antibodies measured by an enzyme-linked immunosorbent assay. <i>Journal of Neuroimmunology</i> , 2008, 196, 181-187.	1.1	102
110	Peripheral nerve demyelination in multiple sclerosis. <i>Clinical Neurophysiology</i> , 2008, 119, 1829-1833.	0.7	42
111	Intravenous immunoglobulin therapy for Miller Fisher syndrome. <i>Neurology</i> , 2007, 68, 1144-1146.	1.5	128
112	Concomitant chronic inflammatory demyelinating polyneuropathy and myasthenia gravis following cytomegalovirus infection. <i>Journal of the Neurological Sciences</i> , 2006, 240, 103-106.	0.3	20
113	Plasmapheresis and Miller Fisher syndrome: analysis of 50 consecutive cases. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2002, 72, 680-680.	0.9	41
114	Clinical features and prognosis of Miller Fisher syndrome. <i>Neurology</i> , 2001, 56, 1104-1106.	1.5	365
115	Axonal Guillain-Barri $\dot{e}$ syndrome: Relation to anti-ganglioside antibodies and <i>Campylobacter jejuni</i> infection in Japan. <i>Annals of Neurology</i> , 2000, 48, 624-631.	2.8	308
116	IgG anti-GQ1b positive acute ataxia without ophthalmoplegia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1999, 67, 668-670.	0.9	32
117	Special sensory ataxia in Miller Fisher syndrome detected by postural body sway analysis. <i>Annals of Neurology</i> , 1999, 45, 533-536.	2.8	76