Yoshinobu Nakanishi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6590940/yoshinobu-nakanishi-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120
papers

4,524
citations

40
h-index

63
g-index

135
ext. papers

4,852
ext. citations

4,852
avg, IF

L-index

#	Paper	IF	Citations
120	Role for phagocytosis in the prevention of neoplastic transformation in Drosophila. <i>Genes To Cells</i> , 2020 , 25, 675-684	2.3	1
119	Transcription repressor-mediated control of engulfment receptor expression in Drosophila phagocytes. <i>Experimental Cell Research</i> , 2019 , 381, 10-17	4.2	1
118	Inhibitory effects of viral infection on cancer development. <i>Virology</i> , 2019 , 528, 48-53	3.6	3
117	Characterization of Spz5 as a novel ligand for Drosophila Toll-1 receptor. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 506, 510-515	3.4	8
116	Signaling pathway for phagocyte priming upon encounter with apoptotic cells. <i>Journal of Biological Chemistry</i> , 2017 , 292, 8059-8072	5.4	15
115	Protective effects of Phaseolus vulgaris lectin against viral infection in Drosophila. <i>Drug Discoveries and Therapeutics</i> , 2017 , 11, 329-335	5	5
114	Mechanisms and Significance of Phagocytic Elimination of Cells Undergoing Apoptotic Death. <i>Biological and Pharmaceutical Bulletin</i> , 2017 , 40, 1819-1827	2.3	7
113	Induction of Apoptosis and Subsequent Phagocytosis of Virus-Infected Cells As an Antiviral Mechanism. <i>Frontiers in Immunology</i> , 2017 , 8, 1220	8.4	53
112	Inhibition of Phagocytic Killing of Escherichia coli in Drosophila Hemocytes by RNA Chaperone Hfq. Journal of Immunology, 2016 , 197, 1298-307	5.3	2
111	Peptidoglycan recognition protein-triggered induction of Escherichia coli gene in Drosophila melanogaster. <i>Journal of Biochemistry</i> , 2015 , 157, 507-17	3.1	1
110	Protection of Insects against Viral Infection by Apoptosis-Dependent Phagocytosis. <i>Journal of Immunology</i> , 2015 , 195, 5696-706	5.3	43
109	Necrotic Cells Actively Attract Phagocytes through the Collaborative Action of Two Distinct PS-Exposure Mechanisms. <i>PLoS Genetics</i> , 2015 , 11, e1005285	6	30
108	Selective transfection of microglia in the brain using an antibody-based non-viral vector. <i>Brain Research</i> , 2014 , 1586, 12-22	3.7	1
107	Role for B8 in prolonged survival of Escherichia coli in Drosophila melanogaster. <i>Journal of Immunology</i> , 2014 , 192, 666-75	5.3	4
106	Involvement of EnvZ-OmpR two-component system in virulence control of Escherichia coli in Drosophila melanogaster. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 438, 306-11	3.4	8
105	Phosphatidylserine recognition and induction of apoptotic cell clearance by Drosophila engulfment receptor Draper. <i>Journal of Biochemistry</i> , 2013 , 153, 483-91	3.1	41
104	Integrin P S3/Emediated phagocytosis of apoptotic cells and bacteria in Drosophila. <i>Journal of Biological Chemistry</i> , 2013 , 288, 10374-80	5.4	45

(2008-2012)

103	Independent recognition of Staphylococcus aureus by two receptors for phagocytosis in Drosophila. <i>Journal of Biological Chemistry</i> , 2012 , 287, 21663-72	5.4	48
102	Apoptosis-dependent externalization and involvement in apoptotic cell clearance of DmCaBP1, an endoplasmic reticulum protein of Drosophila. <i>Journal of Biological Chemistry</i> , 2012 , 287, 3138-46	5.4	18
101	Role of NPxY motif in Draper-mediated apoptotic cell clearance in Drosophila. <i>Drug Discoveries and Therapeutics</i> , 2012 , 6, 291-7	5	7
100	Phagocytic removal of cells that have become unwanted: implications for animal development and tissue homeostasis. <i>Development Growth and Differentiation</i> , 2011 , 53, 149-60	3	19
99	93-kDa twin-domain serine protease inhibitor (Serpin) has a regulatory function on the beetle Toll proteolytic signaling cascade. <i>Journal of Biological Chemistry</i> , 2011 , 286, 35087-95	5.4	21
98	Integrin Emediated phagocytosis of apoptotic cells in Drosophila embryos. <i>Journal of Biological Chemistry</i> , 2011 , 286, 25770-7	5.4	40
97	Auxiliary role for D-alanylated wall teichoic acid in Toll-like receptor 2-mediated survival of Staphylococcus aureus in macrophages. <i>Immunology</i> , 2010 , 129, 268-77	7.8	19
96	Phosphatidylserine-containing liposomes inhibit the differentiation of osteoclasts and trabecular bone loss. <i>Journal of Immunology</i> , 2010 , 184, 3191-201	5.3	48
95	Inhibitory role for D-alanylation of wall teichoic acid in activation of insect Toll pathway by peptidoglycan of Staphylococcus aureus. <i>Journal of Immunology</i> , 2010 , 185, 2424-31	5.3	26
94	The Triacylated ATP Binding Cluster Transporter Substrate-binding Lipoprotein of Staphylococcus aureus Functions as a Native Ligand for Toll-like Receptor 2. <i>Journal of Biological Chemistry</i> , 2009 , 284, 8406-11	5.4	115
93	Identification of lipoteichoic acid as a ligand for draper in the phagocytosis of Staphylococcus aureus by Drosophila hemocytes. <i>Journal of Immunology</i> , 2009 , 183, 7451-60	5.3	65
92	Immune response to bacteria in seminiferous epithelium. <i>Reproduction</i> , 2009 , 137, 879-88	3.8	17
91	Pretaporter, a Drosophila protein serving as a ligand for Draper in the phagocytosis of apoptotic cells. <i>EMBO Journal</i> , 2009 , 28, 3868-78	13	57
90	Pattern recognition in phagocytic clearance of altered self. <i>Advances in Experimental Medicine and Biology</i> , 2009 , 653, 129-38	3.6	14
89	Signalling pathway involving GULP, MAPK and Rac1 for SR-BI-induced phagocytosis of apoptotic cells. <i>Journal of Biochemistry</i> , 2009 , 145, 387-94	3.1	32
88	Inhibitory effect of N-palmitoylphosphatidylethanolamine on macrophage phagocytosis through inhibition of Rac1 and Cdc42. <i>Journal of Biochemistry</i> , 2009 , 145, 43-50	3.1	21
87	Involvement of cannabinoid receptor CB2 in dectin-1-mediated macrophage phagocytosis. <i>Immunology and Cell Biology</i> , 2008 , 86, 179-84	5	13
86	Bridging effect of recombinant human mannose-binding lectin in macrophage phagocytosis of Escherichia coli. <i>Immunology</i> , 2008 , 124, 575-83	7.8	14

85	Mechanisms and Consequences of Phagocytosis of Influenza Virus-Infected Cells. <i>Anti-Inflammatory and Anti-Allergy Agents in Medicinal Chemistry</i> , 2008 , 7, 97-100	2	3
84	Activator protein 1-mediated expression of monocyte chemoattractant protein 1 in cultured rat luteal cells. <i>Molecular Reproduction and Development</i> , 2008 , 75, 1077-84	2.6	4
83	Identification of calreticulin as a marker for phagocytosis of apoptotic cells in Drosophila. <i>Experimental Cell Research</i> , 2007 , 313, 500-10	4.2	51
82	TLR2-mediated survival of Staphylococcus aureus in macrophages: a novel bacterial strategy against host innate immunity. <i>Journal of Immunology</i> , 2007 , 178, 4917-25	5.3	75
81	Evidence for phagocytosis of influenza virus-infected, apoptotic cells by neutrophils and macrophages in mice. <i>Journal of Immunology</i> , 2007 , 178, 2448-57	5.3	190
80	Perturbation of spermatogenesis by androgen antagonists directly injected into seminiferous tubules of live mice. <i>Reproduction</i> , 2007 , 133, 21-7	3.8	5
79	Participation of nitric oxide reductase in survival of Pseudomonas aeruginosa in LPS-activated macrophages. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 355, 587-91	3.4	52
78	Involvement of mitogen-activated protein kinases in class B scavenger receptor type I-induced phagocytosis of apoptotic cells. <i>Experimental Cell Research</i> , 2006 , 312, 1820-30	4.2	25
77	Involvement of COX-1 and up-regulated prostaglandin E synthases in phosphatidylserine liposome-induced prostaglandin E2 production by microglia. <i>Journal of Neuroimmunology</i> , 2006 , 172, 112-20	3.5	35
76	Selective expression of the scaffold protein JSAP1 in spermatogonia and spermatocytes. <i>Reproduction</i> , 2006 , 131, 711-9	3.8	6
75	Essential role of the apoptotic cell engulfment genes draper and ced-6 in programmed axon pruning during Drosophila metamorphosis. <i>Neuron</i> , 2006 , 50, 855-67	13.9	201
74	Introduction to the Bibliographic Symposium: Humoral and Cellular Responses in Innate Immunity. <i>Yakugaku Zasshi</i> , 2006 , 126, 1205-1205	O	
73	Externalization and recognition by macrophages of large subunit of eukaryotic translation initiation factor 3 in apoptotic cells. <i>Experimental Cell Research</i> , 2005 , 309, 137-48	4.2	13
72	Distinct localization of lipid rafts and externalized phosphatidylserine at the surface of apoptotic cells. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 327, 94-9	3.4	22
71	Augmentation of fatality of influenza in mice by inhibition of phagocytosis. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 337, 881-6	3.4	37
70	In vivo analysis of phagocytosis of apoptotic cells by testicular Sertoli cells. <i>Molecular Reproduction and Development</i> , 2005 , 71, 166-77	2.6	46
69	The testicular fatty acid binding protein PERF15 regulates the fate of germ cells in PERF15 transgenic mice. <i>Development Growth and Differentiation</i> , 2005 , 47, 15-24	3	33
68	Phosphatidylserine- and integrin-mediated phagocytosis of apoptotic luteal cells by macrophages of the rat. <i>Development Growth and Differentiation</i> , 2005 , 47, 153-61	3	10

(2002-2005)

67	Molecular dissection of internalization of Porphyromonas gingivalis by cells using fluorescent beads coated with bacterial membrane vesicle. <i>Cell Structure and Function</i> , 2005 , 30, 81-91	2.2	39
66	Isolation of a Drosophila gene coding for a protein containing a novel phosphatidylserine-binding motif. <i>Journal of Biochemistry</i> , 2005 , 137, 593-9	3.1	8
65	Stimulation of phagocytosis of influenza virus-infected cells through surface desialylation of macrophages by viral neuraminidase. <i>Microbiology and Immunology</i> , 2004 , 48, 875-81	2.7	21
64	Inhibitory effect of Toll-like receptor 4 on fusion between phagosomes and endosomes/lysosomes in macrophages. <i>Journal of Immunology</i> , 2004 , 172, 2039-47	5.3	93
63	Draper-mediated and phosphatidylserine-independent phagocytosis of apoptotic cells by Drosophila hemocytes/macrophages. <i>Journal of Biological Chemistry</i> , 2004 , 279, 48466-76	5.4	146
62	Cleavage of calnexin caused by apoptotic stimuli: implication for the regulation of apoptosis. <i>Journal of Biochemistry</i> , 2004 , 136, 399-405	3.1	37
61	Expression and function of class B scavenger receptor type I on both apical and basolateral sides of the plasma membrane of polarized testicular Sertoli cells of the rat. <i>Development Growth and Differentiation</i> , 2004 , 46, 283-98	3	22
60	Impaired spermatogenesis and male fertility defects in CIZ/Nmp4-disrupted mice. <i>Genes To Cells</i> , 2004 , 9, 575-89	2.3	28
59	Phagocytic removal of apoptotic spermatogenic cells by Sertoli cells: mechanisms and consequences. <i>Biological and Pharmaceutical Bulletin</i> , 2004 , 27, 13-6	2.3	121
58	Concomitant induction of apoptosis and expression of monocyte chemoattractant protein-1 in cultured rat luteal cells by nuclear factor-kappaB and oxidative stress. <i>Development Growth and Differentiation</i> , 2003 , 45, 351-9	3	15
57	A presumed human nuclear autoantigen that translocates to plasma membrane blebs during apoptosis. <i>Journal of Biochemistry</i> , 2003 , 133, 211-8	3.1	6
56	Double-stranded RNA-activated protein kinase interacts with apoptosis signal-regulating kinase 1. Implications for apoptosis signaling pathways. <i>FEBS Journal</i> , 2002 , 269, 6126-32		42
55	Phosphatidylserine binding of class B scavenger receptor type I, a phagocytosis receptor of testicular sertoli cells. <i>Journal of Biological Chemistry</i> , 2002 , 277, 27559-66	5.4	84
54	Structural change of ribosomes during apoptosis: degradation and externalization of ribosomal proteins in doxorubicin-treated Jurkat cells. <i>Journal of Biochemistry</i> , 2002 , 131, 485-93	3.1	15
53	Inhibition of sperm production in mice by annexin V microinjected into seminiferous tubules: possible etiology of phagocytic clearance of apoptotic spermatogenic cells and male infertility. <i>Cell Death and Differentiation</i> , 2002 , 9, 742-9	12.7	60
52	Determination of cell type specificity and estrous cycle dependency of monocyte chemoattractant protein-1 expression in corpora lutea of normally cycling rats in relation to apoptosis and monocyte/macrophage accumulation. <i>Biology of Reproduction</i> , 2002 , 67, 1502-8	3.9	14
51	Role of phosphatidylserine exposure and sugar chain desialylation at the surface of influenza virus-infected cells in efficient phagocytosis by macrophages. <i>Journal of Biological Chemistry</i> , 2002 , 277, 18222-8	5.4	29
50	Independence of plasma membrane blebbing from other biochemical and biological characteristics of apoptotic cells. <i>Journal of Biochemistry</i> , 2002 , 132, 381-6	3.1	25

49	Difference in the way of macrophage recognition of target cells depending on their apoptotic states. <i>Cell Death and Differentiation</i> , 2001 , 8, 1113-22	12.7	16
48	Expression of Fas and Fas ligand in normal and ischemia-reperfusion testes: involvement of the Fas system in the induction of germ cell apoptosis in the damaged mouse testis. <i>Biology of Reproduction</i> , 2001 , 64, 946-54	3.9	100
47	Induction of apoptosis and Fas receptor/Fas ligand expression by ischemia/reperfusion in cardiac myocytes requires serine 727 of the STAT-1 transcription factor but not tyrosine 701. <i>Journal of Biological Chemistry</i> , 2001 , 276, 28340-7	5.4	135
46	Ectopic activation of the transcription promoter for the testis-specific mouse Pgk-2 gene on elimination of a cis-acting upstream DNA region. <i>Development Growth and Differentiation</i> , 2000 , 42, 385	; <u>-</u> 93	5
45	Phosphatidylserine-mediated phagocytosis of influenza A virus-infected cells by mouse peritoneal macrophages. <i>Journal of Virology</i> , 2000 , 74, 9240-4	6.6	44
44	Virus clearance through apoptosis-dependent phagocytosis of influenza A virus-infected cells by macrophages. <i>Journal of Virology</i> , 2000 , 74, 3399-403	6.6	102
43	Spermatocyte-specific gene excision by targeted expression of Cre recombinase. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 272, 125-8	3.4	16
42	Differential expression of putative transbilayer amphipath transporters. <i>Physiological Genomics</i> , 1999 , 1, 139-50	3.6	68
41	Expression pattern, subcellular localization and structurefunction relationship of rat Tpx-1, a spermatogenic cell adhesion molecule responsible for association with Sertoli cells. <i>Development Growth and Differentiation</i> , 1999 , 41, 715-22	3	48
40	Role of class B scavenger receptor type I in phagocytosis of apoptotic rat spermatogenic cells by Sertoli cells. <i>Journal of Biological Chemistry</i> , 1999 , 274, 5901-8	5.4	122
39	Recruitment of apoptotic cysteine proteases (caspases) in influenza virus-induced cell death. <i>Microbiology and Immunology</i> , 1999 , 43, 245-52	2.7	56
38	Co-expression of Fas and Fas-ligand on the surface of influenza virus-infected cells. <i>Cell Death and Differentiation</i> , 1998 , 5, 426-31	12.7	62
37	Essential role of phosphatidylserine externalization in apoptosing cell phagocytosis by macrophages. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 246, 549-55	3.4	67
36	Molecular cloning of the rat Tpx-1 responsible for the interaction between spermatogenic and Sertoli cells. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 248, 140-6	3.4	62
35	Recognition of phosphatidylserine on the surface of apoptotic spermatogenic cells and subsequent phagocytosis by Sertoli cells of the rat. <i>Journal of Biological Chemistry</i> , 1997 , 272, 2354-8	5.4	109
34	Immunohistochemical study of Fas antigen in liver of patients with chronic hepatitis and autoimmune liver disease. <i>International Hepatology Communications</i> , 1995 , 3, 285-289		11
33	Activation of the apoptotic Fas antigen-encoding gene upon influenza virus infection involving spontaneously produced beta-interferon. <i>Virology</i> , 1995 , 209, 288-96	3.6	89
32	Transcription stimulation of the Fas-encoding gene by nuclear factor for interleukin-6 expression upon influenza virus infection. <i>Journal of Biological Chemistry</i> , 1995 , 270, 18007-12	5.4	72

31	Molecular characterization of an 18 kb segment of DNA puff C4 of Bradysia hygida (Diptera, sciaridae). <i>Chromosoma</i> , 1995 , 103, 715-24	2.8	27
30	Molecular characterization of an 18 kb segment of DNA puff C4 of Bradysia hygida (Diptera, Sciaridae) 1995 , 103, 715		2
29	Immunohistochemical Localization of Fas Antigen in Paraffin Sections with Rabbit Antibodies Against Human Synthetic Fas Peptides <i>Acta Histochemica Et Cytochemica</i> , 1994 , 27, 459-463	1.9	41
28	Phosphorylation of NF-I in vitro by cdc2 kinase. <i>Biochemical and Biophysical Research Communications</i> , 1993 , 192, 1424-31	3.4	11
27	A factor stimulating transcription of the testis-specific Pgk-2 gene recognizes a sequence similar to the binding site for a transcription inhibitor of the somatic-type Pgk-1 gene. <i>Nucleic Acids Research</i> , 1993 , 21, 209-14	20.1	33
26	Induction of programmed cell death (apoptosis) by influenza virus infection in tissue culture cells. <i>Journal of General Virology</i> , 1993 , 74 (Pt 11), 2347-55	4.9	277
25	Recognition of a palindromic DNA sequence by ESF-1, a factor stimulating transcription of the adenovirus type 12 E1A gene. <i>Biological and Pharmaceutical Bulletin</i> , 1993 , 16, 87-9	2.3	2
24	Direct effect of basic fibroblast growth factor on gene transcription in a cell-free system. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992 , 89, 5216-20	11.5	88
23	A silencer-like cis element for the testis-specific phosphoglycerate-kinase-2-encoding gene. <i>Gene</i> , 1992 , 119, 293-7	3.8	22
22	Multiple cis-acting DNA elements that regulate transcription of the adenovirus 12 E1A gene. <i>Virus Genes</i> , 1992 , 6, 261-71	2.3	4
21	Transcription inhibition of the somatic-type phosphoglycerate kinase 1 gene in vitro by a testis-specific factor that recognizes a sequence similar to the binding site for Ets oncoproteins. <i>Nucleic Acids Research</i> , 1991 , 19, 3959-63	20.1	29
20	Transcription stimulation of the adenovirus type-12 E1a gene in vitro by a novel factor bound to a region adjacent to a TATA box. <i>Gene</i> , 1991 , 109, 171-6	3.8	1
19	Nuclear factor I stimulates transcription of the adenovirus 12 E1A gene in a cell-free system. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1990 , 1048, 85-92		11
18	Selective activation of testis-specific genes in cultured rat spermatogenic cells. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1990 , 1049, 331-8		26
17	Transcription switch of two phosphoglycerate kinase genes during spermatogenesis as determined with mouse testis sections in situ. <i>Experimental Cell Research</i> , 1990 , 186, 273-8	4.2	62
16	Cis- and trans-acting factors for transcription of the adenovirus 12 E1A gene. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1989 , 1007, 184-91		7
15	Interactions of factors bound at two different sites in the 5Uupstream region of the adenovirus 12 E1A gene. <i>Biochemical and Biophysical Research Communications</i> , 1989 , 158, 685-9	3.4	2
14	Stimulation of transcription from accurate initiation sites by purified S-II. FEBS Letters, 1988, 238, 119-22	3.8	8

13	Analysis of promoters of adenovirus type 12 E1A gene in a cell-free transcription system. <i>Biochemical and Biophysical Research Communications</i> , 1987 , 146, 783-90	3.4	8
12	Histochemical analysis of the ecdysterone-regulated expression of the Drosophila genes P1 and LSP-2. <i>Genesis</i> , 1986 , 7, 197-203		10
11	Homologies of nucleotide sequences in the 5Uend regions of two developmentally regulated genes of Sarcophaga peregrina. <i>Nucleic Acids Research</i> , 1986 , 14, 2685-98	20.1	20
10	In vitro transcription of a chromatin-like complex of major core protein VII and DNA of adenovirus serotype 2. <i>Biochemical and Biophysical Research Communications</i> , 1986 , 136, 86-93	3.4	11
9	Transcription factor(s) of Ehrlich ascites tumor cells having affinity to the UATAUbox and a further upstream region of the adenovirus 2 major late gene. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1986 , 868, 243-8		5
8	Raman spectrum of a closed-circular DNA. <i>Biopolymers</i> , 1985 , 24, 1107-11	2.2	7
7	Structural analysis of a developmentally regulated 25-kDa protein gene of Sarcophaga peregrina. Journal of Biochemistry, 1985 , 97, 1501-8	3.1	19
6	Phosphorylation of S-II is not affected by inhibitors of RNA synthesis. <i>Biochemical and Biophysical Research Communications</i> , 1985 , 131, 524-31	3.4	2
5	Characterization of three proteins stimulating RNA polymerase II. FEBS Letters, 1981, 130, 69-72	3.8	20
4	Purification of a new protein stimulating RNA polymerase II from Ehrlich ascites tumor cells: comparison with proteins purified before. <i>Journal of Biochemistry</i> , 1981 , 90, 805-14	3.1	7
3	Purification and preparation of antibody to RNA polymerase II stimulatory factors from Ehrlich ascites tumor cells. <i>Biochemistry</i> , 1979 , 18, 1582-8	3.2	87
2	Apparent difference in the way of RNA synthesis stimulation by two stimulatory factors of RNA polymerase II. <i>FEBS Letters</i> , 1978 , 93, 357-60	3.8	1
1	Analysis of RNA synthesized in isolated nuclei of Ehrlich ascites tumor cells. <i>Journal of Biochemistry</i> , 1978 , 83, 989-94	3.1	2