

Masayuki Noguchi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6590986/publications.pdf>

Version: 2024-02-01

167
papers

17,059
citations

87888

38
h-index

15266

126
g-index

170
all docs

170
docs citations

170
times ranked

17947
citing authors

#	ARTICLE	IF	CITATIONS
1	Elastin in pulmonary pathology: relevance in tumours with a lepidic or papillary appearance. A comprehensive understanding from a morphological viewpoint. <i>Histopathology</i> , 2022, 80, 457-467.	2.9	15
2	The 2021 WHO Classification of Tumors of the Thymus and Mediastinum: What Is New in Thymic Epithelial, Germ Cell, and Mesenchymal Tumors?. <i>Journal of Thoracic Oncology</i> , 2022, 17, 200-213.	1.1	124
3	A case of Pneumocystis jirovecii pneumonia in a patient with acquired immune deficiency syndrome who showed eosinophilia and an increased serum TARC/CCL17 level. <i>Multidisciplinary Respiratory Medicine</i> , 2022, 17, 802.	1.5	0
4	Editorial Comment on "Mucin distribution in bronchiolar adenoma/ciliated muconodular papillary tumor reveals organoid differentiation simulating the normal lung". <i>Pathology International</i> , 2022, 72, 307-307.	1.3	0
5	Roles of DKK3 in cellular adhesion, motility, and invasion through extracellular interaction with TGFBI. <i>FEBS Journal</i> , 2022, 289, 6385-6399.	4.7	6
6	An autopsy case of aortic dissection due to giant cell arteritis. <i>Pathology International</i> , 2021, 71, 204-209.	1.3	0
7	Gene expression profiles of the original tumors influence the generation of PDX models of lung squamous cell carcinoma. <i>Laboratory Investigation</i> , 2021, 101, 543-553.	3.7	2
8	Conversion hepatectomy for hepatocellular carcinoma with main portal vein tumour thrombus after lenvatinib treatment: A case report. <i>World Journal of Hepatology</i> , 2021, 13, 384-392.	2.0	16
9	High expression of Ras-specific guanine nucleotide-releasing factor 2 (RasGRF2) in lung adenocarcinoma is associated with tumor invasion and poor prognosis. <i>Pathology International</i> , 2021, 71, 255-260.	1.3	3
10	Integrative RNA-Seq and H3 Trimethylation ChIP-Seq Analysis of Human Lung Cancer Cells Isolated by Laser-Microdissection. <i>Cancers</i> , 2021, 13, 1719.	3.7	1
11	Influence of degree of DNA degradation in formalin-fixed and paraffin-embedded tissue samples on accuracy of genome-wide DNA methylation analysis. <i>Epigenomics</i> , 2021, 13, 565-576.	2.1	7
12	Squamous Cell Carcinoma of Unknown Primary: Multiple Skeletal Metastases Without Detectable Visceral Lesions. <i>Cureus</i> , 2021, 13, e16525.	0.5	0
13	Negative-pressure pulmonary Hemorrhaging Due to Severe Obstructive Sleep Apnea. <i>Internal Medicine</i> , 2021, 60, 2291-2296.	0.7	2
14	Mechanomics Biomarker for Cancer Cells Unidentifiable through Morphology and Elastic Modulus. <i>Nano Letters</i> , 2021, 21, 1538-1545.	9.1	19
15	Dramatic Recovery from Cardiovascular Collapse: Paclitaxel as an Urgent Treatment for Primary Cardiac Angiosarcoma. <i>Internal Medicine</i> , 2021, 60, 67-71.	0.7	1
16	ECT2 promotes lung adenocarcinoma progression through extracellular matrix dynamics and focal adhesion signaling. <i>Cancer Science</i> , 2021, 112, 703-714.	3.9	18
17	<i>Tet2</i> deficiency in immune cells exacerbates tumor progression by increasing angiogenesis in a lung cancer model. <i>Cancer Science</i> , 2021, 112, 4931-4943.	3.9	21
18	Ovarian carcinoma immunoreactive antigen domain 2 controls mitochondrial apoptosis in lung adenocarcinoma. <i>Cancer Science</i> , 2021, 112, 5114-5126.	3.9	5

#	ARTICLE	IF	CITATIONS
19	S100a8/S100a9-Emmprin-Vegfa Axis Initiated By Tet2-Deficient Immune Cells Exacerbates Lung Cancer Progression through Promotion of Angiogenesis. <i>Blood</i> , 2021, 138, 3276-3276.	1.4	1
20	Case Report: Molecular Characterization of Aggressive Malignant Retroperitoneal Solitary Fibrous Tumor: A Case Study. <i>Frontiers in Oncology</i> , 2021, 11, 736969.	2.8	7
21	A case of solitary plasmacytoma of bone showing co-expression of both immunoglobulin light chains. <i>European Journal of Medical Research</i> , 2021, 26, 148.	2.2	2
22	Impact of DNA integrity on the success rate of tissue-based next-generation sequencing: Lessons from nationwide cancer genome screening project SCRUM-Japan GI-CO-SCREEN. <i>Pathology International</i> , 2020, 70, 932-942.	1.3	19
23	Successful use of extracorporeal membrane oxygenation for airway-obstructing lung adenocarcinoma. <i>Thoracic Cancer</i> , 2020, 11, 3024-3028.	1.9	10
24	A Grading System for Invasive Pulmonary Adenocarcinoma: A Proposal From the International Association for the Study of Lung Cancer Pathology Committee. <i>Journal of Thoracic Oncology</i> , 2020, 15, 1599-1610.	1.1	234
25	Therapeutic Plasma Exchange Improved Pregnancy-associated Thrombotic Microangiopathy but not the Pregnancy Outcome in Patient with Systemic Lupus Erythematosus. <i>Internal Medicine</i> , 2020, 59, 3235-3238.	0.7	1
26	An overlapping case of <i>in situ</i> mantle cell neoplasia and leukemic non-nodal mantle cell lymphoma. <i>Journal of Clinical and Experimental Hematopathology: JCEH</i> , 2020, 60, 169-173.	0.8	0
27	Application of deep learning (3-dimensional convolutional neural network) for the prediction of pathological invasiveness in lung adenocarcinoma. <i>Medicine (United States)</i> , 2019, 98, e16119.	1.0	21
28	Carcinogen-induced tumors in SFN transgenic mice harbor a characteristic mutation spectrum of human lung adenocarcinoma. <i>Cancer Science</i> , 2019, 110, 2431-2441.	3.9	4
29	Dickkopf-related protein 3 promotes cell adhesion and invasion during progression of lung adenocarcinoma. <i>Pathology International</i> , 2019, 69, 646-654.	1.3	7
30	Mutations found in cell-free DNA s of patients with malignant lymphoma at remission can derive from clonal hematopoiesis. <i>Cancer Science</i> , 2019, 110, 3375-3381.	3.9	16
31	Influenza restriction factor MxA functions as inflammasome sensor in the respiratory epithelium. <i>Science Immunology</i> , 2019, 4, .	11.9	39
32	A case of invasive mucinous adenocarcinoma of the lung showing stepwise progression at the primary site. <i>Lung Cancer</i> , 2019, 136, 94-97.	2.0	2
33	Molecular heterogeneity in peripheral T-cell lymphoma, not otherwise specified revealed by comprehensive genetic profiling. <i>Leukemia</i> , 2019, 33, 2867-2883.	7.2	148
34	Best Practices Recommendations for Diagnostic Immunohistochemistry in Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2019, 14, 377-407.	1.1	212
35	Stratifin Inhibits SCFFBW7 Formation and Blocks Ubiquitination of Oncoproteins during the Course of Lung Adenocarcinogenesis. <i>Clinical Cancer Research</i> , 2019, 25, 2809-2820.	7.0	19
36	Intravascular large B-cell lymphoma presenting with hearing loss and dizziness. <i>Medicine (United States)</i> , 2019, 98, e16119.	1.0	10

#	ARTICLE	IF	CITATIONS
37	Cytoplasmic expression of epithelial cell transforming sequence 2 in lung adenocarcinoma and its implications for malignant progression. <i>Laboratory Investigation</i> , 2019, 99, 551-567.	3.7	7
38	Genetic evidence implies that primary and relapsed tumors arise from common precursor cells in primary central nervous system lymphoma. <i>Cancer Science</i> , 2019, 110, 401-407.	3.9	20
39	DNA hypomethylation-related overexpression of SFN, GORASP2 and ZYG11A is a novel prognostic biomarker for early stage lung adenocarcinoma. <i>Oncotarget</i> , 2019, 10, 1625-1636.	1.8	17
40	An Autopsy Case of a Patient with Fabry Disease Comorbid with Cardiac Hypertrophy Receiving Hemodialysis. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2019, 108, 999-1006.	0.0	0
41	An Update on Pathological Diagnosis of Lung Cancer. <i>Japanese Journal of Lung Cancer</i> , 2019, 59, 1083-1089.	0.1	0
42	A Case of Mediastinal Lymph Node Carcinoma of Unknown Primary Site, Most Likely Lung Adenocarcinoma. <i>Japanese Journal of Lung Cancer</i> , 2019, 59, 1190-1191.	0.1	0
43	Heterotopic production of ceruloplasmin by lung adenocarcinoma is significantly correlated with prognosis. <i>Lung Cancer</i> , 2018, 118, 97-104.	2.0	26
44	A case of microscopic, multiple sclerosing pneumocytoma. <i>Pathology International</i> , 2018, 68, 196-201.	1.3	3
45	Liquid biopsy for the identification of intravascular large B-cell lymphoma. <i>Haematologica</i> , 2018, 103, e241-e244.	3.5	53
46	Progression to polythemia vera from familial thrombocytosis with germline JAK2 R867Q mutation. <i>Annals of Hematology</i> , 2018, 97, 737-739.	1.8	4
47	The prognostic significance of N ⁶ -methyllysine downregulated gene 1 in lung adenocarcinoma. <i>Pathology International</i> , 2018, 68, 224-231.	1.3	8
48	Radiologic-Pathologic Correlation of Solid Portions on Thin-section CT Images in Lung Adenocarcinoma: A Multicenter Study. <i>Clinical Lung Cancer</i> , 2018, 19, e303-e312.	2.6	43
49	Blastic plasmacytoid dendritic cell neoplasm arising from clonal hematopoiesis. <i>International Journal of Hematology</i> , 2018, 108, 447-451.	1.6	7
50	A Novel Therapeutic Strategy for Pancreatic Cancer: Targeting Cell Surface Glycan Using rBC2LC-N Lectin-Drug Conjugate (LDC). <i>Molecular Cancer Therapeutics</i> , 2018, 17, 183-195.	4.1	45
51	A severe combined immunodeficiency disease mouse model of human adenocarcinoma with lepidic-predominant growth. <i>Pathology Research and Practice</i> , 2018, 214, 2000-2003.	2.3	1
52	Meridianin C inhibits the growth of YD ^{10B} human tongue cancer cells through macropinocytosis and the downregulation of Dickkopf-related protein-3. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 5833-5846.	3.6	15
53	High expression of ovarian cancer immunoreactive antigen domain containing 2 (OCIAD2) is associated with poor prognosis in lung adenocarcinoma. <i>Pathology International</i> , 2018, 68, 596-604.	1.3	11
54	Case report of three EGFR TKI naïve lung adenocarcinoma containing double EGFR mutations (L858R/T790M or Exon 19 Deletion/T790M); Comparing genetic information and histology. <i>Pathology Research and Practice</i> , 2018, 214, 1224-1230.	2.3	3

#	ARTICLE	IF	CITATIONS
55	PD-L1 Immunohistochemistry Comparability Study in Real-Life Clinical Samples: Results of Blueprint Phase 2 Project. <i>Journal of Thoracic Oncology</i> , 2018, 13, 1302-1311.	1.1	589
56	Influenza A Virus Infection Triggers Pyroptosis and Apoptosis of Respiratory Epithelial Cells through the Type I Interferon Signaling Pathway in a Mutually Exclusive Manner. <i>Journal of Virology</i> , 2018, 92, .	3.4	83
57	Stratifin regulates stabilization of receptor tyrosine kinases via interaction with ubiquitin-specific protease 8 in lung adenocarcinoma. <i>Oncogene</i> , 2018, 37, 5387-5402.	5.9	29
58	A Case of High-grade Fetal Lung Adenocarcinoma Requiring a Differential Diagnosis from Mediastinal Tumor with Pulmonary Invasion. <i>Japanese Journal of Lung Cancer</i> , 2018, 58, 239-240.	0.1	1
59	miR-3941: A novel microRNA that controls IGBP1 expression and is associated with malignant progression of lung adenocarcinoma. <i>Cancer Science</i> , 2017, 108, 536-542.	3.9	19
60	Dickkopf 3 attenuates xanthine dehydrogenase expression to prevent oxidative stress-induced apoptosis. <i>Genes To Cells</i> , 2017, 22, 406-417.	1.2	10
61	Ubiquitin-specific protease 8 is a novel prognostic marker in early-stage lung adenocarcinoma. <i>Pathology International</i> , 2017, 67, 292-301.	1.3	18
62	The Use of Immunohistochemistry Improves the Diagnosis of Small Cell Lung Cancer and Its Differential Diagnosis. An International Reproducibility Study in a Demanding Set of Cases. <i>Journal of Thoracic Oncology</i> , 2017, 12, 334-346.	1.1	113
63	Glycobiomarker, Fucosylated Short-Form Secretogranin III Levels Are Increased in Serum of Patients with Small Cell Lung Carcinoma. <i>Journal of Proteome Research</i> , 2017, 16, 4495-4505.	3.7	16
64	Cyclophilin A expression and its prognostic significance in lung adenocarcinoma. <i>Pathology International</i> , 2017, 67, 555-563.	1.3	16
65	An autopsy case of non-traumatic fat embolism syndrome. <i>Pathology International</i> , 2017, 67, 477-482.	1.3	13
66	Radiological prediction of tumor invasiveness of lung adenocarcinoma on thin-section CT. <i>Medicine (United States)</i> , 2017, 96, e6331.	1.0	33
67	Hepatic angiomyolipomas may overexpress TFE3, but have no relevant genetic alterations. <i>Human Pathology</i> , 2017, 61, 41-48.	2.0	14
68	MYD88 (L265P) mutation is associated with an unfavourable outcome of primary central nervous system lymphoma. <i>British Journal of Haematology</i> , 2017, 177, 492-494.	2.5	42
69	Genomic Amplification of CD274 (PD-L1) in Small-Cell Lung Cancer. <i>Clinical Cancer Research</i> , 2017, 23, 1220-1226.	7.0	92
70	A Case of Thymic Basaloid Carcinoma That Was Difficult to Distinguish from Squamous Cell Carcinoma. <i>Japanese Journal of Lung Cancer</i> , 2017, 57, 336-337.	0.1	0
71	Hypergastrinemia and a duodenal ulcer caused by gastric duplication. <i>Surgical Case Reports</i> , 2016, 2, 75.	0.6	6
72	Drebrin: A new oncofetal biomarker associated with prognosis of lung adenocarcinoma. <i>Lung Cancer</i> , 2016, 102, 74-81.	2.0	9

#	ARTICLE	IF	CITATIONS
73	Natural History of Pulmonary Subsolid Nodules: A Prospective Multicenter Study. <i>Journal of Thoracic Oncology</i> , 2016, 11, 1012-1028.	1.1	184
74	DNMT3a expression pattern and its prognostic value in lung adenocarcinoma. <i>Lung Cancer</i> , 2016, 97, 59-65.	2.0	31
75	Dimethylarginine dimethylaminohydrolase 2 promotes tumor angiogenesis in lung adenocarcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 468, 179-190.	2.8	17
76	Immunohistochemistry on IDH 1/2, ATRX, p53 and Ki-67 substitute molecular genetic testing and predict patient prognosis in grade III adult diffuse gliomas. <i>Brain Tumor Pathology</i> , 2016, 33, 107-116.	1.7	47
77	Ruptured Ileal Varices Diagnosed Using Double-balloon Enteroscopy and Successfully Treated by Surgery. <i>Japanese Journal of Gastroenterological Surgery</i> , 2016, 49, 131-138.	0.1	0
78	A Case of a Duodenal Papilla Adenosquamous Carcinoma with Trophoblastic Differentiation. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2016, 77, 1440-1445.	0.0	0
79	A case of unusual histology of infantile lipoblastoma confirmed by PLAG1 rearrangement. <i>Surgical Case Reports</i> , 2015, 1, 42.	0.6	6
80	The 2015 World Health Organization Classification of Lung Tumors. <i>Journal of Thoracic Oncology</i> , 2015, 10, 1243-1260.	1.1	3,313
81	HPV genotyping for triage of women with abnormal cervical cancer screening results: a multicenter prospective study. <i>International Journal of Clinical Oncology</i> , 2015, 20, 974-981.	2.2	15
82	Comprehensive genomic profiles of small cell lung cancer. <i>Nature</i> , 2015, 524, 47-53.	27.8	1,634
83	Expression and clinical significance of genes frequently mutated in small cell lung cancers defined by whole exome/RNA sequencing. <i>Carcinogenesis</i> , 2015, 36, 616-621.	2.8	73
84	Stratifin accelerates progression of lung adenocarcinoma at an early stage. <i>Molecular Cancer</i> , 2015, 14, 142.	19.2	42
85	Late occurrence of Epstein-Barr virus-associated lymphoproliferative disorder in a patient with follicular lymphoma treated with bendamustine and rituximab. <i>Annals of Hematology</i> , 2015, 94, 2061-2062.	1.8	2
86	A case of primary apocrine carcinoma with neuroendocrine differentiation occurring on the right parasternal region. <i>Skin Cancer</i> , 2015, 29, 165-170.	0.0	0
87	Somatic RHOA mutation in angioimmunoblastic T cell lymphoma. <i>Nature Genetics</i> , 2014, 46, 171-175.	21.4	542
88	ECT amplification and overexpression as a new prognostic biomarker for early-stage lung adenocarcinoma. <i>Cancer Science</i> , 2014, 105, 490-497.	3.9	28
89	A pilot study of adjuvant chemotherapy with irinotecan and cisplatin for completely resected high-grade pulmonary neuroendocrine carcinoma (large cell neuroendocrine carcinoma and small cell neuroendocrine carcinoma). <i>Journal of Thoracic Oncology</i> , 2014, 9, 1073-1079.	1.0	14
90	A Case of Sclerosing Hemangioma of the Lung Which Was Difficult to Diagnose. <i>Japanese Journal of Lung Cancer</i> , 2014, 54, 988-989.	0.1	0

#	ARTICLE	IF	CITATIONS
91	Differences in the prognostic implications of vascular invasion between lung adenocarcinoma and squamous cell carcinoma. <i>Lung Cancer</i> , 2013, 82, 407-412.	2.0	40
92	Diagnosis of Lung Adenocarcinoma in Resected Specimens: Implications of the 2011 International Association for the Study of Lung Cancer/American Thoracic Society/European Respiratory Society Classification. <i>Archives of Pathology and Laboratory Medicine</i> , 2013, 137, 685-705.	2.5	141
93	Interobserver Agreement in the Nuclear Grading of Primary Pulmonary Adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2013, 8, 736-743.	1.1	30
94	Adenocarcinoma of the lung. , 2013, , 1043-1092.		1
95	Somatic G17V Rhoa Mutation Specifies Angioimmunoblastic T-Cell Lymphoma. <i>Blood</i> , 2013, 122, 815-815.	1.4	2
96	Combination chemotherapy with irinotecan and cisplatin (IP) for advanced large-cell neuroendocrine carcinoma (LCNEC) of the lung: A multicenter phase II study.. <i>Journal of Clinical Oncology</i> , 2013, 31, 8037-8037.	1.6	0
97	Evaluation of immunohistochemical staining using wholeâ€slide imaging for HER2 scoring of breast cancer in comparison with real glass slides. <i>Pathology International</i> , 2012, 62, 592-599.	1.3	19
98	Reproducibility of histopathological subtypes and invasion in pulmonary adenocarcinoma. An international interobserver study. <i>Modern Pathology</i> , 2012, 25, 1574-1583.	5.5	206
99	Aberrant Stratifin Overexpression Is Regulated by Tumor-Associated CpG Demethylation in Lung Adenocarcinoma. <i>American Journal of Pathology</i> , 2012, 180, 1653-1662.	3.8	44
100	Abnormality of the hepatocyte growth factor/MET pathway in pulmonary adenocarcinogenesis. <i>Lung Cancer</i> , 2012, 75, 181-188.	2.0	24
101	Resistance to chemotherapy in non-small cell lung cancer with Keap1 gene mutation. <i>International Cancer Conference Journal</i> , 2012, 1, 63-66.	0.5	0
102	Increased expression of OCIA domain containing 2 during stepwise progression of ovarian mucinous tumor. <i>Pathology International</i> , 2012, 62, 471-476.	1.3	15
103	International Association for the Study of Lung Cancer/American Thoracic Society/European Respiratory Society: International Multidisciplinary Classification of Lung Adenocarcinoma: Executive Summary. <i>Proceedings of the American Thoracic Society</i> , 2011, 8, 381-385.	3.5	451
104	IGFBP-1 is expressed specifically in ovarian clear cell adenocarcinoma. <i>Histopathology</i> , 2011, 58, 729-738.	2.9	14
105	Overexpression of immunoglobulin (CD79a) binding protein1 (IGBPâ€1) in small lung adenocarcinomas and its clinicopathological significance. <i>Pathology International</i> , 2011, 61, 130-137.	1.3	22
106	Specific expression of ZO-1 and N-cadherin in rosette structures of various tumors: possible recapitulation of neural tube formation in embryogenesis and utility as a potentially novel immunohistochemical marker of rosette formation in pulmonary neuroendocrine tumors. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 459, 399-407.	2.8	7
107	High expression of stratifin is a universal abnormality during the course of malignant progression of earlyâ€stage lung adenocarcinoma. <i>International Journal of Cancer</i> , 2011, 129, 2445-2453.	5.1	41
108	<i>MYC</i> Amplification as a Prognostic Marker of Early-Stage Lung Adenocarcinoma Identified by Whole Genome Copy Number Analysis. <i>Clinical Cancer Research</i> , 2011, 17, 1481-1489.	7.0	76

#	ARTICLE	IF	CITATIONS
109	International Association for the Study of Lung Cancer/American Thoracic Society/European Respiratory Society International Multidisciplinary Classification of Lung Adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2011, 6, 244-285.	1.1	4,127
110	Expression of the GA733 gene family and its relationship to prognosis in pulmonary adenocarcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2010, 457, 69-76.	2.8	30
111	Stepwise progression of pulmonary adenocarcinoma—clinical and molecular implications. <i>Cancer and Metastasis Reviews</i> , 2010, 29, 15-21.	5.9	109
112	Nuclear grading of primary pulmonary adenocarcinomas. <i>Cancer</i> , 2010, 116, 2011-2019.	4.1	66
113	Whole Genome Comparison of Allelic Imbalance between Noninvasive and Invasive Small-Sized Lung Adenocarcinomas. <i>Cancer Research</i> , 2009, 69, 1615-1623.	0.9	33
114	Increased cytoplasmic S100A6 expression is associated with pulmonary adenocarcinoma progression. <i>Pathology International</i> , 2009, 59, 623-630.	1.3	20
115	Overexpression of Dickkopf 3 in hepatoblastomas and hepatocellular carcinomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009, 454, 639-646.	2.8	26
116	Bronchioloalveolar Carcinoma (Lepidic Growth) Component Is a More Useful Prognostic Factor than Lymph Node Metastasis. <i>Journal of Thoracic Oncology</i> , 2009, 4, 951-958.	1.1	60
117	An autopsy case of late-onset Epstein-Barr virus associated post-transplant lymphoproliferative disorders 11 years after kidney transplantation. <i>Clinical Transplantation</i> , 2008, 22, 87-91.	1.6	0
118	Frequent aberrant methylation of the promoter region of sterile α motif domain 14 in pulmonary adenocarcinoma. <i>Cancer Science</i> , 2008, 99, 2177-2184.	3.9	15
119	Association of p16 Homozygous Deletions with Clinicopathologic Characteristics and EGFR/KRAS/p53 Mutations in Lung Adenocarcinoma. <i>Clinical Cancer Research</i> , 2008, 14, 3746-3753.	7.0	30
120	Neuronatin Expression and Its Clinicopathological Significance in Pulmonary Non-small Cell Carcinoma. <i>Journal of Thoracic Oncology</i> , 2007, 2, 796-801.	1.1	16
121	E12-04: Novel histologic criteria for prognostication of lung adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2007, 2, S257-S258.	1.1	0
122	OCIA domain containing 2 is highly expressed in adenocarcinoma mixed subtype with bronchioloalveolar carcinoma component and is associated with better prognosis. <i>Cancer Science</i> , 2007, 98, 50-57.	3.9	20
123	Histogenesis and Biology of Adenocarcinoma of the Lung. <i>Japanese Journal of Lung Cancer</i> , 2007, 47, 921-925.	0.1	0
124	The ACIN1 Gene is Hypermethylated in Early Stage Lung Adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2006, 1, 160-167.	1.1	7
125	The ACIN1 Gene is Hypermethylated in Early Stage Lung Adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2006, 1, 160-167.	1.1	12
126	Phenotypic characterization of endometrial stromal sarcoma of the uterus. <i>Cancer Science</i> , 2006, 97, 106-112.	3.9	127

#	ARTICLE	IF	CITATIONS
127	Characteristics of loss of heterozygosity in large cell neuroendocrine carcinomas of the lung and small cell lung carcinomas. <i>Pathology International</i> , 2006, 56, 434-439.	1.3	18
128	Expression of the Bax inhibitor-1 gene in pulmonary adenocarcinoma. <i>Cancer</i> , 2006, 106, 648-653.	4.1	33
129	Frequent EGFR mutations in noninvasive bronchioloalveolar carcinoma. <i>International Journal of Cancer</i> , 2006, 118, 2498-2504.	5.1	43
130	Neuroendocrine Neoplasms of the Lung: A Prognostic Spectrum. <i>Journal of Clinical Oncology</i> , 2006, 24, 70-76.	1.6	432
131	Establishment of an immortalized cell line from a precancerous lesion of lung adenocarcinoma, and genes highly expressed in the early stages of lung adenocarcinoma development. <i>Cancer Science</i> , 2005, 96, 668-675.	3.9	33
132	Reproducibility of the diagnosis of small adenocarcinoma of the lung and usefulness of an educational program for the diagnostic criteria. <i>Pathology International</i> , 2005, 55, 8-13.	1.3	23
133	Loss of function of p16 gene and prognosis of pulmonary adenocarcinoma. <i>Cancer</i> , 2005, 103, 608-615.	4.1	52
134	Phenotypic characteristics of mouse lung adenoma induced by 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone. <i>Molecular Carcinogenesis</i> , 2005, 42, 121-126.	2.7	8
135	Prognostication of small-sized primary pulmonary adenocarcinomas by histopathological and karyometric analysis. <i>Lung Cancer</i> , 2005, 48, 339-348.	2.0	39
136	Phenotypic differences of proliferating fibroblasts in the stroma of lung adenocarcinoma and normal bronchus tissue. <i>Cancer Science</i> , 2004, 95, 226-232.	3.9	26
137	Effect of electroconvulsive therapy for the treatment of senile depression with marked pseudohysterical symptoms. <i>Psychogeriatrics</i> , 2004, 4, 43-48.	1.2	1
138	MMP-2 activation and stepwise progression of pulmonary adenocarcinoma: Analysis of MMP-2 and MMP-9 with gelatin zymography. <i>Pathology International</i> , 2004, 54, 295-301.	1.3	18
139	Anthracotic index and DNA methylation status of sputum contents can be used for identifying the population at risk of lung carcinoma. <i>Cancer</i> , 2004, 102, 348-354.	4.1	31
140	The implication of background anthracosis in the development and progression of pulmonary adenocarcinoma. <i>Cancer Science</i> , 2003, 94, 707-711.	3.9	16
141	Expression of HNFs and C/EBPalpha is correlated with immunocytochemical differentiation of cell lines derived from human hepatocellular carcinomas, hepatoblastomas and immortalized hepatocytes. <i>Cancer Science</i> , 2003, 94, 757-763.	3.9	34
142	Intrabronchial orthotopic propagation of human lung adenocarcinoma—characterizations of tumorigenicity, invasion and metastasis. <i>Lung Cancer</i> , 2002, 36, 271-276.	2.0	28
143	Genetic heterogeneity of surgically resected prostate carcinomas and their biopsy specimens is related to their histologic differentiation. <i>Cancer</i> , 2001, 91, 362-370.	4.1	11
144	Small-sized adenocarcinoma of the lung. <i>Cancer</i> , 2001, 93, 124-131.	4.1	35

#	ARTICLE	IF	CITATIONS
145	Malignant lymphoma of bronchus-associated lymphoid tissue (BALT) coexistent with pulmonary tuberculosis. <i>Pathology International</i> , 2001, 51, 807-811.	1.3	32
146	Tissue microdissection and molecular diagnosis. <i>Juntendo J., Igaku</i> , 2001, 46, 416-422.	0.1	0
147	Clonal Proliferation of B Lymphocytes in the Germinal Centers of Human Reactive Lymph Nodes: Possibility of Overdiagnosis of B Cell Clonal Proliferation. <i>Diagnostic Molecular Pathology</i> , 2000, 9, 132-136.	2.1	34
148	Amplotyping of microdissected, methanol-fixed lung carcinoma by arbitrarily primed polymerase chain reaction. <i>International Journal of Cancer</i> , 2000, 89, 19-25.	5.1	15
149	Application of the p53 and K-ras gene mutation patterns for cytologic diagnosis of recurrent lung carcinomas. <i>Cancer</i> , 2000, 90, 258-263.	4.1	29
150	SV40 large T antigen immortalization of rat hepatic stellate-like cells. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 1999, 35, 246-247.	1.5	7
151	DNA methylation and expression of p16INK4A gene in pulmonary adenocarcinoma and anthracosis in background lung. <i>International Journal of Cancer</i> , 1999, 84, 609-613.	5.1	29
152	Microsatellite Instability and Frameshift Mutations in the Bax Gene in Hereditary Nonpolyposis Colorectal Carcinoma. <i>Japanese Journal of Cancer Research</i> , 1998, 89, 1020-1027.	1.7	6
153	The Implication of Anthracosis in the Development of Pulmonary Adenocarcinoma. <i>Japanese Journal of Cancer Research</i> , 1998, 89, 1251-1256.	1.7	15
154	Lung Cancer Patients Have Increased 8-Hydroxydeoxyguanosine Levels in Peripheral Lung Tissue DNA. <i>Japanese Journal of Cancer Research</i> , 1998, 89, 691-695.	1.7	56
155	A case of double primary adenocarcinoma of the lung with multiple atypical adenomatous hyperplasia. <i>Pathology International</i> , 1998, 48, 634-640.	1.3	26
156	Modified formalin and methanol fixation methods for molecular biological and morphological analyses. <i>Pathology International</i> , 1997, 47, 685-691.	1.3	85
157	Cell lines from non-neoplastic liver and hepatocellular carcinoma tissue from a single patient. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 1996, 32, 135-137.	1.5	54
158	Nuclear p53 accumulation by small-sized adenocarcinomas of the lung. <i>Pathology International</i> , 1996, 46, 486-490.	1.3	26
159	Comparative allelotype of early and advanced stage non-small cell lung carcinomas. , 1996, 17, 71-77.		64
160	E-Cadherin Gene Mutations in Signet Ring Cell Carcinoma of the Stomach. <i>Japanese Journal of Cancer Research</i> , 1996, 87, 843-848.	1.7	125
161	Small adenocarcinoma of the lung. Histologic characteristics and prognosis. <i>Cancer</i> , 1995, 75, 2844-2852.	4.1	1,187
162	The development and progression of adenocarcinoma of the lung. <i>Cancer Treatment and Research</i> , 1994, 72, 131-142.	0.5	67

#	ARTICLE	IF	CITATIONS
163	Application of the p53 Gene Mutation Pattern for Differential Diagnosis of Primary Versus Metastatic Lung Carcinomas. <i>Diagnostic Molecular Pathology</i> , 1993, 2, 29-35.	2.1	35
164	Application of the p53 Gene Mutation Pattern for Differential Diagnosis of Primary Versus Metastatic Lung Carcinomas. <i>Diagnostic Molecular Pathology</i> , 1993, 2, 29-35.	2.1	31
165	Adenocarcinoma of the Lung with Selective Metastasis to the Lung: Clinical, Histologic and DNA-Cytofluorometric Analyses. <i>Japanese Journal of Cancer Research</i> , 1992, 83, 93-100.	1.7	16
166	Association of point mutation in c-Ki-ras oncogene in lung adenocarcinoma with particular reference to cytologic subtypes. <i>Cancer</i> , 1990, 66, 289-294.	4.1	82
167	Mutational landscape of primary breast angiosarcoma with repeated resection and recurrence over a 15-year period: A case report. <i>Pathology International</i> , 0, , .	1.3	2