

# Kausikisankar Pramanik

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/659115/publications.pdf>

Version: 2024-02-01

34  
papers

837  
citations

471509

17  
h-index

477307

29  
g-index

35  
all docs

35  
docs citations

35  
times ranked

788  
citing authors

#	ARTICLE	IF	CITATIONS
1	Diarylazooxime complex of cobalt(III): synthesis, structure, ligand redox, DFT calculations and spectral characteristics. <i>Transition Metal Chemistry</i> , 2022, 47, 31-38.	1.4	2
2	Azo-oximate metal-carbonyl to metallocarboxylic acid <i>via</i> the intermediate Ir(III) radical congener: quest for co-ligand driven stability of open- and closed-shell complexes. <i>Dalton Transactions</i> , 2022, 51, 10121-10135.	3.3	3
3	An insight into the coordination specificity of polyaromatic hydrocarbons (PAHs) grafted hydrazones towards rhodium(III). <i>Polyhedron</i> , 2021, 205, 115318.	2.2	2
4	Synthesis, photophysical properties and theoretical studies of pyrrole-based azoaromatic Zn(II) complexes in mixed aqueous medium. <i>Inorganica Chimica Acta</i> , 2021, 527, 120586.	2.4	2
5	Coligand driven diverse organometallation in benzothiazolyl-hydrazone derivatized pyrene: ortho vs. peri C-H activation. <i>New Journal of Chemistry</i> , 2020, 44, 1407-1417.	2.8	2
6	Rhodium assisted peri-C-H activation in benzothiazolyl-hydrazone derivatized pyrene. <i>Polyhedron</i> , 2020, 179, 114352.	2.2	2
7	Ruthenocycles of benzothiazolyl and pyridyl hydrazones with ancillary PAHs: synthesis, structure, electrochemistry and antimicrobial activity. <i>New Journal of Chemistry</i> , 2020, 44, 11022-11034.	2.8	6
8	Polyaromatic hydrocarbon derivatized azo-oximes of cobalt(III) for the ligand-redox controlled electrocatalytic oxygen reduction reaction. <i>New Journal of Chemistry</i> , 2020, 44, 3737-3747.	2.8	7
9	Palladium(II) and platinum(II) complexes of glyoxalbis(N-aryl)osazone: molecular and electronic structures, anti-microbial activities and DNA-binding study. <i>New Journal of Chemistry</i> , 2019, 43, 9891-9901.	2.8	5
10	Redox-active diaminoazobenzene complexes of rhodium(III): synthesis, structure and spectroscopic characterization. <i>New Journal of Chemistry</i> , 2018, 42, 5548-5555.	2.8	11
11	Luminescent closed shell nickel(II) pyridyl-azo-oximates and the open shell anion radical congener: molecular and electronic structure, ligand redox behaviour and biological activity. <i>New Journal of Chemistry</i> , 2017, 41, 4157-4164.	2.8	8
12	Ambient-Stable Bis-Azoaromatic-Centered Diradical [(L)M(L)] Complexes of Rh(III): Synthesis, Structure, Redox, and Spin-Spin Interaction. <i>Inorganic Chemistry</i> , 2017, 56, 12764-12774.	4.0	11
13	RhCl(PPH <sub>3</sub> ) <sub>3</sub> -mediated C-H oxyfunctionalization of pyrrolido-functionalized bisazoaromatic pincers: a combined experimental and theoretical scrutiny of redox-active and spectroscopic properties. <i>Dalton Transactions</i> , 2016, 45, 5720-5729.	3.3	18
14	Iridium(III) Mediated Reductive Transformation of Closed-Shell Azo-Oxime to Open-Shell Azo-Imine Radical Anion: Molecular and Electronic Structure, Electron Transfer, and Optoelectronic Properties. <i>Inorganic Chemistry</i> , 2016, 55, 1461-1468.	4.0	16
15	Insight into luminescent bisazoaromatic CNN pincer palladacycle: synthesis, structure, electrochemistry and some catalytic applications in C-C coupling. <i>RSC Advances</i> , 2015, 5, 22544-22559.	3.6	23
16	Iridium-mediated C-S bond activation and transformation: organoiridium(III) thioether, thiolato, sulfinato and thyl radical compounds. Synthesis, mechanistic, spectral, electrochemical and theoretical aspects. <i>Dalton Transactions</i> , 2015, 44, 8625-8639.	3.3	23
17	Molecular and electronic structure of nonradical homoleptic pyridyl-azo-oxime complexes of cobalt(III) and the azo-oxime anion radical congener: an experimental and theoretical investigation. <i>Dalton Transactions</i> , 2014, 43, 5317-5334.	3.3	20
18	Self-Assembled Tetra- and Pentanuclear Nickel(II) Aggregates From Phenoxido-Based Ligand-Bound {Ni <sub>2</sub> } Fragments: Carboxylate Bridge Controlled Structures. <i>Inorganic Chemistry</i> , 2013, 52, 13894-13903.	4.0	46

#	ARTICLE	IF	CITATIONS
19	1-(2-Pyridylazo)-2-naphtholate (PAN) complexes of rhodium(III): Synthesis, structure and spectral studies. <i>Polyhedron</i> , 2010, 29, 1015-1022.	2.2	13
20	Impedance spectroscopy study of LaMnO <sub>3</sub> modified BaTiO <sub>3</sub> ceramics. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2009, 164, 165-171.	3.5	99
21	RhCl <sub>3</sub> -Assisted C-H and C-S Bond Scissions: Isomeric Self-Association of Organorhodium(III) Thiolato Complex. <i>Synthesis, Structure, and Electrochemistry. Inorganic Chemistry</i> , 2008, 47, 429-438.	4.0	35
22	Glycosylated N-Sulfonylamidines: Highly Efficient Copper-Catalyzed Multicomponent Reaction with Sugar Alkynes, Sulfonyl Azides, and Amines. <i>Journal of Organic Chemistry</i> , 2007, 72, 9753-9756.	3.2	22
23	Oligosaccharides through reactivity tuning: convergent synthesis of the trisaccharides of the steroid glycoside Sokodoside B isolated from marine sponge <i>Erylus placenta</i> . <i>Tetrahedron</i> , 2007, 63, 12310-12316.	1.9	32
24	Mono, di and polynuclear Cu(II) azido complexes incorporating N,N,N reduced schiff base: syntheses, structure and magnetic behavior. <i>Inorganica Chimica Acta</i> , 2005, 358, 641-649.	2.4	26
25	Family of Mixed-Valence Oxovanadium(IV/V) Dinuclear Entities Incorporating N <sub>4</sub> O <sub>3</sub> -Coordinating Heptadentate Ligands: Synthesis, Structure, and EPR Spectra. <i>Inorganic Chemistry</i> , 2005, 44, 703-708.	4.0	38
26	Synthesis, Structure and Properties of a Mononuclear and an End-On Double Azido-Bridged Copper(II) Complex Incorporating an N,N,N,O-Coordinating Tripodal Ligand. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 4633-4639.	2.0	25
27	Azo Anion Radical Complexes of Osmium and Related Nonradical Species. <i>Inorganic Chemistry</i> , 2000, 39, 195-199.	4.0	82
28	Chemistry of Metal-Bound Anion Radicals. A Family of Mono- and Bis(azopyridine) Chelates of Bivalent Ruthenium. <i>Inorganic Chemistry</i> , 2000, 39, 4332-4338.	4.0	60
29	Chemistry of [Ru(tpy)(pap)(L)] <sup>n+</sup> (tpy = 2,2',6'-terpyridine; pap = 2-(phenylazo)pyridine; L = Cl <sup>-</sup> , H <sub>2</sub> O,) Tj ETQq1 1 0. oxidation of water to dioxygen by [Ru(tpy)(pap)(H <sub>2</sub> O)] <sup>2+</sup> . <i>Polyhedron</i> , 1998, 17, 1525-1534.	2.2	35
30	Synthesis and characterisation of a pair of azo anion radicals bonded to ruthenium(ii). <i>Chemical Communications</i> , 1998, , 2103-2104.	4.1	47
31	Isolation and Structure of the First Azo Anion Radical Complexes of Ruthenium. <i>Inorganic Chemistry</i> , 1998, 37, 5968-5969.	4.0	80
32	Monothioether Complexes of Osmium: The trans-[OsBr <sub>4</sub> (SR) <sub>2</sub> ] <sup>2-</sup> Family and mer-[OsBr <sub>3</sub> (SR) <sub>3</sub> ] <sup>-</sup> Precursors. <i>Inorganic Chemistry</i> , 1998, 37, 5678-5680.	4.0	2
33	Thioether-Coordinated Nickel Oxidation States. A Ni(II) Family Incorporating Hexadentate Thioether-Azo-Oxime Chelation. <i>Inorganic Chemistry</i> , 1997, 36, 3562-3564.	4.0	27
34	Valence specific chelation of ruthenium to Schiff mono-bases of 2,6-diformyl-4-methylphenol: synthesis and structure of trivalent salicylaldiminato species of coordination type RuN <sub>2</sub> O <sub>2</sub> PCl. <i>Polyhedron</i> , 1997, 16, 2951-2956.	2.2	7