

Shahryar Semnani

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6591563/shahryar-semnani-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78
papers

2,687
citations

26
h-index

51
g-index

78
ext. papers

2,991
ext. citations

3.3
avg, IF

4.01
L-index

#	Paper	IF	Citations
78	Detection Rate of Colorectal Polyps in Symptomatic Candidates of Colonoscopy: When Should We Do a Total Colonoscopy?. <i>Middle East Journal of Digestive Diseases</i> , 2021 , 13, 314-320	1.1	
77	Primary Liver Cancer in Golestan Province, Northeastern Iran: 13-Year Experience of Golestan Population-Based Cancer Registry (GPCR). <i>Archives of Iranian Medicine</i> , 2021 , 24, 727-732	2.4	
76	Analysis of Competing Risks of Causes of Death in Cancer Patients from Golestan, Iran over Twelve Years (2004-2016). <i>Asian Pacific Journal of Cancer Prevention</i> , 2021 , 22, 3137-3142	1.7	
75	Building a Cancer Biobank in a Low-Resource Setting in Northern Iran: the Golestan Cancer Biobank. <i>Archives of Iranian Medicine</i> , 2021 , 24, 526-533	2.4	
74	Strontium and antimony serum levels in healthy individuals living in high- and low-risk areas of esophageal cancer. <i>Journal of Clinical Laboratory Analysis</i> , 2020 , 34, e23269	3	2
73	Recent cancer incidence trends and short-term predictions in Golestan, Iran 2004-2025. <i>Cancer Epidemiology</i> , 2020 , 67, 101728	2.8	7
72	Trends in the Incidence of Stomach Cancer in Golestan Province, a High-risk Area in Northern Iran, 2004-2016. <i>Archives of Iranian Medicine</i> , 2020 , 23, 362-368	2.4	3
71	10-Year Trends in Dietary Intakes in the High- and Low-Risk Areas for Esophageal Cancer: A Population-Based Ecological Study in Northern Iran. <i>Middle East Journal of Digestive Diseases</i> , 2020 , 12, 89-98	1.1	2
70	Temporal and geographical variations in colorectal cancer incidence in Northern Iran 2004-2013. <i>Cancer Epidemiology</i> , 2019 , 59, 143-147	2.8	10
69	Completeness and Accuracy of Death Registry Data in Golestan, Iran. <i>Archives of Iranian Medicine</i> , 2019 , 22, 1-6	2.4	3
68	Building cancer registries in a lower resource setting: The 10-year experience of Golestan, Northern Iran. <i>Cancer Epidemiology</i> , 2018 , 52, 128-133	2.8	18
67	Opium Use and Risk of Pancreatic Cancer: A Prospective Cohort Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018 , 27, 268-273	4	17
66	Mortality from respiratory diseases associated with opium use: a population-based cohort study. <i>Thorax</i> , 2017 , 72, 1028-1034	7.3	16
65	Maternal haemoglobin concentrations before and during pregnancy and stillbirth risk: a population-based case-control study. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 135	3.2	13
64	Determinants of healthcare utilisation and predictors of outcome in colorectal cancer patients from Northern Iran. <i>European Journal of Cancer Care</i> , 2016 , 25, 318-23	2.4	10
63	Food preparation methods, drinking water source, and esophageal squamous cell carcinoma in the high-risk area of Golestan, Northeast Iran. <i>European Journal of Cancer Prevention</i> , 2016 , 25, 123-9	2	24
62	Reliability Analysis of a Newly Developed Questionnaire for Quality Control of Follow-up Visits in PolyIran Study. <i>Archives of Iranian Medicine</i> , 2016 , 19, 551-5	2.4	3

61	Consanguineous marriage, prepregnancy maternal characteristics and stillbirth risk: a population-based case-control study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015 , 94, 1095-101	3.8	15
60	Relation between clinical features and gastric emptying time in diabetic patients. <i>Nuclear Medicine Review</i> , 2015 , 18, 3-6	0.3	5
59	Temporal variations of dietary habits in a high-risk area for upper gastrointestinal cancers: a population-based study from northern Iran. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015 , 16, 2537-42	1.7	1
58	Enhanced cell immune responses to hepatitis C virus core by novel heterologous DNA prime/lambda nanoparticles boost in mice. <i>Virus Genes</i> , 2014 , 49, 11-21	2.3	14
57	Two novel splice variants of SOX2OT, SOX2OT-S1, and SOX2OT-S2 are coupled with SOX2 and OCT4 in esophageal squamous cell carcinoma. <i>Stem Cells</i> , 2014 , 32, 126-34	5.8	99
56	Determinants of gastroesophageal reflux disease, including hookah smoking and opium use- a cross-sectional analysis of 50,000 individuals. <i>PLoS ONE</i> , 2014 , 9, e89256	3.7	25
55	Pilot study of cytological testing for oesophageal squamous cell dysplasia in a high-risk area in Northern Iran. <i>British Journal of Cancer</i> , 2014 , 111, 2235-41	8.7	20
54	Gastroesophageal Reflux Disease and overall and Cause-specific Mortality: A Prospective Study of 50000 Individuals. <i>Middle East Journal of Digestive Diseases</i> , 2014 , 6, 65-80	1.1	9
53	Endoscopic screening for precancerous lesions of the esophagus in a high risk area in Northern Iran. <i>Archives of Iranian Medicine</i> , 2014 , 17, 246-52	2.4	18
52	Diagnostic values of serum levels of pepsinogens and gastrin-17 for screening gastritis and gastric cancer in a high risk area in northern Iran. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 7433-6	1.7	5
51	Epidemiology of female reproductive cancers in Iran: results of the Gholestan Population-based Cancer Registry. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 8779-82	1.7	11
50	Modeling of influential predictors of gastric cancer incidence rates in Golestan province, North Iran. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 1111-7	1.7	20
49	Opium use and risk of mortality from digestive diseases: a prospective cohort study. <i>American Journal of Gastroenterology</i> , 2013 , 108, 1757-65	0.7	38
48	Aflatoxin contamination of wheat flour and the risk of esophageal cancer in a high risk area in Iran. <i>Cancer Epidemiology</i> , 2013 , 37, 290-3	2.8	29
47	A U-shaped relationship between haematocrit and mortality in a large prospective cohort study. <i>International Journal of Epidemiology</i> , 2013 , 42, 601-15	7.8	16
46	Goiter frequency is more strongly associated with gastric adenocarcinoma than urine iodine level. <i>Journal of Gastric Cancer</i> , 2013 , 13, 106-10	3.2	4
45	Expression, tissue distribution and function of miR-21 in esophageal squamous cell carcinoma. <i>PLoS ONE</i> , 2013 , 8, e73009	3.7	82
44	The gastro-esophageal malignancies in Northern Iran research project: impact on the health research and health care systems in Iran. <i>Archives of Iranian Medicine</i> , 2013 , 16, 46-53	2.4	7

43	The association of increased stomach wall radiotracer uptake with prolonged use of omeprazole capsules on myocardial perfusion imaging (MPI) using 99mTc-sestamibi SPECT. <i>Nuclear Medicine Review</i> , 2013 , 16, 91-4	0.3	3
42	Epidemiology of leukemia and multiple myeloma in Golestan, Iran. <i>Asian Pacific Journal of Cancer Prevention</i> , 2013 , 14, 2333-6	1.7	21
41	False-positive defects on exercise 99mTc-sestamibi SPECT imaging, but not on dipyridamole 99mTc-sestamibi SPECT imaging, in a patient with right bundle branch block (RBBB). <i>Nuclear Medicine Review</i> , 2013 , 16, 45-8	0.3	
40	The association of rate pressure product (RPP) and myocardial perfusion imaging (MPI) findings: a preliminary study. <i>Perfusion (United Kingdom)</i> , 2012 , 27, 207-13	1.9	29
39	Serum hyaluronic acid and laminin as potential tumor markers for upper gastrointestinal cancers. <i>European Journal of Internal Medicine</i> , 2012 , 23, 58-64	3.9	22
38	Depressive mood and disease activity in inflammatory bowel disease. <i>Arab Journal of Gastroenterology</i> , 2012 , 13, 136-8	1.7	6
37	Opium use and mortality in Golestan Cohort Study: prospective cohort study of 50,000 adults in Iran. <i>BMJ, The</i> , 2012 , 344, e2502	5.9	98
36	Gastric atrophy and oesophageal squamous cell carcinoma: possible interaction with dental health and oral hygiene habit. <i>British Journal of Cancer</i> , 2012 , 107, 888-94	8.7	23
35	None-endoscopic Screening for Esophageal Squamous Cell Carcinoma- A Review. <i>Middle East Journal of Digestive Diseases</i> , 2012 , 4, 111-24	1.1	6
34	Polycyclic aromatic hydrocarbons and esophageal squamous cell carcinoma. <i>Archives of Iranian Medicine</i> , 2012 , 15, 713-22	2.4	28
33	Fumonisin B1 contamination of cereals and risk of esophageal cancer in a high risk area in northeastern Iran. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012 , 13, 2625-8	1.7	71
32	Epidemiological pattern of breast cancer in Iranian women: is there an ethnic disparity?. <i>Asian Pacific Journal of Cancer Prevention</i> , 2012 , 13, 4517-20	1.7	32
31	Cancer incidence in Golestan Province: report of an ongoing population-based cancer registry in Iran between 2004 and 2008. <i>Archives of Iranian Medicine</i> , 2012 , 15, 196-200	2.4	49
30	Prognostic factors for esophageal squamous cell carcinoma--a population-based study in Golestan Province, Iran, a high incidence area. <i>PLoS ONE</i> , 2011 , 6, e22152	3.7	42
29	Myocardial perfusion imaging using a technetium-99m sestamibi in asymptomatic and low risk for coronary artery disease patients with diagnosed systemic lupus erythematosus. <i>Perfusion (United Kingdom)</i> , 2011 , 26, 151-7	1.9	8
28	Scintigraphic parameters with emphasis on perfusion appraisal in rest 99mTc-sestamibi SPECT in the recovery of myocardial function after thrombolytic therapy in patients with ST elevation myocardial infarction (STEMI). <i>Perfusion (United Kingdom)</i> , 2011 , 26, 394-9	1.9	5
27	The role of gated myocardial perfusion scintigraphy (GMPS) in myocarditis: a case report and review of the literature. <i>Nuclear Medicine Review</i> , 2011 , 14, 112-5	0.3	5
26	A pilot double-blind randomised placebo-controlled trial of the effects of fixed-dose combination therapy (Polypill) on cardiovascular risk factors. <i>International Journal of Clinical Practice</i> , 2010 , 64, 1220-7 ⁹		91

25	Cohort Profile: The Golestan Cohort Study--a prospective study of oesophageal cancer in northern Iran. <i>International Journal of Epidemiology</i> , 2010 , 39, 52-9	7.8	159
24	Pictogram use was validated for estimating individual's body mass index. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 655-9	5.7	19
23	Soils selenium level and esophageal cancer: an ecological study in a high risk area for esophageal cancer. <i>Journal of Trace Elements in Medicine and Biology</i> , 2010 , 24, 174-7	4.1	25
22	Patterns of food and nutrient consumption in northern Iran, a high-risk area for esophageal cancer. <i>Nutrition and Cancer</i> , 2009 , 61, 475-83	2.8	38
21	Tea drinking habits and oesophageal cancer in a high risk area in northern Iran: population based case-control study. <i>BMJ, The</i> , 2009 , 338, b929	5.9	191
20	Socio-economic status and oesophageal cancer: results from a population-based case-control study in a high-risk area. <i>International Journal of Epidemiology</i> , 2009 , 38, 978-88	7.8	150
19	Serum leptin levels and irritable bowel syndrome: a new hypothesis. <i>Journal of Clinical Gastroenterology</i> , 2009 , 43, 826-30	3	18
18	Germline BRCA2 mutations and the risk of esophageal squamous cell carcinoma. <i>Oncogene</i> , 2008 , 27, 1290-6	9.2	59
17	Opium, tobacco, and alcohol use in relation to oesophageal squamous cell carcinoma in a high-risk area of Iran. <i>British Journal of Cancer</i> , 2008 , 98, 1857-63	8.7	199
16	Inoperable esophageal cancer and outcome of palliative care. <i>World Journal of Gastroenterology</i> , 2008 , 14, 3725-8	5.6	31
15	Role of silis in esophageal cancer. <i>World Journal of Gastroenterology</i> , 2008 , 14, 3106-7	5.6	7
14	Hepatitis B virus genotypes in Iran. <i>Indian Journal of Medical Sciences</i> , 2008 , 62, 204-5		4
13	Prevalence of hepatitis D virus infection in HBsAg positive subjects in Iran. <i>Pakistan Journal of Biological Sciences</i> , 2007 , 10, 1751-4	0.8	13
12	Hepatitis B/C virus co-infection in Iran: a seroepidemiological study. <i>Turkish Journal of Gastroenterology</i> , 2007 , 18, 20-1	1	13
11	Declining incidence of esophageal cancer in the Turkmen Plain, eastern part of the Caspian Littoral of Iran: a retrospective cancer surveillance. <i>Cancer Detection and Prevention</i> , 2006 , 30, 14-9		78
10	Obesity and hypertension in an Iranian cohort study; Iranian women experience higher rates of obesity and hypertension than American women. <i>BMC Public Health</i> , 2006 , 6, 158	4.1	93
9	Familial risks of esophageal cancer among the Turkmen population of the Caspian littoral of Iran. <i>International Journal of Cancer</i> , 2006 , 119, 1047-51	7.5	61
8	Incidence and age distribution of colorectal cancer in Iran: results of a population-based cancer registry. <i>Cancer Letters</i> , 2006 , 240, 143-7	9.9	119

7	Validity and reliability of a new food frequency questionnaire compared to 24 h recalls and biochemical measurements: pilot phase of Golestan cohort study of esophageal cancer. <i>European Journal of Clinical Nutrition</i> , 2006 , 60, 971-7	5.2	137
6	HBV/HCV Co-infection in Iran: A Seroepidemiological Based Study. <i>Pakistan Journal of Biological Sciences</i> , 2006 , 9, 2538-2540	0.8	
5	Esophageal Cancer in Iranian Turkmens: An Ethnic Disparity Concern. <i>Journal of Medical Sciences (Faisalabad, Pakistan)</i> , 2006 , 6, 1007-1010	0.5	2
4	Irritable Bowel Syndrome in Iranian Young Adults: A Survey among Medical Students. <i>Journal of Medical Sciences (Faisalabad, Pakistan)</i> , 2006 , 6, 974-978	0.5	
3	Golestan cohort study of oesophageal cancer: feasibility and first results. <i>British Journal of Cancer</i> , 2005 , 92, 176-81	8.7	56
2	Can we rely on public data as a source of information for cancer registry in developing countries?. <i>Turkish Journal of Gastroenterology</i> , 2005 , 16, 147-9	1	
1	Epidemiologic features of upper gastrointestinal tract cancers in Northeastern Iran. <i>British Journal of Cancer</i> , 2004 , 90, 1402-6	8.7	130