

David J Reeves

List of Publications by Citations

Source: <https://exaly.com/author-pdf/659170/david-j-reeves-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

8,717
citations

50
h-index

90
g-index

164
ext. papers

9,981
ext. citations

5.9
avg. IF

6
L-index

#	Paper	IF	Citations
154	Pay-for-performance programs in family practices in the United Kingdom. <i>New England Journal of Medicine</i> , 2006 , 355, 375-84	59.2	542
153	Effects of pay for performance on the quality of primary care in England. <i>New England Journal of Medicine</i> , 2009 , 361, 368-78	59.2	475
152	Regression based quasi-experimental approach when randomisation is not an option: interrupted time series analysis. <i>BMJ, The</i> , 2015 , 350, h2750	5.9	435
151	The prevalence of challenging behaviors: a total population study. <i>Research in Developmental Disabilities</i> , 2001 , 22, 77-93	2.7	435
150	Quality of primary care in England with the introduction of pay for performance. <i>New England Journal of Medicine</i> , 2007 , 357, 181-90	59.2	298
149	A re-analysis of the Cochrane Library data: the dangers of unobserved heterogeneity in meta-analyses. <i>PLoS ONE</i> , 2013 , 8, e69930	3.7	285
148	The effectiveness and cost effectiveness of a national lay-led self care support programme for patients with long-term conditions: a pragmatic randomised controlled trial. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 254-61	5.1	246
147	Relationship between number of medical conditions and quality of care. <i>New England Journal of Medicine</i> , 2007 , 356, 2496-504	59.2	209
146	Effect of financial incentives on inequalities in the delivery of primary clinical care in England: analysis of clinical activity indicators for the quality and outcomes framework. <i>Lancet, The</i> , 2008 , 372, 728-36	4.0	180
145	Effect of financial incentives on incentivised and non-incentivised clinical activities: longitudinal analysis of data from the UK Quality and Outcomes Framework. <i>BMJ, The</i> , 2011 , 342, d3590	5.9	174
144	Implementation of self management support for long term conditions in routine primary care settings: cluster randomised controlled trial. <i>BMJ, The</i> , 2013 , 346, f2882	5.9	169
143	Integrated primary care for patients with mental and physical multimorbidity: cluster randomised controlled trial of collaborative care for patients with depression comorbid with diabetes or cardiovascular disease. <i>BMJ, The</i> , 2015 , 350, h638	5.9	159
142	Performance of statistical methods for meta-analysis when true study effects are non-normally distributed: A simulation study. <i>Statistical Methods in Medical Research</i> , 2012 , 21, 409-26	2.3	157
141	A randomised controlled trial to assess the effectiveness and cost of a patient orientated self management approach to chronic inflammatory bowel disease. <i>Gut</i> , 2004 , 53, 1639-45	19.2	149
140	Combining multiple indicators of clinical quality: an evaluation of different analytic approaches. <i>Medical Care</i> , 2007 , 45, 489-96	3.1	144
139	Exclusion of patients from pay-for-performance targets by English physicians. <i>New England Journal of Medicine</i> , 2008 , 359, 274-84	59.2	134
138	Improvements in quality of clinical care in English general practice 1998-2003: longitudinal observational study. <i>BMJ, The</i> , 2005 , 331, 1121	5.9	123

137	The contribution of social networks to the health and self-management of patients with long-term conditions: a longitudinal study. <i>PLoS ONE</i> , 2014 , 9, e98340	3.7	122
136	Factors associated with staff stress and work satisfaction in services for people with intellectual disability. <i>Journal of Intellectual Disability Research</i> , 1999 , 43 (Pt 4), 253-67	3.2	118
135	Incidence, prevalence and mortality of patients with psoriasis: a U.K. population-based cohort study. <i>British Journal of Dermatology</i> , 2017 , 176, 650-658	4	115
134	ClinicalCodes: an online clinical codes repository to improve the validity and reproducibility of research using electronic medical records. <i>PLoS ONE</i> , 2014 , 9, e99825	3.7	112
133	Social networks, the RworkRand work force of chronic illness self-management: a survey analysis of personal communities. <i>PLoS ONE</i> , 2013 , 8, e59723	3.7	110
132	Patient experience of access to primary care: identification of predictors in a national patient survey. <i>BMC Family Practice</i> , 2010 , 11, 61	2.6	105
131	The role of primary care in service provision for people with severe mental illness in the United Kingdom. <i>PLoS ONE</i> , 2012 , 7, e36468	3.7	94
130	Social networks, work and network-based resources for the management of long-term conditions: a framework and study protocol for developing self-care support. <i>Implementation Science</i> , 2011 , 6, 56	8.4	90
129	Metaan: Random-effects Meta-analysis. <i>The Stata Journal</i> , 2010 , 10, 395-407	3.5	89
128	Recorded quality of primary care for patients with diabetes in England before and after the introduction of a financial incentive scheme: a longitudinal observational study. <i>BMJ Quality and Safety</i> , 2013 , 22, 53-64	5.4	88
127	Predicting the persistence of severe self-injurious behavior. <i>Research in Developmental Disabilities</i> , 2001 , 22, 67-75	2.7	83
126	Relationships between job satisfaction, intentions to leave family practice and actually leaving among family physicians in England. <i>European Journal of Public Health</i> , 2011 , 21, 499-503	2.1	75
125	A randomised controlled trial of self-help interventions in patients with a primary care diagnosis of irritable bowel syndrome. <i>Gut</i> , 2006 , 55, 643-8	19.2	75
124	Factors associated with intended staff turnover and job search behaviour in services for people with intellectual disability. <i>Journal of Intellectual Disability Research</i> , 2001 , 45, 258-70	3.2	75
123	The United Kingdom Expert Patients Programme: results and implications from a national evaluation. <i>Medical Journal of Australia</i> , 2008 , 189, S21-4	4	67
122	Withdrawing performance indicators: retrospective analysis of general practice performance under UK Quality and Outcomes Framework. <i>BMJ, The</i> , 2014 , 348, g330	5.9	66
121	The comorbidity burden of type 2 diabetes mellitus: patterns, clusters and predictions from a large English primary care cohort. <i>BMC Medicine</i> , 2019 , 17, 145	11.4	65
120	The association between culture, climate and quality of care in primary health care teams. <i>Family Practice</i> , 2007 , 24, 323-9	1.9	62

119	Maternal parenting stress and its correlates in families with a young child with cerebral palsy. <i>Child: Care, Health and Development</i> , 2009 , 35, 71-8	2.8	60
118	The content of general practice consultations: cross-sectional study based on video recordings. <i>British Journal of General Practice</i> , 2013 , 63, e751-9	1.6	59
117	Inequalities in physical comorbidity: a longitudinal comparative cohort study of people with severe mental illness in the UK. <i>BMJ Open</i> , 2015 , 5, e009010	3	58
116	Impact of chemical, biological, radiation, and nuclear personal protective equipment on the performance of low- and high-dexterity airway and vascular access skills. <i>Resuscitation</i> , 2009 , 80, 1290-5	4	58
115	The SF-36 scales are not accurately summarised by independent physical and mental component scores. <i>Quality of Life Research</i> , 2008 , 17, 413-23	3.7	57
114	Auditory integration training for children with autism: no behavioral benefits detected. <i>American Journal on Intellectual and Developmental Disabilities</i> , 2000 , 105, 118-29		57
113	Polypharmacy in chronic diseases-Reduction of Inappropriate Medication and Adverse drug events in older populations by electronic Decision Support (PRIMA-eDS): study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 57	2.8	56
112	Glucose, blood pressure and cholesterol levels and their relationships to clinical outcomes in type 2 diabetes: a retrospective cohort study. <i>Diabetologia</i> , 2015 , 58, 505-18	10.3	56
111	Performance of statistical methods for meta-analysis when true study effects are non-normally distributed: a comparison between DerSimonian-Laird and restricted maximum likelihood. <i>Statistical Methods in Medical Research</i> , 2012 , 21, 657-9	2.3	56
110	Cost effectiveness of the Expert Patients Programme (EPP) for patients with chronic conditions. <i>Journal of Epidemiology and Community Health</i> , 2008 , 62, 361-7	5.1	56
109	Progress and outcomes for children with autism receiving parent-managed intensive interventions. <i>Research in Developmental Disabilities</i> , 2001 , 22, 425-47	2.7	56
108	Paying for the wrong kind of performance? Financial incentives and behaviour changes in National Health Service dentistry 1992-2009. <i>Community Dentistry and Oral Epidemiology</i> , 2011 , 39, 465-73	2.8	55
107	Group Metacognitive Therapy vs. Mindfulness Meditation Therapy in a Transdiagnostic Patient Sample: A Randomised Feasibility Trial. <i>Psychiatry Research</i> , 2018 , 259, 554-561	9.9	52
106	The challenge of ageing populations and patient frailty: can primary care adapt?. <i>BMJ, The</i> , 2018 , 362, k3349	5.9	50
105	Bringing self-management into clinical view: a qualitative study of long-term condition management in primary care consultations. <i>Chronic Illness</i> , 2010 , 6, 136-50	1.4	50
104	A cluster randomised controlled trial of the clinical and cost-effectiveness of a Whole systemsR model of self-management support for the management of long-term conditions in primary care: trial protocol. <i>Implementation Science</i> , 2012 , 7, 7	8.4	49
103	Organizational culture and staff outcomes in services for people with intellectual disabilities. <i>Journal of Intellectual Disability Research</i> , 1999 , 43 (Pt 3), 206-18	3.2	49
102	Patient activation in older people with long-term conditions and multimorbidity: correlates and change in a cohort study in the United Kingdom. <i>BMC Health Services Research</i> , 2016 , 16, 582	2.9	48

101	Why less may be more: a mixed methods study of the work and relatedness of weak ties in supporting long-term condition self-management. <i>Implementation Science</i> , 2014 , 9, 19	8.4	46
100	Assessment of the speed and ease of insertion of three supraglottic airway devices by paramedics: a manikin study. <i>Emergency Medicine Journal</i> , 2010 , 27, 860-3	1.5	46
99	Advanced nurse roles in UK primary care. <i>Medical Journal of Australia</i> , 2006 , 185, 10-2	4	46
98	Predicting who will benefit from an Expert Patients Programme self-management course. <i>British Journal of General Practice</i> , 2008 , 58, 198-203	1.6	45
97	Staff stressors and staff outcomes in services for adults with intellectual disabilities: the Staff Stressor Questionnaire. <i>Research in Developmental Disabilities</i> , 1999 , 20, 269-85	2.7	44
96	A secondary analysis of the moderating effects of depression and multimorbidity on the effectiveness of a chronic disease self-management programme. <i>Patient Education and Counseling</i> , 2012 , 87, 67-73	3.1	43
95	Psychometric properties of the Patient Assessment Of Chronic Illness Care measure: acceptability, reliability and validity in United Kingdom patients with long-term conditions. <i>BMC Health Services Research</i> , 2012 , 12, 293	2.9	43
94	Creature comforts: personal communities, pets and the work of managing a long-term condition. <i>Chronic Illness</i> , 2013 , 9, 87-102	1.4	41
93	A novel, web-based, psychological intervention for people with psoriasis: the electronic Targeted Intervention for Psoriasis (eTIPs) study. <i>British Journal of Dermatology</i> , 2013 , 169, 329-36	4	40
92	Changes in patient experiences of primary care during health service reforms in England between 2003 and 2007. <i>Annals of Family Medicine</i> , 2010 , 8, 499-506	2.9	39
91	Effect of information and telephone-guided access to community support for people with chronic kidney disease: randomised controlled trial. <i>PLoS ONE</i> , 2014 , 9, e109135	3.7	39
90	Relationship between quality of care and choice of clinical computing system: retrospective analysis of family practice performance under the UK's quality and outcomes framework. <i>BMJ Open</i> , 2013 , 3,	3	34
89	Prevalence and benefits of care plans and care planning for people with long-term conditions in England. <i>Journal of Health Services Research and Policy</i> , 2012 , 17 Suppl 1, 64-71	2.4	34
88	Having diabetes and having to fast: a qualitative study of British Muslims with diabetes. <i>Health Expectations</i> , 2015 , 18, 1698-708	3.7	33
87	Primary care consultation rates among people with and without severe mental illness: a UK cohort study using the Clinical Practice Research Datalink. <i>BMJ Open</i> , 2015 , 5, e008650	3	33
86	Efficacy and safety of metformin in the management of type 2 diabetes mellitus in older adults: a systematic review for the development of recommendations to reduce potentially inappropriate prescribing. <i>BMC Geriatrics</i> , 2017 , 17, 227	4.1	32
85	Effect of health literacy on the quality of life of older patients with long-term conditions: a large cohort study in UK general practice. <i>Quality of Life Research</i> , 2018 , 27, 1257-1268	3.7	32
84	Assessing the quality of care of multiple conditions in general practice: practical and methodological problems. <i>Quality and Safety in Health Care</i> , 2003 , 12, 421-7		32

83	Consistency, context and confidence in judgements of affective communication in adults with profound intellectual and multiple disabilities. <i>Journal of Intellectual Disability Research</i> , 2001 , 45, 18-29 ^{3.2}	32
82	Measuring Patient Safety in Primary Care: The Development and Validation of the "Patient Reported Experiences and Outcomes of Safety in Primary Care" (PREOS-PC). <i>Annals of Family Medicine</i> , 2016 , 14, 253-61	2.9 31
81	Setting performance targets in pay for performance programmes: what can we learn from QOF?. <i>BMJ, The</i> , 2014 , 348, g1595	5.9 30
80	Descriptive analysis of multiple response topographies of challenging behavior across two settings. <i>Research in Developmental Disabilities</i> , 1995 , 16, 301-29	2.7 28
79	The application of temperament questionnaires to a British sample: issues of reliability and validity. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1987 , 28, 61-77	7.9 28
78	MetaEasy: A Meta-Analysis Add-In for MicrosoftExcel. <i>Journal of Statistical Software</i> , 2009 , 30,	7.3 28
77	Network resilience in the face of health system reform. <i>Social Science and Medicine</i> , 2010 , 70, 779-86	5.1 26
76	Effectiveness and safety of dipeptidyl peptidase 4 inhibitors in the management of type 2 diabetes in older adults: a systematic review and development of recommendations to reduce inappropriate prescribing. <i>BMC Geriatrics</i> , 2017 , 17, 226	4.1 25
75	Can analyses of electronic patient records be independently and externally validated? The effect of statins on the mortality of patients with ischaemic heart disease: a cohort study with nested case-control analysis. <i>BMJ Open</i> , 2014 , 4, e004952	3 25
74	Information exchange networks for chronic illness care in primary care practices: an observational study. <i>Implementation Science</i> , 2010 , 5, 3	8.4 25
73	Illness beliefs and the sociocultural context of diabetes self-management in British South Asians: a mixed methods study. <i>BMC Family Practice</i> , 2015 , 16, 58	2.6 24
72	Social status and living with a chronic illness: an exploration of assessment and meaning attributed to work and employment. <i>Chronic Illness</i> , 2014 , 10, 273-90	1.4 24
71	Use of an electronic decision support tool to reduce polypharmacy in elderly people with chronic diseases: cluster randomised controlled trial. <i>BMJ, The</i> , 2020 , 369, m1822	5.9 23
70	How to identify when a performance indicator has run its course. <i>BMJ, The</i> , 2010 , 340, c1717	5.9 23
69	Improving the effectiveness of psychological interventions for depression and anxiety in the cardiac rehabilitation pathway using group-based metacognitive therapy (PATHWAY Group MCT): study protocol for a randomised controlled trial. <i>Trials</i> , 2018 , 19, 215	2.8 22
68	Extubation force: a comparison of adhesive tape, non-adhesive tape and a commercial endotracheal tube holder. <i>Resuscitation</i> , 2009 , 80, 1296-300	4 22
67	Exploring the mechanisms of change in the chronic disease self-management programme: secondary analysis of data from a randomised controlled trial. <i>Patient Education and Counseling</i> , 2011 , 85, e39-47	3.1 21
66	Safety climate in English general practices: workload pressures may compromise safety. <i>Journal of Evaluation in Clinical Practice</i> , 2016 , 22, 71-76	2.5 21

65	Care plans and care planning in the management of long-term conditions in the UK: a controlled prospective cohort study. <i>British Journal of General Practice</i> , 2014 , 64, e568-75	1.6	20
64	Moving specialist care into the community: an initial evaluation. <i>Journal of Health Services Research and Policy</i> , 2008 , 13, 233-9	2.4	20
63	Is telephone health coaching a useful population health strategy for supporting older people with multimorbidity? An evaluation of reach, effectiveness and cost-effectiveness using a Rial within a cohortR <i>BMC Medicine</i> , 2018 , 16, 80	11.4	19
62	A Short Guide and a Forest Plot Command (Ipdforest) for One-Stage Meta-Analysis. <i>The Stata Journal</i> , 2013 , 13, 574-587	3.5	17
61	The Quality and Outcomes Framework and self-management dialogue in primary care consultations: a qualitative study. <i>British Journal of General Practice</i> , 2011 , 61, e666-73	1.6	17
60	Is self-care a cost-effective use of resources? Evidence from a randomized trial in inflammatory bowel disease. <i>Journal of Health Services Research and Policy</i> , 2006 , 11, 225-30	2.4	17
59	Time-based lag sequential analysis and the functional assessment of challenging behaviour. <i>Journal of Intellectual Disability Research</i> , 1996 , 40 (Pt 3), 260-74	3.2	17
58	Can analyses of electronic patient records be independently and externally validated? Study 2--the effect of β -adrenoceptor blocker therapy on cancer survival: a retrospective cohort study. <i>BMJ Open</i> , 2015 , 5, e007299	3	16
57	PatientsRexperiences of shared decision making in primary care practices in the United kingdom. <i>Medical Decision Making</i> , 2013 , 33, 26-36	2.5	16
56	What outcomes are important to patients with long term conditions? A discrete choice experiment. <i>Value in Health</i> , 2009 , 12, 331-9	3.3	16
55	What makes a successful volunteer Expert Patients Programme tutor? Factors predicting satisfaction, productivity and intention to continue tutoring of a new public health workforce in the United Kingdom. <i>Patient Education and Counseling</i> , 2009 , 75, 128-34	3.1	16
54	Selective serotonin reuptake inhibitor and selective serotonin and norepinephrine reuptake inhibitor use and risk of fractures in adults: A systematic review and meta-analysis. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 1688-1708	3.9	16
53	PatientsRevaluations of patient safety in English general practices: a cross-sectional study. <i>British Journal of General Practice</i> , 2017 , 67, e474-e482	1.6	15
52	Effectiveness and safety of beta blockers in the management of hypertension in older adults: a systematic review to help reduce inappropriate prescribing. <i>BMC Geriatrics</i> , 2017 , 17, 224	4.1	14
51	The cohort multiple randomized controlled trial design was found to be highly susceptible to low statistical power and internal validity biases. <i>Journal of Clinical Epidemiology</i> , 2018 , 95, 111-119	5.7	14
50	Improving hearing and vision in dementia: protocol for a field trial of a new intervention. <i>BMJ Open</i> , 2017 , 7, e018744	3	14
49	Modelling Conditions and Health Care Processes in Electronic Health Records: An Application to Severe Mental Illness with the Clinical Practice Research Datalink. <i>PLoS ONE</i> , 2016 , 11, e0146715	3.7	14
48	Associations between exemption and survival outcomes in the UK β primary care pay-for-performance programme: a retrospective cohort study. <i>BMJ Quality and Safety</i> , 2016 , 25, 657-70 ^{5.4}	5.4	13

47	The clinical and cost-effectiveness of the BRinging Information and Guided Help Together (BRIGHT) intervention for the self-management support of people with stage 3 chronic kidney disease in primary care: study protocol for a randomized controlled trial. <i>Trials</i> , 2013 , 14, 28	2.8	13
46	Precision of individual and composite performance scores: the ideal number of indicators in an indicator set. <i>Medical Care</i> , 2013 , 51, 115-21	3.1	13
45	Does position of the patient adversely affect successful intubation whilst wearing CBRN-PPE?. <i>Resuscitation</i> , 2010 , 81, 1166-71	4	13
44	Simulation-Based Power Calculations for Mixed Effects Modeling: ipdpower in Stata. <i>Journal of Statistical Software</i> , 2016 , 74,	7.3	13
43	A set of systematic reviews to help reduce inappropriate prescribing to older people: study protocol. <i>BMC Geriatrics</i> , 2017 , 17, 231	4.1	11
42	Multimorbidity and delivery of care for long-term conditions in the English National Health Service: baseline data from a cohort study. <i>Journal of Health Services Research and Policy</i> , 2013 , 18, 29-37	2.4	11
41	rEHR: An R package for manipulating and analysing Electronic Health Record data. <i>PLoS ONE</i> , 2017 , 12, e0171784	3.7	11
40	Metacognitive Therapy versus Cognitive Behaviour Therapy in Adults with Major Depression: A Parallel Single-Blind Randomised Trial. <i>Scientific Reports</i> , 2020 , 10, 7878	4.9	10
39	Longitudinal multiple imputation approaches for body mass index or other variables with very low individual-level variability: the mibmi command in Stata. <i>BMC Research Notes</i> , 2017 , 10, 41	2.3	10
38	Effectiveness and safety of vitamin K antagonists and new anticoagulants in the prevention of thromboembolism in atrial fibrillation in older adults - a systematic review of reviews and the development of recommendations to reduce inappropriate prescribing. <i>BMC Geriatrics</i> , 2017 , 17, 223	4.1	10
37	Communication and Communication Support in Primary Care: A Survey of Deaf Patients. <i>Audiological Medicine</i> , 2005 , 3, 95-107		10
36	Complex consultations in primary care: a tool for assessing the range of health problems and issues addressed in general practice consultations. <i>BMC Family Practice</i> , 2014 , 15, 105	2.6	9
35	Thiazides in the management of hypertension in older adults - a systematic review. <i>BMC Geriatrics</i> , 2017 , 17, 228	4.1	9
34	Predictors of patient self-report of chronic kidney disease: baseline analysis of a randomised controlled trial. <i>BMC Family Practice</i> , 2014 , 15, 196	2.6	9
33	Using electronic health records to quantify and stratify the severity of type 2 diabetes in primary care in England: rationale and cohort study design. <i>BMJ Open</i> , 2018 , 8, e020926	3	9
32	Missed diagnostic opportunities and English general practice: a study to determine their incidence, confounding and contributing factors and potential impact on patients through retrospective review of electronic medical records. <i>Implementation Science</i> , 2015 , 10, 105	8.4	8
31	Improving the Effectiveness of Psychological Interventions for Depression and Anxiety in Cardiac Rehabilitation: PATHWAY-A Single-Blind, Parallel, Randomized, Controlled Trial of Group Metacognitive Therapy. <i>Circulation</i> , 2021 , 144, 23-33	16.7	8
30	Recruitment to a trial of self-care skills training in long-term health conditions: analysis of the impact of patient attitudes and preferences. <i>Contemporary Clinical Trials</i> , 2006 , 27, 49-56	2.3	7

29	What are the combined effects of negative emotions and illness cognitions on self-care in people with type 2 diabetes? A longitudinal structural equation model. <i>Psychology and Health</i> , 2016 , 31, 873-90	2.9	6
28	Identifying patient and practice characteristics associated with patient-reported experiences of safety problems and harm: a cross-sectional study using a multilevel modelling approach. <i>BMJ Quality and Safety</i> , 2017 , 26, 899-907	5.4	6
27	Investigating relationships between health need, primary care and social care using routine statistics. <i>Health and Place</i> , 2004 , 10, 129-40	4.6	6
26	Metacognitive therapy home-based self-help for cardiac rehabilitation patients experiencing anxiety and depressive symptoms: study protocol for a feasibility randomised controlled trial (PATHWAY Home-MCT). <i>Trials</i> , 2018 , 19, 444	2.8	6
25	The Feasibility of Health Trainer Improved Patient Self-Management in Patients with Low Health Literacy and Poorly Controlled Diabetes: A Pilot Randomised Controlled Trial. <i>Journal of Diabetes Research</i> , 2016 , 2016, 6903245	3.9	5
24	Application of phase-induced lateralization to the Stenger test. <i>International Journal of Audiology</i> , 1991 , 30, 241-8	2.6	4
23	Identification and management of frailty in English primary care: a qualitative study of national policy. <i>BJGP Open</i> , 2020 , 4,	3.1	4
22	Incidence, origins and avoidable harm of missed opportunities in diagnosis: longitudinal patient record review in 21 English general practices. <i>BMJ Quality and Safety</i> , 2021 , 30, 977-985	5.4	4
21	A Patient Safety Toolkit for Family Practices. <i>Journal of Patient Safety</i> , 2020 , 16, e182-e186	1.9	4
20	The Importance of External Contacts in Job Performance: A Study in Healthcare Organizations Using Social Network Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	4
19	Measuring the Cognitive Attentional Syndrome in Cardiac Patients With Anxiety and Depression Symptoms: Psychometric Properties of the CAS-1R. <i>Frontiers in Psychology</i> , 2019 , 10, 2109	3.4	3
18	A survey of primary and specialised health care provision to prisons in England and Wales. <i>Primary Health Care Research and Development</i> , 2008 , 9,	1.6	3
17	Improving care for older people with long-term conditions and social care needs in Salford: the CLASSIC mixed-methods study, including RCT. <i>Health Services and Delivery Research</i> , 2018 , 6, 1-188	1.5	3
16	A randomised controlled trial, cost-effectiveness and process evaluation of the implementation of self-management for chronic gastrointestinal disorders in primary care, and linked projects on identification and risk assessment. <i>Programme Grants for Applied Research</i> , 2018 , 6, 1-154	1.5	3
15	"I'm Managing My Diabetes between Two Worlds": Beliefs and Experiences of Diabetes Management in British South Asians on Holiday in the East--A Qualitative Study. <i>Journal of Diabetes Research</i> , 2016 , 2016, 5436174	3.9	3
14	Metacognition in Cardiac Patients With Anxiety and Depression: Psychometric Performance of the Metacognitions Questionnaire 30 (MCQ-30). <i>Frontiers in Psychology</i> , 2020 , 11, 1064	3.4	2
13	Establishing the Feasibility of Group Metacognitive Therapy for Anxiety and Depression in Cardiac Rehabilitation: A Single-Blind Randomized Pilot Study. <i>Frontiers in Psychiatry</i> , 2020 , 11, 582	5	2
12	Speech addressed to hearing-impaired children by their mothers. <i>Clinical Linguistics and Phonetics</i> , 1990 , 4, 221-37	1.4	2

11	Epidemiology and determinants of non-diabetic hyperglycaemia and its conversion to type 2 diabetes mellitus, 2000-2015: cohort population study using UK electronic health records. <i>BMJ Open</i> , 2020 , 10, e040201	3	2
10	In response. <i>Medical Care</i> , 2013 , 51, 854-5	3.1	1
9	Collaborative case management to aid return to work after long-term sickness absence: a pilot randomised controlled trial. <i>Public Health Research</i> , 2018 , 6, 1-76	1.7	1
8	Predicting risk of dementia with machine learning and survival models using routine primary care records 2021 ,		1
7	Pairwise meta-analysis of aggregate data using metaan in Stata. <i>The Stata Journal</i> , 2020 , 20, 680-705	3.5	0
6	Protocol for the economic evaluation of metacognitive therapy for cardiac rehabilitation participants with symptoms of anxiety and/or depression. <i>BMJ Open</i> , 2020 , 10, e035552	3	0
5	Metacognitive therapy self-help for anxiety-depression: Single-blind randomized feasibility trial in cardiovascular disease.. <i>Health Psychology</i> , 2022 , 41, 366-377	5	0
4	Effect of Financial Incentives on Incentivized and Nonincentivized Clinical Activities: Longitudinal Analysis of Data From the UK Quality and Outcomes Framework. <i>Obstetrical and Gynecological Survey</i> , 2011 , 66, 677-679	2.4	
3	Reply to Letter: Impact of chemical, biological, radiation, and nuclear personal protective equipment on the performance of low- and high-dexterity airway and vascular access skills. <i>Resuscitation</i> , 2010 , 81, 363-364	4	
2	Identification and management of frail patients in English primary care: an analysis of the General Medical Services 2018/2019 contract dataset. <i>BMJ Open</i> , 2021 , 11, e041091	3	
1	Understanding the implementation of interventions to improve the management of frailty in primary care: a rapid realist review. <i>BMJ Open</i> , 2022 , 12, e054780	3	