

David J Reeves

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/659170/david-j-reeves-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

8,717
citations

50
h-index

90
g-index

164
ext. papers

9,981
ext. citations

5.9
avg, IF

6
L-index

#	Paper	IF	Citations
154	Metacognitive therapy self-help for anxiety-depression: Single-blind randomized feasibility trial in cardiovascular disease.. <i>Health Psychology</i> , 2022 , 41, 366-377	5	0
153	Understanding the implementation of interventions to improve the management of frailty in primary care: a rapid realist review. <i>BMJ Open</i> , 2022 , 12, e054780	3	
152	Incidence, origins and avoidable harm of missed opportunities in diagnosis: longitudinal patient record review in 21 English general practices. <i>BMJ Quality and Safety</i> , 2021 , 30, 977-985	5.4	4
151	Improving the Effectiveness of Psychological Interventions for Depression and Anxiety in Cardiac Rehabilitation: PATHWAY-A Single-Blind, Parallel, Randomized, Controlled Trial of Group Metacognitive Therapy. <i>Circulation</i> , 2021 , 144, 23-33	16.7	8
150	Identification and management of frail patients in English primary care: an analysis of the General Medical Services 2018/2019 contract dataset. <i>BMJ Open</i> , 2021 , 11, e041091	3	
149	Predicting risk of dementia with machine learning and survival models using routine primary care records 2021 ,		1
148	Metacognitive Therapy versus Cognitive Behaviour Therapy in Adults with Major Depression: A Parallel Single-Blind Randomised Trial. <i>Scientific Reports</i> , 2020 , 10, 7878	4.9	10
147	Metacognition in Cardiac Patients With Anxiety and Depression: Psychometric Performance of the Metacognitions Questionnaire 30 (MCQ-30). <i>Frontiers in Psychology</i> , 2020 , 11, 1064	3.4	2
146	Establishing the Feasibility of Group Metacognitive Therapy for Anxiety and Depression in Cardiac Rehabilitation: A Single-Blind Randomized Pilot Study. <i>Frontiers in Psychiatry</i> , 2020 , 11, 582	5	2
145	Use of an electronic decision support tool to reduce polypharmacy in elderly people with chronic diseases: cluster randomised controlled trial. <i>BMJ, The</i> , 2020 , 369, m1822	5.9	23
144	Identification and management of frailty in English primary care: a qualitative study of national policy. <i>BJGP Open</i> , 2020 , 4,	3.1	4
143	Pairwise meta-analysis of aggregate data using metaan in Stata. <i>The Stata Journal</i> , 2020 , 20, 680-705	3.5	0
142	Protocol for the economic evaluation of metacognitive therapy for cardiac rehabilitation participants with symptoms of anxiety and/or depression. <i>BMJ Open</i> , 2020 , 10, e035552	3	0
141	Epidemiology and determinants of non-diabetic hyperglycaemia and its conversion to type 2 diabetes mellitus, 2000-2015: cohort population study using UK electronic health records. <i>BMJ Open</i> , 2020 , 10, e040201	3	2
140	A Patient Safety Toolkit for Family Practices. <i>Journal of Patient Safety</i> , 2020 , 16, e182-e186	1.9	4
139	The comorbidity burden of type 2 diabetes mellitus: patterns, clusters and predictions from a large English primary care cohort. <i>BMC Medicine</i> , 2019 , 17, 145	11.4	65
138	Measuring the Cognitive Attentional Syndrome in Cardiac Patients With Anxiety and Depression Symptoms: Psychometric Properties of the CAS-1R. <i>Frontiers in Psychology</i> , 2019 , 10, 2109	3.4	3

137	Effect of health literacy on the quality of life of older patients with long-term conditions: a large cohort study in UK general practice. <i>Quality of Life Research</i> , 2018 , 27, 1257-1268	3.7	32
136	The cohort multiple randomized controlled trial design was found to be highly susceptible to low statistical power and internal validity biases. <i>Journal of Clinical Epidemiology</i> , 2018 , 95, 111-119	5.7	14
135	Improving the effectiveness of psychological interventions for depression and anxiety in the cardiac rehabilitation pathway using group-based metacognitive therapy (PATHWAY Group MCT): study protocol for a randomised controlled trial. <i>Trials</i> , 2018 , 19, 215	2.8	22
134	Is telephone health coaching a useful population health strategy for supporting older people with multimorbidity? An evaluation of reach, effectiveness and cost-effectiveness using a Rial within a cohortR <i>BMC Medicine</i> , 2018 , 16, 80	11.4	19
133	The challenge of ageing populations and patient frailty: can primary care adapt?. <i>BMJ, The</i> , 2018 , 362, k3349	5.9	50
132	Improving care for older people with long-term conditions and social care needs in Salford: the CLASSIC mixed-methods study, including RCT. <i>Health Services and Delivery Research</i> , 2018 , 6, 1-188	1.5	3
131	Collaborative case management to aid return to work after long-term sickness absence: a pilot randomised controlled trial. <i>Public Health Research</i> , 2018 , 6, 1-76	1.7	1
130	A randomised controlled trial, cost-effectiveness and process evaluation of the implementation of self-management for chronic gastrointestinal disorders in primary care, and linked projects on identification and risk assessment. <i>Programme Grants for Applied Research</i> , 2018 , 6, 1-154	1.5	3
129	Group Metacognitive Therapy vs. Mindfulness Meditation Therapy in a Transdiagnostic Patient Sample: A Randomised Feasibility Trial. <i>Psychiatry Research</i> , 2018 , 259, 554-561	9.9	52
128	Selective serotonin reuptake inhibitor and selective serotonin and norepinephrine reuptake inhibitor use and risk of fractures in adults: A systematic review and meta-analysis. <i>International Journal of Geriatric Psychiatry</i> , 2018 , 33, 1688-1708	3.9	16
127	The Importance of External Contacts in Job Performance: A Study in Healthcare Organizations Using Social Network Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	4
126	Metacognitive therapy home-based self-help for cardiac rehabilitation patients experiencing anxiety and depressive symptoms: study protocol for a feasibility randomised controlled trial (PATHWAY Home-MCT). <i>Trials</i> , 2018 , 19, 444	2.8	6
125	Using electronic health records to quantify and stratify the severity of type 2 diabetes in primary care in England: rationale and cohort study design. <i>BMJ Open</i> , 2018 , 8, e020926	3	9
124	A set of systematic reviews to help reduce inappropriate prescribing to older people: study protocol. <i>BMC Geriatrics</i> , 2017 , 17, 231	4.1	11
123	Effectiveness and safety of dipeptidyl peptidase 4 inhibitors in the management of type 2 diabetes in older adults: a systematic review and development of recommendations to reduce inappropriate prescribing. <i>BMC Geriatrics</i> , 2017 , 17, 226	4.1	25
122	Efficacy and safety of metformin in the management of type 2 diabetes mellitus in older adults: a systematic review for the development of recommendations to reduce potentially inappropriate prescribing. <i>BMC Geriatrics</i> , 2017 , 17, 227	4.1	32
121	Effectiveness and safety of beta blockers in the management of hypertension in older adults: a systematic review to help reduce inappropriate prescribing. <i>BMC Geriatrics</i> , 2017 , 17, 224	4.1	14
120	Identifying patient and practice characteristics associated with patient-reported experiences of safety problems and harm: a cross-sectional study using a multilevel modelling approach. <i>BMJ Quality and Safety</i> , 2017 , 26, 899-907	5.4	6

119	Improving hearing and vision in dementia: protocol for a field trial of a new intervention. <i>BMJ Open</i> , 2017 , 7, e018744	3	14
118	Longitudinal multiple imputation approaches for body mass index or other variables with very low individual-level variability: the mibmi command in Stata. <i>BMC Research Notes</i> , 2017 , 10, 41	2.3	10
117	Revaluations of patient safety in English general practices: a cross-sectional study. <i>British Journal of General Practice</i> , 2017 , 67, e474-e482	1.6	15
116	Incidence, prevalence and mortality of patients with psoriasis: a U.K. population-based cohort study. <i>British Journal of Dermatology</i> , 2017 , 176, 650-658	4	115
115	Effectiveness and safety of vitamin K antagonists and new anticoagulants in the prevention of thromboembolism in atrial fibrillation in older adults - a systematic review of reviews and the development of recommendations to reduce inappropriate prescribing. <i>BMC Geriatrics</i> , 2017 , 17, 223	4.1	10
114	Thiazides in the management of hypertension in older adults - a systematic review. <i>BMC Geriatrics</i> , 2017 , 17, 228	4.1	9
113	rEHR: An R package for manipulating and analysing Electronic Health Record data. <i>PLoS ONE</i> , 2017 , 12, e0171784	3.7	11
112	Patient activation in older people with long-term conditions and multimorbidity: correlates and change in a cohort study in the United Kingdom. <i>BMC Health Services Research</i> , 2016 , 16, 582	2.9	48
111	Associations between exemption and survival outcomes in the UK primary care pay-for-performance programme: a retrospective cohort study. <i>BMJ Quality and Safety</i> , 2016 , 25, 657-705	5.4	13
110	Polypharmacy in chronic diseases-Reduction of Inappropriate Medication and Adverse drug events in older populations by electronic Decision Support (PRIMA-eDS): study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 57	2.8	56
109	What are the combined effects of negative emotions and illness cognitions on self-care in people with type 2 diabetes? A longitudinal structural equation model. <i>Psychology and Health</i> , 2016 , 31, 873-90	2.9	6
108	Modelling Conditions and Health Care Processes in Electronic Health Records: An Application to Severe Mental Illness with the Clinical Practice Research Datalink. <i>PLoS ONE</i> , 2016 , 11, e0146715	3.7	14
107	Simulation-Based Power Calculations for Mixed Effects Modeling: ipdpower in Stata. <i>Journal of Statistical Software</i> , 2016 , 74,	7.3	13
106	"In Managing My Diabetes between Two Worlds": Beliefs and Experiences of Diabetes Management in British South Asians on Holiday in the East--A Qualitative Study. <i>Journal of Diabetes Research</i> , 2016 , 2016, 5436174	3.9	3
105	The Feasibility of Health Trainer Improved Patient Self-Management in Patients with Low Health Literacy and Poorly Controlled Diabetes: A Pilot Randomised Controlled Trial. <i>Journal of Diabetes Research</i> , 2016 , 2016, 6903245	3.9	5
104	Measuring Patient Safety in Primary Care: The Development and Validation of the "Patient Reported Experiences and Outcomes of Safety in Primary Care" (PREOS-PC). <i>Annals of Family Medicine</i> , 2016 , 14, 253-61	2.9	31
103	Safety climate in English general practices: workload pressures may compromise safety. <i>Journal of Evaluation in Clinical Practice</i> , 2016 , 22, 71-76	2.5	21
102	Illness beliefs and the sociocultural context of diabetes self-management in British South Asians: a mixed methods study. <i>BMC Family Practice</i> , 2015 , 16, 58	2.6	24

101	Regression based quasi-experimental approach when randomisation is not an option: interrupted time series analysis. <i>BMJ, The</i> , 2015 , 350, h2750	5.9	435
100	Having diabetes and having to fast: a qualitative study of British Muslims with diabetes. <i>Health Expectations</i> , 2015 , 18, 1698-708	3.7	33
99	Primary care consultation rates among people with and without severe mental illness: a UK cohort study using the Clinical Practice Research Datalink. <i>BMJ Open</i> , 2015 , 5, e008650	3	33
98	Inequalities in physical comorbidity: a longitudinal comparative cohort study of people with severe mental illness in the UK. <i>BMJ Open</i> , 2015 , 5, e009010	3	58
97	Missed diagnostic opportunities and English general practice: a study to determine their incidence, confounding and contributing factors and potential impact on patients through retrospective review of electronic medical records. <i>Implementation Science</i> , 2015 , 10, 105	8.4	8
96	Integrated primary care for patients with mental and physical multimorbidity: cluster randomised controlled trial of collaborative care for patients with depression comorbid with diabetes or cardiovascular disease. <i>BMJ, The</i> , 2015 , 350, h638	5.9	159
95	Can analyses of electronic patient records be independently and externally validated? Study 2--the effect of β -adrenoceptor blocker therapy on cancer survival: a retrospective cohort study. <i>BMJ Open</i> , 2015 , 5, e007299	3	16
94	Glucose, blood pressure and cholesterol levels and their relationships to clinical outcomes in type 2 diabetes: a retrospective cohort study. <i>Diabetologia</i> , 2015 , 58, 505-18	10.3	56
93	Why less may be more: a mixed methods study of the work and relatedness of β -weak ties in supporting long-term condition self-management. <i>Implementation Science</i> , 2014 , 9, 19	8.4	46
92	Complex consultations in primary care: a tool for assessing the range of health problems and issues addressed in general practice consultations. <i>BMC Family Practice</i> , 2014 , 15, 105	2.6	9
91	Care plans and care planning in the management of long-term conditions in the UK: a controlled prospective cohort study. <i>British Journal of General Practice</i> , 2014 , 64, e568-75	1.6	20
90	The contribution of social networks to the health and self-management of patients with long-term conditions: a longitudinal study. <i>PLoS ONE</i> , 2014 , 9, e98340	3.7	122
89	Setting performance targets in pay for performance programmes: what can we learn from QOF?. <i>BMJ, The</i> , 2014 , 348, g1595	5.9	30
88	Withdrawing performance indicators: retrospective analysis of general practice performance under UK Quality and Outcomes Framework. <i>BMJ, The</i> , 2014 , 348, g330	5.9	66
87	Can analyses of electronic patient records be independently and externally validated? The effect of statins on the mortality of patients with ischaemic heart disease: a cohort study with nested case-control analysis. <i>BMJ Open</i> , 2014 , 4, e004952	3	25
86	Social status and living with a chronic illness: an exploration of assessment and meaning attributed to work and employment. <i>Chronic Illness</i> , 2014 , 10, 273-90	1.4	24
85	Predictors of patient self-report of chronic kidney disease: baseline analysis of a randomised controlled trial. <i>BMC Family Practice</i> , 2014 , 15, 196	2.6	9
84	ClinicalCodes: an online clinical codes repository to improve the validity and reproducibility of research using electronic medical records. <i>PLoS ONE</i> , 2014 , 9, e99825	3.7	112

83	Effect of information and telephone-guided access to community support for people with chronic kidney disease: randomised controlled trial. <i>PLoS ONE</i> , 2014 , 9, e109135	3.7	39
82	The clinical and cost-effectiveness of the BRinging Information and Guided Help Together (BRIGHT) intervention for the self-management support of people with stage 3 chronic kidney disease in primary care: study protocol for a randomized controlled trial. <i>Trials</i> , 2013 , 14, 28	2.8	13
81	A novel, web-based, psychological intervention for people with psoriasis: the electronic Targeted Intervention for Psoriasis (eTIPs) study. <i>British Journal of Dermatology</i> , 2013 , 169, 329-36	4	40
80	Creature comforts: personal communities, pets and the work of managing a long-term condition. <i>Chronic Illness</i> , 2013 , 9, 87-102	1.4	41
79	Relationship between quality of care and choice of clinical computing system: retrospective analysis of family practice performance under the UKR quality and outcomes framework. <i>BMJ Open</i> , 2013 , 3,	3	34
78	Implementation of self management support for long term conditions in routine primary care settings: cluster randomised controlled trial. <i>BMJ, The</i> , 2013 , 346, f2882	5.9	169
77	Multimorbidity and delivery of care for long-term conditions in the English National Health Service: baseline data from a cohort study. <i>Journal of Health Services Research and Policy</i> , 2013 , 18, 29-37	2.4	11
76	Recorded quality of primary care for patients with diabetes in England before and after the introduction of a financial incentive scheme: a longitudinal observational study. <i>BMJ Quality and Safety</i> , 2013 , 22, 53-64	5.4	88
75	Patients' experiences of shared decision making in primary care practices in the United kingdom. <i>Medical Decision Making</i> , 2013 , 33, 26-36	2.5	16
74	The content of general practice consultations: cross-sectional study based on video recordings. <i>British Journal of General Practice</i> , 2013 , 63, e751-9	1.6	59
73	Precision of individual and composite performance scores: the ideal number of indicators in an indicator set. <i>Medical Care</i> , 2013 , 51, 115-21	3.1	13
72	In response. <i>Medical Care</i> , 2013 , 51, 854-5	3.1	1
71	A Short Guide and a Forest Plot Command (Ipdforest) for One-Stage Meta-Analysis. <i>The Stata Journal</i> , 2013 , 13, 574-587	3.5	17
70	Social networks, the RworkRand work force of chronic illness self-management: a survey analysis of personal communities. <i>PLoS ONE</i> , 2013 , 8, e59723	3.7	110
69	A re-analysis of the Cochrane Library data: the dangers of unobserved heterogeneity in meta-analyses. <i>PLoS ONE</i> , 2013 , 8, e69930	3.7	285
68	A secondary analysis of the moderating effects of depression and multimorbidity on the effectiveness of a chronic disease self-management programme. <i>Patient Education and Counseling</i> , 2012 , 87, 67-73	3.1	43
67	Performance of statistical methods for meta-analysis when true study effects are non-normally distributed: a comparison between DerSimonian-Laird and restricted maximum likelihood. <i>Statistical Methods in Medical Research</i> , 2012 , 21, 657-9	2.3	56
66	Psychometric properties of the Patient Assessment Of Chronic Illness Care measure: acceptability, reliability and validity in United Kingdom patients with long-term conditions. <i>BMC Health Services Research</i> , 2012 , 12, 293	2.9	43

65	Performance of statistical methods for meta-analysis when true study effects are non-normally distributed: A simulation study. <i>Statistical Methods in Medical Research</i> , 2012 , 21, 409-26	2.3	157
64	The role of primary care in service provision for people with severe mental illness in the United Kingdom. <i>PLoS ONE</i> , 2012 , 7, e36468	3.7	94
63	A cluster randomised controlled trial of the clinical and cost-effectiveness of a whole systems model of self-management support for the management of long-term conditions in primary care: trial protocol. <i>Implementation Science</i> , 2012 , 7, 7	8.4	49
62	Prevalence and benefits of care plans and care planning for people with long-term conditions in England. <i>Journal of Health Services Research and Policy</i> , 2012 , 17 Suppl 1, 64-71	2.4	34
61	Effect of Financial Incentives on Incentivized and Nonincentivized Clinical Activities: Longitudinal Analysis of Data From the UK Quality and Outcomes Framework. <i>Obstetrical and Gynecological Survey</i> , 2011 , 66, 677-679	2.4	
60	The Quality and Outcomes Framework and self-management dialogue in primary care consultations: a qualitative study. <i>British Journal of General Practice</i> , 2011 , 61, e666-73	1.6	17
59	Paying for the wrong kind of performance? Financial incentives and behaviour changes in National Health Service dentistry 1992-2009. <i>Community Dentistry and Oral Epidemiology</i> , 2011 , 39, 465-73	2.8	55
58	Exploring the mechanisms of change in the chronic disease self-management programme: secondary analysis of data from a randomised controlled trial. <i>Patient Education and Counseling</i> , 2011 , 85, e39-47	3.1	21
57	Social networks, work and network-based resources for the management of long-term conditions: a framework and study protocol for developing self-care support. <i>Implementation Science</i> , 2011 , 6, 56	8.4	90
56	Effect of financial incentives on incentivised and non-incentivised clinical activities: longitudinal analysis of data from the UK Quality and Outcomes Framework. <i>BMJ, The</i> , 2011 , 342, d3590	5.9	174
55	Relationships between job satisfaction, intentions to leave family practice and actually leaving among family physicians in England. <i>European Journal of Public Health</i> , 2011 , 21, 499-503	2.1	75
54	Metaan: Random-effects Meta-analysis. <i>The Stata Journal</i> , 2010 , 10, 395-407	3.5	89
53	Changes in patient experiences of primary care during health service reforms in England between 2003 and 2007. <i>Annals of Family Medicine</i> , 2010 , 8, 499-506	2.9	39
52	Bringing self-management into clinical view: a qualitative study of long-term condition management in primary care consultations. <i>Chronic Illness</i> , 2010 , 6, 136-50	1.4	50
51	Assessment of the speed and ease of insertion of three supraglottic airway devices by paramedics: a manikin study. <i>Emergency Medicine Journal</i> , 2010 , 27, 860-3	1.5	46
50	Network resilience in the face of health system reform. <i>Social Science and Medicine</i> , 2010 , 70, 779-86	5.1	26
49	Reply to Letter: Impact of chemical, biological, radiation, and nuclear personal protective equipment on the performance of low- and high-dexterity airway and vascular access skills. <i>Resuscitation</i> , 2010 , 81, 363-364	4	
48	Does position of the patient adversely affect successful intubation whilst wearing CBRN-PPE?. <i>Resuscitation</i> , 2010 , 81, 1166-71	4	13

47	Patient experience of access to primary care: identification of predictors in a national patient survey. <i>BMC Family Practice</i> , 2010 , 11, 61	2.6	105
46	Information exchange networks for chronic illness care in primary care practices: an observational study. <i>Implementation Science</i> , 2010 , 5, 3	8.4	25
45	How to identify when a performance indicator has run its course. <i>BMJ, The</i> , 2010 , 340, c1717	5.9	23
44	Effects of pay for performance on the quality of primary care in England. <i>New England Journal of Medicine</i> , 2009 , 361, 368-78	59.2	475
43	Maternal parenting stress and its correlates in families with a young child with cerebral palsy. <i>Child: Care, Health and Development</i> , 2009 , 35, 71-8	2.8	60
42	What outcomes are important to patients with long term conditions? A discrete choice experiment. <i>Value in Health</i> , 2009 , 12, 331-9	3.3	16
41	What makes a successful volunteer Expert Patients Programme tutor? Factors predicting satisfaction, productivity and intention to continue tutoring of a new public health workforce in the United Kingdom. <i>Patient Education and Counseling</i> , 2009 , 75, 128-34	3.1	16
40	Impact of chemical, biological, radiation, and nuclear personal protective equipment on the performance of low- and high-dexterity airway and vascular access skills. <i>Resuscitation</i> , 2009 , 80, 1290-5 ⁴		58
39	Extubation force: a comparison of adhesive tape, non-adhesive tape and a commercial endotracheal tube holder. <i>Resuscitation</i> , 2009 , 80, 1296-300	4	22
38	MetaEasy: A Meta-Analysis Add-In for MicrosoftExcel. <i>Journal of Statistical Software</i> , 2009 , 30,	7.3	28
37	Effect of financial incentives on inequalities in the delivery of primary clinical care in England: analysis of clinical activity indicators for the quality and outcomes framework. <i>Lancet, The</i> , 2008 , 372, 728-36	40	180
36	A survey of primary and specialised health care provision to prisons in England and Wales. <i>Primary Health Care Research and Development</i> , 2008 , 9,	1.6	3
35	Cost effectiveness of the Expert Patients Programme (EPP) for patients with chronic conditions. <i>Journal of Epidemiology and Community Health</i> , 2008 , 62, 361-7	5.1	56
34	Moving specialist care into the community: an initial evaluation. <i>Journal of Health Services Research and Policy</i> , 2008 , 13, 233-9	2.4	20
33	Exclusion of patients from pay-for-performance targets by English physicians. <i>New England Journal of Medicine</i> , 2008 , 359, 274-84	59.2	134
32	Predicting who will benefit from an Expert Patients Programme self-management course. <i>British Journal of General Practice</i> , 2008 , 58, 198-203	1.6	45
31	The United Kingdom Expert Patients Programme: results and implications from a national evaluation. <i>Medical Journal of Australia</i> , 2008 , 189, S21-4	4	67
30	The SF-36 scales are not accurately summarised by independent physical and mental component scores. <i>Quality of Life Research</i> , 2008 , 17, 413-23	3.7	57

29	Quality of primary care in England with the introduction of pay for performance. <i>New England Journal of Medicine</i> , 2007 , 357, 181-90	59.2	298
28	Relationship between number of medical conditions and quality of care. <i>New England Journal of Medicine</i> , 2007 , 356, 2496-504	59.2	209
27	The effectiveness and cost effectiveness of a national lay-led self care support programme for patients with long-term conditions: a pragmatic randomised controlled trial. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 254-61	5.1	246
26	The association between culture, climate and quality of care in primary health care teams. <i>Family Practice</i> , 2007 , 24, 323-9	1.9	62
25	Combining multiple indicators of clinical quality: an evaluation of different analytic approaches. <i>Medical Care</i> , 2007 , 45, 489-96	3.1	144
24	Is self-care a cost-effective use of resources? Evidence from a randomized trial in inflammatory bowel disease. <i>Journal of Health Services Research and Policy</i> , 2006 , 11, 225-30	2.4	17
23	A randomised controlled trial of self-help interventions in patients with a primary care diagnosis of irritable bowel syndrome. <i>Gut</i> , 2006 , 55, 643-8	19.2	75
22	Pay-for-performance programs in family practices in the United Kingdom. <i>New England Journal of Medicine</i> , 2006 , 355, 375-84	59.2	542
21	Recruitment to a trial of self-care skills training in long-term health conditions: analysis of the impact of patient attitudes and preferences. <i>Contemporary Clinical Trials</i> , 2006 , 27, 49-56	2.3	7
20	Advanced nurse roles in UK primary care. <i>Medical Journal of Australia</i> , 2006 , 185, 10-2	4	46
19	Communication and Communication Support in Primary Care: A Survey of Deaf Patients. <i>Audiological Medicine</i> , 2005 , 3, 95-107		10
18	Improvements in quality of clinical care in English general practice 1998-2003: longitudinal observational study. <i>BMJ, The</i> , 2005 , 331, 1121	5.9	123
17	A randomised controlled trial to assess the effectiveness and cost of a patient orientated self management approach to chronic inflammatory bowel disease. <i>Gut</i> , 2004 , 53, 1639-45	19.2	149
16	Investigating relationships between health need, primary care and social care using routine statistics. <i>Health and Place</i> , 2004 , 10, 129-40	4.6	6
15	Assessing the quality of care of multiple conditions in general practice: practical and methodological problems. <i>Quality and Safety in Health Care</i> , 2003 , 12, 421-7		32
14	Factors associated with intended staff turnover and job search behaviour in services for people with intellectual disability. <i>Journal of Intellectual Disability Research</i> , 2001 , 45, 258-70	3.2	75
13	The prevalence of challenging behaviors: a total population study. <i>Research in Developmental Disabilities</i> , 2001 , 22, 77-93	2.7	435
12	Predicting the persistence of severe self-injurious behavior. <i>Research in Developmental Disabilities</i> , 2001 , 22, 67-75	2.7	83

11	Progress and outcomes for children with autism receiving parent-managed intensive interventions. <i>Research in Developmental Disabilities</i> , 2001 , 22, 425-47	2.7	56
10	Consistency, context and confidence in judgements of affective communication in adults with profound intellectual and multiple disabilities. <i>Journal of Intellectual Disability Research</i> , 2001 , 45, 18-29 ^{3.2}	3.2	32
9	Auditory integration training for children with autism: no behavioral benefits detected. <i>American Journal on Intellectual and Developmental Disabilities</i> , 2000 , 105, 118-29		57
8	Organizational culture and staff outcomes in services for people with intellectual disabilities. <i>Journal of Intellectual Disability Research</i> , 1999 , 43 (Pt 3), 206-18	3.2	49
7	Factors associated with staff stress and work satisfaction in services for people with intellectual disability. <i>Journal of Intellectual Disability Research</i> , 1999 , 43 (Pt 4), 253-67	3.2	118
6	Staff stressors and staff outcomes in services for adults with intellectual disabilities: the Staff Stressor Questionnaire. <i>Research in Developmental Disabilities</i> , 1999 , 20, 269-85	2.7	44
5	Time-based lag sequential analysis and the functional assessment of challenging behaviour. <i>Journal of Intellectual Disability Research</i> , 1996 , 40 (Pt 3), 260-74	3.2	17
4	Descriptive analysis of multiple response topographies of challenging behavior across two settings. <i>Research in Developmental Disabilities</i> , 1995 , 16, 301-29	2.7	28
3	Application of phase-induced lateralization to the Stenger test. <i>International Journal of Audiology</i> , 1991 , 30, 241-8	2.6	4
2	Speech addressed to hearing-impaired children by their mothers. <i>Clinical Linguistics and Phonetics</i> , 1990 , 4, 221-37	1.4	2
1	The application of temperament questionnaires to a British sample: issues of reliability and validity. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1987 , 28, 61-77	7.9	28