Yuki Takahashi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6593274/yuki-takahashi-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,758 30 113 59 h-index g-index citations papers 126 6.7 5.56 4,592 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
113	Interleukin-4-carrying small extracellular vesicles with a high potential as anti-inflammatory therapeutics based on modulation of macrophage function. <i>Biomaterials</i> , 2021 , 278, 121160	15.6	1
112	Development of immunotherapy using extracellular vesicles. <i>Drug Delivery System</i> , 2021 , 36, 100-107	O	
111	Critical contribution of macrophage scavenger receptor 1 to the uptake of nanostructured DNA by immune cells. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2021 , 34, 102386	6	1
110	Combined use of chemically modified nucleobases and nanostructured DNA for enhanced immunostimulatory activity of CpG oligodeoxynucleotide. <i>Bioorganic and Medicinal Chemistry</i> , 2021 , 29, 115864	3.4	1
109	Phosphatidylserine-deficient small extracellular vesicle is a major somatic cell-derived sEV subpopulation in blood. <i>IScience</i> , 2021 , 24, 102839	6.1	4
108	Determining The Role of Surface Glycans in The Pharmacokinetics of Small Extracellular Vesicles. Journal of Pharmaceutical Sciences, 2021 , 110, 3261-3267	3.9	2
107	Calcium Peroxide-Containing Polydimethylsiloxane-Based Microwells for Inhibiting Cell Death in Spheroids through Improved Oxygen Supply. <i>Biological and Pharmaceutical Bulletin</i> , 2021 , 44, 1458-146	54 ^{2.3}	1
106	DNA density-dependent uptake of DNA origami-based two-or three-dimensional nanostructures by immune cells. <i>Nanoscale</i> , 2020 , 12, 14818-14824	7.7	5
105	Development of RNA/DNA Hydrogel Targeting Toll-Like Receptor 7/8 for Sustained RNA Release and Potent Immune Activation. <i>Molecules</i> , 2020 , 25,	4.8	12
104	Incorporation of Gelatin Microspheres into HepG2 Human Hepatocyte Spheroids for Functional Improvement through Improved Oxygen Supply to Spheroid Core. <i>Biological and Pharmaceutical Bulletin</i> , 2020 , 43, 1220-1225	2.3	2
103	Antitumor immunity by small extracellular vesicles collected from activated dendritic cells through effective induction of cellular and humoral immune responses. <i>Biomaterials</i> , 2020 , 252, 120112	15.6	12
102	Analysis of Tertiary Structural Features of Branched DNA Nanostructures with Partially Common Sequences Using Small-Angle X-ray Scattering <i>ACS Applied Bio Materials</i> , 2020 , 3, 308-314	4.1	1
101	Blood concentrations of small extracellular vesicles are determined by a balance between abundant secretion and rapid clearance. <i>Journal of Extracellular Vesicles</i> , 2020 , 9, 1696517	16.4	44
100	Adiponectin Stimulates Exosome Release to Enhance Mesenchymal Stem-Cell-Driven Therapy of Heart Failure in Mice. <i>Molecular Therapy</i> , 2020 , 28, 2203-2219	11.7	24
99	Development of CD40L-modified tumor small extracellular vesicles for effective induction of antitumor immune response. <i>Nanomedicine</i> , 2020 , 15, 1641-1652	5.6	2
98	Intercellular delivery of NF- B inhibitor peptide utilizing small extracellular vesicles for the application of anti-inflammatory therapy. <i>Journal of Controlled Release</i> , 2020 , 328, 435-443	11.7	3
97	Therapeutic Application of Small Extracellular Vesicles (sEVs): Pharmaceutical and Pharmacokinetic Challenges. <i>Biological and Pharmaceutical Bulletin</i> , 2020 , 43, 576-583	2.3	6

(2018-2019)

96	Development of DNA-anchored assembly of small extracellular vesicle for efficient antigen delivery to antigen presenting cells. <i>Biomaterials</i> , 2019 , 225, 119518	15.6	14
95	Effects of Localization of Antigen Proteins in Antigen-Loaded Exosomes on Efficiency of Antigen Presentation. <i>Molecular Pharmaceutics</i> , 2019 , 16, 2309-2314	5.6	12
94	Role of -Elements in a Proton-Electron Coupling of -IHybridized Electron Systems. <i>Journal of the American Chemical Society</i> , 2019 , 141, 11686-11693	16.4	15
93	Development of a Nanostructured RNA/DNA Assembly as an Adjuvant Targeting Toll-Like Receptor 7/8. <i>Nucleic Acid Therapeutics</i> , 2019 , 29, 335-342	4.8	4
92	Folding of single-stranded circular DNA into rigid rectangular DNA accelerates its cellular uptake. <i>Nanoscale</i> , 2019 , 11, 23416-23422	7.7	2
91	Regulation of the Distribution of Cells in Mixed Spheroids by Altering Migration Direction. <i>Tissue Engineering - Part A</i> , 2019 , 25, 390-398	3.9	3
90	Enhanced Activity of Immunosuppressive Oligodeoxynucleotides by Incorporating Them into Hexapod-Like Nanostructured DNA. <i>Biological and Pharmaceutical Bulletin</i> , 2018 , 41, 564-569	2.3	4
89	Role of Extracellular Vesicle Surface Proteins in the Pharmacokinetics of Extracellular Vesicles. <i>Molecular Pharmaceutics</i> , 2018 , 15, 1073-1080	5.6	48
88	Construction of nanostructured DNA harbouring phosphorodiamidate morpholino oligonucleotide for controlled tissue distribution in mice. <i>Journal of Drug Targeting</i> , 2018 , 26, 373-381	5.4	3
87	Development of orally-deliverable DNA hydrogel by microemulsification and chitosan coating. <i>International Journal of Pharmaceutics</i> , 2018 , 547, 556-562	6.5	10
86	pH Responsiveness of Near-infrared Fluorescent Cyanine Dyes Encapsulated in Self-assemblies Composed of Various Amphiphiles. <i>Chemistry Letters</i> , 2018 , 47, 1147-1150	1.7	3
85	Possibility of Exosome-Based Therapeutics and Challenges in Production of Exosomes Eligible for Therapeutic Application. <i>Biological and Pharmaceutical Bulletin</i> , 2018 , 41, 835-842	2.3	137
84	Exosomes in Cancer Immunotherapy 2018 , 313-324		
83	Control of polarization and tumoricidal activity of macrophages by multicellular spheroid formation. <i>Journal of Controlled Release</i> , 2018 , 270, 177-183	11.7	11
82	Safe and effective interferon-beta gene therapy for the treatment of multiple sclerosis by regulating biological activity through the design of interferon-beta-galectin-9 fusion proteins. <i>International Journal of Pharmaceutics</i> , 2018 , 536, 310-317	6.5	8
81	Development of exosome-based DDS targeting gastrointestinal cancer. <i>Drug Delivery System</i> , 2018 , 33, 372-376	O	
80	Preservation of exosomes at room temperature using lyophilization. <i>International Journal of Pharmaceutics</i> , 2018 , 553, 1-7	6.5	64
79	Combined encapsulation of a tumor antigen and immune cells using a self-assembling immunostimulatory DNA hydrogel to enhance antigen-specific tumor immunity. <i>Journal of Controlled Release</i> , 2018 , 288, 189-198	11.7	18

78	Pharmacokinetics of Exosomes-An Important Factor for Elucidating the Biological Roles of Exosomes and for the Development of Exosome-Based Therapeutics. <i>Journal of Pharmaceutical Sciences</i> , 2017 , 106, 2265-2269	3.9	108
77	Amelioration of Experimental Autoimmune Encephalomyelitis in Mice by Interferon-Beta Gene Therapy, Using a Long-Term Expression Plasmid Vector. <i>Molecular Pharmaceutics</i> , 2017 , 14, 1212-1217	5.6	12
76	Using size-controlled multicellular spheroids of murine adenocarcinoma cells to efficiently establish pulmonary tumors in mice. <i>Biotechnology Journal</i> , 2017 , 12, 1600513	5.6	10
75	In [Vitro and In [Vivo Stimulation of Toll-Like Receptor 9 by CpG Oligodeoxynucleotides Incorporated Into Polypod-Like DNA Nanostructures. <i>Journal of Pharmaceutical Sciences</i> , 2017 , 106, 2457-2462	3.9	11
74	Targeted Delivery of Interferon Gamma Using a Recombinant Fusion Protein of a Fibrin Clot-Binding Peptide With Interferon Gamma for Cancer Gene Therapy. <i>Journal of Pharmaceutical Sciences</i> , 2017 , 106, 892-897	3.9	1
73	Enhanced Class I Tumor Antigen Presentation via Cytosolic Delivery of Exosomal Cargos by Tumor-Cell-Derived Exosomes Displaying a pH-Sensitive Fusogenic Peptide. <i>Molecular Pharmaceutics</i> , 2017 , 14, 4079-4086	5.6	41
72	Reconstruction of Toll-like receptor 9-mediated responses in HEK-Blue hTLR9 cells by transfection of human macrophage scavenger receptor 1 gene. <i>Scientific Reports</i> , 2017 , 7, 13661	4.9	14
71	In Vivo Tracking of Extracellular Vesicles in Mice Using Fusion Protein Comprising Lactadherin and Gaussia Luciferase. <i>Methods in Molecular Biology</i> , 2017 , 1660, 245-254	1.4	16
70	DNA nanotechnology-based composite-type gold nanoparticle-immunostimulatory DNA hydrogel for tumor photothermal immunotherapy. <i>Biomaterials</i> , 2017 , 146, 136-145	15.6	123
69	Retardation of Antigen Release from DNA Hydrogel Using Cholesterol-Modified DNA for Increased Antigen-Specific Immune Response. <i>Advanced Healthcare Materials</i> , 2017 , 6, 1700355	10.1	18
68	Accelerated growth of B16BL6 tumor in mice through efficient uptake of their own exosomes by B16BL6 cells. <i>Cancer Science</i> , 2017 , 108, 1803-1810	6.9	69
67	Elucidation of the Mechanism of Increased Activity of Immunostimulatory DNA by the Formation of Polypod-like Structure. <i>Pharmaceutical Research</i> , 2017 , 34, 2362-2370	4.5	6
66	Role of Phosphatidylserine-Derived Negative Surface Charges in the Recognition and Uptake of Intravenously Injected B16BL6-Derived Exosomes by Macrophages. <i>Journal of Pharmaceutical Sciences</i> , 2017 , 106, 168-175	3.9	94
65	Cell type-specific and common characteristics of exosomes derived from mouse cell lines: Yield, physicochemical properties, and pharmacokinetics. <i>European Journal of Pharmaceutical Sciences</i> , 2017 , 96, 316-322	5.1	119
64	Improved sustained release of antigen from immunostimulatory DNA hydrogel by electrostatic interaction with chitosan. <i>International Journal of Pharmaceutics</i> , 2017 , 516, 392-400	6.5	27
63	Optimization of Albumin Secretion and Metabolic Activity of Cytochrome P450 1A1 of Human Hepatoblastoma HepG2 Cells in Multicellular Spheroids by Controlling Spheroid Size. <i>Biological and Pharmaceutical Bulletin</i> , 2017 , 40, 334-338	2.3	24
62	SELEX-Based Screening of Exosome-Tropic RNA. <i>Biological and Pharmaceutical Bulletin</i> , 2017 , 40, 2140-	21.45	5
61	Evaluation of antiviral effect of type I, II, and III interferons on direct-acting antiviral-resistant hepatitis C virus. <i>Antiviral Research</i> , 2017 , 146, 130-138	10.8	5

60	Self-assembling DNA hydrogel-based delivery of immunoinhibitory nucleic acids to immune cells. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2016 , 12, 123-30	6	33
59	Increased Insulin Secretion from Insulin-Secreting Cells by Construction of Mixed Multicellular Spheroids. <i>Pharmaceutical Research</i> , 2016 , 33, 247-56	4.5	15
58	Application of Magnesium Pyrophosphate-Based Sponge-Like Microparticles to Enhance the Delivery Efficiency and Adjuvant Effects of Polyriboinosinic-Polyribocytidylic Acid in Immune Cells. <i>Journal of Pharmaceutical Sciences</i> , 2016 , 105, 766-772	3.9	4
57	Effect of exosome isolation methods on physicochemical properties of exosomes and clearance of exosomes from the blood circulation. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2016 , 98, 1-8	5.7	100
56	Depressive symptoms as a side effect of Interferon-Litherapy induced by induction of indoleamine 2,3-dioxygenase 1. <i>Scientific Reports</i> , 2016 , 6, 29920	4.9	30
55	Exosome-based tumor antigens-adjuvant co-delivery utilizing genetically engineered tumor cell-derived exosomes with immunostimulatory CpG DNA. <i>Biomaterials</i> , 2016 , 111, 55-65	15.6	166
54	Interferon-Inducible Mx Promoter-Driven, Long-Term Transgene Expression System of Interferon-Information Cancer Gene Therapy. <i>Human Gene Therapy</i> , 2016 , 27, 936-945	4.8	7
53	Self-assembling DNA dendrimer for effective delivery of immunostimulatory CpG DNA to immune cells. <i>Biomacromolecules</i> , 2015 , 16, 1095-101	6.9	56
52	Optimal Arrangement of Four Short DNA Strands for Delivery of Immunostimulatory Nucleic Acids to Immune Cells. <i>Nucleic Acid Therapeutics</i> , 2015 , 25, 245-53	4.8	17
51	Efficient amplification of self-gelling polypod-like structured DNA by rolling circle amplification and enzymatic digestion. <i>Scientific Reports</i> , 2015 , 5, 14979	4.9	19
50	Macrophage-dependent clearance of systemically administered B16BL6-derived exosomes from the blood circulation in mice. <i>Journal of Extracellular Vesicles</i> , 2015 , 4, 26238	16.4	279
49	Induction of Potent Antitumor Immunity by Sustained Release of Cationic Antigen from a DNA-Based Hydrogel with Adjuvant Activity. <i>Advanced Functional Materials</i> , 2015 , 25, 5758-5767	15.6	65
48	Contribution of Epigenetic Modifications to the Decline in Transgene Expression from Plasmid DNA in Mouse Liver. <i>Pharmaceutics</i> , 2015 , 7, 199-212	6.4	5
47	Quantitative analysis of tissue distribution of the B16BL6-derived exosomes using a streptavidin-lactadherin fusion protein and iodine-125-labeled biotin derivative after intravenous injection in mice. <i>Journal of Pharmaceutical Sciences</i> , 2015 , 104, 705-13	3.9	160
46	Atomic force microscopy analysis of orientation and bending of oligodeoxynucleotides in polypod-like structured DNA. <i>Nano Research</i> , 2015 , 8, 3764-3771	10	5
45	Nasal delivery of Japanese cedar pollen Cryj1 by using self-gelling immunostimulatory DNA for effective induction of immune responses in mice. <i>Journal of Controlled Release</i> , 2015 , 200, 52-9	11.7	8
44	Injectable, self-gelling, biodegradable, and immunomodulatory DNA hydrogel for antigen delivery. Journal of Controlled Release, 2014 , 180, 25-32	11.7	95
43	Efficient delivery of immunostimulatory DNA to mouse and human immune cells through the construction of polypod-like structured DNA. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2014 , 10, 765-74	6	29

42	Removal of transgene-expressing cells by a specific immune response induced by sustained transgene expression. <i>Journal of Gene Medicine</i> , 2014 , 16, 97-106	3.5	7
41	Enhancement of anticancer effect of interferon-ligene transfer against interferon-lige	5.6	9
40	Prevention of adverse events of interferon Igene therapy by gene delivery of interferon Interferon Interparin-binding domain fusion protein in mice. <i>Molecular Therapy - Methods and Clinical Development</i> , 2014 , 1, 14023	6.4	10
39	Characteristics of Exosomes and Development of Exosome-based Diagnosis and Therapy. <i>Oleoscience</i> , 2014 , 14, 291-298	0.1	
38	In vivo fate of exogenously-administered exosomes. <i>Drug Delivery System</i> , 2014 , 29, 116-124	О	
37	Long-term elimination of hepatitis C virus from human hepatocyte chimeric mice after interferon- gene transfer. <i>Human Gene Therapy Clinical Development</i> , 2014 , 25, 28-39	3.2	5
36	Transplantation of insulin-secreting multicellular spheroids for the treatment of type 1 diabetes in mice. <i>Journal of Controlled Release</i> , 2014 , 173, 119-24	11.7	28
35	DNA nanotechnology-based development of delivery systems for bioactive compounds. <i>European Journal of Pharmaceutical Sciences</i> , 2014 , 58, 26-33	5.1	27
34	Gene delivery of albumin binding peptide-interferon-gamma fusion protein with improved pharmacokinetic properties and sustained biological activity. <i>Journal of Pharmaceutical Sciences</i> , 2013 , 102, 3110-8	3.9	5
33	Poly(N-isopropylacrylamide)-coated microwell arrays for construction and recovery of multicellular spheroids. <i>Journal of Bioscience and Bioengineering</i> , 2013 , 115, 695-9	3.3	24
32	Visualization and in vivo tracking of the exosomes of murine melanoma B16-BL6 cells in mice after intravenous injection. <i>Journal of Biotechnology</i> , 2013 , 165, 77-84	3.7	412
31	Expression profile-dependent improvement of insulin sensitivity by gene delivery of interleukin-6 in a mouse model of type II diabetes. <i>Molecular Pharmaceutics</i> , 2013 , 10, 3812-21	5.6	12
30	Development of multicellular spheroid for cell-based therapy. <i>Drug Delivery System</i> , 2013 , 28, 45-53	O	1
29	Controlling the kinetics of interferon transgene expression for improved gene therapy. <i>Journal of Drug Targeting</i> , 2012 , 20, 764-9	5.4	10
28	Increased immunostimulatory activity of polypod-like structured DNA by ligation of the terminal loop structures. <i>Journal of Controlled Release</i> , 2012 , 163, 285-92	11.7	14
27	Fibronectin inhibits cytokine production induced by CpG DNA in macrophages without direct binding to DNA. <i>Cytokine</i> , 2012 , 60, 162-70	4	3
26	Near-infrared fluorescence probes for enzymes based on binding affinity modulation of squarylium dye scaffold. <i>Analytical Chemistry</i> , 2012 , 84, 4404-10	7.8	43
25	Design and development of nanosized DNA assemblies in polypod-like structures as efficient vehicles for immunostimulatory CpG motifs to immune cells. <i>ACS Nano</i> , 2012 , 6, 5931-40	16.7	134

(2007-2012)

24	Constant and steady transgene expression of interferon-Iby optimization of plasmid construct for safe and effective interferon-Ibene therapy. <i>Journal of Gene Medicine</i> , 2012 , 14, 288-95	3.5	12
23	Comparison of antigen expression from plasmid DNA in tumor-free and antigen-expressing tumor-bearing mice. <i>Human Vaccines and Immunotherapeutics</i> , 2012 , 8, 194-200	4.4	1
22	Inhibition of surgical trauma-enhanced peritoneal dissemination of tumor cells by human catalase derivatives in mice. <i>Free Radical Biology and Medicine</i> , 2011 , 51, 773-9	7.8	6
21	Positive correlation between the generation of reactive oxygen species and activation/reactivation of transgene expression after hydrodynamic injections into mice. <i>Pharmaceutical Research</i> , 2011 , 28, 702-11	4.5	9
20	Prolonged circulation half-life of interferon lactivity by gene delivery of interferon lactume albumin fusion protein in mice. <i>Journal of Pharmaceutical Sciences</i> , 2011 , 100, 2350-7	3.9	18
19	Saturation of transgene protein synthesis from mRNA in cells producing a large number of transgene mRNA. <i>Biotechnology and Bioengineering</i> , 2011 , 108, 2380-9	4.9	7
18	Biodegradable CpG DNA hydrogels for sustained delivery of doxorubicin and immunostimulatory signals in tumor-bearing mice. <i>Biomaterials</i> , 2011 , 32, 488-94	15.6	155
17	Sustained exogenous expression of therapeutic levels of IFN-gamma ameliorates atopic dermatitis in NC/Nga mice via Th1 polarization. <i>Journal of Immunology</i> , 2010 , 184, 2729-35	5.3	50
16	Induction of tumor-specific immune response by gene transfer of Hsp70-cell-penetrating peptide fusion protein to tumors in mice. <i>Molecular Therapy</i> , 2010 , 18, 421-8	11.7	30
15	Persistent interferon transgene expression by RNA interference-mediated silencing of interferon receptors. <i>Journal of Gene Medicine</i> , 2010 , 12, 739-46	3.5	7
14	The aldo-keto reductase Akr1b7 gene is a common transcriptional target of xenobiotic receptors pregnane X receptor and constitutive androstane receptor. <i>Molecular Pharmacology</i> , 2009 , 76, 604-11	4.3	37
13	Quantitative and temporal analysis of gene silencing in tumor cells induced by small interfering RNA or short hairpin RNA expressed from plasmid vectors. <i>Journal of Pharmaceutical Sciences</i> , 2009 , 98, 74-80	3.9	22
12	Effect of the content of unmethylated CpG dinucleotides in plasmid DNA on the sustainability of transgene expression. <i>Journal of Gene Medicine</i> , 2009 , 11, 435-43	3.5	52
11	Nonviral vector-mediated RNA interference: its gene silencing characteristics and important factors to achieve RNAi-based gene therapy. <i>Advanced Drug Delivery Reviews</i> , 2009 , 61, 760-6	18.5	87
10	Enhancement of antiproliferative activity of interferons by RNA interference-mediated silencing of SOCS gene expression in tumor cells. <i>Cancer Science</i> , 2008 , 99, 1650-5	6.9	16
9	Reactivation of silenced transgene expression in mouse liver by rapid, large-volume injection of isotonic solution. <i>Human Gene Therapy</i> , 2008 , 19, 1009-20	4.8	31
8	Gene silencing of beta-catenin in melanoma cells retards their growth but promotes the formation of pulmonary metastasis in mice. <i>International Journal of Cancer</i> , 2008 , 123, 2315-20	7.5	24
7	Improved anti-cancer effect of interferon gene transfer by sustained expression using CpG-reduced plasmid DNA. <i>International Journal of Cancer</i> , 2007 , 121, 401-6	7.5	26

6	Design of PCR-amplified DNA fragments for in vivo gene delivery: size-dependency on stability and transgene expression. <i>Journal of Pharmaceutical Sciences</i> , 2007 , 96, 2251-61	3.9	17
5	Delivery of vectors expressing short hairpin RNA for cancer therapy. <i>Drug Delivery System</i> , 2007 , 22, 12	23:130	
4	Suppression of tumor growth by intratumoral injection of short hairpin RNA-expressing plasmid DNA targeting beta-catenin or hypoxia-inducible factor 1alpha. <i>Journal of Controlled Release</i> , 2006 , 116, 90-5	11.7	22
3	Moment analysis for kinetics of gene silencing by RNA interference. <i>Biotechnology and Bioengineering</i> , 2006 , 93, 816-9	4.9	8
2	Gene silencing in primary and metastatic tumors by small interfering RNA delivery in mice: quantitative analysis using melanoma cells expressing firefly and sea pansy luciferases. <i>Journal of Controlled Release</i> , 2005 , 105, 332-43	11.7	38
1	Inhibition of experimental hepatic metastasis by targeted delivery of catalase in mice. <i>Clinical and Experimental Metastasis</i> , 2004 , 21, 213-21	4.7	49