Cheng-Yang Hsieh

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6593339/cheng-yang-hsieh-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83
papers

1,555
citations

18
h-index

93
ext. papers

2,095
ext. citations

18
h-index

5.04
L-index

| # | Paper | IF | Citations |
|----|---|-----|-----------|
| 83 | Positive Predictive Value of ICD-10 Codes for Cerebral Venous Sinus Thrombosis in Taiwan\$ National Health Insurance Claims Database <i>Clinical Epidemiology</i> , 2022 , 14, 1-7 | 5.9 | 1 |
| 82 | Atrial Fibrillation Detected After Stroke and Transient Ischemic Attack: A Novel Clinical Concept Challenging Current Views <i>Stroke</i> , 2022 , STROKEAHA121034777 | 6.7 | 5 |
| 81 | Effectiveness of Standard-Dose vs. Low-Dose Alteplase for Acute Ischemic Stroke Within 3-4.5 h <i>Frontiers in Neurology</i> , 2022 , 13, 763963 | 4.1 | O |
| 80 | Early Prediction of Functional Outcomes After Acute Ischemic Stroke Using Unstructured Clinical Text: Retrospective Cohort Study <i>JMIR Medical Informatics</i> , 2022 , 10, e29806 | 3.6 | O |
| 79 | Validation of Stroke Risk Factors in Patients with Acute Ischemic Stroke, Transient Ischemic Attack, or Intracerebral Hemorrhage on Taiwan& National Health Insurance Claims Data <i>Clinical Epidemiology</i> , 2022 , 14, 327-335 | 5.9 | O |
| 78 | Risk of Incident Epilepsy After a Middle Cerebral Artery Territory Infarction <i>Frontiers in Neurology</i> , 2022 , 13, 765969 | 4.1 | 1 |
| 77 | Validation of Risk Scores for Predicting Atrial Fibrillation Detected After Stroke Based on an Electronic Medical Record Algorithm: A Registry-Claims-Electronic Medical Record Linked Data Study <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 888240 | 5.4 | 1 |
| 76 | Synergistic deciphering of bioenergy production and electron transport characteristics to screen traditional Chinese medicine (TCM) for COVID-19 drug development <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2022 , 135, 104365 | 5.3 | 0 |
| 75 | Association between methylphenidate and risk of myocardial infarction: A multinational self-controlled case series study. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1458-1467 | 2.6 | О |
| 74 | Comparative safety of antipsychotic medications in elderly stroke survivors: A nationwide claim data and stroke registry linkage cohort study. <i>Journal of Psychiatric Research</i> , 2021 , 139, 159-166 | 5.2 | 2 |
| 73 | Validation of ICD-10-CM Diagnosis Codes for Identification of Patients with Acute Hemorrhagic Stroke in a National Health Insurance Claims Database. <i>Clinical Epidemiology</i> , 2021 , 13, 43-51 | 5.9 | 7 |
| 72 | Associations between stroke type, stroke severity, and pre-stroke osteoporosis with the risk of post-stroke fracture: A nationwide population-based study. <i>Journal of the Neurological Sciences</i> , 2021 , 427, 117512 | 3.2 | 1 |
| 71 | Long-term neurological and healthcare burden of adults with Japanese encephalitis: Alhationwide Btudy 2000-2015. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009703 | 4.8 | 1 |
| 70 | Drug treatment strategies for osteoporosis in stroke patients. <i>Expert Opinion on Pharmacotherapy</i> , 2020 , 21, 811-821 | 4 | 5 |
| 69 | Letter by Hsieh and Sung Regarding Article, "Atrial Fibrillation-Associated Ischemic Stroke Patients With Prior Anticoagulation Have Higher Risk for Recurrent Stroke". <i>Stroke</i> , 2020 , 51, e163 | 6.7 | |
| 68 | Home-Time as a Surrogate Measure for Functional Outcome After Stroke: A Validation Study. <i>Clinical Epidemiology</i> , 2020 , 12, 617-624 | 5.9 | 2 |
| 67 | Development of a novel score to predict newly diagnosed atrial fibrillation after ischemic stroke: The CHASE-LESS score. <i>Atherosclerosis</i> , 2020 , 295, 1-7 | 3.1 | 3 |

(2018-2020)

| 66 | Medication Use and the Risk of Newly Diagnosed Diabetes in Patients with Epilepsy. <i>Journal of Organizational and End User Computing</i> , 2020 , 32, 93-108 | 6.2 | 10 |
|----|---|-------------------|-----|
| 65 | Two Decades of Research Using Taiwan's National Health Insurance Claims Data: Bibliometric and Text Mining Analysis on PubMed. <i>Journal of Medical Internet Research</i> , 2020 , 22, e18457 | 7.6 | 9 |
| 64 | Maintenance of Stroke Care Quality amid the Coronavirus Disease 2019 Outbreak in Taiwan. Journal of Stroke, 2020 , 22, 407-411 | 5.6 | 6 |
| 63 | Post-Stroke Cardiovascular Complications and Neurogenic Cardiac Injury: JACC State-of-the-Art Review. <i>Journal of the American College of Cardiology</i> , 2020 , 76, 2768-2785 | 15.1 | 33 |
| 62 | Performance of ICD-10-CM Diagnosis Codes for Identifying Acute Ischemic Stroke in a National Health Insurance Claims Database. <i>Clinical Epidemiology</i> , 2020 , 12, 1007-1013 | 5.9 | 13 |
| 61 | Exploring pharmacogenetic difference using adverse event database: an example of clopidogrel and cardiovascular events. <i>Pharmacogenomics</i> , 2020 , 21, 1157-1168 | 2.6 | |
| 60 | Outcomes of acute cardiovascular events in rheumatoid arthritis and systemic lupus erythematosus: a population-based study. <i>Rheumatology</i> , 2020 , 59, 1355-1363 | 3.9 | 14 |
| 59 | Intravenous Thrombolysis Administration 3-4.5 h After Acute Ischemic Stroke: A Retrospective, Multicenter Study. <i>Frontiers in Neurology</i> , 2019 , 10, 1038 | 4.1 | 8 |
| 58 | Taiwan's National Health Insurance Research Database: past and future. <i>Clinical Epidemiology</i> , 2019 , 11, 349-358 | 5.9 | 324 |
| 57 | Stroke occurrence while on antiplatelet therapy may predict atrial fibrillation detected after stroke. <i>Atherosclerosis</i> , 2019 , 283, 13-18 | 3.1 | 2 |
| 56 | Intravenous Thrombolysis in Acute Ischemic Stroke After Idarucizumab Reversal of Dabigatran Effect: Analysis of the Cases From Taiwan. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019 , 28, 815 | - 8 20 | 11 |
| 55 | Using the cortical bone trajectory screw technique with vertebral column resection to treat an osteoporotic compression fracture in progressive thoracolumbar hyperkyphosis: A case report. <i>Interdisciplinary Neurosurgery: Advanced Techniques and Case Management</i> , 2019 , 15, 98-100 | 0.5 | |
| 54 | Medication Adherence and Stroke Prevention: What Real World Data Tells Us. <i>Acta Neurologica Taiwanica</i> , 2019 , 28(4), 86-87 | 0.6 | |
| 53 | Characteristics and outcomes of ischemic stroke in patients with known atrial fibrillation or atrial fibrillation diagnosed after stroke. <i>International Journal of Cardiology</i> , 2018 , 261, 68-72 | 3.2 | 14 |
| 52 | Effect of Rehabilitation Intensity on Mortality Risk After Stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018 , 99, 1042-1048.e6 | 2.8 | 17 |
| 51 | Renal function is associated with 1-month and 1-year mortality in patients with ischemic stroke. <i>Atherosclerosis</i> , 2018 , 269, 288-293 | 3.1 | 20 |
| 50 | Prediction of new-onset atrial fibrillation after first-ever ischemic stroke: A comparison of CHADS, CHADS-VASc and HATCH scores and the added value of stroke severity. <i>Atherosclerosis</i> , 2018 , 272, 73-70. | 93.1 | 11 |
| 49 | Three years of the nationwide post-acute stroke care program in Taiwan. <i>Journal of the Chinese Medical Association</i> , 2018 , 81, 87-88 | 2.8 | 12 |

| 48 | Reader response: Increasing prevalence of vascular risk factors in patients with stroke: A call to action. <i>Neurology</i> , 2018 , 91, 288 | 6.5 | |
|----|--|------------------|----|
| 47 | Registry-based stroke research in Taiwan: past and future. <i>Epidemiology and Health</i> , 2018 , 40, e2018004 | 1 5.6 | 9 |
| 46 | Lower risk of dementia with pioglitazone, compared with other second-line treatments, in metformin-based dual therapy: a population-based longitudinal study. <i>Diabetologia</i> , 2018 , 61, 562-573 | 10.3 | 33 |
| 45 | Risk of ischemic stroke after discharge from inpatient surgery: Does the type of surgery matter?. <i>PLoS ONE</i> , 2018 , 13, e0206990 | 3.7 | 1 |
| 44 | Subdural Hemorrhage in Patients with End-Stage Renal Disease Requiring Dialysis: A Single-Center Study. <i>Acta Neurologica Taiwanica</i> , 2018 , 27, 9-17 | 0.6 | 1 |
| 43 | Trends in vascular risk factors, stroke performance measures, and outcomes in patients with first-ever ischemic stroke in Taiwan between 2000 and 2012. <i>Journal of the Neurological Sciences</i> , 2017 , 378, 80-84 | 3.2 | 17 |
| 42 | Recent advances of stroke thrombolysis in Taiwan: A successful interaction between physicians, regulators, and National Health Insurance Administration. <i>Journal of the Formosan Medical Association</i> , 2017 , 116, 411-412 | 3.2 | 0 |
| 41 | Risks of newly onset hemorrhagic stroke in patients with neovascular age-related macular degeneration. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1277-1285 | 2.6 | 5 |
| 40 | Sequence symmetry analysis in pharmacovigilance and pharmacoepidemiologic studies. <i>European Journal of Epidemiology</i> , 2017 , 32, 567-582 | 12.1 | 39 |
| 39 | Previously undiagnosed risk factors and medication nonadherence are prevalent in young adults with first-ever stroke. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1458-1464 | 2.6 | 3 |
| 38 | Validation of a novel claims-based stroke severity index in patients with intracerebral hemorrhage. Journal of Epidemiology, 2017 , 27, 24-29 | 3.4 | 39 |
| 37 | Stroke severity may predict causes of readmission within one year in patients with first ischemic stroke event. <i>Journal of the Neurological Sciences</i> , 2017 , 372, 21-27 | 3.2 | 23 |
| 36 | Intravenous Alteplase for Acute Ischemic Stroke in Taiwan: Can We Expand the National Health Insurance's Reimbursement Criteria?. <i>Acta Neurologica Taiwanica</i> , 2017 , 26, 1-2 | 0.6 | 1 |
| 35 | "Weekend effect" on stroke mortality revisited: Application of a claims-based stroke severity index in a population-based cohort study. <i>Medicine (United States)</i> , 2016 , 95, e4046 | 1.8 | 18 |
| 34 | Comparative persistence of antiepileptic drugs in patients with epilepsy: A STROBE-compliant retrospective cohort study. <i>Medicine (United States)</i> , 2016 , 95, e4481 | 1.8 | 7 |
| 33 | Time is brain: Things hidden under figures. <i>International Journal of Stroke</i> , 2016 , 11, NP9 | 6.3 | |
| 32 | A comparison of stroke severity proxy measures for claims data research: a population-based cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 438-43 | 2.6 | 14 |
| 31 | Comparative risk of oral ulcerations among antipsychotics users - population-based retrospective cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 123-32 | 2.6 | 6 |

(2014-2016)

| 30 | Validity of a stroke severity index for administrative claims data research: a retrospective cohort study. <i>BMC Health Services Research</i> , 2016 , 16, 509 | 2.9 | 49 |
|----|--|----------------|-----|
| 29 | Validation of algorithms to identify stroke risk factors in patients with acute ischemic stroke, transient ischemic attack, or intracerebral hemorrhage in an administrative claims database. <i>International Journal of Cardiology</i> , 2016 , 215, 277-82 | 3.2 | 95 |
| 28 | Response to Iraqi and Hughes. Journal of the American Geriatrics Society, 2016, 64, 242-3 | 5.6 | |
| 27 | Parkinsonism or Other Movement Disorders Presenting as Stroke Mimics. <i>Acta Neurologica Taiwanica</i> , 2016 , 25(4), 124-128 | 0.6 | 1 |
| 26 | Does renal dysfunction modify the effect of intravenous thrombolysis for acute ischemic stroke within 4.5 hours of onset? A multicenter observational study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015 , 24, 673-9 | 2.8 | 4 |
| 25 | Risk of pneumonia in new users of cholinesterase inhibitors for dementia. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 869-76 | 5.6 | 10 |
| 24 | Validating the diagnosis of acute ischemic stroke in a National Health Insurance claims database. Journal of the Formosan Medical Association, 2015 , 114, 254-9 | 3.2 | 252 |
| 23 | Identifying renal dysfunction in stroke patients using diagnostic codes in the Taiwan National Health Insurance Research Database. <i>International Journal of Stroke</i> , 2015 , 10, E5 | 6.3 | 5 |
| 22 | Brief Report: Databases in the Asia-Pacific Region: The Potential for a Distributed Network Approach. <i>Epidemiology</i> , 2015 , 26, 815-20 | 3.1 | 41 |
| 21 | Net clinical benefit of oral anticoagulants: a multiple criteria decision analysis. <i>PLoS ONE</i> , 2015 , 10, e01 | 2 <u>4</u> 806 | 19 |
| 20 | Letter by Hsieh and Lin Regarding Article, "Acute Reperfusion Therapy and Stroke Care in Asia After Successful Endovascular Trials". <i>Stroke</i> , 2015 , 46, e198 | 6.7 | 2 |
| 19 | Developing a stroke severity index based on administrative data was feasible using data mining techniques. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 1292-300 | 5.7 | 79 |
| 18 | Efforts to reduce the door-to-needle time of thrombolysis in acute ischemic stroke: video-assisted therapeutic risk communication. <i>Journal of the Formosan Medical Association</i> , 2014 , 113, 929-33 | 3.2 | 9 |
| 17 | Transient blepharospasm, apraxia of eyelid opening, and hemidyskinesia following a right parietotemporal infarct. <i>Parkinsonism and Related Disorders</i> , 2014 , 20, 1024-6 | 3.6 | 3 |
| 16 | Detecting potential adverse reactions of sulpiride in schizophrenic patients by prescription sequence symmetry analysis. <i>PLoS ONE</i> , 2014 , 9, e89795 | 3.7 | 16 |
| 15 | Chronic kidney disease and stroke. <i>Lancet Neurology, The</i> , 2014 , 13, 1071 | 24.1 | 17 |
| 14 | A nationwide plan for postacute care of stroke in Taiwan. International Journal of Stroke, 2014, 9, E3 | 6.3 | 5 |
| 13 | Is renal dysfunction associated with adverse stroke outcome after thrombolytic therapy?. Cerebrovascular Diseases, 2014, 37, 51-6 | 3.2 | 14 |

| 12 | Anti-accreditation for stroke management in Taiwan. International Journal of Stroke, 2013, 8, E38 | 6.3 | 2 |
|----|---|------|----|
| 11 | National survey of thrombolytic therapy for acute ischemic stroke in Taiwan 2003-2010. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2013 , 22, e620-7 | 2.8 | 20 |
| 10 | Comparative stroke risk of antiepileptic drugs in patients with epilepsy. <i>Epilepsia</i> , 2013 , 54, 172-80 | 6.4 | 20 |
| 9 | Use of antiepileptic drugs and risk of hypothyroidism. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 1071-9 | 2.6 | 27 |
| 8 | Optimal dose for stroke thrombolysis in Asians: low dose may have similar safety and efficacy as standard dose. <i>Journal of Thrombosis and Haemostasis</i> , 2012 , 10, 1270-5 | 15.4 | 29 |
| 7 | Somatosensory rub evoked reflex epilepsy of a temporal lobe origin. <i>Neurological Sciences</i> , 2011 , 32, 297-9 | 3.5 | 8 |
| 6 | Outcome of acute ischemic stroke in very elderly patients: is intravenous thrombolysis beneficial?. <i>European Neurology</i> , 2011 , 66, 110-6 | 2.1 | 15 |
| 5 | Comparative outcomes between hemo- and peritoneal dialysis patients with acute intracerebral hemorrhage. <i>American Journal of Nephrology</i> , 2010 , 32, 31-7 | 4.6 | 6 |
| 4 | Terminating prolonged refractory status epilepticus using ketamine. <i>Clinical Neuropharmacology</i> , 2010 , 33, 165-7 | 1.4 | 42 |
| 3 | Isolated brainstem involvement in a patient with hypertensive encephalopathy. <i>Acta Neurologica Taiwanica</i> , 2010 , 19, 45-50 | 0.6 | |
| 2 | Bilateral cerebellar infarction in the medial branches of posterior inferior cerebellar arterial territoryusing endoscopic third ventriculostomy to relieve acute hydrocephalus. <i>Clinical Neurology and Neurosurgery</i> , 2008 , 110, 71-4 | 2 | 6 |
| 1 | Rhabdomyolysis and pancreatitis associated with coadministration of danazol 600 mg/d and lovastatin 40 mg/d. <i>Clinical Therapeutics</i> , 2008 , 30, 1330-5 | 3.5 | 9 |