

# Lingjiang Li

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6594976/publications.pdf>

Version: 2024-02-01

120  
papers

4,831  
citations

147566

31  
h-index

123241

61  
g-index

128  
all docs

128  
docs citations

128  
times ranked

6023  
citing authors

#	ARTICLE	IF	CITATIONS
1	Aberrant temporal-spatial complexity of intrinsic fluctuations in major depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2023, 273, 169-181.	1.8	2
2	Psychoradiological abnormalities in treatment-naïve noncomorbid patients with posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2022, 39, 83-91.	2.0	15
3	Connectome gradient dysfunction in major depression and its association with gene expression profiles and treatment outcomes. <i>Molecular Psychiatry</i> , 2022, 27, 1384-1393.	4.1	65
4	High efficiency of left superior frontal gyrus and the symptom features of major depressive disorder.. <i>Journal of Central South University (Medical Sciences)</i> , 2022, 47, 289-300.	0.1	4
5	Screening Depressive Symptoms and Incident Major Depressive Disorder Among Chinese Community Residents Using a Mobile App-Based Integrated Mental Health Care Model: Cohort Study. <i>Journal of Medical Internet Research</i> , 2022, 24, e30907.	2.1	10
6	Hippocampal subfield alterations in pediatric patients with post-traumatic stress disorder. <i>Social Cognitive and Affective Neuroscience</i> , 2021, 16, 334-344.	1.5	9
7	The neuroprogressive nature of major depressive disorder: evidence from an intrinsic connectome analysis. <i>Translational Psychiatry</i> , 2021, 11, 102.	2.4	19
8	Evidence for Progressive Cognitive Deficits in Patients With Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2021, 12, 627695.	1.3	6
9	Sex Differences in Re-experiencing Symptoms Between Husbands and Wives Who Lost Their Only Child in China: A Resting-State Functional Connectivity Study of Hippocampal Subfields. <i>Frontiers in Human Neuroscience</i> , 2021, 15, 655044.	1.0	4
10	Disruption of functional and structural networks in first-episode, drug-naïve adolescents with generalized anxiety disorder. <i>Journal of Affective Disorders</i> , 2021, 284, 229-237.	2.0	9
11	Functional connectivity evidence for state-independent executive function deficits in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2021, 291, 76-82.	2.0	8
12	Combining Deep Learning and Graph-Theoretic Brain Features to Detect Posttraumatic Stress Disorder at the Individual Level. <i>Diagnostics</i> , 2021, 11, 1416.	1.3	6
13	Prediction of Clinical Outcomes With EEG Microstate in Patients With Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2021, 12, 695272.	1.3	17
14	Psychometric Properties of the Primary Care PTSD Screen for DSM-5: Findings From Family Members of Chinese Healthcare Workers During the Outbreak of COVID-19. <i>Frontiers in Psychiatry</i> , 2021, 12, 695678.	1.3	9
15	Prevalence of depressive disorders and treatment in China: a cross-sectional epidemiological study. <i>Lancet Psychiatry</i> , 2021, 8, 981-990.	3.7	264
16	The Association of Depressive Symptoms with Disability among Adults in China. <i>Journal of Affective Disorders</i> , 2021, 296, 189-197.	2.0	5
17	Dysconnectivity of the amygdala and dorsal anterior cingulate cortex in drug-naïve post-traumatic stress disorder. <i>European Neuropsychopharmacology</i> , 2021, 52, 84-93.	0.3	1
18	Childhood Maltreatment Predicts Specific Types of Dysfunctional Attitudes in Participants With and Without Depression. <i>Frontiers in Psychiatry</i> , 2021, 12, 728280.	1.3	3

#	ARTICLE	IF	CITATIONS
19	Using deep learning to classify pediatric posttraumatic stress disorder at the individual level. <i>BMC Psychiatry</i> , 2021, 21, 535.	1.1	9
20	Childhood Emotional Neglect Is Associated With Low Social Support in Chinese Patients With Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2021, 12, 781738.	1.3	3
21	The comorbidity of mental and physical disorders with self-reported chronic back or neck pain: Results from the China Mental Health Survey. <i>Journal of Affective Disorders</i> , 2020, 260, 334-341.	2.0	17
22	Influence of comorbid anxiety symptoms on cognitive deficits in patients with major depressive disorder. <i>Journal of Affective Disorders</i> , 2020, 260, 91-96.	2.0	17
23	Psychiatric education in Greater China. <i>International Review of Psychiatry</i> , 2020, 32, 167-171.	1.4	2
24	Longitudinal trajectory analysis of antipsychotic response in patients with schizophrenia: 6-week, randomised, open-label, multicentre clinical trial. <i>BJPsych Open</i> , 2020, 6, e126.	0.3	3
25	State-Independent and -Dependent Structural Connectivity Alterations in Depression. <i>Frontiers in Psychiatry</i> , 2020, 11, 568717.	1.3	2
26	The effects of childhood trauma on the onset, severity and improvement of depression: The role of dysfunctional attitudes and cortisol levels. <i>Journal of Affective Disorders</i> , 2020, 276, 402-410.	2.0	15
27	Longitudinal changes of amplitude of low-frequency fluctuations in MDD patients: A 6-month follow-up resting-state functional magnetic resonance imaging study. <i>Journal of Affective Disorders</i> , 2020, 276, 411-417.	2.0	15
28	China's mental health support in response to COVID-19: progression, challenges and reflection. <i>Globalization and Health</i> , 2020, 16, 102.	2.4	30
29	Individualized Prediction of PTSD Symptom Severity in Trauma Survivors From Whole-Brain Resting-State Functional Connectivity. <i>Frontiers in Behavioral Neuroscience</i> , 2020, 14, 563152.	1.0	15
30	White matter structural network disturbances in first-episode, drug-naïve adolescents with generalized anxiety disorder. <i>Journal of Psychiatric Research</i> , 2020, 130, 394-404.	1.5	9
31	State-Independent Microstructural White Matter Abnormalities in Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 431.	1.3	6
32	Connectome-based models can predict early symptom improvement in major depressive disorder. <i>Journal of Affective Disorders</i> , 2020, 273, 442-452.	2.0	35
33	Social support modulates the association between PTSD diagnosis and medial frontal volume in Chinese adults who lost their only child. <i>Neurobiology of Stress</i> , 2020, 13, 100227.	1.9	11
34	Gender Differences in Dysfunctional Attitudes in Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 86.	1.3	11
35	FKBP5 haplotypes and PTSD modulate the resting-state brain activity in Han Chinese adults who lost their only child. <i>Translational Psychiatry</i> , 2020, 10, 91.	2.4	8
36	State-Dependent and Trait-Like Characteristics of Dysfunctional Attitudes in Patients With Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 645.	1.3	7

#	ARTICLE	IF	CITATIONS
37	Decreased functional connectivity of hippocampal subregions and methylation of the NR3C1 gene in Han Chinese adults who lost their only child. <i>Psychological Medicine</i> , 2020, , 1-10.	2.7	6
38	White matter microstructural alterations in posttraumatic stress disorder: An ROI and whole-brain based meta-analysis. <i>Journal of Affective Disorders</i> , 2020, 266, 655-670.	2.0	30
39	Effects of COMT rs4680 and BDNF rs6265 polymorphisms on brain degree centrality in Han Chinese adults who lost their only child. <i>Translational Psychiatry</i> , 2020, 10, 46.	2.4	12
40	Mental health conditions among the general population, healthcare workers and quarantined population during the coronavirus disease 2019 (COVID-19) pandemic. <i>Psychology, Health and Medicine</i> , 2020, , 1-13.	1.3	19
41	Metabolic Effects of 7 Antipsychotics on Patients With Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2020, 81, .	1.1	26
42	Clinical characteristics of cognitive deficits in major depressive disorder: a 6-month prospective study. <i>Revista De Psiquiatria Clinica</i> , 2020, 47, 101-105.	0.6	10
43	Major depressive disorder with childhood trauma: Clinical characteristics, biological mechanism, and therapeutic implications. <i>Journal of Central South University (Medical Sciences)</i> , 2020, 45, 462-468.	0.1	3
44	Functional brain network topology in parents who lost their only child in China: Post-traumatic stress disorder and sex effects. <i>Journal of Affective Disorders</i> , 2019, 257, 632-639.	2.0	10
45	Large-scale white matter network reorganization in posttraumatic stress disorder. <i>Human Brain Mapping</i> , 2019, 40, 4801-4812.	1.9	17
46	Interaction Between Variations in Dopamine D2 and Serotonin 2A Receptor is Associated with Short-Term Response to Antipsychotics in Schizophrenia. <i>Neuroscience Bulletin</i> , 2019, 35, 1102-1105.	1.5	2
47	Testing the role of genetic variation of the MC4R gene in Chinese population in antipsychotic-induced metabolic disturbance. <i>Science China Life Sciences</i> , 2019, 62, 535-543.	2.3	12
48	The left dorsolateral prefrontal cortex volume is reduced in adults reporting childhood trauma independent of depression diagnosis. <i>Journal of Psychiatric Research</i> , 2019, 112, 12-17.	1.5	30
49	Reproducibility of functional brain alterations in major depressive disorder: Evidence from a multisite resting-state functional MRI study with 1,434 individuals. <i>NeuroImage</i> , 2019, 189, 700-714.	2.1	72
50	Prevalence of mental disorders in China: a cross-sectional epidemiological study. <i>Lancet Psychiatry</i> , 2019, 6, 211-224.	3.7	1,273
51	Exploration of Major Cognitive Deficits in Medication-Free Patients With Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2019, 10, 836.	1.3	24
52	Increased right amygdala metabolite concentrations in the absence of atrophy in children and adolescents with PTSD. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 807-817.	2.8	8
53	Five novel loci associated with antipsychotic treatment response in patients with schizophrenia: a genome-wide association study. <i>Lancet Psychiatry</i> , 2018, 5, 327-338.	3.7	110
54	Disrupted grey matter network morphology in pediatric posttraumatic stress disorder. <i>NeuroImage: Clinical</i> , 2018, 18, 943-951.	1.4	28

#	ARTICLE	IF	CITATIONS
55	Effect of Damaging Rare Mutations in Synapse-Related Gene Sets on Response to Short-term Antipsychotic Medication in Chinese Patients With Schizophrenia. <i>JAMA Psychiatry</i> , 2018, 75, 1261.	6.0	32
56	Neural Activation During Tonic Pain and Interaction Between Pain and Emotion in Bipolar Disorder: An fMRI Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 555.	1.3	7
57	The Impacts of Childhood Trauma on Psychosocial Features in a Chinese Sample of Young Adults. <i>Psychiatry Investigation</i> , 2018, 15, 1046-1052.	0.7	20
58	Regional Cerebral Blood Flow in Mania: Assessment Using 320-Slice Computed Tomography. <i>Frontiers in Psychiatry</i> , 2018, 9, 296.	1.3	10
59	Efficacy of probiotics on anxiety-A meta-analysis of randomized controlled trials. <i>Depression and Anxiety</i> , 2018, 35, 935-945.	2.0	40
60	Abnormal metabolite concentrations and amygdala volume in patients with recent-onset posttraumatic stress disorder. <i>Journal of Affective Disorders</i> , 2018, 241, 539-545.	2.0	12
61	Reduced local segregation of single-subject gray matter networks in adult PTSD. <i>Human Brain Mapping</i> , 2018, 39, 4884-4892.	1.9	24
62	Decreased Intrinsic Functional Connectivity in First-Episode, Drug-Naive Adolescents With Generalized Anxiety Disorder. <i>Frontiers in Human Neuroscience</i> , 2018, 12, 539.	1.0	13
63	Alterations of white matter fractional anisotropy in unmedicated obsessive&ndash;compulsive disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 69-76.	1.0	11
64	Altered fractional amplitude of low frequency fluctuation associated with cognitive dysfunction in first-episode drug-naïve major depressive disorder patients. <i>BMC Psychiatry</i> , 2017, 17, 11.	1.1	37
65	miR-148a Suppresses estrogen-induced viability and migration of breast cancer cells via inhibition of estrogen receptor $\beta$ expression. <i>Experimental and Therapeutic Medicine</i> , 2017, 13, 2515-2522.	0.8	9
66	Dynamic brain connectivity is a better predictor of PTSD than static connectivity. <i>Human Brain Mapping</i> , 2017, 38, 4479-4496.	1.9	102
67	Efficacy and safety of long-term antidepressant treatment for bipolar disorders " A meta-analysis of randomized controlled trials. <i>Journal of Affective Disorders</i> , 2017, 223, 41-48.	2.0	54
68	Individual differences in schizophrenia. <i>BJPsych Open</i> , 2017, 3, 265-273.	0.3	8
69	Intrinsic brain abnormalities in young healthy adults with childhood trauma: A resting-state functional magnetic resonance imaging study of regional homogeneity and functional connectivity. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 614-623.	1.3	37
70	From Serotonin to Neuroplasticity: Evolvement of Theories for Major Depressive Disorder. <i>Frontiers in Cellular Neuroscience</i> , 2017, 11, 305.	1.8	154
71	An Effective Method to Identify Adolescent Generalized Anxiety Disorder by Temporal Features of Dynamic Functional Connectivity. <i>Frontiers in Human Neuroscience</i> , 2017, 11, 492.	1.0	28
72	Frequency-Specific Functional Connectivity Density as an Effective Biomarker for Adolescent Generalized Anxiety Disorder. <i>Frontiers in Human Neuroscience</i> , 2017, 11, 549.	1.0	20

#	ARTICLE	IF	CITATIONS
73	Efficacy and tolerability of escitalopram in treatment of major depressive disorder with anxiety symptoms: a 24-week, open-label, prospective study in Chinese population. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 515-526.	1.0	16
74	Neural correlates of childhood trauma with executive function in young healthy adults. <i>Oncotarget</i> , 2017, 8, 79843-79853.	0.8	16
75	Cortical functional activity in patients with generalized anxiety disorder. <i>BMC Psychiatry</i> , 2016, 16, 217.	1.1	20
76	In search of the HPA axis activity in unipolar depression patients with childhood trauma: Combined cortisol awakening response and dexamethasone suppression test. <i>Journal of Psychiatric Research</i> , 2016, 78, 24-30.	1.5	56
77	The China Mental Health Survey (CMHS): I. background, aims and measures. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 1559-1569.	1.6	40
78	The China Mental Health Survey: II. Design and field procedures. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 1547-1557.	1.6	34
79	Inhibition of Rac1 activity in the hippocampus impaired extinction of contextual fear. <i>Neuropharmacology</i> , 2016, 109, 216-222.	2.0	21
80	Alterations in regional homogeneity of resting-state brain activity in patients with major depressive disorder screening positive on the 32-item hypomania checklist (HCL-32). <i>Journal of Affective Disorders</i> , 2016, 203, 69-76.	2.0	14
81	Inhibition of Rac1 Activity in the Hippocampus Impairs the Forgetting of Contextual Fear Memory. <i>Molecular Neurobiology</i> , 2016, 53, 1247-1253.	1.9	38
82	A longitudinal fMRI investigation in acute post-traumatic stress disorder (PTSD). <i>Acta Radiologica</i> , 2016, 57, 1387-1395.	0.5	38
83	White Matter Abnormalities in Post-traumatic Stress Disorder Following a Specific Traumatic Event. <i>EBioMedicine</i> , 2016, 4, 176-183.	2.7	49
84	Efficacy and safety of quetiapine extended release monotherapy in bipolar depression: a multi-center, randomized, double-blind, placebo-controlled trial. <i>Psychopharmacology</i> , 2016, 233, 1289-1297.	1.5	32
85	Posttraumatic Stress Disorder: Structural Characterization with 3-T MR Imaging. <i>Radiology</i> , 2016, 280, 537-544.	3.6	28
86	Microstructural Abnormalities in Children with Post-traumatic Stress Disorder: A Diffusion Tensor Imaging Study at 3.0T. <i>Scientific Reports</i> , 2015, 5, 8933.	1.6	27
87	Disrupted brain network topology in pediatric posttraumatic stress disorder: A resting-state fMRI study. <i>Human Brain Mapping</i> , 2015, 36, 3677-3686.	1.9	103
88	Altered blood oxygen level-dependent signal variability in chronic post-traumatic stress disorder during symptom provocation. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 1805.	1.0	15
89	Voluntary and Involuntary Psychiatric Admissions in China. <i>Psychiatric Services</i> , 2015, 66, 1341-1346.	1.1	29
90	Grey matter volume abnormalities in patients with bipolar I depressive disorder and unipolar depressive disorder: a voxel-based morphometry study. <i>Neuroscience Bulletin</i> , 2015, 31, 4-12.	1.5	47

#	ARTICLE	IF	CITATIONS
91	An update on research and approaches in biological psychiatry. <i>Neuroscience Bulletin</i> , 2015, 31, 1-3.	1.5	0
92	Disrupted Functional Brain Connectome in Patients with Posttraumatic Stress Disorder. <i>Radiology</i> , 2015, 276, 818-827.	3.6	136
93	Characterizing and Differentiating Brain State Dynamics via Hidden Markov Models. <i>Brain Topography</i> , 2015, 28, 666-679.	0.8	61
94	The Potential Biomarker Panels for Identification of Major Depressive Disorder (MDD) Patients with and without Early Life Stress (ELS) by Metabonomic Analysis. <i>PLoS ONE</i> , 2014, 9, e97479.	1.1	38
95	Quantitative Prediction of Individual Psychopathology in Trauma Survivors Using Resting-State fMRI. <i>Neuropsychopharmacology</i> , 2014, 39, 681-687.	2.8	69
96	Alterations in white matter fractional anisotropy in subsyndromal perimenopausal depression. <i>BMC Psychiatry</i> , 2014, 14, 367.	1.1	10
97	Lack of gender effects on gray matter volumes in adolescent generalized anxiety disorder. <i>Journal of Affective Disorders</i> , 2014, 155, 278-282.	2.0	40
98	Imbalanced hippocampal functional networks associated with remitted geriatric depression and apolipoprotein E $\epsilon$ 4 allele in nondemented elderly: A preliminary study. <i>Journal of Affective Disorders</i> , 2014, 164, 5-13.	2.0	48
99	Identifying and Characterizing Resting State Networks in Temporally Dynamic Functional Connectomes. <i>Brain Topography</i> , 2014, 27, 747-765.	0.8	11
100	Fluoxetine Pretreatment Promotes Neuronal Survival and Maturation after Auditory Fear Conditioning in the Rat Amygdala. <i>PLoS ONE</i> , 2014, 9, e89147.	1.1	13
101	White-matter density abnormalities in depressive patients with and without childhood neglect: A voxel-based morphometry (VBM) analysis. <i>Neuroscience Letters</i> , 2013, 550, 23-28.	1.0	29
102	White matter integrity alterations in first episode, treatment-naive generalized anxiety disorder. <i>Journal of Affective Disorders</i> , 2013, 148, 196-201.	2.0	38
103	A Comparative Study of Theoretical Graph Models for Characterizing Structural Networks of Human Brain. <i>International Journal of Biomedical Imaging</i> , 2013, 2013, 1-8.	3.0	6
104	Discovering common functional connectomics signatures. , 2013, , .		0
105	Reduced Cingulate Gyrus Volume Associated with Enhanced Cortisol Awakening Response in Young Healthy Adults Reporting Childhood Trauma. <i>PLoS ONE</i> , 2013, 8, e69350.	1.1	31
106	Brain structure in post-traumatic stress disorder: A voxel-based morphometry analysis. <i>Neural Regeneration Research</i> , 2013, 8, 2405-14.	1.6	19
107	Modeling Dynamic Functional Information Flows on Large-Scale Brain Networks. <i>Lecture Notes in Computer Science</i> , 2013, 16, 698-705.	1.0	3
108	Altered regional homogeneity in post-traumatic stress disorder: a restingstate functional magnetic resonance imaging study. <i>Neuroscience Bulletin</i> , 2012, 28, 541-549.	1.5	46

#	ARTICLE	IF	CITATIONS
109	High-frequency rTMS treatment increases white matter FA in the left middle frontal gyrus in young patients with treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2012, 136, 249-257.	2.0	71
110	Increased white matter integrity of posterior cingulate gyrus in the evolution of post-traumatic stress disorder. <i>Acta Neuropsychiatrica</i> , 2012, 24, 34-42.	1.0	31
111	The proposed national mental health law in China: a landmark document for the protection of psychiatric patients' civil rights. <i>Shanghai Archives of Psychiatry</i> , 2012, 24, 48-9.	0.7	3
112	Course-dependent response of brain functional alterations in men with acute and chronic post-traumatic stress disorder: A follow-up functional magnetic imaging study. <i>Asia-Pacific Psychiatry</i> , 2011, 3, 192-203.	1.2	4
113	Different white matter abnormalities between the first-episode, treatment-naive patients with posttraumatic stress disorder and generalized anxiety disorder without comorbid conditions. <i>Journal of Affective Disorders</i> , 2011, 133, 294-299.	2.0	70
114	Fluoxetine attenuates the inhibitory effect of glucocorticoid hormones on neurogenesis in vitro via a two-pore domain potassium channel, TREK-1. <i>Psychopharmacology</i> , 2011, 214, 747-759.	1.5	40
115	High-frequency rTMS treatment increases left prefrontal myo-inositol in young patients with treatment-resistant depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1189-1195.	2.5	59
116	Brain responses to symptom provocation and trauma-related short-term memory recall in coal mining accident survivors with acute severe PTSD. <i>Brain Research</i> , 2007, 1144, 165-174.	1.1	92
117	Prefrontal white matter abnormalities in young adult with major depressive disorder: A diffusion tensor imaging study. <i>Brain Research</i> , 2007, 1168, 124-128.	1.1	115
118	Magnetic Resonance Imaging and Magnetic Resonance Spectroscopy Study of Deficits in Hippocampal Structure in Fire Victims with Recent-Onset Posttraumatic Stress Disorder. <i>Canadian Journal of Psychiatry</i> , 2006, 51, 431-437.	0.9	56
119	Psychometric properties of the WHO Quality of Life questionnaire (WHOQOL-100) in patients with chronic diseases and their caregivers in China. <i>Bulletin of the World Health Organization</i> , 2004, 82, 493-502.	1.5	27
120	Psychoactive substance use in three sites in China: Gender differences and related factors. <i>Psychiatry and Clinical Neurosciences</i> , 1998, 52, S324-S328.	1.0	11