

Fa-tang Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6595622/publications.pdf>

Version: 2024-02-01

85
papers

7,007
citations

81743

39
h-index

56606

83
g-index

85
all docs

85
docs citations

85
times ranked

7802
citing authors

#	ARTICLE	IF	CITATIONS
1	Ti ₃ C ₂ MXene co-catalyst on metal sulfide photo-absorbers for enhanced visible-light photocatalytic hydrogen production. <i>Nature Communications</i> , 2017, 8, 13907.	5.8	1,496
2	In Situ Microwave-Assisted Synthesis of Porous N-TiO ₂ /g-C ₃ N ₄ Heterojunctions with Enhanced Visible-Light Photocatalytic Properties. <i>Industrial & Engineering Chemistry Research</i> , 2013, 52, 17140-17150.	1.8	338
3	Solution combustion synthesis of metal oxide nanomaterials for energy storage and conversion. <i>Nanoscale</i> , 2015, 7, 17590-17610.	2.8	312
4	Novel BiOCl/g-C ₃ N ₄ heterojunction photocatalysts: In situ preparation via an ionic-liquid-assisted solvent-thermal route and their visible-light photocatalytic activities. <i>Chemical Engineering Journal</i> , 2013, 234, 361-371.	6.6	290
5	Enhanced visible-light photocatalytic activity of active Al ₂ O ₃ /g-C ₃ N ₄ heterojunctions synthesized via surface hydroxyl modification. <i>Journal of Hazardous Materials</i> , 2015, 283, 371-381.	6.5	241
6	Fabrication of two-dimensional Ni ₂ P/ZnIn ₂ S ₄ heterostructures for enhanced photocatalytic hydrogen evolution. <i>Chemical Engineering Journal</i> , 2018, 353, 15-24.	6.6	194
7	Nano Ferroelectric for High Efficiency Overall Water Splitting under Ultrasonic Vibration. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 15076-15081.	7.2	185
8	Enhanced Schottky effect of a 2D CoP/g-C ₃ N ₄ interface for boosting photocatalytic H ₂ evolution. <i>Nanoscale</i> , 2018, 10, 12315-12321.	2.8	174
9	Ionic liquid self-combustion synthesis of BiOBr/Bi ₂₄ O ₃₁ Br ₁₀ heterojunctions with exceptional visible-light photocatalytic performances. <i>Nanoscale</i> , 2015, 7, 1116-1126.	2.8	173
10	Construction of amorphous TiO ₂ /BiOBr heterojunctions via facets coupling for enhanced photocatalytic activity. <i>Journal of Hazardous Materials</i> , 2015, 292, 126-136.	6.5	166
11	In-situ one-step synthesis of novel BiOCl/Bi ₂₄ O ₃₁ Cl ₁₀ heterojunctions via self-combustion of ionic liquid with enhanced visible-light photocatalytic activities. <i>Applied Catalysis B: Environmental</i> , 2014, 150-151, 574-584.	10.8	152
12	Solution combustion synthesis and visible light-induced photocatalytic activity of mixed amorphous and crystalline MgAl ₂ O ₄ nanopowders. <i>Chemical Engineering Journal</i> , 2011, 173, 750-759.	6.6	128
13	Desulfurization of dibenzothiophene by chemical oxidation and solvent extraction with Me ₃ NCH ₂ C ₆ H ₅ Cl ₂ ·2ZnCl ₂ ionic liquid. <i>Green Chemistry</i> , 2009, 11, 883.	4.6	127
14	N-doped P25 TiO ₂ /amorphous Al ₂ O ₃ composites: One-step solution combustion preparation and enhanced visible-light photocatalytic activity. <i>Journal of Hazardous Materials</i> , 2012, 239-240, 118-127.	6.5	123
15	Preparation of Ca-doped LaFeO ₃ nanopowders in a reverse microemulsion and their visible light photocatalytic activity. <i>Materials Letters</i> , 2010, 64, 223-225.	1.3	122
16	Synthesis of {111} Facet-Exposed MgO with Surface Oxygen Vacancies for Reactive Oxygen Species Generation in the Dark. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 12687-12693.	4.0	115
17	Ionic-liquid-assisted synthesis of high-visible-light-activated N/B/F-tri-doped mesoporous TiO ₂ via a microwave route. <i>Applied Catalysis B: Environmental</i> , 2014, 144, 442-453.	10.8	113
18	Deep extractive and oxidative desulfurization of dibenzothiophene with C ₅ H ₉ NO ₂ ·SnCl ₂ coordinated ionic liquid. <i>Journal of Hazardous Materials</i> , 2012, 205-206, 164-170.	6.5	110

#	ARTICLE	IF	CITATIONS
19	Synthesis and photocatalytic performances of the TiO ₂ pillared montmorillonite. Journal of Hazardous Materials, 2012, 235-236, 186-193.	6.5	100
20	Comparison of importance between separation efficiency and valence band position: The case of heterostructured Bi ₃ O ₄ Br/±-Bi ₂ O ₃ photocatalysts. Applied Catalysis B: Environmental, 2018, 224, 841-853.	10.8	99
21	A Chelation Strategy for In-situ Constructing Surface Oxygen Vacancy on {001} Facets Exposed BiOBr Nanosheets. Scientific Reports, 2016, 6, 24918.	1.6	97
22	Strain-Engineered Nano-Ferroelectrics for High-Efficiency Piezocatalytic Overall Water Splitting. Angewandte Chemie - International Edition, 2021, 60, 16019-16026.	7.2	96
23	Room temperature synthesis of Bi ₄ O ₅ I ₂ and Bi ₅ O ₇ I ultrathin nanosheets with a high visible light photocatalytic performance. Dalton Transactions, 2016, 45, 7720-7727.	1.6	95
24	Oxidative Desulfurization of Thiophene Catalyzed by (C ₄ H ₉) ₄ NBr·2C ₆ H ₁₁ NO Coordinated Ionic Liquid. Energy & Fuels, 2008, 22, 3065-3069.	2.5	94
25	An inexpensive N-methyl-2-pyrrolidone-based ionic liquid as efficient extractant and catalyst for desulfurization of dibenzothiophene. Chemical Engineering Journal, 2015, 274, 192-199.	6.6	91
26	Deep Extractive Desulfurization of Gasoline with Et ₃ NHCl·FeCl ₃ Ionic Liquids. Energy & Fuels, 2010, 24, 4285-4289.	2.5	88
27	Metalloid Ni ₂ P and its behavior for boosting the photocatalytic hydrogen evolution of CaIn ₂ S ₄ . International Journal of Hydrogen Energy, 2018, 43, 219-228.	3.8	82
28	Simultaneous Phosphorylation and Bi Modification of BiOBr for Promoting Photocatalytic CO ₂ Reduction. ACS Sustainable Chemistry and Engineering, 2019, 7, 14953-14961.	3.2	81
29	Photocatalytic oxidative desulfurization of dibenzothiophene under simulated sunlight irradiation with mixed-phase Fe ₂ O ₃ prepared by solution combustion. Catalysis Science and Technology, 2012, 2, 1455.	2.1	77
30	Structure Modification Function of g-C ₃ N ₄ for Al ₂ O ₃ in the In Situ Hydrothermal Process for Enhanced Photocatalytic Activity. Chemistry - A European Journal, 2015, 21, 10149-10159.	1.7	74
31	Optimization of oxidative desulfurization of dibenzothiophene using acidic ionic liquid as catalytic solvent. Journal of Fuel Chemistry and Technology, 2009, 37, 194-198.	0.9	73
32	Recent advances in molecular oxygen activation via photocatalysis and its application in oxidation reactions. Chemical Engineering Journal, 2021, 421, 129915.	6.6	71
33	Preparation of TiO ₂ in Ionic Liquid via Microwave Radiation and in Situ Photocatalytic Oxidative Desulfurization of Diesel Oil. Energy & Fuels, 2012, 26, 6777-6782.	2.5	70
34	Z-scheme electronic transfer of quantum-sized ±-Fe ₂ O ₃ modified g-C ₃ N ₄ hybrids for enhanced photocatalytic hydrogen production. International Journal of Hydrogen Energy, 2017, 42, 28327-28336.	3.8	69
35	Facile preparation of porous LaFeO ₃ nanomaterial by self-combustion of ionic liquids. Materials Letters, 2011, 65, 406-408.	1.3	51
36	Surface P atom grafting of g-C ₃ N ₄ for improved local spatial charge separation and enhanced photocatalytic H ₂ production. Journal of Materials Chemistry A, 2019, 7, 7628-7635.	5.2	50

#	ARTICLE	IF	CITATIONS
37	Construction of β -Bi ₂ O ₃ /Bi ₂ O ₂ CO ₃ heterojunction photocatalyst for deep understanding the importance of separation efficiency and valence band position. <i>Journal of Hazardous Materials</i> , 2021, 401, 123262.	6.5	47
38	One-step construction of {001} facet-exposed BiOCl hybridized with Al ₂ O ₃ for enhanced molecular oxygen activation. <i>Catalysis Science and Technology</i> , 2016, 6, 7985-7995.	2.1	45
39	Precipitation Synthesis of Mesoporous Photoactive Al ₂ O ₃ for Constructing g-C ₃ N ₄ -Based Heterojunctions with Enhanced Photocatalytic Activity. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 19540-19549.	1.8	44
40	The simultaneous adsorption, activation and <i>in situ</i> reduction of carbon dioxide over Au-loading BiOCl with rich oxygen vacancies. <i>Nanoscale</i> , 2021, 13, 2585-2592.	2.8	41
41	Construction of g-C ₃ N ₄ /Al ₂ O ₃ hybrids via in-situ acidification and exfoliation with enhanced photocatalytic activity. <i>Applied Surface Science</i> , 2017, 394, 340-350.	3.1	39
42	Synchronous surface hydroxylation and porous modification of g-C ₃ N ₄ for enhanced photocatalytic H ₂ evolution efficiency. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 3888-3895.	3.8	38
43	In-situ construction of sequential heterostructured CoS/CdS/CuS for building "electron-welcome zone" to enhance solar-to-hydrogen conversion. <i>Applied Catalysis B: Environmental</i> , 2022, 300, 120763.	10.8	38
44	A one-step synthesis of hierarchical porous CoFe-layered double hydroxide nanosheets with optimized composition for enhanced oxygen evolution electrocatalysis. <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 737-745.	3.0	35
45	One-step synthesis of defected Bi ₂ Al ₄ O ₉ / β -Bi ₂ O ₃ heterojunctions for photocatalytic reduction of CO ₂ to CO. <i>Green Energy and Environment</i> , 2021, 6, 244-252.	4.7	35
46	In situ one-step combustion synthesis of Bi ₂ O ₃ /Bi ₂ WO ₆ heterojunctions with notable visible light photocatalytic activities. <i>Materials Letters</i> , 2014, 124, 1-3.	1.3	33
47	Unraveling the importance between electronic intensity and oxygen vacancy on photothermocatalytic toluene oxidation over CeO ₂ . <i>Chemical Engineering Journal</i> , 2022, 433, 134619.	6.6	31
48	Recent advances in surface and interface design of photocatalysts for the degradation of volatile organic compounds. <i>Advances in Colloid and Interface Science</i> , 2020, 284, 102275.	7.0	30
49	Simultaneous construction of dual-site phosphorus modified g-C ₃ N ₄ and its synergistic mechanism for enhanced visible-light photocatalytic hydrogen evolution. <i>Applied Surface Science</i> , 2020, 517, 146192.	3.1	29
50	TiO ₂ /SBA-15 composites prepared using H ₂ TiO ₃ by hydrothermal method and its photocatalytic activity. <i>Materials Letters</i> , 2013, 99, 38-41.	1.3	28
51	Facile synthesis of flower-like BiOI hierarchical spheres at room temperature with high visible-light photocatalytic activity. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2015, 193, 112-120.	1.7	26
52	Deep insight into the photocatalytic activity and electronic structure of amorphous earth-abundant MgAl ₂ O ₄ . <i>Inorganic Chemistry Frontiers</i> , 2017, 4, 1832-1840.	3.0	26
53	<i>In situ</i> synthesis of Cl-doped Bi ₂ O ₂ CO ₃ and its enhancement of photocatalytic activity by inducing generation of oxygen vacancies. <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 2969-2978.	3.0	23
54	Construction of adjustable dominant {314} facet of Bi ₅ O ₇ I and facet-oxygen vacancy coupling dependent adsorption and photocatalytic activity. <i>Applied Catalysis B: Environmental</i> , 2021, 289, 120041.	10.8	23

#	ARTICLE	IF	CITATIONS
55	One-step synthesis, electronic structure, and photocatalytic activity of earth-abundant visible-light-driven FeAl ₂ O ₄ . <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 9392-9401.	1.3	22
56	Promoting photocatalytic CO ₂ reduction to CH ₄ via a combined strategy of defects and tunable hydroxyl radicals. <i>Journal of Colloid and Interface Science</i> , 2022, 606, 1477-1487.	5.0	22
57	Ultrathin porous nanosheet-assembled hollow cobalt nickel oxide microspheres with optimized compositions for efficient oxygen evolution reaction. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 1886-1893.	3.0	21
58	The synergy between Ti species and g-C ₃ N ₄ by doping and hybridization for the enhancement of photocatalytic H ₂ evolution. <i>Dalton Transactions</i> , 2015, 44, 17859-17866.	1.6	20
59	Rational design of stratified material with spatially separated catalytic sites as an efficient overall water-splitting photocatalyst. <i>Chinese Journal of Catalysis</i> , 2021, 42, 1040-1050.	6.9	20
60	A real-time Mooney's viscosity prediction model of the mixed rubber based on the Independent Component Regression-Gaussian Process algorithm. <i>Journal of Chemometrics</i> , 2012, 26, 557-564.	0.7	19
61	Extractive/catalytic oxidative mechanisms over [Hnmp]Cl·FeCl ₃ ionic liquids towards the desulfurization of model oils. <i>New Journal of Chemistry</i> , 2019, 43, 7725-7732.	1.4	19
62	Low-Temperature Methane Oxidation Triggered by Peroxide Radicals over Noble-Metal-Free MgO Catalyst. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 21761-21771.	4.0	18
63	Kinetics and Mechanism of the Photo-oxidation of Thiophene by O ₂ Adsorbed on Molecular Sieves. <i>Chemical Research in Chinese Universities</i> , 2008, 24, 96-100.	1.3	17
64	Oxidation Desulfurization of Thiophene Using Phase Transfer Catalyst/H ₂ O ₂ Systems. <i>Petroleum Science and Technology</i> , 2008, 26, 1099-1107.	0.7	17
65	Introduction of crystalline hexagonal-C ₃ N ₄ into g-C ₃ N ₄ with enhanced charge separation efficiency. <i>Applied Surface Science</i> , 2021, 559, 149876.	3.1	17
66	Strain-Engineered Nano-Ferroelectrics for High-Efficiency Piezocatalytic Overall Water Splitting. <i>Angewandte Chemie</i> , 2021, 133, 16155-16162.	1.6	16
67	Optimization of Oxidative Desulfurization of Dibenzothiophene Using a Coordinated Ionic Liquid as Catalytic Solvent. <i>Petroleum Science and Technology</i> , 2009, 27, 1907-1918.	0.7	15
68	Nano-Ferroelectric for High Efficiency Overall Water Splitting under Ultrasonic Vibration. <i>Angewandte Chemie</i> , 2019, 131, 15220-15225.	1.6	15
69	Introduction of CoCl ₂ ·6H ₂ O into Co ₃ O ₄ for enhancement of hydroxyl radicals and effective charge separation. <i>Dalton Transactions</i> , 2016, 45, 2444-2453.	1.6	14
70	Oxidation of Thiophene over Modified Alumina Catalyst under Mild Conditions. <i>Energy & Fuels</i> , 2010, 24, 3443-3445.	2.5	12
71	Tuning electronic structure via CoS clusters for visual photocatalytic H ₂ production and mechanism insight. <i>Chemical Engineering Journal</i> , 2022, 446, 137399.	6.6	12
72	One-step combustion synthesis of Bi ₂ O ₃ -NiO/Ni composites and their visible light photocatalytic performance. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2014, 186, 41-47.	1.7	11

#	ARTICLE	IF	CITATIONS
73	Encapsulating N-doped graphite carbon in MoO ₂ as a novel cocatalyst for boosting photocatalytic hydrogen evolution. <i>Journal of Colloid and Interface Science</i> , 2022, 623, 267-276.	5.0	11
74	One-Step Oxidative Desulfurization of Dibenzothiophene Using Cyclohexanone Peroxide in N-Alkyl-imidazolium-Based Ionic Liquid Extraction Systems. <i>Petroleum Science and Technology</i> , 2012, 30, 385-392.	0.7	9
75	Plasmonic-enhanced ferroelectric photovoltaic effect in ABO ₃ type BaTiO ₃ -Au ceramics. <i>Journal of Alloys and Compounds</i> , 2019, 785, 584-589.	2.8	9
76	Study on photosensitized oxidative desulfurization of thiophene by riboflavin. <i>Journal of Fuel Chemistry and Technology</i> , 2008, 36, 161-164.	0.9	8
77	Facile Ionic Liquid Combustion Synthesis and Visible-light Photocatalytic Ability of Mesoporous FeAl ₂ O ₄ with High Specific Surface Area. <i>Chemistry Letters</i> , 2014, 43, 1743-1745.	0.7	8
78	Construction of Dual-Defective Al ₂ O ₃ /Bi ₂ O ₃ Cl ₂ Heterojunctions for Enhanced Photocatalytic Molecular Oxygen Activation via Defect Coupling and Charge Separation. <i>Industrial & Engineering Chemistry Research</i> , 2022, 61, 441-452.	1.8	7
79	Synthesis and characterization of BiOI/montmorillonite composites with high visible light photocatalytic activity. <i>Russian Journal of Physical Chemistry A</i> , 2015, 89, 2313-2319.	0.1	6
80	Photochemical Oxidation of Thiophene by O ₂ in an Oil/Acetonitrile Two-Phase Extraction System. <i>Annals of the New York Academy of Sciences</i> , 2008, 1140, 383-388.	1.8	5
81	The Photooxidative Desulfurization of Thiophene with Tetrabutylammonium Bromide as a Phase Transfer Catalyst. <i>Petroleum Science and Technology</i> , 2010, 28, 1140-1146.	0.7	4
82	Photochemical oxidation of thiophene by O ₂ in an organic two-phase liquid-liquid extraction system. <i>Petroleum Chemistry</i> , 2007, 47, 448-451.	0.4	3
83	Reverse construction of dominant/secondary facets in Bi ₂₄ O ₃₁ Br ₁₀ photocatalysts for boosting electronic transfer. <i>Chemical Communications</i> , 2021, 57, 9676-9679.	2.2	1
84	Insight into the relationship of redox ability and separation efficiency via the case of Bi ₂ O ₃ /Bi ₅ NO ₃ O ₇ . <i>Inorganic Chemistry Frontiers</i> , 0, , .	3.0	1
85	Photosensitized Oxidative Desulfurization of Thiophene by Riboflavin. , 2009, , .		0