

Sannie Vester Thorsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6596473/publications.pdf>

Version: 2024-02-01

25
papers

1,509
citations

687363

13
h-index

610901

24
g-index

25
all docs

25
docs citations

25
times ranked

2122
citing authors

#	ARTICLE	IF	CITATIONS
1	Childhood Asthma after Bacterial Colonization of the Airway in Neonates. <i>New England Journal of Medicine</i> , 2007, 357, 1487-1495.	27.0	878
2	Physical workload and risk of long-term sickness absence in the general working population and among blue-collar workers: prospective cohort study with register follow-up. <i>Occupational and Environmental Medicine</i> , 2016, 73, 246-253.	2.8	118
3	Reliability of the Copenhagen Psychosocial Questionnaire. <i>Scandinavian Journal of Public Health</i> , 2010, 38, 25-32.	2.3	65
4	The predictive value of mental health for long-term sickness absence: the Major Depression Inventory (MDI) and the Mental Health Inventory (MHI-5) compared. <i>BMC Medical Research Methodology</i> , 2013, 13, 115.	3.1	65
5	The association between psychosocial work environment, attitudes towards older workers (ageism) and planned retirement. <i>International Archives of Occupational and Environmental Health</i> , 2012, 85, 437-445.	2.3	60
6	The physical activity paradox revisited: a prospective study on compositional accelerometer data and long-term sickness absence. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 93.	4.6	44
7	Psychosocial work environment and retirement age: a prospective study of 1876 senior employees. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 891-900.	2.3	41
8	Impact of depressive symptoms on worklife expectancy: a longitudinal study on Danish employees. <i>Occupational and Environmental Medicine</i> , 2019, 76, 838-844.	2.8	32
9	A one-item workability measure mediates work demands, individual resources and health in the prediction of sickness absence. <i>International Archives of Occupational and Environmental Health</i> , 2013, 86, 755-766.	2.3	24
10	High physical work demands have worse consequences for older workers: prospective study of long-term sickness absence among 69% 117 employees. <i>Occupational and Environmental Medicine</i> , 2021, 78, 829-834.	2.8	21
11	Perceived stress and sickness absence: a prospective study of 17,795 employees in Denmark. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 821-828.	2.3	20
12	Does workplace social capital protect against long-term sickness absence? Linking workplace aggregated social capital to sickness absence registry data. <i>Scandinavian Journal of Public Health</i> , 2018, 46, 290-296.	2.3	18
13	Demand-specific work ability, poor health and working conditions in middle-aged full-time employees. <i>Applied Ergonomics</i> , 2014, 45, 1174-1180.	3.1	14
14	Comparison of exhaustion symptoms in patients with stress-related and other psychiatric and somatic diagnoses. <i>BMC Psychiatry</i> , 2019, 19, 84.	2.6	14
15	Self-reported or register-based? A comparison of sickness absence data among 8110 public and private employees in Denmark. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 631-638.	3.4	14
16	Determinants of voluntary early retirement for older workers with and without chronic diseases: A Danish prospective study. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 190-199.	2.3	13
17	Physical working conditions as covered in European monitoring questionnaires. <i>BMC Public Health</i> , 2017, 17, 544.	2.9	12
18	Associations between physical and psychosocial work environment factors and sickness absence incidence depend on the lengths of the sickness absence episodes: a prospective study of 27 678 Danish employees. <i>Occupational and Environmental Medicine</i> , 2021, 78, 46-53.	2.8	12

#	ARTICLE	IF	CITATIONS
19	Fear Avoidance Beliefs and Risk of Long-Term Sickness Absence: Prospective Cohort Study among Workers with Musculoskeletal Pain. <i>Pain Research and Treatment</i> , 2018, 2018, 1-6.	1.7	11
20	Technically measured compositional physical work demands and prospective register-based sickness absence (PODESA): a study protocol. <i>BMC Public Health</i> , 2019, 19, 257.	2.9	10
21	Dimensional comparability of psychosocial working conditions as covered in European monitoring questionnaires. <i>BMC Public Health</i> , 2014, 14, 1251.	2.9	9
22	Expected Labor Market Affiliation: A New Method Illustrated by Estimating the Impact of Perceived Stress on Time in Work, Sickness Absence and Unemployment of 37,605 Danish Employees. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4980.	2.6	6
23	Differences in occupational health and safety efforts between adopters and non-adopters of certified occupational health and safety management systems. <i>Safety Science</i> , 2022, 152, 105794.	4.9	5
24	Associations between the workplace-effort in psychosocial risk management and the employee-rating of the psychosocial work environment – a multilevel study of 7565 employees in 1013 workplaces. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 463-467.	2.3	3
25	Re: Sainani K. Interpreting “null”-results. <i>PM and R</i> , 2018, 10, 562-563.	1.6	0