

Sannie Vester Thorsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6596473/publications.pdf>

Version: 2024-02-01

25
papers

1,509
citations

687363

13
h-index

610901

24
g-index

25
all docs

25
docs citations

25
times ranked

2122
citing authors

#	ARTICLE	IF	CITATIONS
1	Differences in occupational health and safety efforts between adopters and non-adopters of certified occupational health and safety management systems. <i>Safety Science</i> , 2022, 152, 105794.	4.9	5
2	Associations between physical and psychosocial work environment factors and sickness absence incidence depend on the lengths of the sickness absence episodes: a prospective study of 27 678 Danish employees. <i>Occupational and Environmental Medicine</i> , 2021, 78, 46-53.	2.8	12
3	Expected Labor Market Affiliation: A New Method Illustrated by Estimating the Impact of Perceived Stress on Time in Work, Sickness Absence and Unemployment of 37,605 Danish Employees. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4980.	2.6	6
4	High physical work demands have worse consequences for older workers: prospective study of long-term sickness absence among 69% of 117 employees. <i>Occupational and Environmental Medicine</i> , 2021, 78, 829-834.	2.8	21
5	Determinants of voluntary early retirement for older workers with and without chronic diseases: A Danish prospective study. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 190-199.	2.3	13
6	The physical activity paradox revisited: a prospective study on compositional accelerometer data and long-term sickness absence. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 93.	4.6	44
7	Comparison of exhaustion symptoms in patients with stress-related and other psychiatric and somatic diagnoses. <i>BMC Psychiatry</i> , 2019, 19, 84.	2.6	14
8	Technically measured compositional physical work demands and prospective register-based sickness absence (PODESA): a study protocol. <i>BMC Public Health</i> , 2019, 19, 257.	2.9	10
9	Perceived stress and sickness absence: a prospective study of 17,795 employees in Denmark. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 821-828.	2.3	20
10	Impact of depressive symptoms on worklife expectancy: a longitudinal study on Danish employees. <i>Occupational and Environmental Medicine</i> , 2019, 76, 838-844.	2.8	32
11	Does workplace social capital protect against long-term sickness absence? Linking workplace aggregated social capital to sickness absence registry data. <i>Scandinavian Journal of Public Health</i> , 2018, 46, 290-296.	2.3	18
12	Fear Avoidance Beliefs and Risk of Long-Term Sickness Absence: Prospective Cohort Study among Workers with Musculoskeletal Pain. <i>Pain Research and Treatment</i> , 2018, 2018, 1-6.	1.7	11
13	Re: Sainani K. Interpreting null results. <i>PM and R</i> , 2018, 10, 562-563.	1.6	0
14	Self-reported or register-based? A comparison of sickness absence data among 8110 public and private employees in Denmark. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 631-638.	3.4	14
15	Associations between the workplace-effort in psychosocial risk management and the employee-rating of the psychosocial work environment – a multilevel study of 7565 employees in 1013 workplaces. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 463-467.	2.3	3
16	Physical working conditions as covered in European monitoring questionnaires. <i>BMC Public Health</i> , 2017, 17, 544.	2.9	12
17	Psychosocial work environment and retirement age: a prospective study of 1876 senior employees. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 891-900.	2.3	41
18	Physical workload and risk of long-term sickness absence in the general working population and among blue-collar workers: prospective cohort study with register follow-up. <i>Occupational and Environmental Medicine</i> , 2016, 73, 246-253.	2.8	118

#	ARTICLE	IF	CITATIONS
19	Dimensional comparability of psychosocial working conditions as covered in European monitoring questionnaires. BMC Public Health, 2014, 14, 1251.	2.9	9
20	Demand-specific work ability, poor health and working conditions in middle-aged full-time employees. Applied Ergonomics, 2014, 45, 1174-1180.	3.1	14
21	A one-item workability measure mediates work demands, individual resources and health in the prediction of sickness absence. International Archives of Occupational and Environmental Health, 2013, 86, 755-766.	2.3	24
22	The predictive value of mental health for long-term sickness absence: the Major Depression Inventory (MDI) and the Mental Health Inventory (MHI-5) compared. BMC Medical Research Methodology, 2013, 13, 115.	3.1	65
23	The association between psychosocial work environment, attitudes towards older workers (ageism) and planned retirement. International Archives of Occupational and Environmental Health, 2012, 85, 437-445.	2.3	60
24	Reliability of the Copenhagen Psychosocial Questionnaire. Scandinavian Journal of Public Health, 2010, 38, 25-32.	2.3	65
25	Childhood Asthma after Bacterial Colonization of the Airway in Neonates. New England Journal of Medicine, 2007, 357, 1487-1495.	27.0	878