

# Jean W M Muris

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6597188/publications.pdf>

Version: 2024-02-01

165  
papers

5,443  
citations

87843

38  
h-index

106281

65  
g-index

191  
all docs

191  
docs citations

191  
times ranked

6082  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Do professional perspectives on evidence-based smoking cessation methods align? A Delphi study among researchers and healthcare professionals. <i>Health Education Research</i> , 2022, 36, 434-445.                                      | 1.0 | 4         |
| 2  | A&nbsp;professional knowledge base for collaborative reflection education: a&nbsp;qualitative description of teacher goals and strategies. <i>Perspectives on Medical Education</i> , 2022, 11, 53-59.                                    | 1.8 | 6         |
| 3  | Exploring typologies of consultation performance using authentic clinical experiences to support learning and assessment in postgraduate medical training. <i>Patient Education and Counseling</i> , 2022, 105, 2276-2284.                | 1.0 | 1         |
| 4  | Guideline for the diagnosis and treatment of Faecal Incontinenceâ€”A UEG/ESCP/ESNM/ESPCG collaboration. <i>United European Gastroenterology Journal</i> , 2022, 10, 251-286.  | 1.6 | 30        |
| 5  | Consensus about GP interprofessional competencies: A nominal group study. <i>BJGP Open</i> , 2022, , BJGPO.2021.0243.   | 0.9 | 0         |
| 6  | Review article: rethinking the â€œladderâ€ approach to refluxâ€like symptom management in the era of <sc>PPI</sc> â€ resistanceâ€ a multidisciplinary perspective. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 1492-1500. | 1.9 | 5         |
| 7  | Supervisory dyadsâ€™ communication and alignment regarding the use of workplace-based observations: a qualitative study in general practice residency. <i>BMC Medical Education</i> , 2022, 22, 330.                                      | 1.0 | 1         |
| 8  | How to promote a healthy lifestyle among schoolchildren: Development of an intervention module (i-PROMISE). <i>Public Health in Practice</i> , 2022, 3, 100262.   | 0.7 | 3         |
| 9  | Identifying residentsâ€™ educational needs to optimising postgraduate medical education about shared decision-making. <i>Patient Education and Counseling</i> , 2022, 105, 3086-3095.   | 1.0 | 9         |
| 10 | Effects of the reform of the Dutch healthcare into managed competition: Results of a Delphi study among experts. <i>Health Policy</i> , 2021, 125, 27-33.   | 1.4 | 7         |
| 11 | A referral aid for smoking cessation interventions in primary care: study protocol for a randomized controlled trial. <i>Primary Health Care Research and Development</i> , 2021, 22, e22.  | 0.5 | 4         |
| 12 | The development of a faecal incontinence core outcome set: an international Delphi study protocol. <i>International Journal of Colorectal Disease</i> , 2021, 36, 617-622.  | 1.0 | 1         |
| 13 | United European Gastroenterology (UEG) and European Society for Neurogastroenterology and Motility (ESNM) consensus on functional dyspepsia. <i>United European Gastroenterology Journal</i> , 2021, 9, 307-331.                          | 1.6 | 62        |
| 14 | The prevalence and related factors of fatigue in patients with COPD: a systematic review. <i>European Respiratory Review</i> , 2021, 30, 200298.  | 3.0 | 27        |
| 15 | Examining the optimal cutoff values of HADS, PHQâ€9 and GADâ€7 as screening instruments for depression and anxiety in irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14161.                             | 1.6 | 23        |
| 16 | Decision aids to facilitate decision making around behavior change in the field of health promotion: A scoping review. <i>Patient Education and Counseling</i> , 2021, 104, 1266-1285.  | 1.0 | 5         |
| 17 | A Review of 50-Years of International Literature on the Internal Environment of Building Practice-Based Research Networks (PBRNs). <i>Journal of the American Board of Family Medicine</i> , 2021, 34, 762-797.                           | 0.8 | 14        |
| 18 | Vital signs, clinical rules, and gut feeling: an observational study among patients with fever. <i>BJGP Open</i> , 2021, 5, BJGPO.2021.0125.  | 0.9 | 1         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | United European Gastroenterology (UEG) and European Society for Neurogastroenterology and Motility (ESNM) consensus on functional dyspepsia. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14238.   | 1.6 | 21        |
| 20 | Diarree. , 2021, , 415-427.  |     | 0         |
| 21 | Identifying Entrustable Professional Activities for Shared Decision Making in Postgraduate Medical Education: A National Delphi Study. <i>Academic Medicine</i> , 2021, 96, 126-133.   | 0.8 | 13        |
| 22 | The Usability of an Online Tool to Promote the Use of Evidence-Based Smoking Cessation Interventions. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10836.  | 1.2 | 1         |
| 23 | Awareness of HPV-associated oropharyngeal cancers among GPs in the netherlands: cross-sectional study. <i>BJGP Open</i> , 2021, , BJGPO.2021.0080.   | 0.9 | 0         |
| 24 | Insight in the diagnosis and treatment of coeliac disease in general practice: A survey and case vignette study among 106 general practitioners. <i>European Journal of General Practice</i> , 2021, 27, 313-319.  | 0.9 | 3         |
| 25 | Frequency of alterations in qSOFA, SIRS, MEWS and NEWS scores during the emergency department stay in infectious patients: a prospective study. <i>International Journal of Emergency Medicine</i> , 2021, 14, 69.   | 0.6 | 4         |
| 26 | Efficacy and Safety of Peppermint Oil in a Randomized, Double-Blind Trial of Patients With Irritable Bowel Syndrome. <i>Gastroenterology</i> , 2020, 158, 123-136.   | 0.6 | 69        |
| 27 | How doctors recognise that their patients are worried: A qualitative study of patient cues. <i>Patient Education and Counseling</i> , 2020, 103, 220-225.  | 1.0 | 3         |
| 28 | Quality of life in irritable bowel syndrome: Authorsâ€™ reply. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13729.   | 1.6 | 0         |
| 29 | <p>A TASMAN Expedition: Development of a Questionnaire to Assess Specific Self-Management Abilities</p>. <i>International Journal of COPD</i> , 2020, Volume 15, 1415-1423.  | 0.9 | 1         |
| 30 | Effectiveness and cost-effectiveness of rubber band ligation versus sutured mucopexy versus haemorrhoidectomy in patients with recurrent haemorrhoidal disease (Napoleon trial): Study protocol for a multicentre randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2020, 99, 106177. | 0.8 | 7         |
| 31 | How well are sepsis and a sense of urgency documented throughout the acute care chain in the Netherlands? A prospective, observational study. <i>BMJ Open</i> , 2020, 10, e036276.   | 0.8 | 4         |
| 32 | Supervisorsâ€™ intention to observe clinical task performance: an exploratory study using the theory of planned behaviour during postgraduate medical training. <i>BMC Medical Education</i> , 2020, 20, 134.  | 1.0 | 8         |
| 33 | Time to diagnosis of symptomatic gastric and oesophageal cancer in the Netherlands: Where is the room for improvement?. <i>United European Gastroenterology Journal</i> , 2020, 8, 607-620.  | 1.6 | 16        |
| 34 | Validation of the Dutch version of the primary care resources and support for self-management tool: A tool to assess the quality of self-management support. <i>PLoS ONE</i> , 2020, 15, e0229771.   | 1.1 | 0         |
| 35 | Longitudinal Relationships between Asthma-Specific Quality of Life and Asthma Control in Children; The Influence of Chronic Rhinitis. <i>Journal of Clinical Medicine</i> , 2020, 9, 555.  | 1.0 | 2         |
| 36 | European Society of ColoProctology: guideline for haemorrhoidal disease. <i>Colorectal Disease</i> , 2020, 22, 650-662.  | 0.7 | 95        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Profiling of Patients with COPD for Adequate Referral to Exercise-Based Care: The Dutch Model. <i>Sports Medicine</i> , 2020, 50, 1421-1429.   | 3.1 | 16        |
| 38 | Changes in problematic activities of daily living in persons with COPD during 1 year of usual care. <i>Australian Occupational Therapy Journal</i> , 2020, 67, 447-457.  | 0.6 | 7         |
| 39 | Effectiveness of an exercise training programme COPD in primary care: A randomized controlled trial. <i>Respiratory Medicine</i> , 2020, 165, 105943.  | 1.3 | 8         |
| 40 | Pulmonary Rehabilitation Reduces Subjective Fatigue in COPD: A Responder Analysis. <i>Journal of Clinical Medicine</i> , 2019, 8, 1264.  | 1.0 | 23        |
| 41 | Fatigue is highly prevalent in patients with COPD and correlates poorly with the degree of airflow limitation. <i>Therapeutic Advances in Respiratory Disease</i> , 2019, 13, 175346661987812.   | 1.0 | 45        |
| 42 | Accuracy and interobserver-agreement of respiratory rate measurements by healthcare professionals, and its effect on the outcomes of clinical prediction/diagnostic rules. <i>PLoS ONE</i> , 2019, 14, e0223155.                                       | 1.1 | 27        |
| 43 | Reduction in IBS symptom severity is not paralleled by improvement in quality of life in patients with irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2019, 31, e13629.   | 1.6 | 34        |
| 44 | Characteristics of the prehospital phase of adult emergency department patients with an infection: A prospective pilot study. <i>PLoS ONE</i> , 2019, 14, e0212181.  | 1.1 | 11        |
| 45 | Hurdles to Take for Adequate Treatment of Morbidly Obese Children and Adolescents: Attitudes of General Practitioners Towards Conservative and Surgical Treatment of Paediatric Morbid Obesity. <i>World Journal of Surgery</i> , 2019, 43, 1173-1181. | 0.8 | 13        |
| 46 | Identifying causes of perceptual differences in problematic activities of daily life between patients with COPD and proxies: A qualitative study. <i>Australian Occupational Therapy Journal</i> , 2019, 66, 44-51.                                    | 0.6 | 3         |
| 47 | Title is missing!. , 2019, 14, e0223155.   |     | 0         |
| 48 | Title is missing!. , 2019, 14, e0223155.   |     | 0         |
| 49 | Title is missing!. , 2019, 14, e0223155.   |     | 0         |
| 50 | Title is missing!. , 2019, 14, e0223155.   |     | 0         |
| 51 | Fatigue in patients with chronic obstructive pulmonary disease: protocol of the Dutch multicentre, longitudinal, observational <i>FantasTIGUE</i> study. <i>BMJ Open</i> , 2018, 8, e021745.   | 0.8 | 22        |
| 52 | Family Physicians Managing Medical Requests From Family and Friends. <i>Annals of Family Medicine</i> , 2018, 16, 45-51.   | 0.9 | 9         |
| 53 | Interprofessional Pulmocheck care pathway: An innovative approach to managing pediatric asthma care in the Netherlands. <i>Journal of Asthma</i> , 2018, 55, 779-784.  | 0.9 | 2         |
| 54 | Rome <i>III</i> vs Rome <i>IV</i> criteria for irritable bowel syndrome: A comparison of clinical characteristics in a large cohort study. <i>Neurogastroenterology and Motility</i> , 2018, 30, e13189.   | 1.6 | 65        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Fatigue is Highly Prevalent in Patients with Asthma and Contributes to the Burden of Disease. <i>Journal of Clinical Medicine</i> , 2018, 7, 471.  | 1.0 | 28        |
| 56 | Recruiting families for an intervention study to prevent second-hand smoke exposure in children. <i>BMC Pediatrics</i> , 2018, 18, 19.   | 0.7 | 1         |
| 57 | Gender differences in partners of patients with COPD and their perceptions about the patients. <i>International Journal of COPD</i> , 2017, Volume 12, 95-104.   | 0.9 | 11        |
| 58 | Published diagnostic models safely excluded colorectal cancer in an independent primary care validation study. <i>Journal of Clinical Epidemiology</i> , 2017, 82, 149-157.e8.   | 2.4 | 6         |
| 59 | Should we assess clinical performance in single patient encounters or consistent behaviors of clinical performance over a series of encounters? A qualitative exploration of narrative trainee profiles. <i>Medical Teacher</i> , 2017, 39, 300-307. | 1.0 | 8         |
| 60 | Can exhaled volatile organic compounds predict asthma exacerbations in children?. <i>Journal of Breath Research</i> , 2017, 11, 016016.  | 1.5 | 55        |
| 61 | Activity Levels and Exercise Motivation in Patients With COPD and Their Resident Loved Ones. <i>Chest</i> , 2017, 151, 1028-1038.  | 0.4 | 49        |
| 62 | Use of Rome criteria for the diagnosis of irritable bowel syndrome in primary care: a survey among European countries. <i>European Journal of Gastroenterology and Hepatology</i> , 2017, 29, 651-656.   | 0.8 | 20        |
| 63 | Motivational interviewing and urine cotinine feedback to stop passive smoke exposure in children predisposed to asthma: a randomised controlled trial. <i>Scientific Reports</i> , 2017, 7, 15473.   | 1.6 | 5         |
| 64 | Stakeholder perspectives on workplace-based performance assessment: towards a better understanding of assessor behaviour. <i>Advances in Health Sciences Education</i> , 2017, 22, 1213-1243.  | 1.7 | 36        |
| 65 | Developing skilled doctor-patient communication in the workplace: a qualitative study of the experiences of trainees and clinical supervisors. <i>Advances in Health Sciences Education</i> , 2017, 22, 1263-1278.                                   | 1.7 | 22        |
| 66 | Patient versus proxy-reported problematic activities of daily life in patients with COPD. <i>Respirology</i> , 2017, 22, 307-314.  | 1.3 | 24        |
| 67 | Knowledge gaps in patients with COPD and their proxies. <i>BMC Pulmonary Medicine</i> , 2017, 17, 136.   | 0.8 | 25        |
| 68 | Effectiveness of Teamwork in an Integrated Care Setting for Patients with COPD: Development and Testing of a Self-Evaluation Instrument for Interprofessional Teams. <i>International Journal of Integrated Care</i> , 2016, 16, 9.                  | 0.1 | 11        |
| 69 | Effectiveness of video- versus text-based computer-tailored smoking cessation interventions among smokers after one year. <i>Preventive Medicine</i> , 2016, 82, 42-50.  | 1.6 | 29        |
| 70 | Measurement properties of the Timed Up & Go test in patients with COPD. <i>Chronic Respiratory Disease</i> , 2016, 13, 344-352.  | 1.0 | 75        |
| 71 | Is there an added value of faecal calprotectin and haemoglobin in the diagnostic work-up for primary care patients suspected of significant colorectal disease? A cross-sectional diagnostic study. <i>BMC Medicine</i> , 2016, 14, 141.             | 2.3 | 29        |
| 72 | Burden of COPD in patients treated in different care settings in the Netherlands. <i>Respiratory Medicine</i> , 2016, 118, 76-83.  | 1.3 | 20        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Health Status and Morbidities in Resident Relatives of Patients With COPD. Journal of the American Medical Directors Association, 2016, 17, 276.e1-276.e8.   | 1.2 | 10        |
| 74 | How to gather information from talkative patients in a respectful and efficient manner: a qualitative study of GPs' communication strategies. Family Practice, 2016, 33, 100-106.  | 0.8 | 8         |
| 75 | Association between exhaled inflammatory markers and asthma control in children. Journal of Breath Research, 2016, 10, 016014.   | 1.5 | 32        |
| 76 | Rectaal bloedverlies. , 2016, , 79-88.   |     | 0         |
| 77 | Impact of cardiovascular comorbidities on COPD Assessment Test (CAT) and its responsiveness to pulmonary rehabilitation in patients with moderate to very severe COPD: protocol of the Chance study. BMJ Open, 2015, 5, e007536. | 0.8 | 27        |
| 78 | Prediction of Asthma Exacerbations in Children by Innovative Exhaled Inflammatory Markers: Results of a Longitudinal Study. PLoS ONE, 2015, 10, e0119434.  | 1.1 | 28        |
| 79 | Irritable bowel syndrome: an integrated explanatory model for clinical practice. Neurogastroenterology and Motility, 2015, 27, 750-763.  | 1.6 | 22        |
| 80 | Postoperative abdominal adhesions and bowel obstruction. A survey among Dutch general practitioners. European Journal of General Practice, 2015, 21, 176-182.  | 0.9 | 10        |
| 81 | Efficacy of a physical exercise training programme COPD in primary care: study protocol of a randomized controlled trial. BMC Public Health, 2014, 14, 788.  | 1.2 | 8         |
| 82 | Systematic review: the perceptions, diagnosis and management of irritable bowel syndrome in primary care - A Rome Foundation Working Team Report. Alimentary Pharmacology and Therapeutics, 2014, 40, 1133-1145.                 | 1.9 | 40        |
| 83 | Electronic monitoring of symptoms and lung function to assess asthma control in children. Annals of Allergy, Asthma and Immunology, 2014, 113, 257-262.e1.   | 0.5 | 15        |
| 84 | "No need to worry": an exploration of general practitioners' reassuring strategies. BMC Family Practice, 2014, 15, 133.  | 2.9 | 16        |
| 85 | Exacerbations in patients with chronic obstructive pulmonary disease receiving physical therapy: a cohort-nested randomised controlled trial. BMC Pulmonary Medicine, 2014, 14, 71.  | 0.8 | 13        |
| 86 | How to encourage smokers to participate in web-based computer-tailored smoking cessation programs: A comparison of different recruitment strategies. Health Education Research, 2014, 29, 23-40.                                 | 1.0 | 19        |
| 87 | An innovative COPD early detection programme in general practice: evaluating barriers to implementation. Npj Primary Care Respiratory Medicine, 2014, 24, 14055.   | 1.1 | 7         |
| 88 | Addressing Passive Smoking in Children. PLoS ONE, 2014, 9, e93220.   | 1.1 | 7         |
| 89 | An Economic Evaluation of a Video- and Text-Based Computer-Tailored Intervention for Smoking Cessation: A Cost-Effectiveness and Cost-Utility Analysis of a Randomized Controlled Trial. PLoS ONE, 2014, 9, e110117.             | 1.1 | 42        |
| 90 | The 2014 Updated GOLD Strategy: A Comparison of the Various Scenarios. Chronic Obstructive Pulmonary Diseases (Miami, Fla ), 2014, 1, 212-220.   | 0.5 | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Comparison of Text and Video Computer-Tailored Interventions for Smoking Cessation: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2014, 16, e69.  | 2.1 | 69        |
| 92  | Bulking agents, antispasmodics and antidepressants for the treatment of irritable bowel syndrome. <i>The Cochrane Library</i> , 2013, 2013, CD003460.  | 1.5 | 217       |
| 93  | A motivational interviewing intervention to PREvent PASSive Smoke Exposure (PREPASE) in children with a high risk of asthma: design of a randomised controlled trial. <i>BMC Public Health</i> , 2013, 13, 177.  | 1.2 | 13        |
| 94  | Early detection of COPD in general practice: patient or practice managed? A randomised controlled trial of two strategies in different socioeconomic environments. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2013, 22, 331-337.                         | 2.5 | 33        |
| 95  | Application of the Rome III criteria is not likely to reduce the number of unnecessary referrals for colonoscopy in primary care. <i>European Journal of Gastroenterology and Hepatology</i> , 2013, 25, 568-574.  | 0.8 | 3         |
| 96  | Discrepancy between functional exercise capacity and daily physical activity: a cross-sectional study in patients with mild to moderate COPD. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2013, 22, 425-430.  | 2.5 | 24        |
| 97  | Early detection of COPD in general practice: implementation, workload and socioeconomic status. A mixed methods observational study. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2013, 22, 338-343.   | 2.5 | 25        |
| 98  | Sex Differences in the Relationship between Asthma and Overweight in Dutch Children: a Survey Study. <i>PLoS ONE</i> , 2013, 8, e77574.  | 1.1 | 31        |
| 99  | Influence of Delivery Strategy on Message-Processing Mechanisms and Future Adherence to a Dutch Computer-Tailored Smoking Cessation Intervention. <i>Journal of Medical Internet Research</i> , 2013, 15, e28.   | 2.1 | 22        |
| 100 | Impact of bacterial colonization on exhaled inflammatory markers in wheezing preschool children. <i>Journal of Breath Research</i> , 2012, 6, 046001.  | 1.5 | 8         |
| 101 | Patient adherence to prescribed medication instructions for dyspepsia: The DIAMOND-study. <i>European Journal of General Practice</i> , 2012, 18, 79-85.   | 0.9 | 4         |
| 102 | Diagnostic Accuracy of Point-of-Care Fecal Calprotectin and Immunochemical Occult Blood Tests for Diagnosis of Organic Bowel Disease in Primary Care: The Cost-Effectiveness of a Decision Rule for Abdominal Complaints in Primary Care (CEDAR) Study. <i>Clinical Chemistry</i> , 2012, 58, 989-998. | 1.5 | 68        |
| 103 | Elevated inflammatory markers at preschool age precede persistent wheezing at school age. <i>Pediatric Allergy and Immunology</i> , 2012, 23, 259-264.   | 1.1 | 27        |
| 104 | Validation of smoking cessation self-reported by patients with chronic obstructive pulmonary disease. <i>International Journal of General Medicine</i> , 2011, 4, 85.  | 0.8 | 32        |
| 105 | Prevention of asthma in genetically susceptible children: A multifaceted intervention trial focussed on feasibility in general practice. <i>Pediatric Allergy and Immunology</i> , 2011, 22, 794-802.  | 1.1 | 31        |
| 106 | Serotonin receptor 3A polymorphism c.-42C > T is associated with severe dyspepsia. <i>BMC Medical Genetics</i> , 2011, 12, 140.  | 2.1 | 21        |
| 107 | Study protocol of a Dutch smoking cessation e-health program. <i>BMC Public Health</i> , 2011, 11, 847.  | 1.2 | 30        |
| 108 | How does asthma influence the daily life of children? Results of focus group interviews. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 5.  | 1.0 | 53        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Cochrane Review: Mono and multifaceted inhalant and/or food allergen reduction interventions for preventing asthma in children at high risk of developing asthma. Evidence-Based Child Health: A Cochrane Review Journal, 2010, 5, 1385-1450.                                   | 2.0 | 3         |
| 110 | Sustained effects of integrated COPD management on health status and exercise capacity in primary care patients. International Journal of COPD, 2010, 5, 407.   | 0.9 | 22        |
| 111 | COPD Screening in General Practice Using a Telephone Questionnaire. COPD: Journal of Chronic Obstructive Pulmonary Disease, 2010, 7, 352-359.   | 0.7 | 17        |
| 112 | Pre Wonca one-day postgraduate CME course on evidence based gastroenterology in primary care. European Journal of General Practice, 2010, 16, 126-126.  | 0.9 | 0         |
| 113 | Predictive value and utility of oral steroid testing for treatment of COPD in primary care: the COOPT study. International Journal of COPD, 2009, 4, 431.   | 0.9 | 10        |
| 114 | Soluble or insoluble fibre in irritable bowel syndrome in primary care? Randomised placebo controlled trial. BMJ: British Medical Journal, 2009, 339, b3154-b3154.  | 2.4 | 248       |
| 115 | Which patient-related factors determine self-perceived patient adherence to prescribed dyspepsia medication?. Health Education Research, 2009, 24, 788-798.   | 1.0 | 15        |
| 116 | Psychopathology is associated with dyspeptic symptom severity in primary care patients with a new episode of dyspepsia. Alimentary Pharmacology and Therapeutics, 2009, 29, 580-588.  | 1.9 | 23        |
| 117 | Influence of gastric mucosal status on success of stepwise acid suppressive therapy for dyspepsia. Alimentary Pharmacology and Therapeutics, 2009, 30, 82-89.   | 1.9 | 0         |
| 118 | A clinical practice guideline for physiotherapists treating patients with chronic obstructive pulmonary disease based on a systematic review of available evidence. Clinical Rehabilitation, 2009, 23, 445-462.   | 1.0 | 95        |
| 119 | Fluticasone and N-acetylcysteine in primary care patients with COPD or chronic bronchitis. Respiratory Medicine, 2009, 103, 542-551.  | 1.3 | 59        |
| 120 | Effect and cost-effectiveness of step-up versus step-down treatment with antacids, H2-receptor antagonists, and proton pump inhibitors in patients with new onset dyspepsia (DIAMOND study): a primary-care-based randomised controlled trial. Lancet, The, 2009, 373, 215-225. | 6.3 | 74        |
| 121 | Integrated disease management improves one-year quality of life in primary care COPD patients: a controlled clinical trial. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2009, 18, 171-176.   | 2.5 | 79        |
| 122 | Mono and multifaceted inhalant and/or food allergen reduction interventions for preventing asthma in children at high risk of developing asthma. The Cochrane Library, 2009, , CD006480.  | 1.5 | 49        |
| 123 | Randomized patients in IBS research had different disease characteristics compared to eligible and recruited patients. Journal of Clinical Epidemiology, 2008, 61, 1176-1181.   | 2.4 | 11        |
| 124 | Measuring the severity of upper gastrointestinal complaints: does GP assessment correspond with patients' self-assessment?. Family Practice, 2007, 24, 252-258.   | 0.8 | 12        |
| 125 | Making COPD a treatable disease—An integrated care perspective. Respiratory Medicine: COPD Update, 2007, 3, 49-56.  | 0.3 | 4         |
| 126 | Influence of House Dust Mite Impermeable Covers on Health-Related Quality of Life of Adult Patients with Asthma: Results of a Randomized Clinical Trial. Journal of Asthma, 2007, 44, 843-848.  | 0.9 | 4         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Interactive effect of family history and environmental factors on respiratory tract-related morbidity in infancy. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 120, 388-395.   | 1.5 | 39        |
| 128 | Pragmatic trials in primary care. Methodological challenges and solutions demonstrated by the DIAMOND-study. <i>BMC Medical Research Methodology</i> , 2007, 7, 16.   | 1.4 | 55        |
| 129 | House dust mite allergen avoidance and self-management in allergic patients with asthma: randomised controlled trial. <i>British Journal of General Practice</i> , 2007, 57, 184-90.  | 0.7 | 30        |
| 130 | Relationship between house dust mite (HDM) allergen exposure level and inhaled corticosteroid dosage in HDM-sensitive asthma patients on a self management program. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2006, 15, 110-115.           | 2.5 | 5         |
| 131 | Chronic non-specific abdominal complaints in general practice: a prospective study on management, patient health status and course of complaints. <i>BMC Family Practice</i> , 2006, 7, 12.   | 2.9 | 19        |
| 132 | Influence of mattress characteristics on house dust mite allergen concentration. <i>Clinical and Experimental Allergy</i> , 2006, 36, 233-237.  | 1.4 | 13        |
| 133 | Association between first-degree familial predisposition of asthma and atopy (total IgE) in newborns. <i>Clinical and Experimental Allergy</i> , 2006, 36, 594-601.   | 1.4 | 23        |
| 134 | Do clinical findings in lower respiratory tract infection help general practitioners prescribe antibiotics appropriately? An observational cohort study in general practice. <i>Family Practice</i> , 2006, 23, 180-187.  | 0.8 | 41        |
| 135 | Prognostic factors and clinical outcome in acute lower respiratory tract infections: a prospective study in general practice. <i>Family Practice</i> , 2006, 23, 512-519.   | 0.8 | 14        |
| 136 | The primary prevention of asthma in children study: Design of a multifaceted prevention program. <i>Pediatric Allergy and Immunology</i> , 2005, 16, 321-331.   | 1.1 | 32        |
| 137 | Factors Associated with Asthma Control. <i>Journal of Asthma</i> , 2005, 42, 659-665.   | 0.9 | 43        |
| 138 | The PREVASC study: the clinical effect of a multifaceted educational intervention to prevent childhood asthma. <i>European Respiratory Journal</i> , 2005, 25, 660-670.   | 3.1 | 76        |
| 139 | Birth Cohort Studies on Asthma Development. <i>Pediatric Asthma, Allergy and Immunology</i> , 2005, 18, 201-215.  | 0.2 | 5         |
| 140 | The prevalence of house dust mite (HDM) allergy and the use of HDM-impermeable bed covers in a primary care population of patients with persistent asthma in the Netherlands. <i>Primary Care Respiratory Journal: Journal of the General Practice Airways Group</i> , 2005, 14, 210-214. | 2.5 | 9         |
| 141 | Bulking agents, antispasmodic and antidepressant medication for the treatment of irritable bowel syndrome. , 2005, , CD003460.  |     | 118       |
| 142 | Clinical items not helpful in differentiating viral from bacterial lower respiratory tract infections in general practice. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 175-183.   | 2.4 | 52        |
| 143 | Patient-directed strategy to reduce prescribing for patients with dyspepsia in general practice: a randomized trial. <i>Alimentary Pharmacology and Therapeutics</i> , 2004, 19, 917-922.   | 1.9 | 63        |
| 144 | Meta-analysis: the diagnostic value of alarm symptoms for upper gastrointestinal malignancy. <i>Alimentary Pharmacology and Therapeutics</i> , 2004, 20, 1045-1052.   | 1.9 | 65        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Systematic review: the role of different types of fibre in the treatment of irritable bowel syndrome. <i>Alimentary Pharmacology and Therapeutics</i> , 2004, 19, 245-251.   | 1.9 | 259       |
| 146 | Use of prescribed and non-prescribed medication for dyspepsia. <i>Scandinavian Journal of Primary Health Care</i> , 2004, 22, 163-167.   | 0.6 | 9         |
| 147 | Irritable bowel syndrome in general practice: an overview. <i>Scandinavian Journal of Gastroenterology</i> , 2004, 39, 17-22.  | 0.6 | 18        |
| 148 | Assessment of the accuracy of diagnostic tests: the cross-sectional study. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 1118-1128.  | 2.4 | 241       |
| 149 | Outcome measures in irritable bowel syndrome: comparison of psychometric and methodological characteristics. <i>American Journal of Gastroenterology</i> , 2003, 98, 122-127.  | 0.2 | 118       |
| 150 | Irritable Bowel Syndrome in Primary Care: The Patients' and Doctors' Views on Symptoms, Etiology and Management. <i>Canadian Journal of Gastroenterology &amp; Hepatology</i> , 2003, 17, 363-368.                       | 1.8 | 77        |
| 151 | Evidence base of clinical diagnosis: Evaluation of diagnostic procedures. <i>BMJ: British Medical Journal</i> , 2002, 324, 477-480.  | 2.4 | 293       |
| 152 | The Impact of Inflammatory Bowel Disease on Labor Force Participation: Results of a Population Sampled Case-Control Study. <i>Inflammatory Bowel Diseases</i> , 2002, 8, 382-389.  | 0.9 | 104       |
| 153 | Is roxithromycin better than amoxicillin in the treatment of acute lower respiratory tract infections in primary care? A double-blind randomized controlled trial. <i>Journal of Family Practice</i> , 2002, 51, 329-36. | 0.2 | 16        |
| 154 | Systematic reviews of diagnostic research. Considerations about assessment and incorporation of methodological quality. <i>European Journal of Epidemiology</i> , 2001, 17, 301-306.                                     | 2.5 | 18        |
| 155 | Epidemiological Aspects of Irritable Bowel Syndrome in Europe and North America. <i>Digestion</i> , 2001, 64, 200-204.   | 1.2 | 86        |
| 156 | High incidence of inflammatory bowel disease in The Netherlands. <i>Diseases of the Colon and Rectum</i> , 1998, 41, 33-40.  | 0.7 | 86        |
| 157 | The Clinical Course and Prognostic Determinants of the Irritable Bowel Syndrome: A Literature Review. <i>Scandinavian Journal of Gastroenterology</i> , 1998, 33, 561-567.   | 0.6 | 24        |
| 158 | 'Modern life' in the epidemiology of inflammatory bowel disease. <i>European Journal of Gastroenterology and Hepatology</i> , 1998, 10, 243-250.   | 0.8 | 144       |
| 159 | Predictive value of signs and symptoms for colorectal cancer in patients with rectal bleeding in general practice. <i>Family Practice</i> , 1995, 12, 279-286.   | 0.8 | 121       |
| 160 | The Diagnostic Value of Scoring Models for Organic and Non-organic Gastrointestinal Disease, Including the Irritable-bowel Syndrome. <i>Medical Decision Making</i> , 1994, 14, 208-214.                                 | 1.2 | 33        |
| 161 | The Diagnostic Value of Rectal Examination. <i>Family Practice</i> , 1993, 10, 34-37.  | 0.8 | 25        |
| 162 | Abdominal Pain in General Practice. <i>Family Practice</i> , 1993, 10, 387-400.  | 0.8 | 35        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | The Incidence and Outcome of Rectal Bleeding in General Practice. Family Practice, 1993, 10, 283-287.   | 0.8 | 42        |
| 164 | The Diagnostic Value of Symptoms for the Identification of Patients with an Increased Risk of Colorectal Disease. A Criteria-Based Analysis. Family Practice, 1992, 9, 415-420. | 0.8 | 5         |
| 165 | Assessment of the Accuracy of Diagnostic Tests: The Cross-Sectional Study. , 0, , 42-62.  |     | 5         |