


## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6597204/publications.pdf

Version: 2024-02-01



# ARTICLE IF CITATIONS Endovascular ultrasound renal denervation to treat hypertension (RADIANCE-HTN SOLO): a multicentre, international, single-blind, randomised, sham-controlled trial. Lancet, The, 2018, 391, 2335-2345. Efficacy of catheter-based renal denervation in the absence of antihypertensive medications (SPYRAL) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 9 13.7 351 1444-1451. Six-Month Results of Treatment-Blinded Medication Titration for Hypertension Control After Randomization to Endovascular Ultrasound Renal Denervation or a Sham Procedure in the 1.6 RADIANCE-HTN SOLO Trial. Circulation, 2019, 139, 2542-2553. Contemporary Arterial Access in the Cardiac Catheterization Laboratory. JACC: Cardiovascular 4 2.9 82 Interventions, 2017, 10, 2233-2241. Clinical Characteristics and OutcomesÂofÂSTEMI Patients With Cardiogenic Shock and Cardiac Arrest. 56 JACC: Cardiovascular Interventions, 2020, 13, 1211-1219. Metaâ€analysis of the impact of successful chronic total occlusion percutaneous coronary intervention on left ventricular systolic function and reverse remodeling. Journal of Interventional 1.2 47 6 Cardiology, 2018, 31, 562-571. 12-Month Results From the Unblinded Phase of the RADIANCE-HTN SOLO Trial of Ultrasound Renal 2.9 Denervation. JACC: Cardiovascular Interventions, 2020, 13, 2922-2933. Recent advances in microcatheter technology for the treatment of chronic total occlusions. Expert 8 2.8 25 Review of Medical Devices, 2019, 16, 267-273. Accessory renal arteries: Prevalence in resistant hypertension and an important role in nonresponse 0.8 to radiofrequency renal denervation. Cardiovascular Revascularization Medicine, 2016, 17, 470-473. Outcomes of intravascular brachytherapy for recurrent drugâ€eluting inâ€stent restenosis. 10 1.7 15 Catheterization and Cardiovascular Interventions, 2021, 97, 32-38. Ambulatory Blood Pressure Monitoring to Predict Response to Renal Denervation. Hypertension, 2021, 11 77, 529-536. Predictors of blood pressure response to ultrasound renal denervation in the RADIANCE-HTN SOLO 12 2.2 14 study. Journal of Human Hypertension, 2022, 36, 629-639. Coronary Intravascular Brachytherapy for Recurrent Coronary Drug-Eluting Stent In-Stent Restenosis: A Systematic Review and Meta-Analysis. Cardiovascular Revascularization Medicine, 2021, 0.8 23, 28-35. Prevalence, Trends, and Outcomes of Higher-Risk Percutaneous Coronary Interventions Among Patients Without Acute Coronary Syndromes. Cardiovascular Revascularization Medicine, 2019, 20, 14 0.8 9 289-292. Outcomes With Combined Laser Atherectomy and Intravascular Brachytherapy in Recurrent Drug-Eluting Stent In-Stent Restenosis. Cardiovascular Revascularization Medicine, 2021, 22, 29-33. Expecting the unexpected: preventing and managing the consequences of coronary perforations. 16 1.5 6 Expert Review of Cardiovascular Therapy, 2018, 16, 805-814. Challenges and outcomes of the double kissing crush stenting technique: Insights from the 1.7 PROGRESSâ€BIFURCATION registry. Catheterization and Cardiovascular Interventions, 2022, 99, 1038-1044.

Multidisciplinary shock team is associated with improved outcomes in patients undergoing ECPR.
International Journal of Artificial Organs, 2021, 44, 310-317.

5

YAL

#	Article	IF	CITATIONS
19	Impact of sleep deprivation on the outcomes of percutaneous coronary intervention. Catheterization and Cardiovascular Interventions, 2018, 92, 1118-1125.	1.7	4
20	Coronary revascularization and use of hemodynamic support in acute coronary syndromes. Hellenic Journal of Cardiology, 2019, 60, 165-170.	1.0	4
21	Renal Artery Variations in Patients With Mild-to-Moderate Hypertension From the RADIANCE-HTN SOLO Trial. Cardiovascular Revascularization Medicine, 2022, 39, 58-65.	0.8	3