

Maria Schlangen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6598781/maria-schlangen-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156
papers

4,126
citations

34
h-index

56
g-index

165
ext. papers

4,464
ext. citations

7.7
avg, IF

5.73
L-index

#	Paper	IF	Citations
156	Thermal hydrogen-atom transfer from methane: the role of radicals and spin states in oxo-cluster chemistry. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 5544-55	16.4	338
155	Diatomic [CuO] ⁺ and its role in the spin-selective hydrogen- and oxygen-atom transfers in the thermal activation of methane. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 4966-9	16.4	145
154	Effects of Ligands, Cluster Size, and Charge State in Gas-Phase Catalysis: A Happy Marriage of Experimental and Computational Studies. <i>Catalysis Letters</i> , 2012 , 142, 1265-1278	2.8	117
153	Thermische Wasserstoffabstraktion aus Methan – zur Rolle von Radikalen und Spinzuständen in der Chemie von Oxoclustern. <i>Angewandte Chemie</i> , 2012 , 124, 5638-5650	3.6	111
152	Direct conversion of methane into formaldehyde mediated by [Al ₂ O ₃] ⁺ at room temperature. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 3703-7	16.4	89
151	Ligand and electronic-structure effects in metal-mediated gas-phase activation of methane: a cold approach to a hot problem. <i>Dalton Transactions</i> , 2009 , 10155-65	4.3	86
150	Unexpected Mechanistic Variants in the Thermal Gas-Phase Activation of Methane. <i>Organometallics</i> , 2017 , 36, 8-17	3.8	80
149	Gas-phase C-H and N-H bond activation by a high valent nitrido-iron dication and NH-transfer to activated olefins. <i>Journal of the American Chemical Society</i> , 2008 , 130, 4285-94	16.4	79
148	Conversion of methane to methanol: nickel, palladium, and platinum (d ⁹) cations as catalysts for the oxidation of methane by ozone at room temperature. <i>Chemistry - A European Journal</i> , 2010 , 16, 11605-10	4.8	76
147	Electrostatic and Charge-Induced Methane Activation by a Concerted Double C-H Bond Insertion. <i>Journal of the American Chemical Society</i> , 2017 , 139, 1684-1689	16.4	75
146	Electronic Origins of the Variable Efficiency of Room-Temperature Methane Activation by Homo- and Heteronuclear Cluster Oxide Cations [XYO ₂] ⁽⁺⁾ (X, Y = Al, Si, Mg): Competition between Proton-Coupled Electron Transfer and Hydrogen-Atom Transfer. <i>Journal of the American Chemical Society</i> , 2016 , 138, 7973-81	16.4	74
145	Generation, reactivity towards hydrocarbons, and electronic structure of heteronuclear vanadium phosphorous oxygen cluster ions. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 1430-4	16.4	70
144	Structure of the oxygen-rich cluster cation Al ₂ O ₇ ⁺ and its reactivity toward methane and water. <i>Journal of the American Chemical Society</i> , 2011 , 133, 16930-7	16.4	69
143	Mechanistic Variants in Gas-Phase Metal-Oxide Mediated Activation of Methane at Ambient Conditions. <i>Journal of the American Chemical Society</i> , 2016 , 138, 11368-77	16.4	68
142	Structure and chemistry of the heteronuclear oxo-cluster [VPO ₄] ⁺ : a model system for the gas-phase oxidation of small hydrocarbons. <i>Journal of the American Chemical Society</i> , 2013 , 135, 3711-21	16.4	64
141	Catalytic redox reactions in the CO/N ₂ O system mediated by the bimetallic oxide-cluster couple AlVO ₃ ⁺ /AlVO ₄ ⁺ . <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 12351-4	16.4	63
140	Pronounced ligand effects and the role of formal oxidation states in the nickel-mediated thermal activation of methane. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 1641-4	16.4	63

139	Alkane Oxidation by VO ₂ ⁺ in the Gas Phase: A Unique Dependence of Reactivity on the Chain Length. <i>Organometallics</i> , 2003 , 22, 3933-3943	3.8	63
138	Thermal reactions of YAlO ₃ ⁺ with methane: increasing the reactivity of Y ₂ O ₃ ⁺ and the selectivity of Al ₂ O ₃ ⁺ by doping. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 5991-4	16.4	62
137	Bond Activation by Metal-Carbene Complexes in the Gas Phase. <i>Accounts of Chemical Research</i> , 2016 , 49, 494-502	24.3	59
136	Über die Rolle von [CuO] ⁺ bei spinselektiven Wasserstoff- und Sauerstoff-Übertragungen in der Aktivierung von Methan. <i>Angewandte Chemie</i> , 2011 , 123, 5068-5072	3.6	59
135	On the origin of the surprisingly sluggish redox reaction of the N ₂ O/CO couple mediated by [Y ₂ O ₂] ⁺ and [YAlO ₂] ⁺ cluster ions in the gas phase. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 1226-30	16.4	55
134	Thermal activation of methane by group 10 metal hydrides MH ⁺ : the same and not the same. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 5614-7	16.4	55
133	Control of Product Distribution and Mechanism by Ligation and Electric Field in the Thermal Activation of Methane. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 10219-10223	16.4	47
132	Probing elementary steps of nickel-mediated bond activation in gas-phase reactions: Ligand- and cluster-size effects. <i>Journal of Catalysis</i> , 2011 , 284, 126-137	7.3	47
131	"Roll-over" cyclometalation of 2,2'-bipyridine platinum(II) complexes in the gas phase: a combined experimental and computational study. <i>Chemistry - A European Journal</i> , 2008 , 14, 11050-60	4.8	47
130	CH- and NH-activation by gaseous Rh ₂ ⁺ and PtRh ⁺ cluster ions. <i>International Journal of Mass Spectrometry</i> , 2004 , 237, 19-23	1.9	46
129	Thermal activation of methane and ethene by bare MO ₂ ⁺ (M=Ge, Sn, and Pb): a combined theoretical/experimental study. <i>Chemistry - A European Journal</i> , 2011 , 17, 9619-25	4.8	44
128	On the mechanisms of degenerate ligand exchange in [M(CH ₃) ₃] ⁺ /CH ₄ Couples (M=Fe, Co, Ni, Ru, Rh, Pd, Os, Ir, Pt) as explored by mass spectrometric and computational studies: oxidative addition/reductive elimination versus sigma-complex-assisted metathesis. <i>Chemistry - A European Journal</i> , 2012 , 18, 5000-9	4.8	44
127	Darstellung, Reaktivität gegenüber Kohlenwasserstoffen und elektronische Struktur von heteronuclearen Vanadium-Phosphor-Sauerstoff-Clusterionen. <i>Angewandte Chemie</i> , 2011 , 123, 1466-1470	3.6	42
126	Hidden Hydride Transfer as a Decisive Mechanistic Step in the Reactions of the Unligated Gold Carbide [AuC] with Methane under Ambient Conditions. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 13072-13075	16.4	41
125	Isomer-selective thermal activation of methane in the gas phase by [HMO] ⁺ and [M(OH)] ⁺ (M=Ti and V). <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 6097-101	16.4	38
124	Direkte Umwandlung von Methan zu Formaldehyd durch kationisches [Al ₂ O ₃] ⁺ bei Raumtemperatur. <i>Angewandte Chemie</i> , 2012 , 124, 3763-3767	3.6	36
123	Mechanistic aspects and elementary steps of N-H bond activation of ammonia and C-N coupling induced by gas-phase ions: a combined experimental/computational exercise. <i>Chemistry - A European Journal</i> , 2012 , 18, 40-9	4.8	34
122	On the role of the electronic structure of the heteronuclear oxide cluster [Ga ₂ Mg ₂ O ₅] ⁺ in the thermal activation of methane and ethane: an unusual doping effect. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 5074-8	16.4	33

121	A redox non-innocent ligand controls the life time of a reactive quartet excited state - an MCSCF study of [Ni(H)(OH)](+). <i>Journal of the American Chemical Society</i> , 2009 , 131, 12634-42	16.4	32
120	Ligand and substrate effects in gas-phase reactions of NiX(+)/RH couples (X=F, Cl, Br, I; R=CH ₃ , C ₂ H ₅ , nC ₃ H ₇ , nC ₄ H ₉). <i>Chemistry - A European Journal</i> , 2007 , 13, 6810-6	4.8	32
119	C≡C Bond Activation of Methane with Gaseous [(CH ₃)Pt(L)] ⁺ Complexes (L = Pyridine, Bipyridine, and Phenanthroline). <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2007 , 62, 309-313	1	32
118	Spin-Selective Thermal Activation of Methane by Closed-Shell [TaO ₃](.). <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 7257-60	16.4	32
117	Ligand Effects on the Mechanisms of Thermal Bond Activation in the Gas-Phase Reactions NiX+/CH ₄ -Ni(CH ₃ +)/HX (X=H, CH ₃ , OH, F). Short Communication. <i>Helvetica Chimica Acta</i> , 2008 , 91, 2203-2210	3	31
116	Efficient Room-Temperature, Au(+)-Mediated Coupling of a Carbene Ligand with Methane To Generate C ₂ H _x (x = 4, 6). <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 441-4	16.4	31
115	Differences and Commonalities in the Gas-Phase Reactions of Closed-Shell Metal Dioxide Clusters [MO ₂](+) (M=V, Nb, and Ta) with Methane. <i>Chemistry - A European Journal</i> , 2016 , 22, 7225-8	4.8	30
114	Zur Reaktion von YAlO ₃ + mit Methan bei Raumtemperatur: Dotierung macht Y ₂ O ₃ + reaktiver und Al ₂ O ₃ + selektiver. <i>Angewandte Chemie</i> , 2012 , 124, 6093-6096	3.6	30
113	Redoxreaktionen des CO/N ₂ O-Systems, katalysiert durch das bimetallische Oxidclusterpaar AlVO ₃ +/AlVO ₄ +. <i>Angewandte Chemie</i> , 2011 , 123, 12559-12562	3.6	30
112	On divorcing isomers, dissecting reactivity, and resolving mechanisms of propane CH and aryl CX (X=halogen) bond activations mediated by a ligated copper(III) oxo complex. <i>Chemical Physics Letters</i> , 2014 , 608, 408-424	2.5	29
111	Ligand-Controlled CO ₂ Activation Mediated by Cationic Titanium Hydride Complexes, [LTiH](+) (L=Cp ₂ , O). <i>Chemistry - A European Journal</i> , 2015 , 21, 8483-90	4.8	29
110	Room-Temperature Alkyne-Nitrile Metathesis and Unambiguous Proof for the Existence of a High-Valent Iron-Nitrido Dication in the Gas Phase. Short Communication. <i>Helvetica Chimica Acta</i> , 2008 , 91, 1430-1434	2	29
109	Activation of Methane and Carbon Dioxide Mediated by Transition-Metal Doped Magnesium Oxide Clusters [MMgO](+/0/-) (M=Sc-Zn). <i>Chemistry - A European Journal</i> , 2015 , 21, 7780-9	4.8	28
108	Penetrating the Elusive Mechanism of Copper-Mediated Fluoromethylation in the Presence of Oxygen through the Gas-Phase Reactivity of Well-Defined [LCuO](+) Complexes with Fluoromethanes (CH(4-n)Fn, n = 1-3). <i>Journal of the American Chemical Society</i> , 2016 , 138, 3125-35	16.4	27
107	Neutral Metal Atoms Acting as a Leaving Group in Gas-Phase S _N 2 Reactions: M(CH ₃) ⁺ + NH ₃ -k CH ₃ NH ₃ ⁺ + M (M = Zn, Cd, Hg). <i>Organometallics</i> , 2012 , 31, 3816-3824	3.8	26
106	Thermal methane activation by a binary V-Nb transition-metal oxide cluster cation: a further example for the crucial role of oxygen-centered radicals. <i>Chemistry - A European Journal</i> , 2013 , 19, 11496-501	4.8	25
105	Thermische Aktivierung von Methan durch kationische Nickelkomplexe: Einfluss von Liganden und formaler Oxidationsstufe. <i>Angewandte Chemie</i> , 2007 , 119, 1667-1671	3.6	25
104	Distinct mechanistic differences in the hydrogen-atom transfer from methane and water by the heteronuclear oxide cluster [Ga ₂ MgO ₄](.). <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 12298-302	16.4	24

103	Facile dissociation of [(LNi(II)) ₂ E ₂] dichalcogenides: evidence for [LNi(II)E ₂] superselenides and supertellurides in solution. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 4551-4	16.4	24
102	Gas-Phase Reactions of Homo- and Heteronuclear Clusters MM ²⁺ (M, M ²⁺ =Fe, Co, Ni) with Linear Alkanenitriles. <i>Helvetica Chimica Acta</i> , 2005 , 88, 1405-1420	2	24
101	The Electric Field as a "Smart" Ligand in Controlling the Thermal Activation of Methane and Molecular Hydrogen. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 14635-14639	16.4	23
100	Gas-phase reactions of cationic vanadium-phosphorus oxide clusters with C ₂ H _x (x=4, 6): a DFT-based analysis of reactivity patterns. <i>Chemistry - A European Journal</i> , 2013 , 19, 3017-28	4.8	23
99	Efficient and selective gas-phase monomethylation versus N-H bond activation of ammonia by "bare" Zn(CH ₃) ⁺ : atomic zinc as a leaving group in an S _N 2 reaction. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 5387-91	16.4	23
98	Thermal ethane activation by bare [V ^{III}] ⁺ and [Nb ^{III}] ⁺ cluster cations: on the origin of their different reactivities. <i>Chemistry - A European Journal</i> , 2014 , 20, 6672-7	4.8	22
97	On the Origin of the Surprisingly Sluggish Redox Reaction of the N ₂ O/CO Couple Mediated by [Y ₂ O ₂] ⁺ and [YAlO ₂] ⁺ . Cluster Ions in the Gas Phase. <i>Angewandte Chemie</i> , 2013 , 125, 1264-1268	3.6	22
96	Mechanistic aspects of gas-phase hydrogen-atom transfer from methane to [CO] ⁽⁺⁾ and [SiO] ⁽⁺⁾ : why do they differ?. <i>Chemistry - A European Journal</i> , 2013 , 19, 6662-9	4.8	22
95	C-N and C-C bond formations in the thermal reactions of "bare" Ni(NH ₂) ⁺ with C ₂ H ₄ : mechanistic insight on the metal-mediated hydroamination of an unactivated olefin. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 3483-8	16.4	21
94	Isomerenabhängige, thermische Aktivierung von Methan durch [HMO] ⁺ und [M(OH)] ⁺ (M=Ti und V) in der Gasphase. <i>Angewandte Chemie</i> , 2013 , 125, 6213-6217	3.6	21
93	Insertion of Molecular Oxygen in Transition-Metal Hydride Bonds, Oxygen-Bond Activation, and Unimolecular Dissociation of Metal Hydroperoxide Intermediates. Short Communication. <i>Helvetica Chimica Acta</i> , 2008 , 91, 379-386	2	21
92	Metal-dependent alternative activation of O-H and C-H bonds of methanol: on the formation and structure of "bare" [M,C,H ₃ ,O] ⁺ complexes (M = Fe, Co, Ni) in the gas phase. <i>Chemical Communications</i> , 2010 , 46, 1878-80	5.8	20
91	Thermische Aktivierung von Methan durch kationische Metallhydride MH ⁺ der 10. Gruppe: gleich und doch verschieden. <i>Angewandte Chemie</i> , 2007 , 119, 5711-5715	3.6	20
90	Sequential Gas-Phase Activation of Carbon Dioxide and Methane by [Re(CO)]: The Sequence of Events Matters!. <i>Journal of the American Chemical Society</i> , 2017 , 139, 6169-6176	16.4	18
89	Formation, Structure, and Reactivity of Gaseous Ni ₂ O ₂ ⁺ . <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 2464-2469	2.3	18
88	Spinabhängige, thermische Aktivierung von Methan durch den geschlossenschaligen Cluster [TaO ₃] ⁺ . <i>Angewandte Chemie</i> , 2016 , 128, 7374-7377	3.6	18
87	Thermal Activation of Methane by [HfO] ^(.+) and [XHfO] ⁽⁺⁾ (X=F, Cl, Br, I) and the Origin of a Remarkable Ligand Effect. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 7685-8	16.4	18
86	Hidden Hydride Transfer as a Decisive Mechanistic Step in the Reactions of the Unligated Gold Carbide [AuC] ⁺ with Methane under Ambient Conditions. <i>Angewandte Chemie</i> , 2016 , 128, 13266-13269	3.6	18

85	Thermal ammonia activation by cationic transition-metal hydrides of the first row--small but mighty. <i>Chemistry - an Asian Journal</i> , 2012 , 7, 1214-20	4.5	17
84	Directed, remote gas-phase C-H and C-C bond activations by metal oxide cations anchored to a nitrile group. <i>Chemistry - A European Journal</i> , 2011 , 17, 1783-8	4.8	17
83	Platinum(II)-mediated dehydrosulfurization and oxidative carbon-carbon coupling in the gas-phase decomposition of thioethers. <i>International Journal of Mass Spectrometry</i> , 2009 , 283, 3-8	1.9	17
82	Selective C-H versus O-H Bond Activation of CH ₃ OH upon Electrospraying Methanolic Solutions of MX ₂ (M=Fe, Co, Ni; X=Br, I): A DFT Study. <i>ChemCatChem</i> , 2010 , 2, 799-802	5.2	17
81	On the Activation of Methane and Carbon Dioxide by [HTaO](+) and [TaOH](+) in the Gas Phase: A Mechanistic Study. <i>Chemistry - A European Journal</i> , 2016 , 22, 10581-9	4.8	16
80	On the Mechanisms of Hydrogen-Atom Transfer from Water to the Heteronuclear Oxide Cluster [Ga ₂ Mg ₂ O ₅](.+) : Remarkable Electronic Structure Effects. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 11861-4	16.4	16
79	Specific Processes and Scrambling in the Dehydrogenation of Ethane and the Degenerate Hydrogen Exchange in the Gas-Phase Ion Chemistry of the Ni(C ₂ H ₃ O) ⁺ /C ₂ H ₆ Couple. <i>Helvetica Chimica Acta</i> , 2007 , 90, 847-853	2	16
78	Oriented external electric fields as mimics for probing the role of metal ions and ligands in the thermal gas-phase activation of methane. <i>Dalton Transactions</i> , 2018 , 47, 15271-15277	4.3	16
77	On the Origin of the Remarkably Variable Reactivities of [AlCeO] (x=2-4) towards Methane as a Function of Oxygen Content. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 413-416	16.4	15
76	Efficient Room-Temperature Activation of Methane by TaN(+) under C-N Coupling. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 11678-81	16.4	15
75	The Unique Gas-Phase Chemistry of the [AuO](+) /CH ₄ Couple: Selective Oxygen-Atom Transfer to, Rather than Hydrogen-Atom Abstraction from, Methane. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 10877-80	16.4	15
74	Toward extension of the gas-phase basicity scale by novel pyridine containing guanidines. <i>International Journal of Mass Spectrometry</i> , 2013 , 354-355, 113-122	1.9	15
73	Striking Doping Effects on Thermal Methane Activation Mediated by the Heteronuclear Metal Oxides [XAlO] (X=V, Nb, and Ta). <i>Chemistry - A European Journal</i> , 2017 , 23, 788-792	4.8	15
72	Zur Rolle der Elektronenstruktur des heteronuklearen Oxidclusters [Ga ₂ Mg ₂ O ₅].+ in der thermischen Aktivierung von Methan und Ethan: ein ungewöhnlicher Dotierungseffekt. <i>Angewandte Chemie</i> , 2015 , 127, 5163-5167	3.6	15
71	C-N coupling in the gas-phase reactions of ammonia and [M(CH)] ⁺ (M = Ni, Pd, Pt): a combined experimental/computational exercise. <i>Dalton Transactions</i> , 2013 , 42, 4153-62	4.3	14
70	Thermal activation of N-H bonds by transition-metal oxide cations: does a hierarchy exist in the first row?. <i>Chemistry - A European Journal</i> , 2011 , 17, 3886-92	4.8	14
69	Competitive Intramolecular Aryl- and Alkyl-C-H Bond Activation and Ligand Evaporation from Gaseous Bisimino Complexes [Pt(L)(CH ₃)((CH ₃) ₂ S)] ⁺ (L=C ₆ H ₅ N=C(CH ₃) ₂ C(CH ₃) ₂ NC ₆ H ₅). <i>Helvetica Chimica Acta</i> , 2008 , 91, 1902-1915	2	14
68	Au+-vermittelte, effiziente Kupplung eines Carbenliganden mit Methan: Bildung von C ₂ H _x (x=4, 6) bei Raumtemperatur. <i>Angewandte Chemie</i> , 2016 , 128, 452-455	3.6	14

67	Thermal Dehydrogenation of Methane by [ReN]. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 14863-14866	16.4	14
66	The Origin of the Efficient, Thermal Chemisorption of Methane by the Heteronuclear Metal-Oxide Cluster [Al TaO]. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 14867-14871	16.4	13
65	Effiziente und selektive Monomethylierung kontra N-H-Bindungsaktivierung von Ammoniak: atomares Zink als Abgangsgruppe in einer SN2-Reaktion von Backtem[Zn(CH3)+ und NH3. <i>Angewandte Chemie</i> , 2011 , 123, 5499-5503	3.6	13
64	Efficient Room-Temperature Methane Activation by the Closed-Shell, Metal-Free Cluster [OSiOH](+) : A Novel Mechanistic Variant. <i>Chemistry - A European Journal</i> , 2016 , 22, 14257-63	4.8	12
63	Metal-Free, Room-Temperature Oxygen-Atom Transfer in the N O/CO Redox Couple as Catalyzed by [Si O] (x=2-5). <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 9990-9993	16.4	11
62	Effect of adduct formation with molecular nitrogen on the measured collisional cross sections of transition metal-1,10-phenanthroline complexes in traveling wave ion-mobility spectrometry: N2 is not always an "inert" buffer gas. <i>Analytical Chemistry</i> , 2015 , 87, 9769-76	7.8	11
61	Direct Room-Temperature Conversion of Methane into Protonated Formaldehyde: The Gas-Phase Chemistry of Mercury among the Zinc Triad Oxide Cations. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 3251-3255	16.4	11
60	Highly regioselective hydride transfer, oxidative dehydrogenation, and hydrogen-atom abstraction in the thermal gas-phase chemistry of [Zn(OH)](+)/C3H8. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 26617-23	3.6	11
59	Direct Identification of Acetaldehyde Formation and Characterization of the Active Site in the [VPO]/C H Couple by Gas-Phase Vibrational Spectroscopy. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 18868-18872	16.4	10
58	Mechanistic aspects of the gas-phase reactions of halobenzenes with bare lanthanide cations: a combined experimental/theoretical investigation. <i>Chemistry - A European Journal</i> , 2015 , 21, 2123-31	4.8	10
57	DFT Studies on the Thermal Activation of Molecular Oxygen by Bare [Ni(H)(OH)]+. <i>Helvetica Chimica Acta</i> , 2009 , 92, 151-164	2	10
56	On the Origin of Room-Temperature, Au+-mediated Coupling of a Methylene Ligand with H2. Implications for the Mechanism of Methane Dehydrogenation.. <i>ChemistrySelect</i> , 2016 , 1, 444-447	1.8	10
55	On the Remarkable Role of the Nitrogen Ligand in the Gas-Phase Redox Reaction of the N O/CO Couple Catalyzed by [NbN]. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 3635-3639	16.4	10
54	Intermediates of N-Heterocyclic Carbene (NHC) Dimerization Probed in the Gas Phase by Ion Mobility Mass Spectrometry: C-H???C Hydrogen Bonding Versus Covalent Dimer Formation. <i>Chemistry - A European Journal</i> , 2019 , 25, 2511-2518	4.8	10
53	Thermal Methane Activation by the Metal-Free Cluster Cation [Si O]. <i>Chemistry - A European Journal</i> , 2017 , 23, 1498-1501	4.8	9
52	Zum Ursprung der effizienten thermischen Chemisorption von Methan durch den heteronuklearen Metalloxidcluster [Al2TaO5]+. <i>Angewandte Chemie</i> , 2016 , 128, 15090-15094	3.6	9
51	Mechanistic aspects of CO2 activation mediated by phenyl yttrium cation: A combined experimental/theoretical study. <i>Journal of Catalysis</i> , 2016 , 343, 68-74	7.3	9
50	Steuerung der Produktverteilung und der Mechanismen der thermischen Aktivierung von Methan durch Ligandeneffekte und elektrische Felder. <i>Angewandte Chemie</i> , 2017 , 129, 10353-10357	3.6	9

49	Deutlich unterschiedliche Mechanismen der Wasserstoffatomabstraktion aus Methan und Wasser durch den heteronuklearen Oxidcluster [Ga ₂ MgO ₄] ⁺ . <i>Angewandte Chemie</i> , 2015 , 127, 12472-12477	3.6	9
48	Thermische Aktivierung von Methan durch [HfO] ⁺ und [XHfO] ⁺ (X=F, Cl, Br, I): ein außergewöhnlicher Ligandeneffekt und dessen Ursache. <i>Angewandte Chemie</i> , 2016 , 128, 7816-7819	3.6	9
47	On the Origin of Reactivity Enhancement/Suppression upon Sequential Ligation: [Re(CO)] ⁺ /CH (x=0-3) Couples. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 2951-2954	16.4	8
46	Spin-Selective, Competitive Hydrogen-Atom Transfer versus CH O-Generation from the CH/[ReO] Couple at Ambient Conditions. <i>Chemistry - A European Journal</i> , 2017 , 23, 17469-17472	4.8	8
45	Carbon-Atom Extrusion from Halobenzenes and Its Coupling with a Methylene Ligand to Form Acetylene. <i>Chemistry - A European Journal</i> , 2015 , 21, 9629-31	4.8	8
44	On the Origin of the Distinctly Different Reactivity of Ruthenium in [MO] ⁺ /CH Systems (M=Fe, Ru, Os). <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 5934-5937	16.4	8
43	Unravelling Mechanistic Aspects of the Gas-Phase Ethanol Conversion: An Experimental and Computational Study on the Thermal Reactions of MO ₂ ⁺ (M=Mo, W) with Ethanol. <i>Chemistry - A European Journal</i> , 2016 , 22, 3077-83	4.8	8
42	Ursachen der unterschiedlichen Reaktivität von [AlCeO _x] ⁺ (x=2-3) gegenüber Methan in Abhängigkeit vom Sauerstoffgehalt. <i>Angewandte Chemie</i> , 2017 , 129, 424-428	3.6	8
41	C-N- und C-C-Bindungsknüpfung in der Reaktion von Nickel(II) mit C ₂ H ₄ : Mechanistische Erkenntnisse über die metallvermittelte Hydroaminierung eines nichtaktivierten Olefins. <i>Angewandte Chemie</i> , 2012 , 124, 3541-3546	3.6	8
40	Coordination chemistry of nickel(II) nitrate with superbasic guanidines as studied by electrospray mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2010 , 290, 22-31	1.9	8
39	Breaking and Making of Carbon-Carbon Bonds by Lanthanides and Third-Row Transition Metals. <i>Chemistry - A European Journal</i> , 2016 , 22, 3073-6	4.8	8
38	Selective Nitrogen-Atom Transfer Driven by a Highly Efficient Intersystem Crossing in the [CeON] ⁺ /CH System. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 15902-15906	16.4	8
37	Gas-phase reactions of cationic molybdenum and tungsten monoxide with ethanol: a combined experimental/computational exercise. <i>Structural Chemistry</i> , 2017 , 28, 403-413	1.8	7
36	Ligand Effects on the Reactivity of [CoX] ⁺ (X = CN, F, Cl, Br, O, OH) Towards CO ₂ : Gas-Phase Generation of the Elusive Cyanofornate by [Co(CN)] ⁺ and [Fe(CN)] ⁺ . <i>Topics in Catalysis</i> , 2018 , 61, 575-584 ²³	3.6	7
35	Thermische Dehydrierung von Methan durch [ReN] ⁺ . <i>Angewandte Chemie</i> , 2016 , 128, 15085-15089	3.6	7
34	Metallfreier, durch [Si ₂ O _x] ⁺ (x=2-3) katalysierter Sauerstofftransfer im N ₂ O/CO-Redoxpaar bei Raumtemperatur. <i>Angewandte Chemie</i> , 2017 , 129, 10122-10126	3.6	7
33	Effiziente, thermische Aktivierung von Methan durch TaN ⁺ unter C-N-Kupplung. <i>Angewandte Chemie</i> , 2016 , 128, 11851-11855	3.6	7
32	Metal-Dependent Strengthening and Weakening of M-H and M-C Bonds by an Oxo Ligand: Thermal Gas-Phase Activation of Methane by [OMH] and [MH] (M=Mo, Ti). <i>Chemistry - A European Journal</i> , 2017 , 23, 12346-12352	4.8	6

31	Thermal Activation of CH and H as Mediated by the Ruthenium Oxide Cluster Ions [RuO _x] (x=1-3): On the Influence of Oxidation States. <i>Chemistry - A European Journal</i> , 2019 , 25, 3550-3559	4.8	6
30	O-O Bond Formation and Liberation of Dioxygen Mediated by N-Coordinate Non-Heme Iron(IV) Complexes. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 13472-13478	16.4	6
29	Direct Identification of Acetaldehyde Formation and Characterization of the Active Site in the [VPO ₄] _n /C ₂ H ₄ Couple by Gas-Phase Vibrational Spectroscopy. <i>Angewandte Chemie</i> , 2019 , 131, 19044-19048	3.6	6
28	Zum Mechanismus des Wasserstoffatomtransfers von Wasser auf den heteronuklearen Oxidcluster [Ga ₂ Mg ₂ O ₅] _n : außergewöhnliche Effekte der elektronischen Struktur. <i>Angewandte Chemie</i> , 2015 , 127, 12028-12032	3.6	6
27	Single and double N-H bond activation of ammonia by [Al ₂ O ₃] _n : room temperature formation of the aminyl radical and nitrene. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 9513-7	16.4	6
26	Facile Dissociation of [LNiII] ₂ E ₂ Dichalcogenides: Evidence for [LNiII] ₂ Superselenides and Supertellurides in Solution. <i>Angewandte Chemie</i> , 2009 , 121, 4621-4624	3.6	6
25	Electronic Origin of the Competitive Mechanisms in the Thermal Activation of Methane by the Heteronuclear Cluster Oxide [Al _n V _m O _{n+m}]. <i>Angewandte Chemie - International Edition</i> , 2017 , 56, 14297-14300	16.4	5
24	Tuning the Reactivities of the Heteronuclear [Al _n V _m O _{n+m}] (n=1, 2) Cluster Oxides towards Methane by Varying the Composition of the Metal Centers. <i>Chemistry - A European Journal</i> , 2019 , 25, 2967-2971	4.8	5
23	Direkte Umwandlung von Methan zu protoniertem Formaldehyd bei Raumtemperatur in der Gasphase: Zur Rolle von Quecksilber unter den Oxidkationen der Zinktriade. <i>Angewandte Chemie</i> , 2018 , 130, 3306-3310	3.6	5
22	Die Chemie von [AuO] _n /CH ₄ in der Gasphase: Selektive Sauerstoffatom-Übertragung auf, statt Wasserstoffatom-Abstraktion von Methan. <i>Angewandte Chemie</i> , 2016 , 128, 11036-11039	3.6	5
21	Thermal Methane Activation by [Si _n O _n] and [Si _n O _n H ₂] _n : Reactivity Enhancement by Hydrogenation. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 13345-13348	16.4	4
20	Selective C-O Coupling Hidden in the Thermal Reaction of [Al _n Cu _m O _{n+m}] with Methane. <i>Chemistry - A European Journal</i> , 2018 , 24, 14649-14653	4.8	4
19	On the Electronic Origin of Remarkable Ligand Effects on the Reactivities of [NiL] Complexes (L=C, H, CH ₃ , CN) towards Methane. <i>Chemistry - A European Journal</i> , 2017 , 23, 14430-14433	4.8	4
18	Mechanistic aspects of the gas-phase coupling of thioanisole and chlorobenzene to dibenzothiophene catalyzed by atomic Ho(+). <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 9564-8	3.6	3
17	Über die Ursachen der deutlich unterschiedlichen Reaktivität von Ruthenium unter den [MO] _n /CH ₄ -Systemen (M=Fe, Ru, Os). <i>Angewandte Chemie</i> , 2018 , 130, 6039-6043	3.6	3
16	Mechanisms of Metal-Mediated C-N Coupling Processes: A Synergistic Relationship between Gas-Phase Experiments and Computational Chemistry 2014 , 1-16		3
15	Thermal Activation of Ammonia by Transition-Metal Hydroxide Cations. <i>ChemPlusChem</i> , 2013 , 78, 952-958	5.8	3
14	Thermische Methanaktivierung durch [Si ₂ O ₅] _n und [Si ₂ O ₅ H ₂] _n : Reaktivitätssteigerung durch Hydrierung. <i>Angewandte Chemie</i> , 2016 , 128, 13540-13543	3.6	2

13	Elektronische Ursache konkurrierender Mechanismen bei der thermischen Aktivierung von Methan durch das heteronukleare Clusteroxid [Al ₂ ZnO ₄] ⁺ . <i>Angewandte Chemie</i> , 2017 , 129, 14486-14490	3.6	2
12	On the Origin of Reactivity Enhancement/Suppression upon Sequential Ligation: [Re(CO) _x] ⁺ /CH ₄ (x=0B) Couples. <i>Angewandte Chemie</i> , 2017 , 129, 2997-3000	3.6	2
11	"Stripping" the carbon atom of methyl halide by a cationic holmium complex: a gas-phase study. <i>Chemistry - A European Journal</i> , 2015 , 21, 14305-8	4.8	2
10	Mechanistic Aspects of the Holmium-Mediated, Reciprocal Hydrogen/Sulfur Exchange in the Gas Phase: C ₆ H ₅ CH ₃ + CH ₂ S- κ 6 H ₅ CH ₃ + CH ₄ . <i>Chemistry - A European Journal</i> , 2016 , 22, 4336-9	4.8	2
9	Mechanistic aspects of methane activation promoted by [MO ₃] ⁺ (M = Mn, Re). <i>International Journal of Mass Spectrometry</i> , 2018 , 434, 240-245	1.9	2
8	Selektive Bertragung eines Stickstoffatoms im [CeON] ⁺ /CH ₄ -System durch hocheffizientes Intersystem Crossing. <i>Angewandte Chemie</i> , 2018 , 130, 16129-16133	3.6	2
7	O-O Bond Formation and Liberation of Dioxygen Mediated by N ₅ -Coordinate Non-Heme Iron(IV) Complexes. <i>Angewandte Chemie</i> , 2019 , 131, 13606-13612	3.6	1
6	Frontispiece: Distinct Mechanistic Differences in the Hydrogen-Atom Transfer from Methane and Water by the Heteronuclear Oxide Cluster [Ga ₂ MgO ₄] ⁺ . <i>Angewandte Chemie - International Edition</i> , 2015 , 54, n/a-n/a	16.4	1
5	Einfache und doppelte N-H-Aktivierung in NH ₃ durch [Al ₂ O ₃] ⁺ : Erzeugung des Aminylradikals und von Nitren bei Raumtemperatur. <i>Angewandte Chemie</i> , 2013 , 125, 9691-9695	3.6	1
4	Elektrisches Feld als smarterer Ligandenersatz zur kontrollierten thermischen Aktivierung von Methan und molekularem Wasserstoff. <i>Angewandte Chemie</i> , 2018 , 130, 14845-14849	3.6	1
3	Über die besondere Rolle des Stickstoffliganden in den durch [NbN] ⁺ katalysierten Redoxreaktionen von N ₂ O/CO in der Gasphase. <i>Angewandte Chemie</i> , 2019 , 131, 3674-3678	3.6	0
2	Reaktitelbild: Steuerung der Produktverteilung und der Mechanismen der thermischen Aktivierung von Methan durch Ligandeneffekte und elektrische Felder (Angew. Chem. 34/2017). <i>Angewandte Chemie</i> , 2017 , 129, 10382-10382	3.6	
1	Thermal Activation of Ammonia by Transition-Metal Hydroxide Cations. <i>ChemPlusChem</i> , 2013 , 78, 886	2.8	