Emmanuel Cosson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6599570/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Slimming cardiac adipose tissue with liraglutide: pericardial is not epicardial fat (the LIRAFLAME) Tj ETQq1 1 0.78	84314 rg₿1 4.4	- /Qverlock
2	Metabolic characteristics and adverse pregnancy outcomes for women with hyperglycaemia in pregnancy as a function of insulin resistance. Diabetes and Metabolism, 2022, 48, 101330.	2.9	8
3	Understanding the clinical implications of differences between glucose management indicator and glycated haemoglobin. Diabetes, Obesity and Metabolism, 2022, 24, 599-608.	4.4	39
4	Impact of diabetes on COVID-19 prognosis beyond comorbidity burden: the CORONADO initiative. Diabetologia, 2022, 65, 1436-1449.	6.3	13
5	Gonadal hormonal factors before menopause and incident type 2 diabetes in women: A 22â€year followâ€up of 83 799 women from the <scp>E3N</scp> cohort study. Journal of Diabetes, 2021, 13, 330-3	38. ^{1.8}	6
6	Risk stratification and screening for coronary artery disease in asymptomatic patients with diabetes mellitus: Position paper of the French Society of Cardiology and the French-speaking Society of Diabetology. Diabetes and Metabolism, 2021, 47, 101185.	2.9	23
7	Prognosis associated with initial care of increased fasting glucose in early pregnancy: A retrospective study. Diabetes and Metabolism, 2021, 47, 101197.	2.9	12
8	Risk stratification and screening for coronary artery disease in asymptomatic patients with diabetes mellitus: Position paper of the French Society of Cardiology and the French-speaking Society of Diabetology. Archives of Cardiovascular Diseases, 2021, 114, 150-172.	1.6	6
9	Evaluation of Patient Willingness to Adopt Remote Digital Monitoring for Diabetes Management. JAMA Network Open, 2021, 4, e2033115.	5.9	11
10	Use of dipeptidyl peptidaseâ€4 inhibitors and prognosis of <scp>COVID</scp> â€19 in hospitalized patients with type 2 diabetes: A propensity score analysis from the <scp>CORONADO</scp> study. Diabetes, Obesity and Metabolism, 2021, 23, 1162-1172.	4.4	33
11	COVID-19 pandemic: Can fasting plasma glucose and HbA1c replace the oral glucose tolerance test to screen for hyperglycaemia in pregnancy?. Diabetes Research and Clinical Practice, 2021, 172, 108640.	2.8	17
12	Epicardial adipose tissue volume and coronary calcification among people living with diabetes: a cross-sectional study. Cardiovascular Diabetology, 2021, 20, 35.	6.8	20
13	Acute and long-term effects of saxagliptin on post-prandial glycemic response in obese patients with impaired glucose tolerance. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 1257-1266.	2.6	6
14	An International, Mixed-Methods Study of the Perceived Intrusiveness of Remote Digital Diabetes Monitoring. Mayo Clinic Proceedings, 2021, 96, 1236-1247.	3.0	5
15	HbA _{1c} and fasting plasma glucose cannot replace oral glucose tolerance test in order to screen for hyperglycaemia in pregnancy. Diabetic Medicine, 2021, 38, e14604.	2.3	2
16	Diabetes Increases Severe COVID-19 Outcomes Primarily in Younger Adults. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e3364-e3368.	3.6	16
17	Epicardial adipose tissue and severe Coronavirus Disease 19. Cardiovascular Diabetology, 2021, 20, 147.	6.8	13
18	Response to Letter to the Editor from Woolcott and Castilla-Bancayán: "Diabetes Increases Severe COVID-19 Outcomes Primarily in Younger Adults― Journal of Clinical Endocrinology and Metabolism, 2021, 106, e5277-e5278.	3.6	0

#	Article	IF	CITATIONS
19	The association of metabolic syndrome and COVID-19 deterioration. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 3236-3242.	2.6	3
20	Sex disparities in COVID-19 outcomes of inpatients with diabetes: insights from the CORONADO study. European Journal of Endocrinology, 2021, 185, 299-311.	3.7	14
21	Prognosis Associated with Sub-Types of Hyperglycaemia in Pregnancy. Journal of Clinical Medicine, 2021, 10, 3904.	2.4	8
22	Acute and long-term effects of saxagliptin on a set of cardiovascular targets measured at fasting and post-prandially in obese patients with impaired glucose tolerance: A placebo-controlled study. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 2945-2958.	2.6	1
23	Use of artificial intelligence for public health surveillance: a case study to develop a machine Learning-algorithm to estimate the incidence of diabetes mellitus in France. Archives of Public Health, 2021, 79, 168.	2.4	8
24	Limiting the Use of Oral Glucose Tolerance Tests to Screen for Hyperglycemia in Pregnancy during Pandemics. Journal of Clinical Medicine, 2021, 10, 397.	2.4	12
25	Cardiometabolic and mental health in women with early gestational diabetes mellitus: A prospective cohort study. Journal of Clinical Endocrinology and Metabolism, 2021, , .	3.6	5
26	Design of a prospective, longitudinal cohort of people living with type 1 diabetes exploring factors associated with the residual cardiovascular risk and other diabetes-related complications: the SFDT1 study. Diabetes and Metabolism, 2021, 48, 101306.	2.9	0
27	Epicardial adipose tissue volume and myocardial ischemia in asymptomatic people living with diabetes: a cross-sectional study. Cardiovascular Diabetology, 2021, 20, 224.	6.8	10
28	Bariatric surgery and the perioperative management of type 2 diabetes: Practical guidelines. Journal of Visceral Surgery, 2020, 157, 13-21.	0.8	7
29	Performance of a selective screening strategy for diagnosis of hyperglycaemia in pregnancy as defined by IADPSG/WHO criteria. Diabetes and Metabolism, 2020, 46, 311-318.	2.9	16
30	Initially untreated fasting hyperglycaemia in early pregnancy: prognosis according to occurrence of gestational diabetes mellitus after 22Âweeks' gestation: a case–control study. Diabetic Medicine, 2020, 37, 123-130.	2.3	7
31	Is the type 2 diabetes epidemic plateauing in France? A nationwide population-based study. Diabetes and Metabolism, 2020, 46, 472-479.	2.9	35
32	Malnutrition: Percentage and Association with Prognosis in Patients Hospitalized for Coronavirus Disease 2019. Nutrients, 2020, 12, 3679.	4.1	71
33	Type 1 Diabetes in People Hospitalized for COVID-19: New Insights From the CORONADO Study. Diabetes Care, 2020, 43, e174-e177.	8.6	35
34	Blood glucose levels and COVID-19. Reply to Sardu C, D'Onofrio N, Balestrieri ML et al [letter] and Lepper PM, Bals R, Jüni P et al [letter]. Diabetologia, 2020, 63, 2491-2494.	6.3	4
35	Three alternative ways to screen for hyperglycaemia in pregnancy during the COVID-19 pandemic. Diabetes and Metabolism, 2020, 46, 507-510.	2.9	17
36	Phenotypic characteristics and prognosis of inpatients with COVID-19 and diabetes: the CORONADO study. Diabetologia, 2020, 63, 1500-1515.	6.3	638

#	Article	IF	CITATIONS
37	Effectiveness of a therapeutic multiple-lifestyle intervention taking into account the periconceptional environment in the management of infertile couples: study design of a randomized controlled trial – the PEPCI study. BMC Pregnancy and Childbirth, 2020, 20, 322.	2.4	7
38	Prevalence of prediabetes and undiagnosed type 2 diabetes in France: Results from the national survey ESTEBAN, 2014–2016. Diabetes Research and Clinical Practice, 2020, 165, 108252.	2.8	24
39	Postpartum lifestyle modifications for women with gestational diabetes: A qualitative study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 252, 105-111.	1.1	5
40	Comment on Foussard et al. Skin Autofluorescence of Pregnant Women With Diabetes Predicts the Macrosomia of Their Children. Diabetes 2019;68:1663–1669. Diabetes, 2020, 69, e3-e4.	0.6	1
41	What makes digital health intrusive? Qualitative findings from an international study on diabetes. European Journal of Public Health, 2020, 30, .	0.3	0
42	Use of artificial intelligence to estimate population health indicators in France. European Journal of Public Health, 2020, 30, .	0.3	1
43	Clinical Practice Guidelines for Childbearing Female Candidates for Bariatric Surgery, Pregnancy, and Post-partum Management After Bariatric Surgery. Obesity Surgery, 2019, 29, 3722-3734.	2.1	80
44	<p>Perceptions of insulin therapy in people with type 2 diabetes and physicians: a cross-sectional survey conducted in France</p> . Patient Preference and Adherence, 2019, Volume 13, 251-260.	1.8	7
45	<p>Association Between Adherence To The French Dietary Guidelines And Lower Resting Heart Rate, Longer Diastole Duration, And Lower Myocardial Oxygen Consumption. The NUTRIVASC Study</p> . Vascular Health and Risk Management, 2019, Volume 15, 463-475.	2.3	6
46	Identifying diabetes cases in health administrative databases: a validation study based on a large French cohort. International Journal of Public Health, 2019, 64, 441-450.	2.3	35
47	Early screening for gestational diabetes mellitus is not associated with improved pregnancy outcomes: an observational study including 9795 women. Diabetes and Metabolism, 2019, 45, 465-472.	2.9	26
48	Prenatal education of overweight or obese pregnant women to prevent childhood overweight (the) Tj ETQq0 0 0) rgBT /Ov 3.4	erlock 10 Tf 5 21
49	Gradual increase in advanced glycation end-products from no diabetes to early and regular gestational diabetes: A case-control study. Diabetes and Metabolism, 2019, 45, 586-589.	2.9	7
50	Complications cardiovasculaires macro-angiopathiques et insuffisance cardiaque chez le diabétique. , 2019, , 377-390.		0
51	Grossesses après chirurgie bariatrique : recommandations pour la pratique clinique. Obesite, 2019, 14, 163-177.	0.1	Ο
52	Practical management of diabetes patients before, during and after surgery: A joint French diabetology and anaesthesiology position statement. Diabetes and Metabolism, 2018, 44, 200-216.	2.9	42
53	Perioperative management of adult diabetic patients. The role of the diabetologist. Anaesthesia, Critical Care & Pain Medicine, 2018, 37, S37-S38.	1.4	2
54	Perioperative management of adult diabetic patients. Postoperative period. Anaesthesia, Critical Care & Pain Medicine, 2018, 37, S27-S30.	1.4	10

#	Article	IF	CITATIONS
55	Perioperative management of adult diabetic patients. Review of hyperglycaemia: definitions and pathophysiology. Anaesthesia, Critical Care & Pain Medicine, 2018, 37, S5-S8.	1.4	14
56	Perioperative management of adult diabetic patients. Preoperative period. Anaesthesia, Critical Care & Pain Medicine, 2018, 37, S9-S19.	1.4	26
57	Perioperative management of adult diabetic patients. Intraoperative period. Anaesthesia, Critical Care & Pain Medicine, 2018, 37, S21-S25.	1.4	28
58	Perioperative management of adult diabetic patients. Specific situations. Anaesthesia, Critical Care & Pain Medicine, 2018, 37, S31-S35.	1.4	5
59	Effects of insulin analogs as an add-on to metformin on cutaneous microcirculation in type 2 diabetic patients. Microvascular Research, 2018, 116, 6-14.	2.5	6
60	Diagnosis and management of patients with significantly abnormal glycaemic profiles during pregnancy after bariatric surgery: PRESAGE (Pregnancy with significantly abnormal glycaemic) Tj ETQq0 0 0 rgB1	Г / Q2 ue rlock	x 10/2Tf 50 537
61	Histologically Proven Bronchial Neuroendocrine Tumors in MEN1: A GTE 51â€Case Cohort Study. World Journal of Surgery, 2018, 42, 143-152.	1.6	27
62	Avant-propos: Le diabÃ te gestationnel : quelles sont les actualités ?. Medecine Des Maladies Metaboliques, 2017, 11, 491-492.	0.1	0
63	Diabète gestationnel : devenir des mères après la grossesse et de leurs enfants. Medecine Des Maladies Metaboliques, 2017, 11, 518-524.	0.1	3
64	The impact of ovulation induction and ovarian stimulation on the risk of pregnancy-induced hypertension and on neonatal outcomes: A case/control study. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 217, 137-143.	1.1	7
65	Poor Reliability and Poor Adherence to Self-Monitoring of Blood Glucose Are Common in Women With Gestational Diabetes Mellitus and May Be Associated With Poor Pregnancy Outcomes. Diabetes Care, 2017, 40, 1181-1186.	8.6	49
66	Dépistage des dysglycémies gestationnelles après chirurgie bariatrique. Medecine Des Maladies Metaboliques, 2017, 11, 525-529.	0.1	1
67	High Fasting Plasma Glucose during Early Pregnancy: A Review about Early Gestational Diabetes Mellitus. Journal of Diabetes Research, 2017, 2017, 1-12.	2.3	56
68	A pilot study of gestational diabetes mellitus not controlled by diet alone: First-line medical treatment with myoinositol may limit the need for insulin. Diabetes and Metabolism, 2016, 42, 192-195.	2.9	18
69	Fetal gender is not associated with either gestational diabetes mellitus or placental weight: A cohort study. Diabetes and Metabolism, 2016, 42, 276-279.	2.9	5
70	Are Obese Individuals with no Feature of Metabolic Syndrome but Increased Waist Circumference Really Healthy? A Cross Sectional Study. Experimental and Clinical Endocrinology and Diabetes, 2016, 124, 410-416.	1.2	6
71	Atherogenic dyslipidemia and risk of silent coronary artery disease in asymptomatic patients with type 2 diabetes: a cross-sectional study. Cardiovascular Diabetology, 2016, 15, 104.	6.8	49
72	Pregnancy adverse outcomes related to pregravid body mass index and gestational weight gain, according to the presence or not of gestational diabetes mellitus: A retrospective observational study. Diabetes and Metabolism, 2016, 42, 38-46.	2.9	52

#	Article	IF	CITATIONS
73	Psychosocial deprivation in women with gestational diabetes mellitus is associated with poor fetomaternal prognoses: an observational study. BMJ Open, 2015, 5, e007120-e007120.	1.9	22
74	Adverse Outcomes and Potential Targets for Intervention in Gestational Diabetes and Obesity. Obstetrics and Gynecology, 2015, 126, 1309-1310.	2.4	2
75	Evidence for a Specific Diabetic Cardiomyopathy: An Observational Retrospective Echocardiographic Study in 656 Asymptomatic Type 2 Diabetic Patients. International Journal of Endocrinology, 2015, 2015, 1-8.	1.5	26
76	Screening for dysglycaemia during pregnancy: Proposals conciliating International Association of Diabetes and Pregnancy Study Group (IADPSG) and US National Institutes of Health (NIH) panels. Diabetes and Metabolism, 2015, 41, 239-243.	2.9	13
77	Improving postpartum glucose screening after gestational diabetes mellitus: a cohort study to evaluate the multicentre <scp>IMPACT</scp> initiative. Diabetic Medicine, 2015, 32, 189-197.	2.3	23
78	Arterial stiffness is elevated in normotensive type 2 diabetic patients with peripheral neuropathy. Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 1041-1049.	2.6	14
79	Noninvasive study of coronary microcirculation response to a cold pressor test. European Journal of Clinical Investigation, 2015, 45, 135-143.	3.4	8
80	Improving the response to post partum dysglycaemia screening in women with previous gestational diabetes mellitus. Diabetes Research and Clinical Practice, 2014, 106, e11.	2.8	1
81	Factors associated with screening for glucose abnormalities after gestational diabetes mellitus: Baseline cohort of the interventional IMPACT study. Diabetes and Metabolism, 2014, 40, 151-157.	2.9	15
82	Flow-mediated-paradoxical vasoconstriction is independently associated with asymptomatic myocardial ischemia and coronary artery disease in type 2 diabetic patients. Cardiovascular Diabetology, 2014, 13, 20.	6.8	17
83	The Diagnostic and Prognostic Performance of a Selective Screening Strategy for Gestational Diabetes Mellitus According to Ethnicity in Europe. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 996-1005.	3.6	29
84	Increased glycemic variability and decrease of the postprandial glucose contribution to HbA1c in obese subjects across the glycemic continuum from normal glycemia to first time diagnosed diabetes. Metabolism: Clinical and Experimental, 2014, 63, 1553-1561.	3.4	19
85	Food insecurity in French patients with diabetes. Diabetes and Metabolism, 2014, 40, 314-316.	2.9	3
86	Complications cardiovasculaires macroangiopathiques etÂinsuffisance cardiaque chezÂleÂdiabétique. , 2014, , 265-275.		0
87	Decreased stroke volume–brachial pulse pressure ratio in patients with type 2 diabetes over 50 years: The role of peripheral neuropathy. Nutrition, Metabolism and Cardiovascular Diseases, 2013, 23, 1093-1100.	2.6	4
88	Fear of hypoglycaemia in patients with type 1 diabetes: Do patients and diabetologists feel the same way?. Diabetes and Metabolism, 2013, 39, 63-70.	2.9	65
89	The report of male gender and retinopathy status improves the current consensus guidelines for the screening of myocardial ischemia in asymptomatic type 2 diabetic patients. Nutrition, Metabolism and Cardiovascular Diseases, 2013, 23, 557-565.	2.6	13
90	Haemoglobin glycation may partly explain the discordance between HbA1c measurement and oral glucose tolerance test to diagnose dysglycaemia in overweight/obese subjects. Diabetes and Metabolism, 2013, 39, 118-125.	2.9	7

#	Article	IF	CITATIONS
91	Diagnostic and Prognostic Performances Over 9 Years of a Selective Screening Strategy for Gestational Diabetes Mellitus in a Cohort of 18,775 Subjects. Diabetes Care, 2013, 36, 598-603.	8.6	66
92	Glycation Gap Is Associated With Macroproteinuria but Not With Other Complications in Patients With Type 2 Diabetes. Diabetes Care, 2013, 36, 2070-2076.	8.6	21
93	Adiponectin negatively correlated with carotid arterial structure in the leptin-resistant Zucker diabetic fatty rat. Artery Research, 2012, 6, 12.	0.6	0
94	Consensus statement on the care of the hyperglycaemic/diabetic patient during and in the immediate follow-up of acute coronary syndrome. Diabetes and Metabolism, 2012, 38, 113-127.	2.9	44
95	Use of clinical scores to detect dysglycaemia in overweight or obese women. Diabetes and Metabolism, 2012, 38, 217-224.	2.9	8
96	Impact of Metformin on the Prognosis of Cirrhosis Induced by Viral Hepatitis C in Diabetic Patients. Journal of Clinical Endocrinology and Metabolism, 2011, 96, 2601-2608.	3.6	152
97	Transthoracic echocardiographic abnormalities in asymptomatic diabetic patients: Association with microalbuminuria and silent coronary artery disease. Diabetes and Metabolism, 2011, 37, 343-350.	2.9	23
98	What would be the outcome if the American Diabetes Association recommendations of 2010 had been followed in our pratice in 1998–2006?. Diabetic Medicine, 2011, 28, 567-574.	2.3	15
99	Cardiovascular Risk Prediction Is Improved by Adding Asymptomatic Coronary Status to Routine Risk Assessment in Type 2 Diabetic Patients. Diabetes Care, 2011, 34, 2101-2107.	8.6	40
100	Take Action to Prevent Diabetes – The IMAGE Toolkit for the Prevention of Type 2 Diabetes in Europe. Hormone and Metabolic Research, 2010, 42, S37-S55.	1.5	197
101	A European Evidence-Based Guideline for the Prevention of Type 2 Diabetes. Hormone and Metabolic Research, 2010, 42, S3-S36.	1.5	385
102	Quality Indicators for the Prevention of Type 2 Diabetes in Europe – IMAGE. Hormone and Metabolic Research, 2010, 42, S56-S63.	1.5	40
103	Insulin resistance, serum leptin, and adiponectin levels and outcomes of viral hepatitis C cirrhosis. Journal of Hepatology, 2010, 53, 827-833.	3.7	96
104	Hypoglycaemia? Not guilty! Decreased HbA1c? Not guilty!. Diabetes and Metabolism, 2010, 36, 86-87.	2.9	0
105	It is not yet the time to stop screening diabetic patients for silent myocardial ischaemia. Diabetes and Metabolism, 2010, 36, 91-96.	2.9	31
106	A large proportion of prediabetes and diabetes goes undiagnosed when only fasting plasma glucose and/or HbA1c are measured in overweight or obese patients. Diabetes and Metabolism, 2010, 36, 312-318.	2.9	32
107	Diagnostic criteria for gestational diabetes mellitus. Diabetes and Metabolism, 2010, 36, 538-548.	2.9	16
108	Complications cardiovasculaires macroangiopathiques et insuffisance cardiaque chez le diabétique. ,		0

2010, , 250-262.

#	Article	IF	CITATIONS
109	Nâ€ŧerminal proâ€Bâ€ŧype natriuretic peptide: an independent marker for coronary artery disease in asymptomatic diabetic patients. Diabetic Medicine, 2009, 26, 872-879.	2.3	25
110	Multicentre, randomised, controlled study of the impact of continuous sub-cutaneous glucose monitoring (GlucoDay®) on glycaemic control in type 1 and type 2 diabetes patients. Diabetes and Metabolism, 2009, 35, 312-318.	2.9	40
111	Arterial stiffness and the autonomic nervous system during the development of Zucker diabetic fatty rats. Diabetes and Metabolism, 2009, 35, 364-370.	2.9	17
112	Capillary endothelial but not lymphatic function is restored under rosiglitazone in Zucker Diabetic Fatty rats. Microvascular Research, 2009, 77, 220-225.	2.5	8
113	Aortic stiffness and pulse pressure amplification in Wistar-Kyoto and spontaneously hypertensive rats. American Journal of Physiology - Heart and Circulatory Physiology, 2007, 292, H2506-H2512.	3.2	42
114	Microalbuminuria, a marker of artery rigidity and cardiac dysfunction. Journal of Hypertension, 2007, 25, A14.	0.5	0
115	Postprandial endothelial dysfunction: role of glucose, lipids and insulin. Diabetes and Metabolism, 2006, 32, 2S28-2S33.	2.9	30
116	Hemodynamic changes in postprandial state. Diabetes and Metabolism, 2006, 32, 2S37-2S41.	2.9	7
117	Universal rather than selective screening for gestational diabetes mellitus may improve fetal outcomes. Diabetes and Metabolism, 2006, 32, 140-146.	2.9	67
118	Obesity, Metabolic Syndrome, Diabetes and Arterial Hypertension. Immunology, Endocrine and Metabolic Agents in Medicinal Chemistry, 2006, 6, 407-423.	0.5	8
119	Impaired Coronary Endothelium-Dependent Vasodilation Is Associated With Microalbuminuria in Patients With Type 2 Diabetes and Angiographically Normal Coronary Arteries. Diabetes Care, 2006, 29, 107-112.	8.6	33
120	Predictive Value of Silent Myocardial Ischemia for Cardiac Events in Diabetic Patients: Influence of age in a French multicenter study. Diabetes Care, 2005, 28, 2722-2727.	8.6	95
121	Is insulin detemir able to favor a lower variability in the action of injected insulin in diabetic subjects?. Diabetes and Metabolism, 2005, 31, 4S34-4S39.	2.9	13
122	Fas/Fas-Ligand pathway is impaired in patients with type 2 diabetes. Influence of hypertension and insulin resistance. Diabetes and Metabolism, 2005, 31, 47-54.	2.9	30
123	Markers for silent myocardial ischemia in diabetes. Are they helpful?. Diabetes and Metabolism, 2005, 31, 205-213.	2.9	26
124	Prognostic Value of Epicardial Coronary Artery Constriction to the Cold Pressor Test in Type 2 Diabetic Patients With Angiographically Normal Coronary Arteries and No Other Major Coronary Risk Factors. Diabetes Care, 2004, 27, 208-215.	8.6	68
125	Detecting silent coronary stenoses and stratifying cardiac risk in patients with diabetes: ECG stress test or exercise myocardial scintigraphy?. Diabetic Medicine, 2004, 21, 342-348.	2.3	58
126	Are silent coronary stenoses predictable in diabetic patients and predictive of cardiovascular events?. Diabetes and Metabolism, 2003, 29, 470-476.	2.9	35

#	Article	IF	CITATIONS
127	Prognosis for Coronary Stenoses in Patients With Diabetes and Silent Myocardial Ischemia. Diabetes Care, 2003, 26, 1313-1314.	8.6	36
128	Predictive Value of Cardiac Autonomic Neuropathy in Diabetic Patients With or Without Silent Myocardial Ischemia. Diabetes Care, 2001, 24, 339-343.	8.6	207
129	Lower-Limb Vascularization in Diabetic Patients. Diabetes Care, 2001, 24, 870-874.	8.6	37
130	Expression of multiple adenylyl cyclase isoforms in human and dog thyroid. Molecular and Cellular Endocrinology, 2000, 170, 185-196.	3.2	16
131	Clinical comparison of three labeled-antibody immunoassays of free triiodothyronine. Clinical Chemistry, 1996, 42, 933-941.	3.2	21