

W Lee Kraus

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6600042/w-lee-kraus-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125
papers

12,156
citations

59
h-index

110
g-index

142
ext. papers

14,028
ext. citations

13.4
avg, IF

7.04
L-index

#	Paper	IF	Citations
125	Two birds, one stone: Non-canonical therapeutic effects of the PARP inhibitor Talazoparib.. <i>Cell Chemical Biology</i> , 2022 , 29, 171-173	8.2	0
124	The expanding universe of PARP1-mediated molecular and therapeutic mechanisms.. <i>Molecular Cell</i> , 2022 ,	17.6	4
123	Development and characterization of new tools for detecting poly(ADP-ribose) in vitro and in vivo.. <i>ELife</i> , 2022 , 11,	8.9	2
122	PARP-1 Regulates Estrogen-Dependent Gene Expression in Estrogen Receptor β -Positive Breast Cancer Cells. <i>Molecular Cancer Research</i> , 2021 , 19, 1688-1698	6.6	1
121	Nuclear ADP-ribosylation drives IFN β -dependent STAT1 β -enhancer formation in macrophages. <i>Nature Communications</i> , 2021 , 12, 3931	17.4	6
120	Spirits in the Material World: Enhancer RNAs in Transcriptional Regulation. <i>Trends in Biochemical Sciences</i> , 2021 , 46, 138-153	10.3	10
119	Alternate therapeutic pathways for PARP inhibitors and potential mechanisms of resistance. <i>Experimental and Molecular Medicine</i> , 2021 , 53, 42-51	12.8	32
118	MARTs and MARYlation in the Cytosol: Biological Functions, Mechanisms of Action, and Therapeutic Potential. <i>Cells</i> , 2021 , 10,	7.9	19
117	Ribosome ADP-ribosylation inhibits translation and maintains proteostasis in cancers. <i>Cell</i> , 2021 , 184, 4531-4546.e26	56.2	11
116	ADP-ribosyltransferases, an update on function and nomenclature. <i>FEBS Journal</i> , 2021 ,	5.7	30
115	Come one, come all? Re-evaluating RNA polymerase II pre-initiation complex assembly using single-molecule microscopy. <i>Molecular Cell</i> , 2021 , 81, 3443-3445	17.6	
114	PARPs in lipid metabolism and related diseases. <i>Progress in Lipid Research</i> , 2021 , 84, 101117	14.3	9
113	Identification of PARP-7 substrates reveals a role for MARYlation in microtubule control in ovarian cancer cells. <i>ELife</i> , 2021 , 10,	8.9	14
112	Location, Location, Location: Compartmentalization of NAD Synthesis and Functions in Mammalian Cells. <i>Trends in Biochemical Sciences</i> , 2020 , 45, 858-873	10.3	30
111	PARPs and ADP-ribosylation in RNA biology: from RNA expression and processing to protein translation and proteostasis. <i>Genes and Development</i> , 2020 , 34, 302-320	12.6	46
110	Characterization of basal and estrogen-regulated antisense transcription in breast cancer cells: Role in regulating sense transcription. <i>Molecular and Cellular Endocrinology</i> , 2020 , 506, 110746	4.4	1
109	Specific Binding of snoRNAs to PARP-1 Promotes NAD-Dependent Catalytic Activation. <i>Biochemistry</i> , 2020 , 59, 1559-1564	3.2	12

108	Functional Interplay between Histone H2B ADP-Ribosylation and Phosphorylation Controls Adipogenesis. <i>Molecular Cell</i> , 2020 , 79, 934-949.e14	17.6	16
107	Genome-wide analysis and functional prediction of the estrogen-regulated transcriptional response in the mouse uterus <i>Biology of Reproduction</i> , 2020 , 102, 327-338	3.9	4
106	Total Functional Score of Enhancer Elements Identifies Lineage-Specific Enhancers That Drive Differentiation of Pancreatic Cells. <i>Bioinformatics and Biology Insights</i> , 2020 , 14, 1177932220938063	5.3	2
105	ADP-Ribosylation Levels and Patterns Correlate with Gene Expression and Clinical Outcomes in Ovarian Cancers. <i>Molecular Cancer Therapeutics</i> , 2020 , 19, 282-291	6.1	14
104	Activation of PARP-1 by snoRNAs Controls Ribosome Biogenesis and Cell Growth via the RNA Helicase DDX21. <i>Molecular Cell</i> , 2019 , 75, 1270-1285.e14	17.6	88
103	Distinct Roles for BET Family Members in Estrogen Receptor β Enhancer Function and Gene Regulation in Breast Cancer Cells. <i>Molecular Cancer Research</i> , 2019 , 17, 2356-2368	6.6	12
102	PARP Inhibitors may be Beneficial in a Broader Range of Patients. <i>Oncology & Hematology Review</i> , 2019 , 15, 66	0.1	
101	The Estrogen-Regulated Transcriptome: Rapid, Robust, Extensive, and Transient. <i>Cancer Drug Discovery and Development</i> , 2019 , 95-127	0.3	3
100	Dynamic evolution of regulatory element ensembles in primate CD4 T cells. <i>Nature Ecology and Evolution</i> , 2018 , 2, 537-548	12.3	38
99	Enhancer transcription reveals subtype-specific gene expression programs controlling breast cancer pathogenesis. <i>Genome Research</i> , 2018 , 28, 159-170	9.7	65
98	Transcriptome signature identifies distinct cervical pathways induced in lipopolysaccharide-mediated preterm birth. <i>Biology of Reproduction</i> , 2018 , 98, 408-421	3.9	18
97	Histone modification profiling in breast cancer cell lines highlights commonalities and differences among subtypes. <i>BMC Genomics</i> , 2018 , 19, 150	4.5	36
96	Metabolic regulation of transcription through compartmentalized NAD biosynthesis. <i>Science</i> , 2018 , 360,	33.3	111
95	Generating Protein-Linked and Protein-Free Mono-, Oligo-, and Poly(ADP-Ribose) In Vitro. <i>Methods in Molecular Biology</i> , 2018 , 1813, 91-108	1.4	6
94	Identifying Genomic Sites of ADP-Ribosylation Mediated by Specific Nuclear PARP Enzymes Using Click-ChIP. <i>Methods in Molecular Biology</i> , 2018 , 1813, 371-387	1.4	
93	PARP-1 Controls the Adipogenic Transcriptional Program by PARylating C/EBP β and Modulating Its Transcriptional Activity. <i>Molecular Cell</i> , 2017 , 65, 260-271	17.6	59
92	Catalytic-Independent Functions of PARP-1 Determine Sox2 Pioneer Activity at Intractable Genomic Loci. <i>Molecular Cell</i> , 2017 , 65, 589-603.e9	17.6	66
91	PARPs and ADP-ribosylation: recent advances linking molecular functions to biological outcomes. <i>Genes and Development</i> , 2017 , 31, 101-126	12.6	354

90	PARP Inhibitors for Cancer Therapy. <i>Cell</i> , 2017 , 169, 183	56.2	68
89	Generation and Characterization of Recombinant Antibody-like ADP-Ribose Binding Proteins. <i>Biochemistry</i> , 2017 , 56, 6305-6316	3.2	56
88	Dynamic assembly and activation of estrogen receptor β enhancers through coregulator switching. <i>Genes and Development</i> , 2017 , 31, 1535-1548	12.6	35
87	Computational Approaches for Mining GRO-Seq Data to Identify and Characterize Active Enhancers. <i>Methods in Molecular Biology</i> , 2017 , 1468, 121-38	1.4	9
86	Identification of Protein Substrates of Specific PARP Enzymes Using Analog-Sensitive PARP Mutants and a "Clickable" NAD Analog. <i>Methods in Molecular Biology</i> , 2017 , 1608, 111-135	1.4	12
85	miR-200 Regulates Endometrial Development During Early Pregnancy. <i>Molecular Endocrinology</i> , 2016 , 30, 977-87		27
84	Chemical genetic discovery of PARP targets reveals a role for PARP-1 in transcription elongation. <i>Science</i> , 2016 , 353, 45-50	33.3	225
83	SMARCAD1 is an ATP-dependent stimulator of nucleosomal H2A acetylation via CBP, resulting in transcriptional regulation. <i>Scientific Reports</i> , 2016 , 6, 20179	4.9	18
82	Who Put the "A" in ATP? Generation of ATP from ADP-Ribose in the Nucleus for Hormone-Dependent Gene Regulation. <i>Molecular Cell</i> , 2016 , 63, 349-51	17.6	
81	New facets in the regulation of gene expression by ADP-ribosylation and poly(ADP-ribose) polymerases. <i>Chemical Reviews</i> , 2015 , 115, 2453-81	68.1	89
80	Discovery, Annotation, and Functional Analysis of Long Noncoding RNAs Controlling Cell-Cycle Gene Expression and Proliferation in Breast Cancer Cells. <i>Molecular Cell</i> , 2015 , 59, 698-711	17.6	137
79	Ready, pause, go: regulation of RNA polymerase II pausing and release by cellular signaling pathways. <i>Trends in Biochemical Sciences</i> , 2015 , 40, 516-25	10.3	85
78	PARPs and ADP-Ribosylation: 50 Years β nd Counting. <i>Molecular Cell</i> , 2015 , 58, 902-10	17.6	99
77	Linking the aryl hydrocarbon receptor with altered DNA methylation patterns and developmentally induced aberrant antiviral CD8 ⁺ T cell responses. <i>Journal of Immunology</i> , 2015 , 194, 4446-57	5.3	38
76	TNF β signaling exposes latent estrogen receptor binding sites to alter the breast cancer cell transcriptome. <i>Molecular Cell</i> , 2015 , 58, 21-34	17.6	96
75	Identification of active transcriptional regulatory elements from GRO-seq data. <i>Nature Methods</i> , 2015 , 12, 433-8	21.6	112
74	No driver behind the wheel? Targeting transcription in cancer. <i>Cell</i> , 2015 , 163, 28-30	56.2	21
73	groHMM: a computational tool for identifying unannotated and cell type-specific transcription units from global run-on sequencing data. <i>BMC Bioinformatics</i> , 2015 , 16, 222	3.6	37

72	A PreSTIGEous use of LncRNAs to predict enhancers. <i>Cell Cycle</i> , 2015 , 14, 1619-20	4.7	3
71	From discovery to function: the expanding roles of long noncoding RNAs in physiology and disease. <i>Endocrine Reviews</i> , 2015 , 36, 25-64	27.2	274
70	The histone variant MacroH2A1 regulates target gene expression in part by recruiting the transcriptional coregulator PELP1. <i>Molecular and Cellular Biology</i> , 2014 , 34, 2437-49	4.8	16
69	Dynamic reorganization of the AC16 cardiomyocyte transcriptome in response to TNF α signaling revealed by integrated genomic analyses. <i>BMC Genomics</i> , 2014 , 15, 155	4.5	32
68	Hormone-regulated transcriptomes: lessons learned from estrogen signaling pathways in breast cancer cells. <i>Molecular and Cellular Endocrinology</i> , 2014 , 382, 652-664	4.4	67
67	Global analysis of p53-regulated transcription identifies its direct targets and unexpected regulatory mechanisms. <i>ELife</i> , 2014 , 3, e02200	8.9	175
66	Author response: Global analysis of p53-regulated transcription identifies its direct targets and unexpected regulatory mechanisms 2014 ,		2
65	Regulation of Chromatin Structure and Function by PARP-1 and ADP-Ribosylation 2014 , 309-339		
64	Minireview: Long noncoding RNAs: new "links" between gene expression and cellular outcomes in endocrinology. <i>Molecular Endocrinology</i> , 2013 , 27, 1390-402		38
63	Signaling pathways differentially affect RNA polymerase II initiation, pausing, and elongation rate in cells. <i>Molecular Cell</i> , 2013 , 50, 212-22	17.6	231
62	PARP-1 and gene regulation: progress and puzzles. <i>Molecular Aspects of Medicine</i> , 2013 , 34, 1109-23	16.7	183
61	Enhancer transcripts mark active estrogen receptor binding sites. <i>Genome Research</i> , 2013 , 23, 1210-23	9.7	339
60	Mapping ER α genomic binding sites reveals unique genomic features and identifies EBF1 as an ER α interactor. <i>PLoS ONE</i> , 2013 , 8, e71355	3.7	11
59	Activation of estrogen receptor β by raloxifene through an activating protein-1-dependent tethering mechanism in human cervical epithelial cancer cells: a role for c-Jun N-terminal kinase. <i>Molecular and Cellular Endocrinology</i> , 2012 , 348, 331-8	4.4	4
58	Estrogen regulates JNK1 genomic localization to control gene expression and cell growth in breast cancer cells. <i>Molecular Endocrinology</i> , 2012 , 26, 736-47		14
57	New insights into the molecular and cellular functions of poly(ADP-ribose) and PARPs. <i>Nature Reviews Molecular Cell Biology</i> , 2012 , 13, 411-24	48.7	811
56	On PAR with PARP: cellular stress signaling through poly(ADP-ribose) and PARP-1. <i>Genes and Development</i> , 2012 , 26, 417-32	12.6	490
55	Regulation of poly(ADP-ribose) polymerase-1-dependent gene expression through promoter-directed recruitment of a nuclear NAD ⁺ synthase. <i>Journal of Biological Chemistry</i> , 2012 , 287, 12405-16	5.4	76

54	A rapid, extensive, and transient transcriptional response to estrogen signaling in breast cancer cells. <i>Cell</i> , 2011 , 145, 622-34	56.2	377
53	A one and a two expanding roles for poly(ADP-ribose) polymerases in metabolism. <i>Cell Metabolism</i> , 2011 , 13, 353-355	24.6	16
52	Small molecules, big effects: a role for chromatin-localized metabolite biosynthesis in gene regulation. <i>Molecular Cell</i> , 2011 , 41, 497-9	17.6	10
51	Multiple sequence-specific DNA-binding proteins mediate estrogen receptor signaling through a tethering pathway. <i>Molecular Endocrinology</i> , 2011 , 25, 564-74		40
50	Genome-wide analysis reveals PADI4 cooperates with Elk-1 to activate c-Fos expression in breast cancer cells. <i>PLoS Genetics</i> , 2011 , 7, e1002112	6	70
49	The Zn3 domain of human poly(ADP-ribose) polymerase-1 (PARP-1) functions in both DNA-dependent poly(ADP-ribose) synthesis activity and chromatin compaction. <i>Journal of Biological Chemistry</i> , 2010 , 285, 18877-87	5.4	113
48	A role for BAF57 in cell cycle-dependent transcriptional regulation by the SWI/SNF chromatin remodeling complex. <i>Cancer Research</i> , 2010 , 70, 4402-11	10.1	34
47	The histone variant macroH2A1 marks repressed autosomal chromatin, but protects a subset of its target genes from silencing. <i>Genes and Development</i> , 2010 , 24, 21-32	12.6	119
46	Multiple facets of the unique histone variant macroH2A: from genomics to cell biology. <i>Cell Cycle</i> , 2010 , 9, 2568-74	4.7	68
45	Clickable NAD analogues for labeling substrate proteins of poly(ADP-ribose) polymerases. <i>Journal of the American Chemical Society</i> , 2010 , 132, 9363-72	16.4	98
44	Genome-wide analysis of estrogen receptor alpha DNA binding and tethering mechanisms identifies Runx1 as a novel tethering factor in receptor-mediated transcriptional activation. <i>Molecular and Cellular Biology</i> , 2010 , 30, 3943-55	4.8	157
43	The PARP side of the nucleus: molecular actions, physiological outcomes, and clinical targets. <i>Molecular Cell</i> , 2010 , 39, 8-24	17.6	631
42	PARP-1 regulates chromatin structure and transcription through a KDM5B-dependent pathway. <i>Molecular Cell</i> , 2010 , 39, 736-49	17.6	230
41	Genomic analyses of hormone signaling and gene regulation. <i>Annual Review of Physiology</i> , 2010 , 72, 191-218	23.18	66
40	SIRT1-dependent regulation of chromatin and transcription: linking NAD(+) metabolism and signaling to the control of cellular functions. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2010 , 1804, 1666-75	4	204
39	Global analysis of transcriptional regulation by poly(ADP-ribose) polymerase-1 and poly(ADP-ribose) glycohydrolase in MCF-7 human breast cancer cells. <i>Journal of Biological Chemistry</i> , 2009 , 284, 33926-38	5.4	93
38	Enzymes in the NAD+ salvage pathway regulate SIRT1 activity at target gene promoters. <i>Journal of Biological Chemistry</i> , 2009 , 284, 20408-17	5.4	173
37	Postrecruitment regulation of RNA polymerase II directs rapid signaling responses at the promoters of estrogen target genes. <i>Molecular and Cellular Biology</i> , 2009 , 29, 1123-33	4.8	70

36	Transcriptional control by PARP-1: chromatin modulation, enhancer-binding, coregulation, and insulation. <i>Current Opinion in Cell Biology</i> , 2008 , 20, 294-302	9	321
35	Reciprocal binding of PARP-1 and histone H1 at promoters specifies transcriptional outcomes. <i>Science</i> , 2008 , 319, 819-21	33.3	308
34	A global view of transcriptional regulation by nuclear receptors: gene expression, factor localization, and DNA sequence analysis. <i>Nuclear Receptor Signaling</i> , 2008 , 6, e005	1	77
33	Development of a stable dual cell-line GFP expression system to study estrogenic endocrine disruptors. <i>Biotechnology and Bioengineering</i> , 2008 , 101, 1276-87	4.9	18
32	Poly(ADP-ribose) polymerase 1 is inhibited by a histone H2A variant, MacroH2A, and contributes to silencing of the inactive X chromosome. <i>Journal of Biological Chemistry</i> , 2007 , 282, 12851-9	5.4	90
31	Genomic analyses of transcription factor binding, histone acetylation, and gene expression reveal mechanistically distinct classes of estrogen-regulated promoters. <i>Molecular and Cellular Biology</i> , 2007 , 27, 5090-104	4.8	166
30	Estrogen-regulated gene networks in human breast cancer cells: involvement of E2F1 in the regulation of cell proliferation. <i>Molecular Endocrinology</i> , 2007 , 21, 2112-23		96
29	The DNA binding and catalytic domains of poly(ADP-ribose) polymerase 1 cooperate in the regulation of chromatin structure and transcription. <i>Molecular and Cellular Biology</i> , 2007 , 27, 7475-85	4.8	111
28	Visualizing the histone code on LSD1. <i>Cell</i> , 2007 , 128, 433-4	56.2	10
27	MYBBP1a is a novel repressor of NF-kappaB. <i>Journal of Molecular Biology</i> , 2007 , 366, 725-36	6.5	59
26	Acetylation of estrogen receptor alpha by p300 at lysines 266 and 268 enhances the deoxyribonucleic acid binding and transactivation activities of the receptor. <i>Molecular Endocrinology</i> , 2006 , 20, 1479-93		165
25	Promoter cleavage: a topolllbeta and PARP-1 collaboration. <i>Cell</i> , 2006 , 125, 1225-7	56.2	21
24	Smads orchestrate specific histone modifications and chromatin remodeling to activate transcription. <i>EMBO Journal</i> , 2006 , 25, 4490-502	13	109
23	Specific contributions of histone tails and their acetylation to the mechanical stability of nucleosomes. <i>Journal of Molecular Biology</i> , 2005 , 346, 135-46	6.5	152
22	Poly(ADP-ribosyl)ation by PARP-1: PAR-laying RNAD+ into a nuclear signal. <i>Genes and Development</i> , 2005 , 19, 1951-67	12.6	612
21	Regulation of coactivator complex assembly and function by protein arginine methylation and demethylination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 3611-6	11.5	186
20	Altered pharmacology and distinct coactivator usage for estrogen receptor-dependent transcription through activating protein-1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 559-64	11.5	55
19	The role of the C-terminal extension (CTE) of the estrogen receptor alpha and beta DNA binding domain in DNA binding and interaction with HMGB. <i>Journal of Biological Chemistry</i> , 2004 , 279, 14763-71	5.4	44

18	NAD ⁺ -dependent modulation of chromatin structure and transcription by nucleosome binding properties of PARP-1. <i>Cell</i> , 2004 , 119, 803-14	56.2	437
17	Isoflavones stimulate estrogen receptor-mediated core histone acetylation. <i>Biochemical and Biophysical Research Communications</i> , 2004 , 317, 259-64	3.4	67
16	Selective recognition of distinct classes of coactivators by a ligand-inducible activation domain. <i>Molecular Cell</i> , 2004 , 13, 725-38	17.6	53
15	Transcriptional activation by nuclear receptors. <i>Essays in Biochemistry</i> , 2004 , 40, 73-88	7.6	41
14	Mediator and p300/CBP-steroid receptor coactivator complexes have distinct roles, but function synergistically, during estrogen receptor alpha-dependent transcription with chromatin templates. <i>Molecular and Cellular Biology</i> , 2003 , 23, 335-48	4.8	73
13	Transcriptional activation by thyroid hormone receptor-beta involves chromatin remodeling, histone acetylation, and synergistic stimulation by p300 and steroid receptor coactivators. <i>Molecular Endocrinology</i> , 2003 , 17, 908-22		28
12	Chromatin exposes intrinsic differences in the transcriptional activities of estrogen receptors alpha and beta. <i>EMBO Journal</i> , 2003 , 22, 600-11	13	35
11	PARP goes transcription. <i>Cell</i> , 2003 , 113, 677-83	56.2	435
10	A novel Arabidopsis acetyltransferase interacts with the geminivirus movement protein NSP. <i>Plant Cell</i> , 2003 , 15, 1605-18	11.6	69
9	Nuclear receptor-dependent transcription with chromatin. Is it all about enzymes?. <i>FEBS Journal</i> , 2002 , 269, 2275-83		59
8	p300-mediated tax transactivation from recombinant chromatin: histone tail deletion mimics coactivator function. <i>Molecular and Cellular Biology</i> , 2002 , 22, 127-37	4.8	53
7	Histone H1 represses estrogen receptor alpha transcriptional activity by selectively inhibiting receptor-mediated transcription initiation. <i>Molecular and Cellular Biology</i> , 2002 , 22, 2463-71	4.8	32
6	p300 forms a stable, template-committed complex with chromatin: role for the bromodomain. <i>Molecular and Cellular Biology</i> , 2001 , 21, 3876-87	4.8	82
5	Nuclear receptors, coactivators and chromatin: new approaches, new insights. <i>Trends in Endocrinology and Metabolism</i> , 2001 , 12, 191-7	8.8	59
4	The phosphorylation status of a cyclic AMP-responsive activator is modulated via a chromatin-dependent mechanism. <i>Molecular and Cellular Biology</i> , 2000 , 20, 1596-603	4.8	91
3	Biochemical analysis of distinct activation functions in p300 that enhance transcription initiation with chromatin templates. <i>Molecular and Cellular Biology</i> , 1999 , 19, 8123-35	4.8	204
2	Identification of a novel transferable cis element in the promoter of an estrogen-responsive gene that modulates sensitivity to hormone and antihormone. <i>Molecular Endocrinology</i> , 1997 , 11, 330-41		17
1	Natural Selection has Shaped Coding and Non-coding Transcription in Primate CD4+ T-cells		1

