Elisa Robotti

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6601213/elisa-robotti-publications-by-year.pdf

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

28 1,844 38 95 g-index h-index citations papers 2,163 100 4.7 4.41 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
95	From monitoring to treatment, how to improve water quality: The pharmaceuticals case. <i>Chemical Engineering Journal Advances</i> , 2022 , 10, 100245	3.6	3
94	Chemometric Tools for 2D-PAGE Data Analysis. <i>Methods in Molecular Biology</i> , 2021 , 2361, 15-31	1.4	
93	Two-Dimensional Gel Electrophoresis Image Analysis. <i>Methods in Molecular Biology</i> , 2021 , 2361, 3-13	1.4	O
92	Kohonen Artificial Neural Network and Multivariate Analysis in the Identification of Proteome Changes during Early and Long Aging of Bovine Muscle Using SWATH Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 11512-11522	5.7	1
91	A new method for investigating microbiota-produced small molecules in adenomatous polyps. <i>Analytica Chimica Acta</i> , 2021 , 1179, 338841	6.6	2
90	Profiling of transcriptional biomarkers in FFPE liver samples: PLS-DA applications for detection of illicit administration of sex steroids and clenbuterol in veal calves. <i>Food Control</i> , 2021 , 128, 108149	6.2	1
89	Authentication and Traceability Study on Barbera dasti and Nizza DOCG Wines: The Role of Traceand Ultra-Trace Elements. <i>Beverages</i> , 2020 , 6, 63	3.4	2
88	Determination by ICP-MS and multivariate data analysis of elemental urine excretion profile during the EDTA chelation therapy: A case study. <i>Journal of Trace Elements in Medicine and Biology</i> , 2020 , 62, 126608	4.1	3
87	Development and validation of a UHPLC-MS/MS method for the identification of irinotecan photodegradation products in water samples. <i>Environmental Pollution</i> , 2020 , 256, 113370	9.3	4
86	Extracellular Vesicles Mediate Mesenchymal Stromal Cell-Dependent Regulation of B Cell PI3K-AKT Signaling Pathway and Actin Cytoskeleton. <i>Frontiers in Immunology</i> , 2019 , 10, 446	8.4	39
85	Plasma Proteome Profiles of Stable CAD Patients Stratified According to Total Apo C-III Levels. <i>Proteomics - Clinical Applications</i> , 2019 , 13, e1800023	3.1	3
84	Monitoring of water quality inflow and outflow of a farm in Italian Padana plain for rice cultivation: a case study of two years. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 21274-21294	5.1	6
83	Integrated serum proteins and fatty acids analysis for putative biomarker discovery in inflammatory bowel disease. <i>Journal of Proteomics</i> , 2019 , 195, 138-149	3.9	15
82	Sialylated isoforms of apolipoprotein C-III and plasma lipids in subjects with coronary artery disease. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 1542-1550	5.9	6
81	2D-DIGE and Fluorescence Image Analysis. <i>Methods in Molecular Biology</i> , 2018 , 1664, 25-39	1.4	9
80	Fast classification of hazelnut cultivars through portable infrared spectroscopy and chemometrics. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2018 , 189, 427-435	4.4	38
79	Can half-marathon affect overall health? The yin-yang of sport. <i>Journal of Proteomics</i> , 2018 , 170, 80-87	3.9	20

(2016-2018)

78	Study of endocrine disrupting compound release from different medical devices through an on-line SPE UHPLC-MS/MS method. <i>Analytica Chimica Acta</i> , 2018 , 1042, 141-154	6.6	12
77	LCMS/MS Approach for the Identification of Unknown Degradation Products of Dyes in Beverages 2018 , 229-260		1
76	Photodegradation of the pure and formulated alpha-cypermethrin insecticide gives different products. <i>Environmental Chemistry Letters</i> , 2018 , 16, 581-590	13.3	5
75	Impact of Beneficial Microorganisms on Strawberry Growth, Fruit Production, Nutritional Quality, and Volatilome. <i>Frontiers in Plant Science</i> , 2018 , 9, 1611	6.2	47
74	Chemical profiling and multivariate data fusion methods for the identification of the botanical origin of honey. <i>Food Chemistry</i> , 2018 , 266, 79-89	8.5	42
73	Method for Noninvasive Analysis of Proteins and Small Molecules from Ancient Objects. <i>Analytical Chemistry</i> , 2017 , 89, 3310-3317	7.8	33
72	A hydrophilic interaction liquid chromatography landem mass spectrometry method for the identification and determination of cationic starch derivatives in air samples. <i>Analytical Methods</i> , 2017 , 9, 1634-1642	3.2	1
71	Characterization Study of Tomato Sauces Stored in Different Packaging Materials. <i>Current Analytical Chemistry</i> , 2017 , 13, 187-201	1.7	4
70	IEF peptide fractionation method combined to shotgun proteomics enhances the exploration of rice milk proteome. <i>Analytical Biochemistry</i> , 2017 , 537, 72-77	3.1	5
69	Optimization of the Extraction of the Volatile Fraction from Honey Samples by SPME-GC-MS, Experimental Design, and Multivariate Target Functions. <i>Journal of Chemistry</i> , 2017 , 2017, 1-14	2.3	14
68	The Use of Legendre and Zernike Moment Functions for the Comparison of 2-D PAGE Maps. <i>Methods in Molecular Biology</i> , 2016 , 1384, 271-88	1.4	
67	Chemometric Multivariate Tools for Candidate Biomarker Identification: LDA, PLS-DA, SIMCA, Ranking-PCA. <i>Methods in Molecular Biology</i> , 2016 , 1384, 237-67	1.4	11
66	Secretome protein signature of human pancreatic cancer stem-like cells. <i>Journal of Proteomics</i> , 2016 , 136, 1-12	3.9	51
65	Haemolymph from Mytilus galloprovincialis: Response to copper and temperature challenges studied by (1)H-NMR metabonomics. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2016 , 183-184, 61-71	3.2	12
64	Image Pretreatment Tools II: Normalization Techniques for 2-DE and 2-D DIGE. <i>Methods in Molecular Biology</i> , 2016 , 1384, 91-107	1.4	2
63	GENOCOP Algorithm and Hierarchical Grid Transformation for Image Warping of Two-Dimensional Gel Electrophoretic Maps. <i>Methods in Molecular Biology</i> , 2016 , 1384, 165-84	1.4	2
62	Algorithms for Warping of 2-D PAGE Maps. <i>Methods in Molecular Biology</i> , 2016 , 1384, 119-54	1.4	3
61	Differential Analysis of 2-D Maps by Pixel-Based Approaches. <i>Methods in Molecular Biology</i> , 2016 , 1384, 299-327	1.4	

60	Direct Analysis in Real Time Mass Spectrometry for the Nondestructive Investigation of Conservation Treatments of Cultural Heritage. <i>Journal of Analytical Methods in Chemistry</i> , 2016 , 2016, 6853591	2	9
59	Portable diffuse reflectance infrared Fourier transform (DRIFT) technique for the non-invasive identification of canvas ground: IR spectra reference collection. <i>Analytical Methods</i> , 2015 , 7, 2313-2322	3.2	31
58	Blood transcriptomics of drug-naWe sporadic Parkinson's disease patients. <i>BMC Genomics</i> , 2015 , 16, 876	4.5	51
57	Chemical and Microbiological Characterization for PDO Labelling of Typical East Piedmont (Italy) Salami. <i>Journal of Chemistry</i> , 2015 , 2015, 1-22	2.3	2
56	Dissecting the transcriptional phenotype of ribosomal protein deficiency: implications for Diamond-Blackfan Anemia. <i>Gene</i> , 2014 , 545, 282-9	3.8	27
55	Preliminary toxicological assessment of phthalate esters from drinking water consumed in Portugal. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 1380-90	5.1	34
54	Biomarkers for pancreatic cancer: recent achievements in proteomics and genomics through classical and multivariate statistical methods. <i>World Journal of Gastroenterology</i> , 2014 , 20, 13325-42	5.6	18
53	Study on the photodegradation of amidosulfuron in aqueous solutions by LC-MS/MS. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 9034-43	5.1	8
52	A traceability study on the Moscato wine chain. <i>Food Chemistry</i> , 2013 , 138, 1914-22	8.5	49
51	GENOCOP algorithm and hierarchical grid transformation for image warping of two dimensional gel eletrophoretic maps. <i>Molecular BioSystems</i> , 2012 , 8, 975-84		4
50	Proteomic changes involved in tenderization of bovine Longissimus dorsi muscle during prolonged ageing. <i>Food Chemistry</i> , 2012 , 135, 2052-69	8.5	75
49	A new algorithm for the simulation of SDS 2D-PAGE datasets. <i>Methods in Molecular Biology</i> , 2012 , 869, 407-25	1.4	1
48	Effects of nickel, chlorpyrifos and their mixture on the Dictyostelium discoideum proteome. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 15679-705	6.3	8
47	Development of a technique based on multi-spectral imaging for monitoring the conservation of cultural heritage objects. <i>Analytica Chimica Acta</i> , 2011 , 706, 229-37	6.6	29
46	Simultaneous determination of thirteen polycyclic aromatic hydrocarbons and twelve aldehydes in cooked food by an automated on-line solid phase extraction ultra high performance liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2011 , 1218, 6308-18	4.5	57
45	Proteins involved in biotic and abiotic stress responses as the most significant biomarkers in the ripening of Pinot Noir skins. <i>Functional and Integrative Genomics</i> , 2011 , 11, 341-55	3.8	27
44	HPLC-DAD-MSn to investigate the photodegradation pathway of nicosulfuron in aqueous solution. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 399, 1705-14	4.4	16
43	Investigation of the applicability of Zernike moments to the classification of SDS 2D-PAGE maps. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 400, 1419-31	4.4	7

(2007-2011)

42	target function representing the S/N ratio. <i>Journal of the American Society for Mass Spectrometry</i> , 2011 , 22, 118-29	3.5	3	
41	Development of a classification and ranking method for the identification of possible biomarkers in two-dimensional gel-electrophoresis based on principal component analysis and variable selection procedures. <i>Molecular BioSystems</i> , 2011 , 7, 677-86		12	
40	Technique based on LED multispectral imaging and multivariate analysis for monitoring the conservation state of the Dead Sea Scrolls. <i>Analytical Chemistry</i> , 2011 , 83, 6609-18	7.8	24	
39	A new algorithm for the simulation of sodium dodecil sulfate two-dimensional polyacrylamide gel electrophoresis data sets. <i>Journal of Proteome Research</i> , 2010 , 9, 1864-72	5.6	3	
38	High-performance liquid chromatography-ultraviolet detection method for the simultaneous determination of typical biogenic amines and precursor amino acids. Applications in food chemistry. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 127-34	5.7	62	
37	Automated online solid phase extraction ultra high performance liquid chromatography method coupled with tandem mass spectrometry for determination of forty-two therapeutic drugs and drugs of abuse in human urine. <i>Analytical Chemistry</i> , 2010 , 82, 5636-45	7.8	59	
36	The principle of exhaustiveness versus the principle of parsimony: a new approach for the identification of biomarkers from proteomic spot volume datasets based on principal component analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2010 , 397, 25-41	4.4	20	
35	Determination of perfluorochemicals in biological, environmental and food samples by an automated on-line solid phase extraction ultra high performance liquid chromatography tandem mass spectrometry method. <i>Journal of Chromatography A</i> , 2010 , 1217, 7864-72	4.5	82	
34	Evaluation of signal and noise and identification of a suitable target function in the tuning of an ESI ion trap mass spectrometer by multivariate pattern recognition tools. <i>Journal of the American Society for Mass Spectrometry</i> , 2009 , 20, 1859-67	3.5	4	
33	Butene concentration prediction in ethylene/propylene/1-butene terpolymers by FT-IR spectroscopy through multivariate statistical analysis and artificial neural networks. <i>Talanta</i> , 2009 , 77, 1111-9	6.2	9	
32	Optimisation of sensitivity in the multi-elemental determination of 83 isotopes by ICP-MS as a function of 21 instrumental operative conditions by modified simplex, principal component analysis and partial least squares. <i>Talanta</i> , 2008 , 76, 1224-32	6.2	6	
31	Evaluation of the variables characterized by significant discriminating power in the application of SIMCA classification method to proteomic studies. <i>Journal of Proteome Research</i> , 2008 , 7, 2789-96	5.6	12	
30	Application of partial least squares discriminant analysis and variable selection procedures: a 2D-PAGE proteomic study. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 390, 1327-42	4.4	33	
29	A new method of comparing 2D-PAGE maps based on the computation of Zernike moments and multivariate statistical tools. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 391, 1163-73	4.4	14	
28	Development of calibration models for quality control in the production of ethylene/propylene copolymers by FTIR spectroscopy, multivariate statistical tools, and artificial neural networks. <i>Journal of Applied Polymer Science</i> , 2008 , 109, 3975-3982	2.9	5	
27	Statistical analysis of ground water distribution in Alessandria Province (Piedmont t aly). <i>Microchemical Journal</i> , 2008 , 88, 167-177	4.8	9	
26	2D-PAGE maps analysis. <i>Methods in Molecular Biology</i> , 2008 , 428, 291-325	1.4	13	
25	Monitoring of the surface of paper samples exposed to UV light by ATR-FT-IR spectroscopy and use of multivariate control charts. <i>Analytical and Bioanalytical Chemistry</i> , 2007 , 388, 1249-63	4.4	23	

24	Multivariate Statistical Tools for the Evaluation of Proteomic 2D-maps:Recent Achievements and Applications. <i>Current Proteomics</i> , 2007 , 4, 53-66	0.7	8
23	Multivariate statistical tools applied to the characterization of the proteomic profiles of two human lymphoma cell lines by two-dimensional gel electrophoresis. <i>Electrophoresis</i> , 2006 , 27, 484-94	3.6	32
22	Modeling of the polluting emissions from a cement production plant by partial least-squares, principal component regression, and artificial neural networks. <i>Environmental Science & Environmental Sc</i>	10.3	20
21	Investigation of anthropic effects connected with metal ions concentration, organic matter and grain size in Bormida river sediments. <i>Analytica Chimica Acta</i> , 2006 , 560, 172-183	6.6	28
20	195Pt NMR spectroscopy: A chemometric approach. <i>Coordination Chemistry Reviews</i> , 2006 , 250, 2158-2	1 74 .2	45
19	Monitoring of paintings under exposure to UV light by ATR-FT-IR spectroscopy and multivariate control charts. <i>Vibrational Spectroscopy</i> , 2006 , 40, 225-234	2.1	26
18	Monitoring of pigmented surfaces in accelerated ageing process by ATR-FT-IR spectroscopy and multivariate control charts. <i>Talanta</i> , 2005 , 66, 1158-67	6.2	13
17	Optimization of the setting parameters of a probe analyzer used for quality assessment of the interlace level and variation of textile polyester fibers. <i>Journal of the Textile Institute</i> , 2005 , 96, 371-379	1.5	1
16	Archaeometric characterisation of ancient pottery belonging to the archaeological site of Novalesa Abbey (Piedmont, Italy) by ICPMS and spectroscopic techniques coupled to multivariate statistical tools. <i>Analytica Chimica Acta</i> , 2005 , 537, 359-375	6.6	36
15	Multivariate calibration applied to the field of cultural heritage: Analysis of the pigments on the surface of a painting. <i>Analytica Chimica Acta</i> , 2005 , 553, 111-122	6.6	25
14	Use of Legendre moments for the fast comparison of two-dimensional polyacrylamide gel electrophoresis maps images. <i>Journal of Chromatography A</i> , 2005 , 1096, 86-91	4.5	20
13	The state of conservation of painted surfaces in the presence of accelerated ageing processes monitored by use of FT-Raman spectroscopy and multivariate control charts. <i>Analytical and Bioanalytical Chemistry</i> , 2005 , 381, 884-95	4.4	10
12	Numerical approaches for quantitative analysis of two-dimensional maps: a review of commercial software and home-made systems. <i>Proteomics</i> , 2005 , 5, 654-66	4.8	80
11	Identification of the regulatory proteins in human pancreatic cancers treated with Trichostatin A by 2D-PAGE maps and multivariate statistical analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2004 , 379, 992-1003	4.4	28
10	Comparison of different calibration methods for the determination by FT-NIR spectroscopy of the hydroxyl number in polyester resins. <i>Annali Di Chimica</i> , 2004 , 94, 219-28		4
9	Hydroxyl and acid number prediction in polyester resins by near infrared spectroscopy and artificial neural networks. <i>Analytica Chimica Acta</i> , 2004 , 511, 313-322	6.6	36
8	Study of proteomic changes associated with healthy and tumoral murine samples in neuroblastoma by principal component analysis and classification methods. <i>Clinica Chimica Acta</i> , 2004 , 345, 55-67	6.2	34
7	Monitoring of pigmented and wooden surfaces in accelerated ageing processes by FT-Raman spectroscopy and multivariate control charts. <i>Talanta</i> , 2004 , 63, 987-1002	6.2	30

LIST OF PUBLICATIONS

6	A new integrated statistical approach to the diagnostic use of two-dimensional maps. <i>Electrophoresis</i> , 2003 , 24, 225-36	3.6	38	
5	New approach based on fuzzy logic and principal component analysis for the classification of two-dimensional maps in health and disease. Application to lymphomas. <i>Journal of Chromatography A</i> , 2003 , 1004, 13-28	4.5	22	
4	A method for monitoring the surface conservation of wooden objects by Raman spectroscopy and multivariate control charts. <i>Analytical Chemistry</i> , 2003 , 75, 5567-74	7.8	27	
3	Application of three-way principal component analysis to the evaluation of two-dimensional maps in proteomics. <i>Journal of Proteome Research</i> , 2003 , 2, 351-60	5.6	30	
2	A new approach to the statistical treatment of 2D-maps in proteomics using fuzzy logic. <i>Annali Di Chimica</i> , 2003 , 93, 105-16		4	
1	Monitoring of an industrial process by multivariate control charts based on principal component analysis. <i>Annali Di Chimica</i> , 2003 , 93, 525-38		2	