

Xian Huang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6601279/xian-huang-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

6,055
citations

30
h-index

77
g-index

87
ext. papers

6,946
ext. citations

10.4
avg, IF

5.43
L-index

#	Paper	IF	Citations
81	Comparison of enhancement techniques based on neural networks for attenuated voice signal captured by flexible vibration sensors on throats. <i>Nami Jishu Yu Jingmi Gongcheng/Nanotechnology and Precision Engineering</i> , 2022 , 5, 013001	2.4	0
80	Large-Area Transient Conductive Films Obtained through Photonic Sintering of 2D Materials (Adv. Mater. Technol. 2/2022). <i>Advanced Materials Technologies</i> , 2022 , 7, 2270008	6.8	
79	Micro and Nano Materials and Processing Techniques for Printed Biodegradable Electronics. <i>Materials Today Nano</i> , 2022 , 100201	9.7	1
78	Dual-path transformer-based network with equalization-generation components prediction for flexible vibrational sensor speech enhancement in the time domain. <i>Journal of the Acoustical Society of America</i> , 2022 , 151, 2814-2825	2.2	1
77	Miniaturized soft centrifugal pumps with magnetic levitation for fluid handling. <i>Science Advances</i> , 2021 , 7, eabi7203	14.3	1
76	Sub-thermionic, ultra-high-gain organic transistors and circuits. <i>Nature Communications</i> , 2021 , 12, 1928	17.4	28
75	Reconfigurable Flexible Electronics Driven by Origami Magnetic Membranes. <i>Advanced Materials Technologies</i> , 2021 , 6, 2001124	6.8	9
74	Metal-organic frameworks as functional materials for implantable flexible biochemical sensors. <i>Nano Research</i> , 2021 , 14, 2981-3009	10	8
73	Additive Manufacturing of Sandwich Structured Conductors for Applications in Flexible and Stretchable Electronics. <i>Advanced Engineering Materials</i> , 2021 , 23, 2100286	3.5	1
72	Water-Sintered Transient Nanocomposites Used as Electrical Interconnects for Dissolvable Consumer Electronics. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 32136-32148	9.5	3
71	Flexible Optoelectronic Fibers: A Multichannel Flexible Optoelectronic Fiber Device for Distributed Implantable Neurological Stimulation and Monitoring (Small 4/2021). <i>Small</i> , 2021 , 17, 2170014	11	
70	A Multichannel Flexible Optoelectronic Fiber Device for Distributed Implantable Neurological Stimulation and Monitoring. <i>Small</i> , 2021 , 17, e2005925	11	7
69	Physical and Chemical Sensors on the Basis of Laser-Induced Graphene: Mechanisms, Applications, and Perspectives. <i>ACS Nano</i> , 2021 ,	16.7	9
68	Tunable flexible pressure sensor based on bioinspired capillary-driven method. <i>Microelectronic Engineering</i> , 2020 , 231, 111370	2.5	2
67	Flexible Electronics and Materials for Synchronized Stimulation and Monitoring in Multi-Encephalic Regions. <i>Advanced Functional Materials</i> , 2020 , 30, 2002644	15.6	10
66	Recent development of bioresorbable electronics using additive manufacturing. <i>Current Opinion in Chemical Engineering</i> , 2020 , 28, 118-126	5.4	2
65	Fully Flexible Electromagnetic Vibration Sensors with Annular Field Confinement Origami Magnetic Membranes. <i>Advanced Functional Materials</i> , 2020 , 30, 2001553	15.6	23

64	Electronic Skin from High-Throughput Fabrication of Intrinsically Stretchable Lead Zirconate Titanate Elastomer. <i>Research</i> , 2020 , 2020, 1085417	7.8	21
63	Highly sensitive ionic pressure sensor based on concave meniscus for electronic skin. <i>Journal of Micromechanics and Microengineering</i> , 2020 , 30, 015009	2	6
62	Bioresorbable Electronics: Anhydride-Assisted Spontaneous Room Temperature Sintering of Printed Bioresorbable Electronics (Adv. Funct. Mater. 29/2020). <i>Advanced Functional Materials</i> , 2020 , 30, 2070194	15.6	1
61	Anhydride-Assisted Spontaneous Room Temperature Sintering of Printed Bioresorbable Electronics. <i>Advanced Functional Materials</i> , 2020 , 30, 1905024	15.6	9
60	A comparative chemical study of PM10 in three Latin American cities: Lima, Medellín, and São Paulo. <i>Air Quality, Atmosphere and Health</i> , 2019 , 12, 1141-1152	5.6	8
59	Near-infrared light remotely up-regulate autophagy with spatiotemporal precision via upconversion optogenetic nanosystem. <i>Biomaterials</i> , 2019 , 199, 22-31	15.6	18
58	Multifunctional Stretchable Sensors for Continuous Monitoring of Long-Term Leaf Physiology and Microclimate. <i>ACS Omega</i> , 2019 , 4, 9522-9530	3.9	34
57	Flexible Magnetoelectrical Devices with Intrinsic Magnetism and Electrical Conductivity. <i>Advanced Electronic Materials</i> , 2019 , 5, 1900111	6.4	8
56	A novel Cu-metal-organic framework with two-dimensional layered topology for electrochemical detection using flexible sensors. <i>Nanotechnology</i> , 2019 , 30, 424002	3.4	20
55	Origami NdFeB Flexible Magnetic Membranes with Enhanced Magnetism and Programmable Sequences of Polarities. <i>Advanced Functional Materials</i> , 2019 , 29, 1904977	15.6	31
54	Droplets as Carriers for Flexible Electronic Devices. <i>Advanced Science</i> , 2019 , 6, 1901862	13.6	13
53	Stretchable Health Monitoring Devices/Sensors 2018 , 323-349		1
52	Materials and Techniques for Implantable Nutrient Sensing Using Flexible Sensors Integrated with Metal-Organic Frameworks. <i>Advanced Materials</i> , 2018 , 30, e1800917	24	49
51	Materials and applications of bioresorbable electronics. <i>Journal of Semiconductors</i> , 2018 , 39, 011003	2.3	19
50	Processing Techniques for Bioresorbable Nanoparticles in Fabricating Flexible Conductive Interconnects. <i>Materials</i> , 2018 , 11,	3.5	12
49	Aerosol printing and photonic sintering of bioresorbable zinc nanoparticle ink for transient electronics manufacturing. <i>Science China Information Sciences</i> , 2018 , 61, 1	3.4	17
48	Materials, Processes, and Facile Manufacturing for Bioresorbable Electronics: A Review. <i>Advanced Materials</i> , 2018 , 30, e1707624	24	94
47	Implantable Flexible Electronics: Materials and Techniques for Implantable Nutrient Sensing Using Flexible Sensors Integrated with Metal-Organic Frameworks (Adv. Mater. 23/2018). <i>Advanced Materials</i> , 2018 , 30, 1870166	24	2

46	Mechanically Milled Irregular Zinc Nanoparticles for Printable Bioresorbable Electronics. <i>Small</i> , 2017 , 13, 1700065	11	38
45	Low-Cost Manufacturing of Bioresorbable Conductors by Evaporation-Condensation-Mediated Laser Printing and Sintering of Zn Nanoparticles. <i>Advanced Materials</i> , 2017 , 29, 1700172	24	57
44	Mechanisms and Materials of Flexible and Stretchable Skin Sensors. <i>Micromachines</i> , 2017 , 8, 69	3.3	31
43	Bioresorbable Electronics: Mechanically Milled Irregular Zinc Nanoparticles for Printable Bioresorbable Electronics (Small 17/2017). <i>Small</i> , 2017 , 13,	11	1
42	Bioresorbable Materials and Their Application in Electronics 2017 ,		12
41	Epidermal radio frequency electronics for wireless power transfer. <i>Microsystems and Nanoengineering</i> , 2016 , 2, 16052	7.7	55
40	A hydrogel-based glucose affinity microsensor. <i>Sensors and Actuators B: Chemical</i> , 2016 , 237, 992-998	8.5	16
39	Risk assessment of bioaccessible trace elements in smoke haze aerosols versus urban aerosols using simulated lung fluids. <i>Atmospheric Environment</i> , 2016 , 125, 505-511	5.3	42
38	Stretchable Electronics: Epidermal Electronics with Advanced Capabilities in Near-Field Communication (Small 8/2015). <i>Small</i> , 2015 , 11, 905-905	11	8
37	Characterization and estimation of human airway deposition of size-resolved particulate-bound trace elements during a recent haze episode in Southeast Asia. <i>Environmental Science and Pollution Research</i> , 2015 , 22, 4265-80	5.1	39
36	Transient Electronics: Materials for Programmed, Functional Transformation in Transient Electronic Systems (Adv. Mater. 1/2015). <i>Advanced Materials</i> , 2015 , 27, 187-187	24	2
35	Epidermal electronics with advanced capabilities in near-field communication. <i>Small</i> , 2015 , 11, 906-12	11	191
34	Materials for programmed, functional transformation in transient electronic systems. <i>Advanced Materials</i> , 2015 , 27, 47-52	24	66
33	Soft microfluidic assemblies of sensors, circuits, and radios for the skin. <i>Science</i> , 2014 , 344, 70-4	33.3	802
32	High-performance biodegradable/transient electronics on biodegradable polymers. <i>Advanced Materials</i> , 2014 , 26, 3905-11	24	283
31	Materials and Designs for Wireless Epidermal Sensors of Hydration and Strain. <i>Advanced Functional Materials</i> , 2014 , 24, 3846-3854	15.6	230
30	Materials, designs, and operational characteristics for fully biodegradable primary batteries. <i>Advanced Materials</i> , 2014 , 26, 3879-84	24	211
29	Biodegradable materials for multilayer transient printed circuit boards. <i>Advanced Materials</i> , 2014 , 26, 7371-7	24	109

28	A differential dielectric affinity glucose sensor. <i>Lab on A Chip</i> , 2014 , 14, 294-301	7.2	17
27	Adaptive optoelectronic camouflage systems with designs inspired by cephalopod skins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 12998-3003	11.5	159
26	Stretchable, wireless sensors and functional substrates for epidermal characterization of sweat. <i>Small</i> , 2014 , 10, 3083-90	11	208
25	Epidermal photonic devices for quantitative imaging of temperature and thermal transport characteristics of the skin. <i>Nature Communications</i> , 2014 , 5, 4938	17.4	185
24	Capacitive epidermal electronics for electrically safe, long-term electrophysiological measurements. <i>Advanced Healthcare Materials</i> , 2014 , 3, 642-8	10.1	200
23	A MEMS Dielectric Affinity Glucose Biosensor. <i>Journal of Microelectromechanical Systems</i> , 2013 , 23, 14-20.	5	8
22	The antiepileptic effect of the glycolytic inhibitor 2-deoxy-D-glucose is mediated by upregulation of K(ATP) channel subunits Kir6.1 and Kir6.2. <i>Neurochemical Research</i> , 2013 , 38, 677-85	4.6	20
21	Analysis of a concentric coplanar capacitor for epidermal hydration sensing. <i>Sensors and Actuators A: Physical</i> , 2013 , 203, 149-153	3.9	25
20	Epidermal impedance sensing sheets for precision hydration assessment and spatial mapping. <i>IEEE Transactions on Biomedical Engineering</i> , 2013 , 60, 2848-57	5	76
19	Fabrication and application of flexible, multimodal light-emitting devices for wireless optogenetics. <i>Nature Protocols</i> , 2013 , 8, 2413-2428	18.8	142
18	Injectable, cellular-scale optoelectronics with applications for wireless optogenetics. <i>Science</i> , 2013 , 340, 211-6	33.3	832
17	Stretchable batteries with self-similar serpentine interconnects and integrated wireless recharging systems. <i>Nature Communications</i> , 2013 , 4, 1543	17.4	978
16	Materials for bioresorbable radio frequency electronics. <i>Advanced Materials</i> , 2013 , 25, 3526-31	24	154
15	Elevation of brain magnesium prevents and reverses cognitive deficits and synaptic loss in Alzheimer's disease mouse model. <i>Journal of Neuroscience</i> , 2013 , 33, 8423-41	6.6	37
14	A MEMS differential viscometric sensor for affinity glucose detection in continuous glucose monitoring. <i>Journal of Micromechanics and Microengineering</i> , 2013 , 23, 55020	2	16
13	Mutation screening of the HDC gene in Chinese Han patients with Tourette syndrome. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 72-6	3.5	36
12	Epidermal differential impedance sensor for conformal skin hydration monitoring. <i>Biointerphases</i> , 2012 , 7, 52	1.8	103
11	Continuous monitoring of glucose in subcutaneous tissue using microfabricated differential affinity sensors. <i>Journal of Diabetes Science and Technology</i> , 2012 , 6, 1436-44	4.1	3

10	Synthesis and development of poly(N-hydroxyethyl acrylamide)-ran-3-acrylamidophenylboronic acid polymer fluid for potential application in affinity sensing of glucose. <i>Journal of Diabetes Science and Technology</i> , 2011 , 5, 1060-7	4.1	9
9	Thermally Tunable Polymer Microlenses for Biological Imaging. <i>Journal of Microelectromechanical Systems</i> , 2010 , 19, 1444-1449	2.5	4
8	A dielectric affinity microbiosensor. <i>Applied Physics Letters</i> , 2010 , 96, 033701	3.4	22
7	A MEMS affinity glucose sensor using a biocompatible glucose-responsive polymer. <i>Sensors and Actuators B: Chemical</i> , 2009 , 140, 603-609	8.5	63
6	A Capacitive MEMS Viscometric Sensor for Affinity Detection of Glucose. <i>Journal of Microelectromechanical Systems</i> , 2009 , 18, 1246-1254	2.5	27
5	Development of novel glucose sensing fluids with potential application to microelectromechanical systems-based continuous glucose monitoring. <i>Journal of Diabetes Science and Technology</i> , 2008 , 2, 1066-74	4.1	11
4	Thermally tunable polymer microlenses. <i>Applied Physics Letters</i> , 2008 , 92, 251904	3.4	17
3	Lithium normalizes elevated intracellular sodium. <i>Bipolar Disorders</i> , 2007 , 9, 298-300	3.8	26
2	A Flexible and Stretchable 12-Lead Electrocardiogram System with Individually Deformable Interconnects. <i>Advanced Materials Technologies</i> , 2100904	6.8	3
1	Large-Area Transient Conductive Films Obtained through Photonic Sintering of 2D Materials. <i>Advanced Materials Technologies</i> , 2100439	6.8	1